



Section V

Average-annual Age-adjusted Cancer Incidence Observed and Delay Adjusted Counts and Rates for Select Cancer Sites in the United States, Canada and North America



NAACCR U.S. Combined Delay Adjusted Incidence 2011-2015, All Races Combined



UNITED STATES

V-1 Combined Delay Adjusted Incidence – All Races

**Average Annual Age-adjusted Cancer Incidence Delay Adjusted Counts and Rates*, Selected Sites
NAACCR United States Combined¹, 2011-2015, All Races**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
All Sites (invasive & in situ bladder)	3,930,365	484.0	0.25	4,013,492	494.3	0.26	3,858,762	411.8	0.21	3,940,484	420.5	0.22
Oral Cavity & Pharynx	149,264	17.6	0.05	152,436	18.0	0.05	60,846	6.4	0.03	62,093	6.5	0.03
Digestive												
Esophagus	65,172	7.9	0.03	65,956	8.0	0.03	17,501	1.8	0.01	17,706	1.8	0.01
Stomach	72,349	9.1	0.03	73,248	9.2	0.04	44,253	4.6	0.02	44,798	4.7	0.02
Colon & Rectum	361,918	45.3	0.08	367,181	45.9	0.08	330,024	34.3	0.06	334,774	34.8	0.06
Liver & IBD ²	108,171	12.4	0.04	110,506	12.7	0.04	42,295	4.3	0.02	43,203	4.4	0.02
Pancreas	115,310	14.4	0.04	116,764	14.6	0.04	109,530	11.1	0.03	110,881	11.2	0.03
Respiratory												
Larynx	49,345	5.9	0.03	50,084	5.9	0.03	12,721	1.3	0.01	12,909	1.3	0.01
Lung & bronchus	562,138	70.5	0.10	569,232	71.4	0.10	504,613	51.8	0.07	511,028	52.4	0.07
Skin												
Melanomas of the skin	214,990	27.2	0.06	220,781	27.9	0.06	150,040	16.7	0.04	153,929	17.2	0.05
Breast (female cases only)	-	-	-	-	-	-	1,154,542	124.4	0.12	1,172,681	126.4	0.12
Female Genital												
Cervix uteri	-	-	-	-	-	-	62,263	7.6	0.03	63,179	7.7	0.03
Corpus & uterus, NOS ²	-	-	-	-	-	-	254,923	26.3	0.05	257,624	26.6	0.05
Ovary	-	-	-	-	-	-	105,585	11.3	0.04	108,238	11.6	0.04
Male Genital												
Prostate	945,245	109.7	0.12	974,563	113.2	0.12	-	-	-	-	-	-
Testis	41,580	5.6	0.03	42,165	5.6	0.03	-	-	-	-	-	-
Urinary												
Bladder (incl. <i>in situ</i>)	270,778	35.3	0.07	276,368	36.0	0.07	85,911	8.7	0.03	87,664	8.9	0.03
Kidney & renal pelvis	181,054	22.1	0.05	185,239	22.6	0.05	106,590	11.3	0.04	109,045	11.6	0.04
Brain & Other Nervous System	60,667	7.7	0.03	62,082	7.8	0.03	48,609	5.5	0.03	49,727	5.7	0.03
Endocrine												
Thyroid gland	58,579	7.3	0.03	59,471	7.4	0.03	178,544	21.6	0.05	181,287	22.0	0.05
Lymphomas												
Hodgkin Lymphoma	23,344	3.0	0.02	23,733	3.1	0.02	18,653	2.3	0.02	18,958	2.4	0.02
Non-Hodgkin Lymphoma	179,596	22.8	0.05	184,550	23.4	0.06	148,295	15.6	0.04	152,377	16.1	0.04
Multiple Myeloma	65,337	8.2	0.03	70,110	8.8	0.04	52,031	5.4	0.02	55,840	5.8	0.03
Leukemias	134,835	17.4	0.05	146,925	18.9	0.05	97,456	10.6	0.03	106,050	11.5	0.04

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See technical notes.

² Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	3,930,365	484.0	0.25	945,245	109.7	0.12	562,138	70.5	0.10	361,918	45.3	0.08	270,778	35.3	0.07	214,990	27.2	0.06
Delay Adjusted	4,013,492	494.3	0.26	974,563	113.2	0.12	569,232	71.4	0.10	367,181	45.9	0.08	276,368	36.0	0.07	220,781	27.9	0.06
Alabama																		
Observed	67,168	518.5	2.06	16,972	123.4	0.97	11,521	89.0	0.85	6,544	51.5	0.66	4,094	33.4	0.54	3,407	27.5	0.48
Delay Adjusted	67,822	523.5	2.08	17,197	125.0	0.99	11,585	89.5	0.86	6,591	51.9	0.66	4,125	33.7	0.54	3,444	27.8	0.49
Alaska																		
Observed	6,788	420.2	5.74	1,400	79.6	2.40	949	65.3	2.39	732	45.7	1.90	472	34.6	1.78	239	14.6	1.04
Delay Adjusted	6,939	429.7	5.87	1,442	82.0	2.47	966	66.5	2.43	741	46.3	1.93	480	35.2	1.81	251	15.4	1.10
Arizona																		
Observed	73,520	403.6	1.51	15,093	78.6	0.65	9,994	54.7	0.55	6,908	38.6	0.47	5,795	32.3	0.43	5,058	28.3	0.40
Delay Adjusted	76,923	422.3	1.58	16,091	83.8	0.69	10,222	55.9	0.57	7,247	40.5	0.49	6,062	33.8	0.45	5,406	30.3	0.43
Arkansas																		
Observed	42,347	520.6	2.59	10,004	115.9	1.18	8,090	98.7	1.12	4,048	50.8	0.82	2,691	34.6	0.68	2,095	26.9	0.60
Delay Adjusted	42,944	527.9	2.62	10,152	117.6	1.20	8,155	99.4	1.13	4,086	51.3	0.83	2,716	35.0	0.69	2,142	27.4	0.61
California																		
Observed	400,028	438.2	0.71	96,275	101.2	0.33	42,604	49.2	0.24	37,746	41.5	0.22	25,954	30.5	0.19	26,584	29.5	0.19
Delay Adjusted	405,795	444.6	0.72	98,388	103.4	0.34	42,988	49.7	0.25	38,063	41.8	0.22	26,260	30.9	0.20	26,921	29.9	0.19
Greater California																		
Observed	227,960	448.1	0.96	53,796	101.2	0.45	25,075	51.6	0.33	20,993	41.5	0.29	15,202	32.1	0.27	16,659	33.2	0.26
Delay Adjusted	231,375	454.9	0.97	55,039	103.6	0.46	25,292	52.1	0.34	21,176	41.8	0.30	15,398	32.5	0.27	16,875	33.6	0.27
Greater Bay																		
Observed	78,624	441.8	1.62	19,542	104.7	0.77	8,015	47.9	0.55	7,042	39.5	0.48	4,909	29.5	0.43	5,793	33.0	0.44
Delay Adjusted	79,347	445.9	1.63	19,749	105.9	0.78	8,063	48.2	0.55	7,069	39.6	0.48	4,942	29.7	0.43	5,836	33.2	0.45
Los Angeles																		
Observed	93,388	412.8	1.38	22,929	98.2	0.67	9,505	44.7	0.47	9,706	43.0	0.45	5,841	27.8	0.37	4,133	18.5	0.29
Delay Adjusted	95,014	420.0	1.41	23,591	101.0	0.68	9,624	45.3	0.48	9,813	43.5	0.45	5,918	28.2	0.38	4,211	18.9	0.30
Colorado																		
Observed	54,639	424.4	1.89	13,941	101.0	0.89	5,656	46.9	0.65	4,739	37.8	0.57	3,786	32.1	0.54	3,506	27.5	0.48
Delay Adjusted	55,693	432.6	1.93	14,646	106.1	0.94	5,694	47.2	0.65	4,770	38.1	0.58	3,905	33.1	0.56	3,599	28.2	0.50

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	49,749	507.6	2.33	11,821	112.8	1.06	6,520	67.9	0.86	4,140	42.9	0.68	4,381	46.6	0.72	2,551	26.8	0.54
Delay Adjusted	50,733	517.7	2.38	12,164	116.3	1.10	6,592	68.6	0.87	4,176	43.3	0.69	4,441	47.2	0.73	2,604	27.4	0.56
Delaware																		
Observed	14,400	552.2	4.71	3,812	136.1	2.25	2,129	82.7	1.83	1,080	42.7	1.33	1,077	43.2	1.35	1,006	39.7	1.28
Delay Adjusted	14,849	569.4	4.86	3,997	142.7	2.36	2,178	84.6	1.87	1,102	43.6	1.36	1,114	44.7	1.39	1,029	40.6	1.31
Florida																		
Observed	285,462	462.2	0.88	63,334	97.4	0.39	43,812	69.3	0.33	25,783	42.3	0.27	20,616	32.9	0.23	19,023	31.4	0.23
Delay Adjusted	297,014	481.0	0.91	67,183	103.3	0.41	44,169	69.8	0.34	26,559	43.6	0.28	21,449	34.3	0.24	20,347	33.6	0.25
Georgia																		
Observed	119,182	519.5	1.58	30,175	123.3	0.74	18,241	82.9	0.65	11,240	49.3	0.49	6,677	32.7	0.42	7,807	35.1	0.42
Delay Adjusted	121,241	528.6	1.61	30,757	125.7	0.76	18,431	83.7	0.65	11,372	49.8	0.49	6,791	33.2	0.43	7,947	35.8	0.42
Hawaii																		
Observed	17,004	429.2	3.38	3,578	86.9	1.49	2,232	56.8	1.23	1,990	49.8	1.14	916	23.6	0.80	1,052	26.6	0.84
Delay Adjusted	17,161	433.2	3.41	3,622	88.0	1.51	2,250	57.2	1.24	2,001	50.0	1.15	925	23.9	0.81	1,061	26.8	0.85
Idaho																		
Observed	19,598	463.0	3.39	5,021	112.2	1.62	2,322	56.2	1.20	1,646	39.6	1.00	1,476	36.4	0.97	1,358	32.6	0.91
Delay Adjusted	20,136	475.8	3.49	5,268	117.8	1.70	2,372	57.5	1.22	1,669	40.1	1.01	1,552	38.3	1.02	1,391	33.4	0.93
Illinois																		
Observed	163,842	508.1	1.29	39,309	114.9	0.60	24,378	77.8	0.51	16,369	51.6	0.41	11,374	37.5	0.36	7,430	23.6	0.28
Delay Adjusted	166,127	515.2	1.31	40,313	117.9	0.61	24,598	78.5	0.52	16,479	51.9	0.42	11,528	38.0	0.36	7,555	24.0	0.28
Indiana																		
Observed	81,756	485.4	1.74	16,567	92.7	0.74	14,622	88.1	0.75	8,036	48.3	0.55	6,018	37.6	0.50	3,691	22.3	0.38
Delay Adjusted	83,880	498.1	1.79	17,189	96.2	0.77	14,831	89.3	0.76	8,194	49.3	0.56	6,218	38.9	0.51	3,859	23.3	0.39
Iowa																		
Observed	44,294	513.0	2.49	9,909	108.0	1.10	6,649	77.1	0.96	4,333	51.2	0.79	3,242	38.3	0.68	2,459	29.5	0.61
Delay Adjusted	44,856	519.5	2.52	10,040	109.5	1.12	6,721	77.9	0.97	4,360	51.5	0.80	3,274	38.7	0.69	2,492	29.8	0.62

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	66,681	570.2	2.28	13,583	108.8	0.96	13,123	112.8	1.02	6,700	58.0	0.73	4,334	39.5	0.62	3,592	32.0	0.55
Delay Adjusted	67,669	578.7	2.31	13,898	111.4	0.99	13,260	114.0	1.03	6,796	58.8	0.74	4,397	40.1	0.63	3,638	32.4	0.56
Louisiana																		
Observed	64,733	557.2	2.26	16,936	137.4	1.09	9,968	87.6	0.91	6,286	54.9	0.72	3,557	32.9	0.57	2,640	24.0	0.48
Delay Adjusted	65,410	563.0	2.29	17,135	139.0	1.10	10,033	88.2	0.91	6,328	55.2	0.72	3,592	33.3	0.58	2,678	24.3	0.49
Maine																		
Observed	20,931	496.6	3.54	4,335	93.6	1.46	3,487	82.5	1.43	1,706	41.5	1.04	1,925	47.1	1.10	1,175	28.5	0.86
Delay Adjusted	21,168	502.2	3.58	4,399	95.0	1.48	3,515	83.2	1.44	1,716	41.8	1.04	1,951	47.7	1.11	1,188	28.8	0.87
Maryland																		
Observed	72,659	488.4	1.87	20,097	125.7	0.91	9,324	65.2	0.70	6,084	42.0	0.55	5,132	37.5	0.54	4,352	30.2	0.47
Delay Adjusted	74,495	500.7	1.92	20,764	129.8	0.94	9,527	66.6	0.71	6,200	42.8	0.57	5,323	38.9	0.56	4,372	30.3	0.47
Massachusetts																		
Observed	86,420	485.3	1.69	20,389	106.4	0.76	11,999	69.3	0.65	7,291	41.9	0.50	6,872	40.4	0.50	4,305	24.8	0.39
Delay Adjusted	87,658	492.2	1.72	20,812	108.6	0.78	12,147	70.2	0.66	7,371	42.3	0.51	6,961	41.0	0.50	4,398	25.3	0.40
Michigan																		
Observed	135,119	492.8	1.38	34,546	117.6	0.65	20,376	75.2	0.54	11,407	42.8	0.41	10,043	38.6	0.39	6,093	23.1	0.30
Delay Adjusted	137,458	501.3	1.40	35,120	119.6	0.66	20,767	76.6	0.55	11,601	43.5	0.42	10,180	39.1	0.40	6,192	23.5	0.31
Detroit																		
Observed	56,172	555.9	2.42	15,392	143.0	1.19	8,059	82.2	0.94	4,734	47.8	0.72	3,961	41.6	0.68	2,137	22.0	0.49
Delay Adjusted	56,621	560.4	2.44	15,503	144.1	1.20	8,104	82.7	0.95	4,758	48.1	0.72	4,001	42.0	0.69	2,145	22.1	0.49
Minnesota																		
Observed	71,149	495.2	1.90	17,485	113.8	0.88	8,666	61.6	0.68	6,038	43.0	0.57	5,174	37.9	0.54	4,963	35.2	0.51
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	41,511	543.4	2.75	10,614	130.6	1.30	7,499	99.8	1.19	4,335	57.5	0.90	2,182	30.8	0.68	1,684	23.0	0.58
Delay Adjusted	42,299	553.7	2.80	10,875	133.8	1.34	7,588	101.0	1.20	4,374	58.0	0.91	2,225	31.4	0.69	1,713	23.4	0.59
Missouri																		
Observed	80,595	489.7	1.76	17,273	98.0	0.76	14,350	87.9	0.75	7,830	48.8	0.56	5,333	33.9	0.47	3,990	25.0	0.40
Delay Adjusted	82,680	502.4	1.81	18,087	102.7	0.80	14,571	89.2	0.76	7,960	49.6	0.57	5,480	34.9	0.49	4,103	25.7	0.42

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	14,626	467.4	3.99	3,787	111.1	1.86	1,804	58.6	1.42	1,344	43.8	1.23	1,090	35.8	1.11	914	30.2	1.04
Delay Adjusted	15,113	482.9	4.13	3,959	116.1	1.94	1,836	59.7	1.44	1,382	45.0	1.27	1,141	37.4	1.16	955	31.5	1.08
Nebraska																		
Observed	24,127	493.3	3.24	5,877	114.3	1.52	3,383	70.6	1.24	2,382	49.5	1.03	1,712	36.4	0.89	1,205	24.9	0.73
Delay Adjusted	24,900	509.1	3.34	6,220	120.9	1.61	3,447	72.0	1.26	2,433	50.5	1.05	1,804	38.4	0.94	1,239	25.7	0.76
New Hampshire																		
Observed	19,732	511.4	3.78	4,943	116.1	1.71	2,644	70.6	1.42	1,592	42.5	1.10	1,711	47.0	1.17	1,296	34.9	1.00
Delay Adjusted	20,250	524.8	3.88	5,079	119.3	1.75	2,704	72.2	1.45	1,628	43.5	1.13	1,746	48.0	1.20	1,334	35.9	1.03
New Jersey																		
Observed	121,437	525.2	1.54	32,877	134.7	0.76	14,403	64.3	0.55	10,951	47.9	0.47	9,114	41.7	0.44	6,566	28.9	0.36
Delay Adjusted	123,654	534.8	1.57	33,633	137.9	0.78	14,574	65.1	0.55	11,084	48.5	0.47	9,258	42.3	0.45	6,648	29.2	0.37
New York																		
Observed	267,256	528.1	1.04	70,382	131.7	0.51	34,132	69.1	0.38	22,793	46.0	0.31	19,741	41.1	0.30	11,522	23.3	0.22
Delay Adjusted	270,211	534.1	1.06	71,497	133.9	0.52	34,331	69.5	0.38	22,916	46.2	0.31	20,013	41.6	0.30	11,750	23.8	0.23
North Carolina																		
Observed	131,073	514.6	1.46	32,914	120.9	0.69	21,613	86.3	0.61	10,837	43.3	0.43	8,321	35.0	0.40	8,014	32.7	0.38
Delay Adjusted	135,295	531.1	1.51	34,906	128.2	0.73	21,925	87.6	0.61	11,062	44.2	0.44	8,556	36.0	0.41	8,373	34.2	0.39
North Dakota																		
Observed	9,573	492.8	5.16	2,487	121.0	2.48	1,299	68.4	1.94	1,011	53.0	1.71	678	36.3	1.42	504	26.3	1.20
Delay Adjusted	9,849	507.0	5.31	2,567	124.9	2.56	1,329	69.9	1.98	1,037	54.3	1.75	704	37.7	1.48	521	27.2	1.24
Ohio																		
Observed	158,138	497.9	1.28	36,669	108.0	0.58	26,056	82.7	0.52	15,006	48.3	0.40	11,734	38.7	0.37	8,103	26.4	0.30
Delay Adjusted	163,753	515.7	1.33	38,240	112.6	0.60	26,773	84.9	0.54	15,408	49.6	0.41	12,094	39.9	0.38	8,400	27.4	0.31
Oklahoma																		
Observed	49,099	489.8	2.26	10,671	101.1	1.00	8,542	85.7	0.95	4,742	48.1	0.71	3,242	33.8	0.61	2,505	26.0	0.53
Delay Adjusted	49,667	495.4	2.29	10,841	102.7	1.02	8,637	86.6	0.96	4,783	48.5	0.72	3,272	34.2	0.61	2,508	26.0	0.53

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	50,739	453.8	2.07	11,497	95.4	0.91	6,721	61.3	0.77	4,333	39.8	0.62	3,976	37.1	0.60	3,456	31.5	0.55
Delay Adjusted	51,553	461.1	2.11	11,719	97.3	0.93	6,821	62.2	0.78	4,381	40.2	0.63	4,020	37.5	0.61	3,519	32.1	0.56
Pennsylvania																		
Observed	192,632	524.3	1.22	43,623	111.1	0.54	28,005	76.5	0.47	17,861	49.5	0.38	15,484	43.2	0.35	10,676	29.9	0.30
Delay Adjusted	195,583	532.3	1.24	44,946	114.4	0.56	28,249	77.1	0.47	18,010	49.9	0.38	15,674	43.7	0.36	10,848	30.4	0.30
Puerto Rico																		
Observed	40,635	404.9	2.04	15,440	146.6	1.20	2,465	24.7	0.51	5,245	52.5	0.74	1,641	16.9	0.42	398	4.1	0.21
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Rhode Island																		
Observed	14,460	505.5	4.31	3,178	104.1	1.89	2,202	78.2	1.71	1,127	40.4	1.23	1,269	45.6	1.31	808	29.0	1.05
Delay Adjusted	14,731	515.0	4.39	3,282	107.5	1.96	2,234	79.4	1.73	1,139	40.8	1.24	1,294	46.5	1.33	820	29.5	1.06
South Carolina																		
Observed	66,747	512.3	2.06	16,813	119.4	0.95	10,963	84.4	0.84	5,677	44.6	0.61	4,165	34.6	0.56	3,670	29.3	0.50
Delay Adjusted	68,945	529.2	2.12	17,591	124.9	1.00	11,194	86.2	0.85	5,841	45.9	0.63	4,292	35.6	0.57	3,767	30.1	0.51
South Dakota																		
Observed	11,325	484.6	4.66	2,839	114.6	2.20	1,558	67.4	1.74	1,128	48.9	1.49	790	35.3	1.28	594	26.0	1.09
Delay Adjusted	11,828	506.1	4.86	3,046	123.0	2.36	1,609	69.6	1.80	1,165	50.5	1.54	849	37.9	1.37	631	27.6	1.16
Tennessee																		
Observed	89,437	514.8	1.78	21,297	114.4	0.81	16,248	94.3	0.76	7,863	46.3	0.54	5,556	34.2	0.47	4,339	26.0	0.41
Delay Adjusted	91,032	523.9	1.81	21,714	116.7	0.82	16,418	95.3	0.77	7,945	46.8	0.54	5,643	34.7	0.48	4,433	26.6	0.42
Texas																		
Observed	260,614	445.9	0.90	57,861	95.4	0.41	36,269	65.5	0.36	26,655	45.7	0.29	14,150	26.9	0.23	10,173	17.8	0.18
Delay Adjusted	267,359	457.5	0.93	60,124	99.1	0.43	36,757	66.4	0.36	26,991	46.3	0.29	14,425	27.4	0.24	10,515	18.4	0.19
Utah																		
Observed	25,346	439.1	2.83	7,137	121.0	1.47	1,759	32.4	0.79	1,932	34.2	0.80	1,555	29.6	0.77	2,788	48.6	0.94
Delay Adjusted	25,722	445.7	2.88	7,269	123.3	1.50	1,780	32.8	0.80	1,946	34.4	0.80	1,579	30.0	0.78	2,826	49.3	0.96
Vermont																		
Observed	8,957	472.4	5.19	1,917	92.0	2.17	1,331	69.9	1.98	718	38.7	1.50	690	37.7	1.48	767	41.3	1.55
Delay Adjusted	9,102	480.0	5.27	1,946	93.4	2.21	1,348	70.8	2.01	733	39.5	1.53	705	38.5	1.51	777	41.9	1.57

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Virginia																		
Observed	92,903	444.4	1.51	23,084	102.8	0.70	14,123	69.8	0.61	8,306	40.3	0.46	5,974	31.1	0.42	4,948	24.5	0.36
Delay Adjusted	94,479	451.9	1.53	23,631	105.2	0.71	14,250	70.4	0.61	8,393	40.7	0.46	6,044	31.5	0.42	5,037	24.9	0.37
Washington																		
Observed	86,616	476.5	1.67	20,742	106.8	0.77	10,972	62.8	0.62	7,173	40.0	0.49	6,303	37.2	0.48	5,549	30.8	0.43
Delay Adjusted	87,600	481.9	1.69	21,000	108.2	0.78	11,102	63.6	0.63	7,233	40.3	0.49	6,393	37.7	0.49	5,636	31.3	0.43
Seattle																		
Observed	61,342	501.1	2.09	14,938	114.6	0.97	7,369	63.3	0.76	5,065	41.7	0.60	4,396	38.8	0.60	4,195	34.5	0.55
Delay Adjusted	61,662	503.7	2.10	15,025	115.3	0.98	7,383	63.4	0.76	5,076	41.7	0.61	4,420	39.0	0.61	4,246	34.9	0.56
West Virginia																		
Observed	29,286	511.0	3.08	5,887	94.7	1.27	5,725	98.4	1.34	2,974	53.2	1.01	2,185	39.4	0.86	1,364	25.3	0.71
Delay Adjusted	29,938	522.4	3.15	6,005	96.6	1.29	5,817	100.0	1.36	3,028	54.1	1.02	2,225	40.0	0.88	1,401	26.0	0.73
Wisconsin																		
Observed	79,216	497.0	1.81	19,073	111.6	0.83	10,695	68.0	0.67	6,648	42.6	0.54	6,029	39.7	0.52	4,365	28.0	0.43
Delay Adjusted	80,940	507.8	1.85	20,045	117.2	0.87	10,947	69.7	0.69	6,831	43.9	0.55	6,182	40.7	0.54	4,592	29.4	0.46
Wyoming																		
Observed	6,816	428.1	5.39	1,781	103.0	2.54	715	46.6	1.81	609	39.2	1.65	547	36.8	1.63	406	26.7	1.37
Delay Adjusted	6,870	431.5	5.43	1,794	103.8	2.56	718	46.8	1.82	611	39.3	1.66	550	37.0	1.64	418	27.5	1.41

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	3,858,762	411.8	0.21	1,154,542	124.4	0.12	504,613	51.8	0.07	330,024	34.3	0.06	254,923	26.3	0.05	178,544	21.6	0.05
Delay Adjusted	3,940,484	420.5	0.22	1,172,681	126.4	0.12	511,028	52.4	0.07	334,774	34.8	0.06	257,624	26.6	0.05	181,287	22.0	0.05
Alabama																		
Observed	59,757	392.8	1.65	18,227	120.9	0.92	8,312	51.6	0.57	5,746	37.1	0.50	3,015	19.2	0.36	1,768	13.3	0.33
Delay Adjusted	60,360	396.8	1.66	18,435	122.3	0.93	8,358	51.9	0.58	5,788	37.3	0.50	3,027	19.3	0.36	1,782	13.4	0.33
Alaska																		
Observed	6,574	401.2	5.24	2,100	124.1	2.86	759	50.1	1.93	611	38.6	1.65	440	24.7	1.25	302	17.5	1.04
Delay Adjusted	6,722	410.2	5.35	2,125	125.6	2.89	773	51.0	1.97	618	39.0	1.67	451	25.3	1.28	308	17.8	1.06
Arizona																		
Observed	73,163	368.6	1.40	22,214	112.9	0.78	9,518	45.0	0.47	5,910	29.1	0.39	4,516	22.3	0.34	3,899	22.8	0.38
Delay Adjusted	76,540	385.6	1.46	23,247	118.2	0.81	9,736	46.0	0.48	6,201	30.5	0.41	4,714	23.3	0.36	4,082	23.9	0.39
Arkansas																		
Observed	36,762	401.2	2.15	10,399	114.7	1.16	5,998	61.6	0.81	3,529	37.5	0.65	2,071	22.2	0.50	1,281	16.3	0.47
Delay Adjusted	37,294	407.0	2.18	10,541	116.2	1.17	6,048	62.1	0.81	3,562	37.9	0.65	2,082	22.3	0.50	1,313	16.7	0.48
California																		
Observed	405,612	382.2	0.61	128,452	121.6	0.34	41,742	39.0	0.19	34,358	31.8	0.17	27,405	25.1	0.15	19,249	19.3	0.14
Delay Adjusted	411,474	387.7	0.62	129,577	122.6	0.35	42,119	39.3	0.20	34,643	32.1	0.18	27,543	25.2	0.15	19,413	19.5	0.14
Greater California																		
Observed	226,763	389.9	0.83	71,083	122.7	0.47	25,005	42.4	0.27	18,873	32.0	0.24	14,634	24.3	0.20	10,615	19.7	0.19
Delay Adjusted	230,159	395.7	0.85	71,788	123.9	0.47	25,226	42.8	0.27	19,037	32.3	0.24	14,720	24.5	0.21	10,708	19.9	0.20
Greater Bay																		
Observed	79,335	384.6	1.39	25,822	125.9	0.80	7,942	38.1	0.44	6,527	31.0	0.39	5,478	25.6	0.35	3,298	17.2	0.30
Delay Adjusted	80,070	388.2	1.40	25,950	126.6	0.80	7,989	38.4	0.44	6,552	31.1	0.39	5,493	25.7	0.35	3,318	17.3	0.31
Los Angeles																		
Observed	99,449	363.5	1.17	31,539	115.6	0.66	8,776	32.1	0.35	8,951	32.1	0.34	7,293	26.1	0.31	5,336	20.2	0.28
Delay Adjusted	101,177	369.8	1.19	31,831	116.7	0.67	8,885	32.5	0.35	9,047	32.5	0.35	7,330	26.2	0.31	5,387	20.4	0.28
Colorado																		
Observed	54,805	380.7	1.66	17,933	123.5	0.94	5,821	40.7	0.55	4,325	30.3	0.47	3,356	21.9	0.39	3,141	23.0	0.42
Delay Adjusted	55,860	388.0	1.70	17,978	123.8	0.95	5,860	41.0	0.55	4,352	30.5	0.47	3,367	21.9	0.39	3,171	23.3	0.42

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	51,987	448.5	2.03	16,000	140.2	1.14	6,788	56.2	0.70	4,063	33.4	0.54	3,503	29.0	0.50	2,819	29.0	0.56
Delay Adjusted	53,012	457.3	2.07	16,219	142.1	1.16	6,864	56.8	0.70	4,098	33.6	0.55	3,529	29.2	0.50	2,848	29.3	0.57
Delaware																		
Observed	13,527	451.8	4.00	3,994	133.8	2.19	1,982	62.8	1.43	993	32.8	1.07	953	30.5	1.02	601	24.4	1.03
Delay Adjusted	13,952	466.0	4.13	4,048	135.6	2.22	2,027	64.2	1.47	1,013	33.4	1.09	960	30.7	1.02	615	25.0	1.06
Florida																		
Observed	266,901	389.9	0.79	77,149	116.0	0.43	38,929	51.9	0.27	23,168	32.1	0.22	16,501	23.6	0.19	9,850	18.2	0.19
Delay Adjusted	277,973	406.3	0.82	80,080	120.4	0.45	39,251	52.3	0.27	23,850	33.1	0.23	17,012	24.3	0.20	9,914	18.3	0.19
Georgia																		
Observed	113,244	409.8	1.24	34,871	125.2	0.68	14,384	51.7	0.44	9,909	35.9	0.37	6,524	22.4	0.28	4,693	17.7	0.26
Delay Adjusted	115,196	416.9	1.26	35,212	126.4	0.69	14,536	52.3	0.44	10,024	36.3	0.37	6,570	22.6	0.28	4,737	17.8	0.26
Hawaii																		
Observed	17,276	399.5	3.16	5,783	136.1	1.86	1,758	37.6	0.92	1,597	35.7	0.93	1,272	30.1	0.87	825	22.7	0.81
Delay Adjusted	17,434	403.1	3.18	5,814	136.8	1.87	1,772	37.9	0.93	1,606	35.9	0.93	1,274	30.2	0.87	829	22.8	0.82
Idaho																		
Observed	18,381	408.6	3.09	5,487	122.2	1.69	2,166	46.5	1.02	1,505	33.2	0.87	1,160	24.7	0.74	983	24.7	0.81
Delay Adjusted	18,891	420.0	3.17	5,564	123.9	1.72	2,212	47.5	1.04	1,526	33.7	0.89	1,183	25.2	0.76	992	24.9	0.81
Illinois																		
Observed	166,632	435.7	1.09	49,734	131.7	0.60	22,629	57.5	0.39	14,879	37.6	0.32	11,598	29.3	0.28	7,684	22.6	0.26
Delay Adjusted	168,957	441.7	1.11	50,224	133.0	0.61	22,838	58.0	0.39	14,977	37.9	0.32	11,682	29.5	0.28	7,760	22.8	0.27
Indiana																		
Observed	83,019	423.1	1.50	23,676	121.7	0.81	12,488	61.4	0.56	7,704	38.3	0.45	5,517	27.3	0.38	3,109	18.4	0.34
Delay Adjusted	85,181	434.1	1.54	24,251	124.7	0.83	12,670	62.2	0.57	7,851	39.0	0.45	5,594	27.7	0.38	3,165	18.7	0.34
Iowa																		
Observed	41,970	433.3	2.20	11,646	123.4	1.19	5,476	53.4	0.74	4,072	39.3	0.64	3,031	30.6	0.57	1,627	20.7	0.53
Delay Adjusted	42,495	438.6	2.22	11,709	124.1	1.19	5,536	54.0	0.75	4,097	39.6	0.64	3,045	30.8	0.58	1,639	20.9	0.54

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	63,264	468.8	1.91	16,853	125.0	0.99	11,164	79.0	0.76	5,832	42.4	0.57	3,657	26.5	0.45	2,621	22.3	0.45
Delay Adjusted	64,208	475.8	1.94	16,962	125.8	0.99	11,283	79.8	0.77	5,917	43.1	0.58	3,676	26.6	0.45	2,646	22.5	0.45
Louisiana																		
Observed	56,096	415.6	1.79	16,700	124.1	0.98	7,606	54.4	0.63	5,447	40.0	0.55	2,744	19.7	0.38	2,503	20.3	0.42
Delay Adjusted	56,691	420.0	1.81	16,829	125.1	0.99	7,656	54.8	0.64	5,483	40.2	0.56	2,761	19.8	0.39	2,533	20.6	0.42
Maine																		
Observed	21,079	448.4	3.23	5,805	125.7	1.73	3,234	64.8	1.16	1,648	33.9	0.87	1,531	30.6	0.81	862	23.0	0.83
Delay Adjusted	21,323	453.7	3.27	5,888	127.7	1.76	3,261	65.3	1.17	1,658	34.1	0.87	1,539	30.8	0.81	865	23.1	0.83
Maryland																		
Observed	74,995	418.6	1.56	23,620	131.7	0.88	9,442	51.8	0.54	6,016	33.2	0.44	5,128	27.3	0.39	3,624	22.2	0.38
Delay Adjusted	76,900	429.2	1.60	24,076	134.2	0.89	9,650	52.9	0.56	6,131	33.8	0.45	5,176	27.5	0.39	3,698	22.7	0.39
Massachusetts																		
Observed	94,515	445.1	1.49	28,737	137.6	0.83	13,238	60.2	0.53	7,284	33.1	0.40	6,463	29.4	0.37	5,440	29.5	0.41
Delay Adjusted	95,858	451.3	1.51	28,882	138.3	0.84	13,403	60.9	0.54	7,366	33.5	0.40	6,480	29.5	0.37	5,460	29.6	0.41
Michigan																		
Observed	131,049	419.7	1.20	38,069	123.4	0.65	19,132	58.5	0.43	10,808	33.5	0.33	9,401	28.9	0.31	5,216	19.9	0.28
Delay Adjusted	133,320	427.0	1.22	38,573	125.0	0.66	19,494	59.6	0.44	10,986	34.1	0.34	9,491	29.2	0.31	5,292	20.1	0.29
Detroit																		
Observed	55,552	454.4	1.98	16,160	133.8	1.08	8,128	64.2	0.73	4,755	37.5	0.56	3,843	30.3	0.50	2,581	24.2	0.49
Delay Adjusted	56,004	458.1	2.00	16,257	134.6	1.09	8,174	64.6	0.73	4,779	37.7	0.56	3,857	30.4	0.50	2,597	24.4	0.49
Minnesota																		
Observed	69,078	431.6	1.69	20,792	131.5	0.94	8,346	50.5	0.56	5,639	34.1	0.47	5,067	30.4	0.44	2,748	19.7	0.39
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	35,926	401.6	2.16	10,256	116.0	1.17	5,272	56.3	0.79	3,780	41.1	0.68	1,895	20.5	0.48	1,285	16.2	0.46
Delay Adjusted	36,610	409.3	2.21	10,437	118.1	1.19	5,336	57.0	0.79	3,814	41.5	0.69	1,905	20.6	0.48	1,307	16.5	0.47
Missouri																		
Observed	80,083	424.0	1.54	23,876	128.2	0.85	12,666	63.9	0.58	7,016	35.9	0.44	5,118	26.4	0.38	2,848	17.6	0.34
Delay Adjusted	82,147	434.8	1.58	24,261	130.2	0.87	12,863	64.8	0.59	7,132	36.5	0.45	5,169	26.6	0.38	2,891	17.9	0.35

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	13,379	415.3	3.74	3,948	123.2	2.05	1,840	53.7	1.28	1,087	33.0	1.04	876	25.6	0.90	566	21.6	0.95
Delay Adjusted	13,824	429.1	3.87	4,067	126.9	2.11	1,874	54.7	1.30	1,117	33.9	1.07	890	26.0	0.92	577	22.1	0.98
Nebraska																		
Observed	22,779	415.4	2.84	6,710	124.1	1.56	2,875	50.1	0.95	2,145	37.4	0.83	1,535	27.5	0.72	998	21.2	0.69
Delay Adjusted	23,517	428.9	2.93	6,814	126.0	1.59	2,930	51.1	0.97	2,191	38.2	0.85	1,544	27.7	0.72	1,013	21.5	0.70
New Hampshire																		
Observed	19,663	459.2	3.39	6,161	143.9	1.90	2,778	62.9	1.22	1,497	33.9	0.90	1,455	31.8	0.86	878	24.5	0.86
Delay Adjusted	20,182	471.2	3.48	6,226	145.4	1.92	2,840	64.3	1.25	1,531	34.6	0.92	1,469	32.1	0.87	900	25.1	0.88
New Jersey																		
Observed	125,223	447.6	1.30	36,786	133.4	0.71	15,296	52.6	0.43	10,780	37.0	0.36	9,111	31.3	0.33	6,830	28.0	0.35
Delay Adjusted	127,522	455.8	1.32	37,265	135.2	0.72	15,480	53.2	0.44	10,906	37.4	0.37	9,187	31.6	0.34	6,941	28.5	0.35
New York																		
Observed	272,732	445.5	0.87	78,826	131.3	0.48	34,555	54.1	0.30	22,220	35.0	0.24	19,905	31.5	0.23	15,594	29.0	0.24
Delay Adjusted	275,727	450.4	0.88	79,219	131.9	0.48	34,758	54.4	0.30	22,343	35.2	0.24	19,944	31.5	0.23	15,719	29.3	0.24
North Carolina																		
Observed	126,141	418.4	1.20	39,269	131.0	0.68	17,737	56.5	0.43	10,042	32.9	0.33	7,724	24.6	0.29	4,881	18.2	0.27
Delay Adjusted	130,239	432.0	1.24	40,275	134.4	0.69	18,000	57.3	0.44	10,253	33.6	0.34	7,812	24.9	0.29	4,995	18.6	0.27
North Dakota																		
Observed	8,547	412.6	4.64	2,479	123.7	2.59	1,101	50.7	1.56	856	38.9	1.38	533	25.0	1.12	469	26.8	1.29
Delay Adjusted	8,796	424.6	4.78	2,500	124.7	2.61	1,127	52.0	1.60	877	39.8	1.41	541	25.4	1.13	481	27.5	1.32
Ohio																		
Observed	157,990	429.5	1.11	45,913	126.2	0.61	22,912	59.4	0.40	13,925	36.4	0.32	11,123	29.2	0.28	6,896	22.3	0.28
Delay Adjusted	163,635	444.8	1.15	47,245	129.9	0.63	23,551	61.0	0.41	14,299	37.4	0.33	11,418	29.9	0.29	7,151	23.1	0.29
Oklahoma																		
Observed	46,577	409.8	1.94	13,335	118.4	1.05	7,012	58.7	0.71	4,276	36.9	0.58	2,603	22.4	0.45	1,851	18.6	0.44
Delay Adjusted	47,124	414.6	1.97	13,426	119.2	1.06	7,091	59.4	0.72	4,313	37.2	0.58	2,623	22.5	0.45	1,878	18.9	0.45

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	50,816	412.4	1.89	15,350	124.9	1.04	6,747	52.4	0.65	3,841	30.4	0.51	3,440	26.6	0.47	2,074	20.0	0.45
Delay Adjusted	51,615	418.8	1.92	15,527	126.3	1.06	6,847	53.2	0.66	3,885	30.8	0.51	3,464	26.8	0.47	2,088	20.2	0.46
Pennsylvania																		
Observed	193,975	455.2	1.07	54,672	131.0	0.58	25,591	56.3	0.36	16,748	37.0	0.30	14,218	32.3	0.28	10,427	30.2	0.31
Delay Adjusted	196,962	462.2	1.09	55,189	132.3	0.59	25,818	56.7	0.36	16,886	37.3	0.30	14,257	32.4	0.28	10,578	30.7	0.31
Puerto Rico																		
Observed	36,714	319.3	1.72	10,793	93.2	0.92	1,556	12.3	0.32	4,307	35.1	0.55	2,973	25.6	0.48	4,226	42.2	0.67
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Rhode Island																		
Observed	15,734	458.1	3.79	4,537	135.3	2.08	2,314	64.2	1.37	1,191	32.5	0.98	1,099	31.0	0.96	797	27.8	1.02
Delay Adjusted	16,030	466.8	3.86	4,591	136.9	2.10	2,348	65.2	1.39	1,203	32.8	0.99	1,111	31.4	0.97	802	28.0	1.03
South Carolina																		
Observed	61,430	407.5	1.69	19,225	128.3	0.95	8,512	53.5	0.59	5,156	33.7	0.48	3,672	23.2	0.39	2,267	17.2	0.37
Delay Adjusted	63,436	420.8	1.75	19,730	131.6	0.98	8,692	54.7	0.60	5,300	34.7	0.50	3,737	23.6	0.40	2,328	17.7	0.38
South Dakota																		
Observed	10,624	422.2	4.27	3,293	134.3	2.44	1,363	51.7	1.43	998	36.8	1.21	710	27.6	1.07	404	19.3	1.00
Delay Adjusted	11,087	440.3	4.44	3,351	136.7	2.48	1,409	53.5	1.48	1,030	38.0	1.25	718	27.9	1.09	413	19.7	1.02
Tennessee																		
Observed	83,486	415.2	1.47	24,490	122.2	0.80	12,977	61.7	0.55	7,259	35.6	0.43	4,838	23.3	0.34	3,268	18.7	0.34
Delay Adjusted	84,993	422.7	1.50	24,840	124.0	0.81	13,114	62.3	0.55	7,331	36.0	0.43	4,873	23.5	0.35	3,324	19.0	0.34
Texas																		
Observed	252,194	370.5	0.75	76,287	111.7	0.41	29,424	43.5	0.26	21,694	31.8	0.22	15,097	21.5	0.18	12,177	18.3	0.17
Delay Adjusted	258,779	380.1	0.77	77,917	114.1	0.42	29,825	44.1	0.26	21,965	32.2	0.22	15,273	21.7	0.18	12,587	18.9	0.17
Utah																		
Observed	23,658	371.4	2.45	7,239	115.1	1.37	1,480	23.7	0.63	1,720	27.6	0.67	1,693	25.9	0.64	1,919	29.2	0.68
Delay Adjusted	23,996	376.7	2.48	7,267	115.5	1.38	1,498	24.0	0.63	1,733	27.8	0.68	1,699	26.0	0.64	1,923	29.3	0.68
Vermont																		
Observed	9,078	434.8	4.76	2,698	130.4	2.62	1,280	58.3	1.67	724	33.5	1.29	738	33.5	1.28	328	19.7	1.16
Delay Adjusted	9,226	441.7	4.84	2,712	131.1	2.64	1,296	59.0	1.69	740	34.2	1.32	741	33.7	1.29	334	20.1	1.17

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Virginia																		
Observed	96,120	395.6	1.30	31,088	127.9	0.74	12,536	50.6	0.46	7,917	32.3	0.37	6,186	24.3	0.32	4,358	19.8	0.31
Delay Adjusted	97,811	402.7	1.32	31,529	129.7	0.75	12,652	51.1	0.46	7,997	32.6	0.37	6,241	24.5	0.32	4,411	20.0	0.31
Washington																		
Observed	86,192	425.7	1.49	27,427	135.3	0.84	10,714	52.1	0.51	6,528	32.0	0.41	5,458	25.4	0.35	3,743	20.4	0.34
Delay Adjusted	87,167	430.5	1.51	27,582	136.0	0.84	10,834	52.7	0.52	6,583	32.3	0.41	5,482	25.5	0.36	3,776	20.6	0.34
Seattle																		
Observed	61,008	440.4	1.83	19,572	140.8	1.03	7,360	52.9	0.63	4,549	32.6	0.50	3,863	26.2	0.43	2,648	20.7	0.41
Delay Adjusted	61,326	442.7	1.84	19,595	141.0	1.03	7,374	53.0	0.63	4,558	32.7	0.50	3,875	26.3	0.43	2,657	20.8	0.41
West Virginia																		
Observed	27,758	442.5	2.77	7,252	116.3	1.42	4,470	66.2	1.01	2,729	41.6	0.82	1,987	31.2	0.73	1,251	25.1	0.74
Delay Adjusted	28,410	453.4	2.84	7,454	119.6	1.47	4,542	67.3	1.03	2,777	42.4	0.84	2,009	31.6	0.74	1,279	25.6	0.76
Wisconsin																		
Observed	76,172	430.7	1.61	22,561	129.7	0.89	9,967	54.1	0.55	6,092	33.1	0.44	5,707	30.9	0.42	3,051	20.3	0.38
Delay Adjusted	77,822	440.0	1.64	23,102	132.8	0.91	10,200	55.4	0.56	6,275	34.1	0.45	5,856	31.7	0.43	3,127	20.8	0.39
Wyoming																		
Observed	6,085	375.1	4.97	1,830	112.6	2.73	726	43.3	1.64	453	27.9	1.34	376	22.2	1.19	313	22.5	1.32
Delay Adjusted	6,133	378.1	5.01	1,841	113.2	2.74	729	43.5	1.65	455	28.0	1.35	379	22.4	1.20	316	22.7	1.33

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

NAACCR U.S. Combined Delay Adjusted Incidence 2011-2015, White Combined



**Average Annual Age-adjusted Cancer Incidence Delay Adjusted Counts and Rates*, Selected Sites
NAACCR United States Combined¹, 2011-2015, White**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
All Sites (invasive & in situ bladder)	3,264,285	481.4	0.27	3,349,975	494.0	0.28	3,202,465	419.2	0.24	3,286,478	430.1	0.25
Oral Cavity & Pharynx	128,196	18.2	0.05	131,502	18.6	0.05	51,143	6.6	0.03	52,424	6.7	0.03
Digestive												
Esophagus	57,196	8.3	0.04	58,063	8.4	0.04	14,334	1.7	0.01	14,546	1.8	0.02
Stomach	55,109	8.3	0.04	55,953	8.4	0.04	31,379	4.0	0.02	31,855	4.0	0.02
Colon & Rectum	294,582	44.2	0.08	299,701	44.9	0.08	266,225	33.6	0.07	270,793	34.1	0.07
Liver & IBD ²	81,047	11.2	0.04	83,020	11.5	0.04	31,827	3.9	0.02	32,612	4.0	0.02
Pancreas	96,842	14.3	0.05	98,195	14.5	0.05	88,961	10.8	0.04	90,178	11.0	0.04
Respiratory												
Larynx	40,451	5.7	0.03	41,184	5.9	0.03	10,593	1.3	0.01	10,785	1.4	0.01
Lung & bronchus	476,950	70.9	0.10	483,705	71.9	0.11	435,974	54.0	0.08	442,164	54.8	0.08
Skin												
Melanomas of the skin	203,971	30.8	0.07	212,533	32.1	0.07	140,181	19.6	0.05	145,868	20.4	0.06
Breast (female cases only)	-	-	-	-	-	-	948,687	125.8	0.13	965,641	128.1	0.14
Female Genital												
Cervix uteri	-	-	-	-	-	-	46,786	7.4	0.04	47,623	7.5	0.04
Corpus & uterus, NOS ²	-	-	-	-	-	-	210,000	26.6	0.06	212,919	27.0	0.06
Ovary	-	-	-	-	-	-	88,940	11.7	0.04	91,326	12.0	0.04
Male Genital												
Prostate	724,568	100.3	0.12	757,258	104.8	0.13	-	-	-	-	-	-
Testis	37,412	6.5	0.03	38,061	6.6	0.03	-	-	-	-	-	-
Urinary												
Bladder (incl. <i>in situ</i>)	246,354	37.7	0.08	253,033	38.7	0.08	75,708	9.2	0.03	77,742	9.5	0.04
Kidney & renal pelvis	151,673	22.3	0.06	155,536	22.8	0.06	88,068	11.5	0.04	90,306	11.8	0.04
Brain & Other Nervous System	53,171	8.2	0.04	54,496	8.4	0.04	42,195	6.0	0.03	43,235	6.1	0.03
Endocrine												
Thyroid gland	49,999	7.7	0.04	50,938	7.8	0.04	143,801	22.4	0.06	146,511	22.8	0.06
Lymphomas												
Hodgkin Lymphoma	18,909	3.1	0.02	19,273	3.1	0.02	14,976	2.4	0.02	15,261	2.5	0.02
Non-Hodgkin Lymphoma	154,734	23.5	0.06	159,820	24.3	0.06	126,266	16.1	0.05	130,414	16.7	0.05
Multiple Myeloma	50,132	7.5	0.03	54,010	8.1	0.04	37,187	4.6	0.02	40,082	5.0	0.03
Leukemias	116,293	18.0	0.05	127,967	19.8	0.06	82,299	10.9	0.04	90,464	12.0	0.04

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See technical notes.

² Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	3,264,285	481.4	0.27	724,568	100.3	0.12	476,950	70.9	0.10	294,582	44.2	0.08	246,354	37.7	0.08	203,971	30.8	0.07
Delay Adjusted	3,349,975	494.0	0.28	757,258	104.8	0.13	483,705	71.9	0.11	299,701	44.9	0.08	253,033	38.7	0.08	212,533	32.1	0.07
Alabama																		
Observed	51,261	504.3	2.29	11,117	102.3	0.99	9,172	89.1	0.95	4,883	48.8	0.72	3,608	36.6	0.62	3,379	34.5	0.61
Delay Adjusted	51,969	511.3	2.32	11,379	104.8	1.02	9,226	89.7	0.96	4,925	49.3	0.72	3,652	37.0	0.63	3,461	35.3	0.63
Alaska																		
Observed	5,292	413.7	6.40	1,180	82.8	2.72	699	59.9	2.56	491	38.9	1.98	414	37.8	2.07	229	18.0	1.31
Delay Adjusted	5,446	425.8	6.59	1,231	86.4	2.84	713	61.1	2.61	500	39.6	2.02	421	38.5	2.11	243	19.1	1.39
Arizona																		
Observed	66,961	401.9	1.58	13,224	74.9	0.66	9,394	55.4	0.58	6,303	38.5	0.49	5,536	33.2	0.45	4,635	28.5	0.42
Delay Adjusted	70,233	421.5	1.66	14,289	81.0	0.71	9,607	56.7	0.59	6,619	40.4	0.52	5,802	34.8	0.47	5,038	30.9	0.46
Arkansas																		
Observed	36,099	507.6	2.73	7,887	104.1	1.19	7,014	96.9	1.18	3,435	49.4	0.86	2,502	36.2	0.74	1,996	29.2	0.67
Delay Adjusted	36,492	513.1	2.76	8,061	106.4	1.22	7,061	97.5	1.18	3,461	49.8	0.87	2,527	36.5	0.74	2,043	29.8	0.68
California																		
Observed	319,166	449.4	0.81	72,550	97.7	0.37	32,997	48.8	0.27	28,965	41.0	0.25	22,385	33.6	0.23	24,257	34.6	0.23
Delay Adjusted	324,558	457.1	0.83	75,287	101.6	0.39	33,268	49.2	0.28	29,176	41.3	0.25	22,739	34.1	0.23	25,015	35.7	0.23
Greater California																		
Observed	194,330	454.8	1.05	43,588	97.2	0.48	21,433	52.1	0.36	17,537	41.4	0.32	13,725	34.1	0.30	15,110	35.8	0.30
Delay Adjusted	198,097	463.8	1.07	45,357	101.3	0.50	21,615	52.6	0.37	17,680	41.7	0.32	13,983	34.7	0.30	15,667	37.2	0.31
Greater Bay																		
Observed	56,836	471.0	2.03	13,759	107.9	0.95	5,080	44.7	0.64	4,654	38.7	0.58	3,935	34.5	0.56	5,416	45.5	0.63
Delay Adjusted	57,086	473.1	2.04	13,907	109.1	0.96	5,100	44.8	0.64	4,665	38.8	0.58	3,951	34.7	0.57	5,520	46.4	0.65
Los Angeles																		
Observed	67,946	418.7	1.65	15,196	91.2	0.76	6,475	42.8	0.54	6,771	41.8	0.52	4,722	31.4	0.47	3,730	23.3	0.39
Delay Adjusted	69,319	427.5	1.68	16,016	96.4	0.81	6,543	43.2	0.55	6,827	42.2	0.53	4,802	31.9	0.48	3,827	23.9	0.40
Colorado																		
Observed	49,695	416.3	1.94	11,822	92.1	0.88	5,260	46.6	0.67	4,319	37.2	0.59	3,544	32.1	0.56	3,477	29.4	0.52
Delay Adjusted	51,051	427.6	1.99	12,694	99.2	0.95	5,298	46.9	0.67	4,363	37.6	0.59	3,669	33.2	0.58	3,570	30.1	0.53

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, White, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	44,092	504.4	2.47	9,969	106.3	1.09	5,910	68.1	0.91	3,627	42.2	0.72	4,148	48.6	0.77	2,440	28.8	0.60
Delay Adjusted	45,081	515.8	2.52	10,307	110.0	1.13	5,978	68.9	0.92	3,666	42.6	0.73	4,214	49.4	0.78	2,505	29.5	0.61
Delaware																		
Observed	11,711	553.1	5.24	2,783	121.7	2.35	1,790	84.0	2.02	864	41.9	1.46	975	46.8	1.53	995	48.3	1.58
Delay Adjusted	12,070	570.0	5.40	2,900	126.8	2.45	1,833	86.0	2.07	878	42.6	1.48	1,009	48.4	1.58	1,022	49.7	1.62
Florida																		
Observed	247,353	459.3	0.94	50,590	88.8	0.40	39,112	70.0	0.36	21,885	41.1	0.28	19,227	34.5	0.25	18,151	34.3	0.26
Delay Adjusted	257,533	478.4	0.98	53,836	94.5	0.42	39,431	70.6	0.36	22,544	42.4	0.29	20,055	35.9	0.26	19,477	36.9	0.28
Georgia																		
Observed	86,294	516.8	1.82	18,570	103.8	0.79	13,839	84.5	0.74	7,812	47.3	0.55	5,760	37.0	0.51	7,619	46.5	0.55
Delay Adjusted	88,074	527.5	1.86	19,024	106.4	0.81	13,996	85.5	0.75	7,909	47.8	0.56	5,877	37.7	0.52	7,840	47.8	0.57
Hawaii																		
Observed	6,220	507.2	6.88	1,146	84.8	2.67	627	51.2	2.18	536	43.7	2.01	428	36.9	1.89	920	78.4	2.75
Delay Adjusted	6,361	518.7	7.03	1,178	87.1	2.75	633	51.7	2.20	541	44.2	2.03	436	37.5	1.92	957	81.6	2.86
Idaho																		
Observed	18,826	457.4	3.42	4,663	107.0	1.61	2,261	56.1	1.21	1,586	39.2	1.01	1,435	36.3	0.98	1,354	33.5	0.93
Delay Adjusted	19,385	471.0	3.52	4,937	113.3	1.70	2,310	57.3	1.23	1,614	39.8	1.03	1,514	38.3	1.03	1,400	34.6	0.97
Illinois																		
Observed	135,277	502.4	1.40	30,238	105.6	0.62	20,202	76.6	0.55	13,257	49.9	0.44	10,364	40.3	0.40	7,074	26.8	0.33
Delay Adjusted	137,842	512.0	1.42	31,313	109.5	0.65	20,426	77.5	0.56	13,381	50.4	0.45	10,583	41.1	0.41	7,299	27.7	0.34
Indiana																		
Observed	74,625	482.5	1.81	14,476	87.8	0.75	13,585	88.5	0.78	7,351	48.1	0.58	5,707	38.5	0.52	3,506	23.1	0.40
Delay Adjusted	77,128	498.7	1.87	15,360	93.3	0.80	13,850	90.3	0.79	7,537	49.3	0.59	5,987	40.4	0.55	3,732	24.6	0.43
Iowa																		
Observed	42,715	510.1	2.52	9,458	105.9	1.11	6,464	76.9	0.97	4,195	51.1	0.80	3,167	38.3	0.69	2,378	29.5	0.62
Delay Adjusted	43,420	518.6	2.56	9,728	108.9	1.14	6,535	77.7	0.98	4,222	51.4	0.81	3,227	39.1	0.70	2,432	30.2	0.63

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	61,241	564.0	2.35	11,477	98.9	0.95	12,376	113.7	1.05	6,197	57.8	0.76	4,173	40.6	0.65	3,521	33.7	0.59
Delay Adjusted	62,475	575.3	2.40	11,965	103.1	0.99	12,504	114.9	1.06	6,299	58.7	0.77	4,273	41.5	0.66	3,599	34.4	0.60
Louisiana																		
Observed	45,912	544.8	2.61	10,861	120.7	1.19	6,893	82.4	1.02	4,253	51.2	0.81	3,047	37.7	0.70	2,596	32.1	0.65
Delay Adjusted	46,306	549.5	2.63	10,957	121.8	1.20	6,929	82.8	1.02	4,269	51.4	0.81	3,078	38.1	0.71	2,639	32.6	0.66
Maine																		
Observed	20,519	495.9	3.58	4,197	92.2	1.46	3,456	83.1	1.45	1,682	41.6	1.05	1,905	47.3	1.11	1,142	28.3	0.87
Delay Adjusted	20,820	503.2	3.63	4,315	94.9	1.50	3,486	83.8	1.46	1,695	41.9	1.05	1,935	48.0	1.13	1,169	28.9	0.89
Maryland																		
Observed	50,569	487.0	2.22	11,910	106.4	1.00	6,721	66.0	0.82	4,090	40.4	0.65	4,265	42.9	0.67	4,244	41.7	0.66
Delay Adjusted	51,866	499.8	2.28	12,403	111.0	1.04	6,878	67.5	0.84	4,152	41.0	0.66	4,435	44.7	0.70	4,285	42.1	0.66
Massachusetts																		
Observed	77,226	483.1	1.78	17,228	99.7	0.78	11,035	70.2	0.68	6,504	41.6	0.53	6,527	42.1	0.53	4,062	26.1	0.42
Delay Adjusted	78,401	490.4	1.81	17,782	102.9	0.80	11,181	71.2	0.69	6,588	42.2	0.53	6,620	42.7	0.54	4,206	27.0	0.43
Michigan																		
Observed	114,423	480.9	1.46	27,514	107.3	0.66	17,373	73.1	0.57	9,486	41.0	0.43	9,235	40.3	0.43	5,831	25.5	0.34
Delay Adjusted	117,680	494.6	1.50	29,017	113.2	0.70	17,740	74.7	0.58	9,686	41.9	0.44	9,398	41.0	0.44	6,141	26.8	0.36
Detroit																		
Observed	42,029	547.4	2.75	10,472	127.7	1.28	6,012	79.6	1.05	3,377	44.8	0.79	3,455	46.6	0.81	2,076	27.9	0.63
Delay Adjusted	42,547	554.2	2.78	10,725	130.8	1.32	6,047	80.1	1.06	3,402	45.1	0.80	3,514	47.4	0.83	2,091	28.1	0.64
Minnesota																		
Observed	65,690	486.6	1.95	16,016	110.2	0.89	8,118	60.8	0.69	5,569	42.3	0.58	4,947	38.1	0.55	4,585	34.9	0.53
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	28,284	523.7	3.19	6,102	105.4	1.38	5,216	95.9	1.36	2,776	52.2	1.02	1,849	35.4	0.84	1,650	31.6	0.80
Delay Adjusted	28,896	535.0	3.26	6,298	108.8	1.42	5,282	97.1	1.37	2,805	52.8	1.03	1,908	36.5	0.87	1,678	32.1	0.81
Missouri																		
Observed	71,578	483.6	1.85	14,639	92.1	0.77	12,793	86.4	0.78	6,956	48.1	0.59	5,047	35.2	0.50	3,926	27.3	0.45
Delay Adjusted	73,386	495.8	1.89	15,319	96.5	0.81	12,989	87.7	0.79	7,070	48.9	0.60	5,184	36.2	0.52	4,040	28.1	0.46

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, White, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	13,773	460.5	4.06	3,555	108.8	1.87	1,684	56.9	1.42	1,254	42.8	1.25	1,058	36.1	1.14	865	30.0	1.07
Delay Adjusted	14,295	477.9	4.21	3,766	115.3	1.99	1,715	57.9	1.45	1,296	44.2	1.29	1,111	37.8	1.19	915	31.8	1.13
Nebraska																		
Observed	22,603	486.3	3.30	5,396	109.9	1.53	3,213	70.0	1.26	2,230	48.6	1.05	1,669	37.0	0.92	1,131	24.8	0.75
Delay Adjusted	23,434	504.2	3.42	5,767	117.5	1.63	3,272	71.3	1.28	2,280	49.7	1.07	1,763	39.0	0.97	1,202	26.4	0.80
New Hampshire																		
Observed	19,141	509.1	3.82	4,754	114.2	1.71	2,606	71.1	1.44	1,546	42.5	1.12	1,673	47.0	1.19	1,224	33.8	1.00
Delay Adjusted	19,648	522.6	3.92	4,899	117.7	1.76	2,666	72.7	1.47	1,581	43.4	1.15	1,707	48.0	1.21	1,269	35.1	1.04
New Jersey																		
Observed	99,330	530.0	1.72	24,579	123.9	0.81	12,196	66.0	0.61	8,984	48.5	0.52	8,151	44.9	0.51	6,196	33.5	0.43
Delay Adjusted	102,279	545.8	1.77	25,945	130.9	0.85	12,349	66.9	0.62	9,160	49.4	0.53	8,445	46.5	0.52	6,447	34.9	0.45
New York																		
Observed	211,900	534.9	1.18	50,769	121.2	0.55	27,913	71.0	0.43	17,674	45.4	0.35	17,797	46.1	0.35	11,118	28.6	0.28
Delay Adjusted	215,863	544.9	1.21	52,200	124.6	0.56	28,128	71.6	0.44	17,871	45.9	0.35	18,167	47.1	0.36	11,688	30.1	0.29
North Carolina																		
Observed	101,139	498.4	1.61	22,481	103.1	0.70	17,085	84.5	0.66	8,152	41.0	0.46	7,340	37.7	0.45	7,616	38.8	0.46
Delay Adjusted	104,067	512.8	1.65	23,558	108.0	0.74	17,349	85.8	0.67	8,301	41.7	0.47	7,542	38.7	0.46	7,893	40.2	0.47
North Dakota																		
Observed	9,150	491.9	5.27	2,398	121.3	2.53	1,225	66.8	1.95	958	52.7	1.75	669	37.0	1.46	499	27.5	1.27
Delay Adjusted	9,435	507.2	5.43	2,480	125.5	2.62	1,257	68.5	2.00	982	54.1	1.79	697	38.6	1.52	520	28.6	1.32
Ohio																		
Observed	137,223	486.3	1.35	29,169	96.1	0.58	23,143	82.0	0.55	13,110	47.5	0.42	10,870	39.9	0.39	7,524	27.6	0.33
Delay Adjusted	143,268	507.7	1.41	31,273	103.1	0.62	23,811	84.3	0.57	13,543	49.0	0.44	11,373	41.7	0.41	7,974	29.3	0.35
Oklahoma																		
Observed	40,429	468.5	2.38	8,291	90.6	1.01	7,242	83.3	1.00	3,842	45.3	0.75	2,904	34.5	0.65	2,257	27.1	0.58
Delay Adjusted	40,854	473.5	2.40	8,466	92.6	1.03	7,313	84.1	1.01	3,862	45.5	0.75	2,933	34.9	0.66	2,268	27.2	0.59

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	47,708	453.4	2.14	10,793	94.7	0.94	6,284	60.5	0.78	4,028	39.4	0.64	3,808	37.4	0.62	3,396	33.1	0.58
Delay Adjusted	48,771	463.6	2.18	11,127	97.7	0.97	6,394	61.6	0.80	4,106	40.1	0.65	3,909	38.4	0.64	3,470	33.8	0.60
Pennsylvania																		
Observed	168,993	512.1	1.27	35,700	100.7	0.54	25,145	75.6	0.48	15,888	48.9	0.40	14,587	44.7	0.38	9,704	30.3	0.32
Delay Adjusted	172,249	522.0	1.30	37,211	105.0	0.57	25,415	76.4	0.49	16,049	49.4	0.40	14,830	45.5	0.38	10,038	31.4	0.33
Rhode Island																		
Observed	13,359	505.6	4.49	2,799	98.9	1.92	2,079	79.2	1.77	1,057	40.8	1.28	1,237	47.5	1.38	769	30.0	1.11
Delay Adjusted	13,640	516.2	4.58	2,929	103.5	2.00	2,109	80.3	1.80	1,069	41.2	1.30	1,264	48.5	1.41	781	30.5	1.13
South Carolina																		
Observed	50,001	499.6	2.31	10,883	99.8	0.98	8,432	83.3	0.93	4,086	42.0	0.68	3,727	39.0	0.66	3,595	37.1	0.64
Delay Adjusted	51,846	518.0	2.39	11,496	105.4	1.04	8,621	85.2	0.96	4,203	43.2	0.70	3,855	40.3	0.68	3,724	38.4	0.66
South Dakota																		
Observed	10,641	483.6	4.80	2,690	114.8	2.26	1,451	65.9	1.76	1,041	48.0	1.53	769	35.9	1.32	586	27.5	1.17
Delay Adjusted	11,106	504.8	5.01	2,881	123.0	2.42	1,498	68.0	1.82	1,077	49.7	1.58	827	38.6	1.42	622	29.2	1.24
Tennessee																		
Observed	76,740	509.4	1.89	17,156	105.7	0.83	14,202	93.9	0.81	6,600	44.9	0.57	5,214	36.2	0.52	4,244	29.3	0.46
Delay Adjusted	78,183	518.9	1.93	17,542	108.1	0.85	14,354	94.9	0.82	6,661	45.3	0.57	5,308	36.9	0.53	4,378	30.2	0.48
Texas																		
Observed	222,048	444.6	0.97	46,601	89.8	0.43	30,712	64.3	0.38	22,517	45.2	0.31	12,984	28.3	0.26	9,799	20.0	0.21
Delay Adjusted	231,289	463.1	1.01	50,146	96.8	0.46	31,314	65.6	0.38	23,005	46.2	0.32	13,495	29.4	0.27	10,743	21.9	0.23
Utah																		
Observed	24,344	441.4	2.90	6,856	121.2	1.50	1,677	32.1	0.80	1,828	33.9	0.81	1,525	30.1	0.79	2,744	50.2	0.98
Delay Adjusted	24,710	448.1	2.94	7,036	124.4	1.54	1,695	32.5	0.81	1,841	34.2	0.82	1,549	30.6	0.80	2,788	51.0	1.00
Vermont																		
Observed	8,755	469.4	5.22	1,874	91.1	2.18	1,297	69.2	1.99	698	38.4	1.51	684	37.9	1.49	756	41.4	1.57
Delay Adjusted	8,893	476.7	5.30	1,903	92.5	2.21	1,312	70.0	2.01	712	39.2	1.54	698	38.7	1.53	766	42.0	1.59
Virginia																		
Observed	70,425	430.2	1.67	15,295	86.8	0.72	11,023	68.4	0.67	6,266	38.7	0.50	5,087	33.0	0.48	4,763	29.8	0.44
Delay Adjusted	71,910	439.1	1.70	15,646	88.8	0.74	11,118	69.0	0.68	6,321	39.1	0.51	5,150	33.4	0.48	4,869	30.4	0.45

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, White, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Washington																		
Observed	77,480	478.3	1.77	18,274	104.9	0.80	9,944	63.2	0.65	6,250	39.2	0.51	5,886	38.5	0.52	5,318	33.3	0.47
Delay Adjusted	79,245	489.2	1.81	18,890	108.5	0.83	10,096	64.1	0.66	6,367	40.0	0.52	6,072	39.7	0.53	5,429	34.0	0.48
Seattle																		
Observed	53,953	510.8	2.27	13,050	115.2	1.04	6,498	63.9	0.82	4,267	40.9	0.65	4,076	41.1	0.66	4,085	39.1	0.63
Delay Adjusted	54,412	515.2	2.29	13,249	117.0	1.06	6,510	64.0	0.82	4,285	41.0	0.65	4,121	41.5	0.67	4,154	39.8	0.64
West Virginia																		
Observed	28,132	509.4	3.13	5,537	92.4	1.27	5,539	98.4	1.36	2,855	52.9	1.02	2,145	39.9	0.88	1,346	25.9	0.73
Delay Adjusted	28,772	521.1	3.21	5,662	94.5	1.30	5,628	100.0	1.38	2,905	53.9	1.04	2,184	40.6	0.90	1,382	26.6	0.75
Wisconsin																		
Observed	73,301	487.5	1.85	17,353	107.2	0.83	9,856	66.0	0.68	6,108	41.6	0.54	5,833	40.3	0.54	4,149	28.2	0.45
Delay Adjusted	75,626	503.5	1.91	18,350	113.4	0.88	10,206	68.4	0.71	6,347	43.1	0.56	5,987	41.3	0.55	4,387	29.9	0.48
Wyoming																		
Observed	6,641	432.1	5.51	1,748	104.5	2.60	695	46.8	1.84	588	39.2	1.68	542	37.7	1.67	405	27.7	1.43
Delay Adjusted	6,695	435.7	5.56	1,765	105.5	2.62	697	46.9	1.85	592	39.5	1.69	545	37.8	1.68	417	28.5	1.47

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	3,202,465	419.2	0.24	948,687	125.8	0.13	435,974	54.0	0.08	266,225	33.6	0.07	210,000	26.6	0.06	143,801	22.4	0.06
Delay Adjusted	3,286,478	430.1	0.25	965,641	128.1	0.14	442,164	54.8	0.08	270,793	34.1	0.07	212,919	27.0	0.06	146,511	22.8	0.06
Alabama																		
Observed	45,595	398.5	1.93	13,498	119.0	1.06	6,905	55.8	0.68	4,098	34.8	0.56	2,190	18.7	0.41	1,375	14.6	0.41
Delay Adjusted	46,229	404.0	1.96	13,682	120.6	1.08	6,946	56.1	0.69	4,134	35.1	0.56	2,204	18.9	0.42	1,386	14.7	0.41
Alaska																		
Observed	4,812	392.5	6.01	1,566	124.4	3.34	559	49.2	2.22	374	30.9	1.70	357	26.5	1.50	198	15.4	1.13
Delay Adjusted	4,953	404.0	6.19	1,587	126.1	3.38	570	50.1	2.26	380	31.4	1.73	366	27.2	1.54	202	15.7	1.15
Arizona																		
Observed	66,415	371.2	1.49	20,279	114.7	0.83	8,942	46.0	0.49	5,364	29.1	0.41	3,991	21.8	0.36	3,423	23.3	0.41
Delay Adjusted	69,662	389.4	1.56	21,271	120.3	0.88	9,146	47.1	0.51	5,633	30.5	0.43	4,177	22.8	0.37	3,587	24.4	0.43
Arkansas																		
Observed	31,384	400.3	2.34	8,743	112.5	1.25	5,355	63.3	0.88	2,912	35.8	0.68	1,758	22.4	0.55	1,091	17.0	0.54
Delay Adjusted	31,727	404.7	2.36	8,803	113.3	1.26	5,392	63.8	0.89	2,933	36.1	0.69	1,768	22.5	0.56	1,111	17.3	0.54
California																		
Observed	320,892	397.9	0.72	100,625	125.8	0.40	33,653	40.9	0.23	26,213	31.7	0.20	21,433	25.9	0.18	14,720	19.9	0.17
Delay Adjusted	326,186	404.4	0.73	101,198	126.5	0.41	33,928	41.2	0.23	26,401	32.0	0.20	21,509	26.0	0.18	14,792	20.0	0.17
Greater California																		
Observed	193,069	401.7	0.93	60,344	126.5	0.53	21,948	44.4	0.30	15,707	32.0	0.26	12,352	25.0	0.23	8,671	20.1	0.22
Delay Adjusted	196,708	409.2	0.95	60,803	127.5	0.53	22,138	44.8	0.31	15,835	32.2	0.26	12,411	25.1	0.23	8,712	20.2	0.22
Greater Bay																		
Observed	55,722	413.8	1.80	17,771	133.7	1.03	5,603	40.4	0.55	4,356	31.4	0.49	3,780	27.0	0.45	2,148	17.9	0.39
Delay Adjusted	55,970	415.6	1.81	17,788	133.9	1.03	5,625	40.6	0.56	4,366	31.4	0.49	3,782	27.0	0.45	2,153	17.9	0.39
Los Angeles																		
Observed	72,043	376.8	1.42	22,505	118.4	0.80	6,084	32.0	0.42	6,144	31.4	0.41	5,301	27.3	0.38	3,901	21.0	0.34
Delay Adjusted	73,447	384.1	1.45	22,602	118.9	0.80	6,147	32.3	0.42	6,195	31.7	0.41	5,316	27.4	0.38	3,926	21.2	0.34
Colorado																		
Observed	51,158	385.3	1.75	16,759	125.3	0.99	5,461	40.9	0.57	3,991	30.1	0.49	3,132	22.1	0.41	2,872	23.3	0.45
Delay Adjusted	52,511	395.2	1.79	16,927	126.6	1.00	5,500	41.2	0.57	4,031	30.4	0.49	3,156	22.3	0.41	2,914	23.7	0.45

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	46,183	454.3	2.21	14,139	142.2	1.25	6,253	57.9	0.75	3,568	33.0	0.58	3,099	29.1	0.54	2,401	29.6	0.64
Delay Adjusted	47,215	464.4	2.26	14,358	144.4	1.26	6,327	58.6	0.76	3,607	33.3	0.58	3,120	29.3	0.54	2,430	30.0	0.64
Delaware																		
Observed	10,884	462.5	4.65	3,142	133.8	2.50	1,656	64.8	1.63	781	32.3	1.20	766	31.1	1.17	454	25.4	1.26
Delay Adjusted	11,220	476.7	4.79	3,182	135.5	2.54	1,695	66.3	1.66	794	32.8	1.22	773	31.3	1.18	465	26.0	1.28
Florida																		
Observed	229,690	393.9	0.87	65,442	115.9	0.48	35,468	54.4	0.30	19,544	31.3	0.24	13,720	23.2	0.21	8,300	19.3	0.22
Delay Adjusted	239,363	410.7	0.91	67,946	120.3	0.50	35,761	54.9	0.30	20,119	32.3	0.24	14,145	23.9	0.21	8,356	19.4	0.23
Georgia																		
Observed	80,409	424.6	1.53	23,859	125.5	0.83	11,248	56.8	0.54	6,537	34.0	0.43	4,356	22.0	0.34	3,434	20.5	0.36
Delay Adjusted	82,055	433.2	1.56	24,119	126.8	0.84	11,378	57.5	0.55	6,617	34.4	0.43	4,396	22.2	0.34	3,473	20.7	0.36
Hawaii																		
Observed	4,886	455.9	7.03	1,567	146.8	4.01	497	43.4	2.07	394	36.8	1.98	274	23.4	1.52	188	21.2	1.65
Delay Adjusted	4,996	466.0	7.19	1,574	147.5	4.03	502	43.8	2.08	398	37.2	2.00	277	23.6	1.54	191	21.5	1.68
Idaho																		
Observed	17,808	408.8	3.14	5,327	122.6	1.73	2,115	46.5	1.03	1,445	32.9	0.88	1,121	24.7	0.76	939	24.7	0.83
Delay Adjusted	18,342	421.1	3.24	5,409	124.5	1.75	2,159	47.5	1.05	1,471	33.4	0.90	1,149	25.3	0.78	946	24.8	0.83
Illinois																		
Observed	137,160	440.9	1.22	40,533	132.5	0.68	18,894	58.4	0.43	11,867	36.3	0.34	9,490	29.6	0.31	6,460	24.2	0.31
Delay Adjusted	139,746	449.1	1.25	40,995	134.0	0.68	19,108	59.0	0.44	11,975	36.6	0.35	9,585	29.9	0.31	6,525	24.5	0.31
Indiana																		
Observed	75,694	425.7	1.59	21,452	121.8	0.86	11,500	61.8	0.59	7,000	38.1	0.47	5,084	27.8	0.40	2,858	19.2	0.37
Delay Adjusted	78,232	439.9	1.64	22,012	125.0	0.88	11,726	63.0	0.60	7,173	39.1	0.48	5,169	28.3	0.41	2,921	19.6	0.38
Iowa																		
Observed	40,677	434.3	2.25	11,324	124.3	1.22	5,334	53.4	0.75	3,973	39.4	0.65	2,944	30.7	0.58	1,562	21.0	0.55
Delay Adjusted	41,342	441.3	2.28	11,395	125.1	1.23	5,393	54.0	0.76	3,998	39.7	0.66	2,962	30.9	0.59	1,577	21.2	0.56

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	58,698	471.6	2.00	15,557	125.0	1.03	10,470	79.8	0.79	5,351	42.1	0.59	3,387	26.7	0.47	2,423	22.8	0.48
Delay Adjusted	59,909	481.3	2.04	15,704	126.2	1.04	10,580	80.6	0.80	5,441	42.8	0.60	3,414	26.9	0.48	2,450	23.1	0.48
Louisiana																		
Observed	39,498	420.6	2.18	11,379	121.6	1.18	5,684	57.1	0.77	3,548	37.1	0.64	1,818	19.0	0.46	1,876	23.2	0.55
Delay Adjusted	39,838	424.2	2.20	11,442	122.3	1.18	5,714	57.4	0.77	3,561	37.2	0.64	1,830	19.1	0.46	1,893	23.4	0.56
Maine																		
Observed	20,676	447.9	3.27	5,698	125.8	1.75	3,189	64.9	1.17	1,620	33.9	0.88	1,514	30.8	0.82	826	22.7	0.84
Delay Adjusted	20,981	454.5	3.31	5,785	127.9	1.78	3,217	65.4	1.18	1,632	34.1	0.88	1,525	31.0	0.83	830	22.8	0.84
Maryland																		
Observed	51,099	433.2	1.98	15,538	132.7	1.10	6,919	55.8	0.69	3,890	31.8	0.53	3,401	27.6	0.49	2,437	24.7	0.52
Delay Adjusted	52,388	444.0	2.03	15,840	135.3	1.12	7,079	57.1	0.70	3,950	32.3	0.54	3,450	28.0	0.49	2,489	25.3	0.53
Massachusetts																		
Observed	85,334	450.9	1.60	26,051	140.5	0.90	12,390	62.3	0.57	6,527	33.0	0.42	5,864	29.9	0.40	4,578	29.2	0.45
Delay Adjusted	86,608	457.4	1.62	26,212	141.3	0.91	12,556	63.1	0.58	6,612	33.4	0.43	5,895	30.0	0.40	4,613	29.5	0.45
Michigan																		
Observed	111,169	419.9	1.31	32,092	122.7	0.71	16,331	58.1	0.46	8,931	32.3	0.35	8,085	29.4	0.34	4,471	21.0	0.33
Delay Adjusted	114,327	431.8	1.35	32,651	124.9	0.72	16,671	59.3	0.47	9,115	32.9	0.36	8,212	29.9	0.34	4,554	21.4	0.33
Detroit																		
Observed	41,510	465.7	2.37	11,878	135.1	1.28	6,164	65.5	0.85	3,379	35.7	0.64	2,922	31.8	0.61	2,022	27.8	0.64
Delay Adjusted	42,023	471.4	2.40	11,980	136.3	1.30	6,201	65.9	0.86	3,404	36.0	0.64	2,939	31.9	0.61	2,038	28.0	0.65
Minnesota																		
Observed	63,745	426.7	1.75	19,423	131.8	0.98	7,854	50.2	0.58	5,184	33.2	0.48	4,751	30.4	0.45	2,441	19.6	0.41
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	24,349	406.7	2.71	6,699	113.2	1.44	3,965	61.2	0.99	2,315	36.9	0.79	1,196	19.8	0.59	905	18.9	0.66
Delay Adjusted	24,880	415.6	2.76	6,821	115.3	1.47	4,016	62.0	1.00	2,340	37.3	0.80	1,203	19.9	0.60	923	19.3	0.67
Missouri																		
Observed	70,606	423.6	1.65	20,958	127.5	0.91	11,317	64.0	0.61	6,119	35.2	0.46	4,524	26.5	0.41	2,516	18.3	0.38
Delay Adjusted	72,381	434.1	1.69	21,299	129.6	0.93	11,492	65.0	0.62	6,218	35.7	0.47	4,567	26.7	0.41	2,544	18.5	0.38

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	12,546	411.0	3.85	3,730	123.2	2.12	1,713	52.2	1.29	1,010	32.3	1.06	818	25.1	0.92	525	21.7	1.00
Delay Adjusted	13,020	426.4	3.99	3,845	127.0	2.18	1,745	53.2	1.31	1,044	33.4	1.09	837	25.7	0.94	536	22.2	1.02
Nebraska																		
Observed	21,436	414.1	2.93	6,367	124.9	1.62	2,724	49.8	0.97	2,024	37.0	0.85	1,465	27.8	0.75	916	21.2	0.72
Delay Adjusted	22,235	429.6	3.04	6,472	127.0	1.65	2,775	50.8	0.99	2,070	37.9	0.87	1,474	28.0	0.75	930	21.5	0.73
New Hampshire																		
Observed	19,158	459.7	3.45	6,049	145.4	1.94	2,734	63.3	1.24	1,457	33.8	0.92	1,418	31.9	0.87	835	24.2	0.88
Delay Adjusted	19,674	472.0	3.54	6,112	146.9	1.96	2,796	64.7	1.27	1,490	34.5	0.94	1,431	32.2	0.88	857	24.9	0.90
New Jersey																		
Observed	102,653	463.2	1.50	29,621	137.0	0.82	13,159	55.9	0.50	8,749	36.9	0.41	7,535	32.8	0.39	5,505	30.4	0.43
Delay Adjusted	105,720	477.0	1.54	30,072	139.1	0.84	13,326	56.6	0.50	8,916	37.6	0.42	7,636	33.3	0.39	5,652	31.2	0.44
New York																		
Observed	215,774	465.7	1.04	61,568	136.5	0.57	29,044	58.9	0.35	17,124	34.9	0.28	15,418	32.4	0.27	11,730	30.8	0.29
Delay Adjusted	219,828	474.5	1.06	62,266	138.1	0.58	29,270	59.3	0.36	17,315	35.3	0.28	15,562	32.7	0.27	11,931	31.3	0.30
North Carolina																		
Observed	97,499	420.4	1.38	29,858	129.7	0.77	14,551	59.0	0.50	7,470	31.6	0.37	5,819	24.2	0.33	3,771	19.3	0.32
Delay Adjusted	100,350	432.7	1.42	30,622	133.0	0.79	14,782	60.0	0.50	7,609	32.1	0.38	5,865	24.4	0.33	3,864	19.8	0.33
North Dakota																		
Observed	8,079	409.4	4.77	2,368	124.7	2.69	1,024	49.0	1.56	810	38.4	1.41	507	24.9	1.14	435	26.7	1.34
Delay Adjusted	8,333	422.3	4.92	2,399	126.2	2.72	1,052	50.3	1.61	830	39.3	1.44	517	25.4	1.17	448	27.5	1.38
Ohio																		
Observed	138,641	430.4	1.20	40,145	126.2	0.65	20,229	59.4	0.43	12,099	35.8	0.34	9,963	29.9	0.31	6,030	23.0	0.31
Delay Adjusted	144,771	449.4	1.25	41,477	130.4	0.67	20,818	61.1	0.44	12,499	36.9	0.35	10,285	30.9	0.32	6,291	24.0	0.32
Oklahoma																		
Observed	38,240	396.1	2.09	10,904	113.9	1.13	5,866	57.1	0.76	3,454	34.7	0.61	2,103	21.3	0.48	1,500	18.6	0.50
Delay Adjusted	38,641	400.3	2.11	10,936	114.3	1.13	5,924	57.6	0.76	3,472	34.9	0.61	2,114	21.4	0.48	1,515	18.8	0.50

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	47,780	415.0	1.97	14,448	125.9	1.09	6,408	52.7	0.67	3,585	30.2	0.52	3,228	26.7	0.49	1,871	19.9	0.48
Delay Adjusted	48,825	424.0	2.02	14,691	128.0	1.11	6,520	53.6	0.69	3,656	30.8	0.53	3,265	27.0	0.49	1,900	20.2	0.48
Pennsylvania																		
Observed	171,118	454.5	1.15	48,541	131.9	0.63	22,655	55.6	0.38	14,743	36.3	0.31	12,748	32.9	0.30	9,098	31.2	0.34
Delay Adjusted	174,432	463.3	1.18	49,078	133.4	0.63	22,905	56.2	0.38	14,890	36.7	0.32	12,818	33.1	0.30	9,227	31.6	0.35
Rhode Island																		
Observed	14,683	465.8	4.03	4,246	138.4	2.22	2,205	65.7	1.44	1,099	32.2	1.02	1,035	31.8	1.02	722	28.6	1.11
Delay Adjusted	14,994	475.7	4.11	4,307	140.4	2.25	2,238	66.7	1.46	1,110	32.5	1.03	1,056	32.4	1.04	727	28.9	1.12
South Carolina																		
Observed	46,109	416.4	2.01	14,195	128.5	1.12	6,884	57.8	0.71	3,681	32.6	0.55	2,571	22.5	0.46	1,722	19.0	0.48
Delay Adjusted	47,785	431.4	2.08	14,589	132.1	1.15	7,040	59.1	0.73	3,784	33.5	0.57	2,626	23.0	0.47	1,769	19.5	0.49
South Dakota																		
Observed	9,922	424.0	4.47	3,068	134.8	2.56	1,259	50.9	1.47	927	36.2	1.25	681	28.3	1.13	378	20.2	1.09
Delay Adjusted	10,354	442.5	4.67	3,125	137.3	2.61	1,300	52.5	1.52	958	37.4	1.29	687	28.6	1.14	384	20.5	1.10
Tennessee																		
Observed	71,129	419.3	1.62	20,518	121.4	0.87	11,472	63.6	0.60	6,036	34.7	0.46	4,126	23.8	0.38	2,869	20.3	0.39
Delay Adjusted	72,471	427.2	1.65	20,838	123.3	0.89	11,596	64.3	0.61	6,090	35.0	0.46	4,157	23.9	0.38	2,919	20.6	0.40
Texas																		
Observed	213,713	374.5	0.82	64,136	112.5	0.45	25,303	43.9	0.28	17,827	30.9	0.23	12,739	21.8	0.20	10,325	19.1	0.19
Delay Adjusted	222,688	390.3	0.86	65,954	115.6	0.46	25,805	44.7	0.28	18,212	31.6	0.24	13,006	22.2	0.20	10,842	20.1	0.20
Utah																		
Observed	22,658	374.7	2.53	6,959	116.6	1.42	1,414	23.7	0.64	1,610	27.1	0.68	1,594	25.7	0.65	1,841	29.9	0.71
Delay Adjusted	23,005	380.4	2.56	6,983	117.0	1.42	1,430	23.9	0.64	1,622	27.3	0.69	1,599	25.7	0.65	1,846	30.0	0.71
Vermont																		
Observed	8,886	434.2	4.82	2,645	130.5	2.66	1,247	57.7	1.68	713	33.6	1.30	733	33.9	1.30	321	20.0	1.19
Delay Adjusted	9,027	441.0	4.89	2,660	131.2	2.67	1,261	58.3	1.70	728	34.3	1.33	736	34.1	1.31	326	20.3	1.21
Virginia																		
Observed	73,696	399.2	1.51	23,516	128.0	0.86	10,094	52.6	0.53	5,825	30.9	0.41	4,758	24.6	0.36	3,216	20.3	0.37
Delay Adjusted	75,291	407.9	1.54	23,843	129.8	0.87	10,185	53.1	0.54	5,876	31.1	0.42	4,798	24.8	0.37	3,254	20.5	0.37

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Washington																		
Observed	76,776	432.8	1.61	24,377	137.4	0.91	9,763	53.4	0.55	5,745	31.9	0.43	4,874	25.9	0.38	3,153	20.4	0.38
Delay Adjusted	78,534	442.7	1.65	24,782	139.6	0.92	9,904	54.1	0.56	5,852	32.5	0.44	4,971	26.4	0.39	3,233	20.9	0.38
Seattle																		
Observed	53,049	453.8	2.03	16,951	144.8	1.15	6,559	54.9	0.69	3,879	32.7	0.54	3,375	27.0	0.48	2,123	20.6	0.46
Delay Adjusted	53,503	457.6	2.05	16,990	145.1	1.15	6,571	55.0	0.70	3,894	32.8	0.54	3,399	27.2	0.48	2,141	20.8	0.46
West Virginia																		
Observed	26,827	443.8	2.83	6,974	115.9	1.45	4,356	66.9	1.03	2,637	41.7	0.84	1,924	31.4	0.75	1,204	25.2	0.76
Delay Adjusted	27,469	454.9	2.90	7,175	119.2	1.49	4,426	67.9	1.05	2,684	42.4	0.85	1,947	31.9	0.76	1,232	25.8	0.78
Wisconsin																		
Observed	70,419	426.0	1.66	21,026	129.5	0.93	9,210	52.9	0.56	5,616	32.3	0.45	5,328	30.8	0.43	2,778	20.5	0.41
Delay Adjusted	72,561	438.6	1.71	21,641	133.3	0.95	9,537	54.7	0.58	5,837	33.5	0.46	5,500	31.8	0.45	2,858	21.1	0.42
Wyoming																		
Observed	5,902	379.1	5.11	1,778	114.0	2.81	701	43.4	1.68	438	27.9	1.37	360	22.2	1.22	308	23.4	1.38
Delay Adjusted	5,951	382.2	5.15	1,789	114.7	2.82	704	43.6	1.69	441	28.1	1.38	363	22.4	1.23	311	23.6	1.40

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

NAACCR U.S. Combined Delay Adjusted Incidence 2011-2015, Black Combined



**Average Annual Age-adjusted Cancer Incidence Delay Adjusted Counts and Rates*, Selected Sites
NAACCR United States Combined¹, 2011-2015, Black**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
All Sites (invasive & in situ bladder)	429,426	530.2	0.87	443,101	547.2	0.89	418,893	393.5	0.62	432,401	406.2	0.64
Oral Cavity & Pharynx	12,520	14.2	0.13	12,821	14.6	0.14	5,515	5.0	0.07	5,650	5.1	0.07
Digestive												
Esophagus	5,387	6.7	0.10	5,457	6.8	0.10	2,381	2.2	0.05	2,413	2.3	0.05
Stomach	10,259	13.8	0.15	10,440	14.1	0.15	7,691	7.5	0.09	7,824	7.7	0.09
Colon & Rectum	42,344	53.9	0.28	43,346	55.2	0.29	42,044	39.9	0.20	43,033	40.8	0.20
Liver & IBD ²	16,200	17.4	0.14	16,640	17.9	0.15	5,785	5.2	0.07	5,945	5.4	0.07
Pancreas	12,906	16.9	0.16	13,109	17.2	0.16	14,919	14.6	0.12	15,150	14.8	0.12
Respiratory												
Larynx	6,835	8.3	0.11	6,951	8.4	0.11	1,793	1.6	0.04	1,823	1.6	0.04
Lung & bronchus	62,427	83.3	0.36	63,397	84.6	0.36	50,257	48.2	0.22	51,066	49.0	0.22
Skin												
Melanomas of the skin	872	1.2	0.04	909	1.2	0.04	976	0.9	0.03	1,016	1.0	0.03
Breast (female cases only)	-	-	-	-	-	-	133,494	123.8	0.35	136,910	127.0	0.35
Female Genital												
Cervix uteri	-	-	-	-	-	-	9,607	9.0	0.09	9,794	9.2	0.10
Corpus & uterus, NOS ²	-	-	-	-	-	-	28,406	25.8	0.16	28,882	26.2	0.16
Ovary	-	-	-	-	-	-	9,721	9.1	0.09	10,026	9.4	0.10
Male Genital												
Prostate	148,732	175.9	0.49	156,659	185.5	0.51	-	-	-	-	-	-
Testis	1,484	1.5	0.04	1,514	1.5	0.04	-	-	-	-	-	-
Urinary												
Bladder (incl. <i>in situ</i>)	13,499	19.6	0.18	13,922	20.2	0.19	6,479	6.5	0.08	6,678	6.7	0.08
Kidney & renal pelvis	20,931	24.7	0.18	21,552	25.5	0.19	13,651	12.8	0.11	14,052	13.1	0.11
Brain & Other Nervous System	4,359	4.8	0.08	4,500	4.9	0.08	3,766	3.5	0.06	3,881	3.6	0.06
Endocrine												
Thyroid gland	3,370	3.8	0.07	3,459	3.9	0.07	15,091	13.8	0.11	15,481	14.2	0.12
Lymphomas												
Hodgkin Lymphoma	3,038	3.1	0.06	3,108	3.1	0.06	2,572	2.3	0.05	2,630	2.4	0.05
Non-Hodgkin Lymphoma	13,888	16.7	0.15	14,447	17.4	0.16	12,626	11.9	0.11	13,133	12.4	0.11
Multiple Myeloma	11,733	15.6	0.15	12,783	16.9	0.17	11,967	11.5	0.11	13,014	12.6	0.12
Leukemias	10,458	13.2	0.14	11,397	14.4	0.15	9,038	8.6	0.09	9,842	9.4	0.10

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See technical notes.

² Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	429,426	530.2	0.87	148,732	175.9	0.49	62,427	83.3	0.36	42,344	53.9	0.28	20,931	24.7	0.18	16,200	17.4	0.14
Delay Adjusted	443,101	547.2	0.89	156,659	185.5	0.51	63,397	84.6	0.36	43,346	55.2	0.29	21,552	25.5	0.19	16,640	17.9	0.15
Alabama																		
Observed	14,400	549.1	4.92	5,118	188.1	2.82	2,274	89.6	2.02	1,551	61.9	1.69	656	24.3	1.01	384	12.7	0.69
Delay Adjusted	14,664	559.2	5.01	5,323	196.1	2.95	2,288	90.2	2.04	1,566	62.5	1.70	665	24.6	1.02	388	12.8	0.70
Alaska																		
Observed	187	368.5	33.31	67	113.0	17.04	26	72.9	16.76	19	34.5	9.29	7	7.7	2.93	6	9.3	4.41
Delay Adjusted	192	378.7	34.23	70	117.9	17.80	27	74.4	17.11	19	34.9	9.39	7	7.8	2.99	6	9.5	4.49
Arizona																		
Observed	2,120	369.5	8.94	675	111.2	4.69	314	64.4	4.02	190	34.9	2.85	124	20.4	1.99	90	14.0	1.59
Delay Adjusted	2,275	396.6	9.60	754	124.4	5.26	321	65.9	4.11	199	36.6	2.99	130	21.4	2.09	93	14.4	1.64
Arkansas																		
Observed	5,184	573.9	8.61	1,716	178.9	4.64	984	114.2	3.94	522	60.1	2.83	226	25.0	1.79	135	13.2	1.22
Delay Adjusted	5,347	591.9	8.88	1,786	186.2	4.84	1,000	116.2	4.01	531	61.1	2.88	229	25.4	1.82	137	13.4	1.24
California																		
Observed	26,983	477.4	3.07	9,224	154.2	1.69	3,390	65.7	1.19	2,712	49.6	1.01	1,379	23.5	0.67	1,135	17.9	0.56
Delay Adjusted	28,421	503.4	3.24	9,999	167.7	1.84	3,507	68.0	1.23	2,816	51.5	1.05	1,442	24.6	0.70	1,190	18.8	0.59
Greater California																		
Observed	10,885	462.7	4.82	3,748	151.0	2.65	1,333	64.2	1.91	1,129	49.8	1.62	594	24.2	1.07	457	17.3	0.87
Delay Adjusted	11,537	491.2	5.12	4,062	164.4	2.90	1,388	66.9	1.99	1,171	51.7	1.68	630	25.7	1.14	483	18.3	0.92
Greater Bay																		
Observed	5,843	510.0	7.05	1,972	160.8	3.81	776	73.3	2.79	523	47.7	2.21	297	25.6	1.56	305	23.1	1.38
Delay Adjusted	6,099	532.4	7.36	2,104	171.8	4.07	798	75.4	2.87	545	49.7	2.30	308	26.5	1.62	317	24.0	1.44
Los Angeles																		
Observed	10,254	476.8	4.88	3,504	154.1	2.69	1,281	63.6	1.84	1,060	50.8	1.62	488	22.1	1.03	373	15.9	0.85
Delay Adjusted	10,784	502.0	5.14	3,833	169.1	2.96	1,321	65.6	1.90	1,101	52.8	1.68	505	22.8	1.07	390	16.6	0.89
Colorado																		
Observed	2,080	449.6	11.02	717	149.2	6.25	217	54.9	4.11	216	49.0	3.77	113	23.0	2.33	104	19.2	2.08
Delay Adjusted	2,141	463.2	11.37	766	160.6	6.79	219	55.3	4.14	222	50.4	3.88	115	23.5	2.38	105	19.3	2.10

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	3,767	503.8	8.80	1,291	164.9	4.88	472	71.4	3.52	353	49.6	2.85	177	20.4	1.61	128	15.7	1.46
Delay Adjusted	3,857	516.0	9.02	1,346	172.5	5.12	478	72.3	3.56	358	50.4	2.90	181	20.9	1.64	130	15.9	1.49
Delaware																		
Observed	2,390	570.5	12.45	948	212.3	7.26	305	79.7	4.88	194	50.0	3.86	122	28.9	2.78	88	18.0	2.03
Delay Adjusted	2,463	588.1	12.83	1,021	228.8	7.83	312	81.6	5.00	202	52.0	4.01	126	29.9	2.88	91	18.6	2.10
Florida																		
Observed	29,614	459.1	2.82	10,723	161.5	1.64	3,780	62.2	1.07	3,036	48.6	0.94	1,222	18.1	0.54	914	12.6	0.44
Delay Adjusted	30,903	478.7	2.94	11,415	172.0	1.75	3,810	62.7	1.08	3,138	50.2	0.96	1,267	18.8	0.57	937	13.0	0.45
Georgia																		
Observed	30,500	550.2	3.54	11,108	193.0	2.03	4,204	83.0	1.44	3,129	57.3	1.15	1,406	23.6	0.69	891	13.7	0.51
Delay Adjusted	31,158	562.4	3.62	11,505	200.1	2.11	4,251	83.9	1.46	3,179	58.2	1.17	1,445	24.2	0.71	905	13.9	0.51
Hawaii																		
Observed	286	489.0	34.11	114	171.7	18.18	22	54.3	13.30	29	47.9	10.79	14	20.7	6.63	12	16.1	4.92
Delay Adjusted	297	507.4	35.40	117	176.7	18.72	22	54.9	13.45	29	48.4	10.91	14	21.2	6.81	12	16.4	5.03
Idaho																		
Observed	64	325.3	50.06	24	106.4	25.46	6	42.9	22.67	-	-	-	-	-	-	7	45.7	23.03
Delay Adjusted	66	336.7	51.85	25	113.2	27.18	6	43.7	23.04	-	-	-	-	-	-	7	47.2	23.80
Illinois																		
Observed	21,932	574.1	4.07	7,066	176.3	2.19	3,561	98.9	1.74	2,414	65.6	1.41	1,132	28.5	0.89	721	16.9	0.66
Delay Adjusted	22,396	586.5	4.16	7,388	184.7	2.31	3,605	100.1	1.76	2,444	66.4	1.42	1,156	29.1	0.90	739	17.3	0.67
Indiana																		
Observed	5,745	505.6	7.13	1,643	140.4	3.69	963	90.9	3.13	574	51.7	2.31	341	28.1	1.62	240	18.0	1.22
Delay Adjusted	6,003	528.5	7.46	1,746	149.9	3.96	980	92.6	3.19	591	53.2	2.38	353	29.1	1.68	248	18.6	1.27
Iowa																		
Observed	834	551.4	22.01	256	169.8	11.88	129	96.1	9.69	81	51.5	6.72	53	30.5	4.84	37	21.8	4.02
Delay Adjusted	860	569.0	22.71	273	181.1	12.64	130	97.2	9.80	82	52.0	6.80	54	31.1	4.93	38	22.4	4.14

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	3,938	562.2	9.74	1,133	156.3	5.02	708	109.5	4.48	414	59.5	3.18	240	31.1	2.15	155	19.0	1.62
Delay Adjusted	4,017	573.3	9.93	1,184	163.0	5.23	715	110.6	4.53	421	60.5	3.24	244	31.7	2.19	158	19.3	1.66
Louisiana																		
Observed	17,971	605.1	4.85	5,866	190.8	2.66	2,976	105.8	2.09	1,934	66.7	1.63	843	28.3	1.03	751	21.5	0.83
Delay Adjusted	18,265	615.0	4.93	5,999	195.1	2.72	3,002	106.7	2.11	1,959	67.6	1.65	852	28.5	1.04	765	21.9	0.84
Maine																		
Observed	112	346.8	36.89	34	106.6	20.19	12	53.1	16.97	8	20.1	7.39	7	17.4	6.72	11	35.2	12.32
Delay Adjusted	114	353.8	37.64	35	109.2	20.73	12	53.8	17.23	8	20.3	7.46	7	17.8	6.87	11	36.0	12.58
Maryland																		
Observed	18,973	519.5	4.06	7,284	187.5	2.34	2,321	70.2	1.57	1,680	48.6	1.28	840	22.4	0.83	790	18.7	0.71
Delay Adjusted	19,720	540.6	4.23	7,573	195.6	2.45	2,373	71.8	1.61	1,749	50.6	1.34	873	23.3	0.86	816	19.3	0.73
Massachusetts																		
Observed	4,810	468.0	7.28	1,804	167.5	4.20	520	57.7	2.73	438	43.9	2.28	210	19.8	1.46	215	18.4	1.33
Delay Adjusted	5,023	488.7	7.60	1,862	172.9	4.34	535	59.3	2.80	458	46.0	2.39	219	20.6	1.52	233	19.9	1.44
Michigan																		
Observed	16,650	561.1	4.58	5,628	180.6	2.53	2,619	94.8	1.96	1,566	54.3	1.45	896	29.7	1.04	680	20.0	0.80
Delay Adjusted	16,886	569.1	4.65	5,779	185.4	2.60	2,654	96.1	1.98	1,586	55.0	1.47	917	30.4	1.06	692	20.3	0.82
Detroit																		
Observed	12,707	609.5	5.67	4,382	199.8	3.16	1,925	98.8	2.37	1,227	61.0	1.83	687	32.6	1.30	522	21.7	0.99
Delay Adjusted	12,869	617.3	5.75	4,487	204.6	3.24	1,938	99.5	2.39	1,236	61.5	1.84	702	33.4	1.33	526	21.9	1.00
Minnesota																		
Observed	2,208	514.5	13.05	707	155.7	6.77	267	76.7	5.53	188	44.7	3.97	121	26.9	2.95	154	35.6	3.30
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	12,845	593.7	5.67	4,379	195.1	3.17	2,252	110.7	2.53	1,524	71.8	1.99	624	28.3	1.21	271	10.9	0.70
Delay Adjusted	13,125	606.6	5.79	4,523	201.5	3.28	2,280	112.1	2.56	1,541	72.5	2.01	637	28.9	1.24	279	11.2	0.72
Missouri																		
Observed	7,704	557.0	6.76	2,328	158.6	3.48	1,390	107.2	3.06	733	56.8	2.24	382	26.4	1.43	367	23.0	1.26
Delay Adjusted	7,898	571.2	6.94	2,480	169.5	3.73	1,409	108.7	3.11	744	57.6	2.27	394	27.2	1.48	374	23.4	1.29

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	50	548.0	87.07	18	191.5	47.44	7	83.9	34.63	-	-	-	-	-	-	-	-	-
Delay Adjusted	52	568.4	90.40	19	202.8	50.38	7	85.2	35.15	-	-	-	-	-	-	-	-	-
Nebraska																		
Observed	902	595.3	21.81	311	197.4	12.16	125	96.3	9.31	104	76.3	8.32	54	31.8	4.74	38	21.4	3.76
Delay Adjusted	935	617.1	22.61	333	211.2	13.00	127	97.9	9.47	106	78.0	8.50	57	33.5	5.00	40	22.6	3.95
New Hampshire																		
Observed	135	380.6	36.37	52	139.3	21.38	11	33.8	11.09	14	39.1	11.35	6	17.1	7.57	7	21.5	9.01
Delay Adjusted	138	389.8	37.21	53	143.1	21.93	11	34.5	11.33	14	40.0	11.59	6	18.2	8.02	7	22.3	9.27
New Jersey																		
Observed	13,420	514.7	4.71	5,129	190.7	2.80	1,624	68.7	1.80	1,302	50.9	1.50	652	23.5	0.97	423	14.2	0.72
Delay Adjusted	14,070	539.7	4.94	5,583	207.8	3.06	1,652	69.9	1.84	1,368	53.5	1.57	670	24.2	0.99	433	14.5	0.74
New York																		
Observed	38,584	541.4	2.89	15,411	208.4	1.75	4,273	64.2	1.03	3,420	50.1	0.90	1,623	21.9	0.57	1,439	18.4	0.51
Delay Adjusted	39,429	553.3	2.96	16,056	217.3	1.83	4,300	64.6	1.04	3,474	50.9	0.92	1,663	22.4	0.58	1,472	18.8	0.52
North Carolina																		
Observed	24,843	551.4	3.77	8,605	182.1	2.10	4,014	95.2	1.62	2,272	51.3	1.16	1,177	25.3	0.78	804	15.3	0.57
Delay Adjusted	25,773	572.1	3.91	9,022	190.9	2.20	4,094	97.1	1.66	2,340	52.8	1.19	1,210	26.1	0.81	832	15.8	0.59
North Dakota																		
Observed	50	312.9	60.16	20	111.5	29.19	-	-	-	7	53.9	28.50	-	-	-	-	-	-
Delay Adjusted	52	324.4	62.29	21	115.9	30.28	-	-	-	7	55.8	29.74	-	-	-	-	-	-
Ohio																		
Observed	15,899	521.8	4.34	5,296	165.9	2.38	2,672	93.5	1.89	1,457	49.1	1.35	827	26.0	0.94	627	17.9	0.75
Delay Adjusted	16,591	544.6	4.53	5,681	177.9	2.56	2,748	96.1	1.95	1,504	50.7	1.39	861	27.1	0.98	653	18.6	0.78
Oklahoma																		
Observed	3,175	561.8	10.90	1,065	183.9	6.14	514	96.0	4.60	306	53.3	3.32	164	28.8	2.44	99	14.5	1.58
Delay Adjusted	3,268	578.2	11.22	1,113	192.4	6.43	518	96.9	4.64	311	54.1	3.37	166	29.1	2.46	100	14.7	1.59

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	837	502.3	19.72	274	162.6	11.15	123	82.2	8.40	74	48.6	6.34	45	22.6	3.72	51	28.4	4.44
Delay Adjusted	874	525.6	20.68	293	174.5	11.99	125	83.8	8.56	77	50.7	6.60	46	23.0	3.79	52	29.1	4.54
Pennsylvania																		
Observed	16,452	566.1	4.66	5,084	167.0	2.46	2,451	92.3	1.97	1,510	53.9	1.47	975	31.9	1.07	952	28.9	0.98
Delay Adjusted	17,010	585.3	4.82	5,545	182.0	2.69	2,477	93.3	1.99	1,543	55.1	1.50	1,010	33.1	1.11	975	29.6	1.01
Rhode Island																		
Observed	579	404.5	18.37	182	119.2	9.53	83	64.8	7.75	39	31.1	5.42	30	19.3	3.84	21	11.2	2.58
Delay Adjusted	591	412.9	18.74	190	124.5	9.95	84	65.8	7.86	39	31.4	5.46	31	19.7	3.92	21	11.3	2.62
South Carolina																		
Observed	15,698	551.0	4.72	5,544	185.0	2.66	2,435	89.7	1.96	1,505	54.4	1.51	698	23.6	0.95	441	13.6	0.69
Delay Adjusted	16,297	572.3	4.91	5,870	196.1	2.82	2,490	91.7	2.00	1,557	56.3	1.56	726	24.6	0.99	458	14.1	0.72
South Dakota																		
Observed	67	236.7	32.07	12	36.0	10.57	7	31.8	14.03	8	31.1	11.35	6	17.6	7.21	-	-	-
Delay Adjusted	70	247.1	33.42	13	38.6	11.36	7	32.7	14.33	8	32.2	11.77	6	18.4	7.53	-	-	-
Tennessee																		
Observed	11,389	553.2	5.71	3,825	178.6	3.16	1,921	102.1	2.57	1,135	57.4	1.88	544	26.0	1.22	422	17.0	0.89
Delay Adjusted	11,684	567.5	5.86	3,934	183.7	3.25	1,951	103.7	2.61	1,156	58.4	1.91	560	26.7	1.25	432	17.4	0.92
Texas																		
Observed	30,206	516.8	3.29	9,131	151.1	1.74	4,653	88.6	1.43	3,301	56.9	1.10	1,597	25.8	0.71	1,611	22.8	0.61
Delay Adjusted	31,472	538.4	3.43	9,983	165.9	1.92	4,745	90.3	1.46	3,374	58.2	1.12	1,651	26.7	0.73	1,650	23.3	0.62
Utah																		
Observed	238	447.6	36.35	80	160.1	21.57	26	65.6	15.52	30	55.3	12.57	11	18.2	6.41	13	19.7	6.20
Delay Adjusted	255	478.8	38.89	82	164.3	22.13	26	66.5	15.75	30	55.7	12.65	11	18.7	6.60	13	20.3	6.37
Vermont																		
Observed	41	289.7	50.96	16	116.9	32.62	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	42	295.8	52.09	16	120.4	33.81	-	-	-	-	-	-	-	-	-	-	-	-
Virginia																		
Observed	17,965	517.2	4.13	6,400	173.4	2.30	2,672	83.9	1.74	1,635	48.5	1.29	962	26.3	0.89	556	13.5	0.60
Delay Adjusted	18,359	528.0	4.21	6,593	178.6	2.37	2,699	84.7	1.75	1,659	49.2	1.30	984	26.9	0.91	568	13.8	0.61

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Washington																		
Observed	2,717	481.8	10.58	870	145.2	5.55	321	69.8	4.38	243	43.1	3.12	163	26.4	2.33	157	24.6	2.21
Delay Adjusted	2,777	492.6	10.82	910	151.8	5.80	323	70.3	4.42	250	44.3	3.20	166	26.9	2.39	159	24.9	2.23
Seattle																		
Observed	2,520	510.1	11.63	824	155.8	6.09	290	72.2	4.78	227	47.2	3.54	149	27.2	2.53	148	26.8	2.49
Delay Adjusted	2,568	519.7	11.85	859	162.5	6.36	291	72.3	4.79	233	48.4	3.63	151	27.6	2.57	149	27.0	2.50
West Virginia																		
Observed	884	525.8	19.29	285	156.5	9.99	142	96.2	8.82	93	56.5	6.44	42	23.7	3.89	47	20.6	3.08
Delay Adjusted	905	537.9	19.72	292	160.3	10.24	144	97.5	8.94	95	57.4	6.55	43	24.3	3.99	48	21.2	3.16
Wisconsin																		
Observed	3,963	652.8	11.56	1,261	201.0	6.25	629	116.1	5.14	368	60.6	3.53	206	31.2	2.40	194	27.3	2.10
Delay Adjusted	4,048	670.0	11.92	1,334	212.7	6.62	647	120.1	5.34	382	62.9	3.67	218	33.0	2.54	198	27.9	2.15
Wyoming																		
Observed	35	172.7	30.14	8	36.6	13.33	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	35	174.3	30.42	8	37.0	13.47	-	-	-	-	-	-	-	-	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	418,893	393.5	0.62	133,494	123.8	0.35	50,257	48.2	0.22	42,044	39.9	0.20	28,406	25.8	0.16	15,091	13.8	0.11
Delay Adjusted	432,401	406.2	0.64	136,910	127.0	0.35	51,066	49.0	0.22	43,033	40.8	0.20	28,882	26.2	0.16	15,481	14.2	0.12
Alabama																		
Observed	13,116	374.0	3.34	4,402	124.0	1.91	1,341	38.4	1.08	1,536	44.1	1.15	787	21.9	0.80	340	9.7	0.54
Delay Adjusted	13,361	381.0	3.40	4,464	125.7	1.94	1,350	38.7	1.08	1,551	44.6	1.16	793	22.1	0.81	343	9.8	0.54
Alaska																		
Observed	159	305.7	25.60	56	105.9	14.86	12	25.9	7.76	13	23.0	6.74	7	14.9	5.87	9	14.6	5.19
Delay Adjusted	164	314.6	26.34	57	107.3	15.06	12	26.4	7.90	13	23.4	6.86	7	15.4	6.07	9	14.9	5.29
Arizona																		
Observed	2,097	336.9	7.65	687	106.7	4.21	240	41.3	2.77	195	33.1	2.46	145	22.3	1.92	117	16.6	1.57
Delay Adjusted	2,252	361.7	8.22	739	114.8	4.53	245	42.2	2.83	205	34.8	2.59	152	23.4	2.01	123	17.4	1.65
Arkansas																		
Observed	4,464	384.8	5.92	1,379	117.1	3.24	569	50.2	2.17	534	46.9	2.09	259	21.2	1.36	129	10.6	0.95
Delay Adjusted	4,606	397.0	6.11	1,448	122.9	3.40	579	51.0	2.21	543	47.7	2.12	268	22.0	1.41	132	10.8	0.97
California																		
Observed	25,849	377.7	2.39	8,536	123.7	1.36	3,102	46.1	0.84	2,638	39.1	0.78	1,790	25.0	0.60	771	11.3	0.41
Delay Adjusted	27,232	398.0	2.52	8,947	129.6	1.43	3,208	47.7	0.87	2,740	40.6	0.81	1,824	25.5	0.61	794	11.6	0.43
Greater California																		
Observed	9,609	362.3	3.82	3,207	117.9	2.14	1,114	44.3	1.37	968	38.3	1.27	633	22.7	0.93	320	11.1	0.63
Delay Adjusted	10,189	384.5	4.05	3,409	125.4	2.28	1,160	46.1	1.43	1,003	39.7	1.32	639	22.9	0.94	333	11.5	0.66
Greater Bay																		
Observed	5,409	399.5	5.56	1,741	128.0	3.13	696	51.7	2.01	569	42.1	1.81	389	27.5	1.43	99	7.5	0.77
Delay Adjusted	5,650	417.3	5.81	1,818	133.7	3.27	716	53.2	2.07	593	43.8	1.88	400	28.2	1.46	102	7.8	0.80
Los Angeles																		
Observed	10,830	382.6	3.73	3,588	127.0	2.15	1,292	45.2	1.27	1,101	38.7	1.18	768	26.0	0.95	352	13.2	0.72
Delay Adjusted	11,393	402.5	3.92	3,720	131.7	2.23	1,333	46.6	1.31	1,144	40.2	1.23	785	26.6	0.97	359	13.5	0.73
Colorado																		
Observed	1,643	332.1	8.45	558	110.4	4.80	182	39.5	3.02	145	30.7	2.62	94	19.0	2.02	80	14.0	1.59
Delay Adjusted	1,689	341.5	8.69	564	111.5	4.84	183	39.8	3.04	149	31.6	2.70	95	19.1	2.03	81	14.1	1.61

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	3,897	380.5	6.22	1,247	118.7	3.42	426	43.0	2.13	353	35.0	1.90	282	26.5	1.60	186	17.2	1.28
Delay Adjusted	3,990	389.7	6.37	1,269	120.8	3.49	431	43.5	2.16	359	35.6	1.93	289	27.2	1.65	189	17.5	1.30
Delaware																		
Observed	2,300	423.9	9.08	739	131.9	4.98	298	58.7	3.50	198	37.4	2.73	165	29.7	2.38	101	18.1	1.83
Delay Adjusted	2,372	437.1	9.37	753	134.4	5.07	305	60.0	3.58	206	38.9	2.84	167	30.0	2.40	103	18.5	1.88
Florida																		
Observed	28,335	346.0	2.09	8,824	106.2	1.15	2,774	34.7	0.67	2,878	35.6	0.68	2,201	26.0	0.56	1,013	12.0	0.38
Delay Adjusted	29,606	361.3	2.19	9,237	111.2	1.20	2,797	35.0	0.68	2,973	36.8	0.70	2,276	26.8	0.58	1,020	12.1	0.39
Georgia																		
Observed	30,055	390.6	2.34	10,158	127.8	1.31	2,956	40.4	0.78	3,124	41.6	0.78	2,030	25.4	0.59	1,015	12.1	0.39
Delay Adjusted	30,702	399.2	2.39	10,293	129.5	1.33	2,990	40.9	0.78	3,173	42.3	0.79	2,054	25.7	0.59	1,027	12.2	0.39
Hawaii																		
Observed	137	333.6	31.48	52	115.6	17.05	13	49.1	14.20	8	26.5	10.07	7	17.3	7.30	-	-	-
Delay Adjusted	142	346.4	32.72	53	117.6	17.36	13	49.6	14.36	8	26.9	10.25	7	17.5	7.40	-	-	-
Idaho																		
Observed	44	308.7	52.60	7	43.5	19.09	-	-	-	-	-	-	-	-	-	6	28.4	12.21
Delay Adjusted	46	321.6	54.87	7	44.2	19.40	-	-	-	-	-	-	-	-	-	6	28.6	12.31
Illinois																		
Observed	22,779	432.7	2.92	7,034	133.3	1.62	3,299	62.5	1.11	2,457	47.0	0.96	1,573	28.6	0.73	656	12.6	0.50
Delay Adjusted	23,259	441.9	2.98	7,115	134.8	1.64	3,340	63.3	1.12	2,487	47.5	0.97	1,589	28.9	0.74	669	12.8	0.51
Indiana																		
Observed	6,193	413.4	5.38	1,951	128.9	2.98	915	62.4	2.12	608	41.4	1.72	371	24.0	1.28	169	10.8	0.85
Delay Adjusted	6,474	432.2	5.62	2,010	132.8	3.07	933	63.7	2.16	625	42.5	1.76	378	24.5	1.30	173	11.1	0.87
Iowa																		
Observed	706	439.0	17.43	179	107.9	8.43	97	64.3	6.81	59	41.2	5.62	47	30.5	4.62	22	11.8	2.65
Delay Adjusted	728	452.5	17.97	189	113.8	8.89	98	65.0	6.88	59	41.4	5.65	47	30.7	4.66	22	12.0	2.68

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	3,884	444.4	7.32	1,143	128.9	3.91	644	76.9	3.12	417	47.4	2.38	233	26.1	1.76	152	17.0	1.41
Delay Adjusted	3,965	453.7	7.47	1,152	129.9	3.93	651	77.8	3.15	424	48.1	2.42	235	26.4	1.77	154	17.2	1.43
Louisiana																		
Observed	15,856	415.4	3.38	5,127	133.3	1.91	1,860	49.0	1.17	1,836	48.4	1.16	880	22.0	0.76	559	14.6	0.63
Delay Adjusted	16,118	422.2	3.44	5,188	134.9	1.93	1,876	49.4	1.18	1,860	49.0	1.17	886	22.2	0.77	575	15.0	0.65
Maine																		
Observed	78	290.3	34.62	21	76.3	17.02	10	39.9	13.27	-	-	-	8	31.3	11.54	6	20.7	9.25
Delay Adjusted	80	296.7	35.41	21	77.8	17.34	10	40.1	13.35	-	-	-	8	31.6	11.67	6	20.8	9.28
Maryland																		
Observed	20,023	397.3	2.89	6,770	131.2	1.64	2,293	46.8	1.01	1,810	36.4	0.88	1,459	27.7	0.75	800	15.4	0.56
Delay Adjusted	20,808	413.1	3.01	6,972	135.1	1.69	2,347	47.9	1.03	1,884	37.9	0.92	1,481	28.1	0.76	818	15.7	0.57
Massachusetts																		
Observed	4,858	365.5	5.36	1,520	112.7	2.94	507	40.0	1.82	424	32.3	1.60	341	25.2	1.40	306	21.3	1.24
Delay Adjusted	5,078	382.1	5.60	1,563	115.8	3.03	521	41.1	1.87	444	33.8	1.68	343	25.4	1.40	314	21.9	1.27
Michigan																		
Observed	16,284	418.8	3.36	4,920	126.6	1.85	2,402	61.9	1.29	1,599	41.1	1.05	1,105	27.1	0.84	538	14.0	0.62
Delay Adjusted	16,518	424.8	3.41	4,978	128.2	1.87	2,432	62.6	1.31	1,619	41.6	1.06	1,116	27.4	0.84	551	14.4	0.63
Detroit																		
Observed	12,662	441.4	4.01	3,837	134.2	2.22	1,839	63.7	1.52	1,277	44.5	1.27	835	27.6	0.98	449	16.0	0.77
Delay Adjusted	12,827	447.1	4.07	3,870	135.3	2.23	1,851	64.2	1.53	1,286	44.8	1.28	840	27.8	0.99	460	16.4	0.79
Minnesota																		
Observed	1,926	392.1	9.87	539	101.4	4.74	222	53.0	3.87	188	42.5	3.42	116	25.4	2.55	109	16.6	1.72
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	11,207	395.8	3.83	3,467	120.4	2.09	1,275	46.1	1.33	1,429	50.6	1.37	676	23.2	0.92	350	11.9	0.65
Delay Adjusted	11,452	404.4	3.91	3,538	122.8	2.14	1,291	46.7	1.34	1,444	51.2	1.39	683	23.4	0.93	356	12.1	0.66
Missouri																		
Observed	8,079	436.2	4.95	2,492	133.6	2.73	1,197	65.1	1.92	779	42.5	1.55	508	26.8	1.21	227	11.9	0.80
Delay Adjusted	8,281	447.1	5.07	2,519	135.0	2.76	1,214	66.0	1.95	791	43.2	1.58	513	27.0	1.22	235	12.3	0.83

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	17	210.3	53.71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	18	218.0	55.68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska																		
Observed	742	411.4	15.62	209	117.9	8.38	104	59.3	5.98	74	42.9	5.13	39	20.6	3.39	29	14.4	2.75
Delay Adjusted	770	426.7	16.19	212	119.5	8.49	106	60.4	6.09	76	43.8	5.25	39	20.7	3.42	29	14.6	2.79
New Hampshire																		
Observed	69	201.2	25.16	23	68.2	14.72	7	24.1	9.24	8	22.4	8.24	-	-	-	-	-	-
Delay Adjusted	71	206.8	25.88	23	68.8	14.87	7	25.0	9.61	8	22.9	8.41	-	-	-	-	-	-
New Jersey																		
Observed	14,385	396.2	3.35	4,509	122.4	1.85	1,676	46.8	1.16	1,458	41.0	1.09	1,036	27.7	0.87	527	14.4	0.63
Delay Adjusted	15,095	415.8	3.52	4,671	126.8	1.92	1,706	47.6	1.18	1,529	43.0	1.14	1,058	28.2	0.89	542	14.8	0.65
New York																		
Observed	39,144	386.1	1.98	11,986	118.1	1.09	4,066	39.9	0.63	3,667	36.2	0.61	3,294	31.3	0.55	1,670	16.6	0.41
Delay Adjusted	40,014	394.7	2.02	12,146	119.7	1.11	4,092	40.1	0.64	3,724	36.8	0.62	3,325	31.6	0.56	1,730	17.2	0.43
North Carolina																		
Observed	24,209	400.5	2.63	8,089	132.7	1.51	2,819	46.9	0.91	2,242	37.1	0.80	1,646	26.3	0.66	829	13.7	0.48
Delay Adjusted	25,122	415.6	2.73	8,355	137.1	1.56	2,877	47.9	0.92	2,310	38.2	0.82	1,686	26.9	0.68	849	14.0	0.50
North Dakota																		
Observed	30	206.3	44.30	6	42.2	17.28	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	31	214.5	45.99	6	42.8	17.53	-	-	-	-	-	-	-	-	-	-	-	-
Ohio																		
Observed	15,903	404.3	3.26	4,956	126.1	1.82	2,484	62.9	1.28	1,477	37.6	0.99	973	24.0	0.78	623	16.5	0.67
Delay Adjusted	16,606	422.1	3.41	5,120	130.2	1.88	2,558	64.7	1.32	1,526	38.9	1.03	1,005	24.8	0.81	650	17.2	0.70
Oklahoma																		
Observed	2,772	397.4	7.78	844	118.5	4.19	377	56.4	3.00	292	42.2	2.54	169	23.0	1.82	97	13.4	1.39
Delay Adjusted	2,855	409.3	8.01	861	120.9	4.28	380	57.0	3.03	296	42.9	2.58	173	23.6	1.86	98	13.5	1.40

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	640	383.5	15.68	200	116.0	8.43	85	55.6	6.24	50	31.5	4.61	41	23.4	3.76	33	17.7	3.14
Delay Adjusted	668	400.2	16.38	209	121.0	8.79	86	56.6	6.35	52	32.8	4.81	42	23.7	3.81	34	17.9	3.19
Pennsylvania																		
Observed	17,487	447.0	3.44	4,932	126.6	1.83	2,612	67.3	1.34	1,622	41.3	1.04	1,188	29.2	0.86	857	22.2	0.77
Delay Adjusted	18,084	462.3	3.55	5,029	129.1	1.87	2,641	68.0	1.35	1,658	42.2	1.06	1,199	29.5	0.87	886	22.9	0.80
Rhode Island																		
Observed	593	334.2	14.13	181	100.2	7.65	75	44.9	5.33	49	28.4	4.15	33	18.4	3.31	39	19.7	3.22
Delay Adjusted	605	341.2	14.42	184	101.7	7.76	76	45.6	5.42	50	28.7	4.20	34	18.8	3.39	39	19.9	3.24
South Carolina																		
Observed	14,376	384.0	3.29	4,773	126.9	1.89	1,561	41.3	1.07	1,388	36.7	1.01	1,030	26.4	0.84	483	13.0	0.61
Delay Adjusted	14,924	398.7	3.41	4,920	130.7	1.94	1,595	42.2	1.10	1,434	37.9	1.04	1,053	26.9	0.86	497	13.4	0.62
South Dakota																		
Observed	38	182.1	30.23	14	69.3	18.74	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	40	190.0	31.53	14	70.7	19.10	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee																		
Observed	11,059	396.0	3.88	3,596	125.7	2.16	1,396	51.4	1.42	1,120	41.1	1.27	642	22.3	0.91	313	10.9	0.63
Delay Adjusted	11,348	406.4	3.98	3,661	128.0	2.19	1,418	52.2	1.45	1,140	41.8	1.29	649	22.5	0.92	320	11.2	0.64
Texas																		
Observed	29,554	384.9	2.31	9,334	117.6	1.25	3,426	47.6	0.84	3,084	40.5	0.75	1,775	22.5	0.55	1,054	12.7	0.40
Delay Adjusted	30,795	401.1	2.41	9,703	122.3	1.30	3,493	48.5	0.86	3,150	41.4	0.77	1,812	23.0	0.57	1,107	13.3	0.42
Utah																		
Observed	144	324.4	29.57	37	86.0	15.22	15	39.7	10.78	17	44.2	11.29	7	20.4	8.12	9	13.7	5.06
Delay Adjusted	154	347.0	31.64	39	89.9	15.91	15	40.4	11.00	17	44.4	11.35	7	20.4	8.14	9	13.7	5.07
Vermont																		
Observed	33	305.0	59.45	11	93.1	30.13	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	34	310.3	60.52	11	93.6	30.27	-	-	-	-	-	-	-	-	-	-	-	-
Virginia																		
Observed	17,355	390.6	3.03	6,022	133.5	1.76	2,067	47.4	1.07	1,689	38.6	0.96	1,043	22.8	0.72	586	13.1	0.55
Delay Adjusted	17,744	399.1	3.09	6,109	135.4	1.78	2,089	47.9	1.08	1,713	39.1	0.97	1,057	23.1	0.73	593	13.3	0.56

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined², 2011-2015, Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Thyroid		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Washington																		
Observed	2,050	366.0	8.57	685	118.9	4.78	220	44.2	3.15	173	31.3	2.52	123	21.9	2.10	95	14.4	1.55
Delay Adjusted	2,094	373.9	8.75	691	120.0	4.83	221	44.5	3.16	178	32.2	2.59	124	22.2	2.12	97	14.8	1.58
Seattle																		
Observed	1,943	391.2	9.41	656	127.6	5.25	211	48.8	3.54	160	33.2	2.78	115	23.3	2.31	95	16.3	1.74
Delay Adjusted	1,980	398.6	9.59	660	128.3	5.28	211	48.9	3.55	164	34.0	2.85	116	23.5	2.33	97	16.7	1.78
West Virginia																		
Observed	669	383.5	15.24	209	123.8	8.81	85	47.7	5.28	74	41.9	5.00	39	20.2	3.34	29	17.5	3.35
Delay Adjusted	685	393.0	15.62	215	127.1	9.05	86	48.4	5.35	75	42.7	5.08	39	20.4	3.38	30	17.9	3.43
Wisconsin																		
Observed	3,626	476.5	8.27	1,061	136.1	4.34	527	74.3	3.38	317	41.9	2.46	223	28.6	1.99	141	16.4	1.43
Delay Adjusted	3,703	488.1	8.50	1,093	140.2	4.47	542	76.8	3.51	329	43.5	2.55	230	29.6	2.06	145	16.9	1.47
Wyoming																		
Observed	29	161.1	30.72	6	36.2	15.21	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	29	162.5	30.99	6	36.4	15.28	-	-	-	-	-	-	-	-	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

⁻ Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

NAACCR U.S. Combined Delay Adjusted Incidence 2011-2015, Asian/Pacific Islander (API) Combined



**Average Annual Age-adjusted Cancer Incidence Delay Adjusted Counts and Rates*, Selected Sites
NAACCR United States Combined¹, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
All Sites (invasive & in situ bladder)	105,163	292.1	0.94	109,198	303.4	0.98	133,644	285.8	0.80	138,800	296.9	0.83
Oral Cavity & Pharynx	4,448	11.3	0.18	4,609	11.7	0.18	2,424	5.2	0.11	2,510	5.4	0.11
Digestive												
Esophagus	1,263	3.5	0.10	1,287	3.6	0.11	420	1.0	0.05	428	1.0	0.05
Stomach	4,702	13.7	0.21	4,795	14.0	0.21	3,520	8.0	0.14	3,593	8.2	0.14
Colon & Rectum	13,256	36.1	0.33	13,588	37.0	0.33	11,980	26.4	0.25	12,286	27.1	0.25
Liver & IBD ²	7,489	19.9	0.24	7,722	20.6	0.25	3,260	7.5	0.13	3,363	7.7	0.14
Pancreas	3,427	10.1	0.18	3,512	10.4	0.18	3,715	8.7	0.15	3,806	8.9	0.15
Respiratory												
Larynx	740	2.1	0.08	753	2.1	0.08	124	0.3	0.03	126	0.3	0.03
Lung & bronchus	14,816	44.5	0.38	15,147	45.5	0.39	12,136	27.8	0.26	12,410	28.4	0.26
Skin												
Melanomas of the skin	558	1.5	0.07	586	1.6	0.07	586	1.3	0.05	617	1.3	0.06
Breast (female cases only)	-	-	-	-	-	-	44,825	92.7	0.44	46,515	96.2	0.46
Female Genital												
Cervix uteri	-	-	-	-	-	-	2,966	6.1	0.11	3,034	6.2	0.12
Corpus & uterus, NOS ²	-	-	-	-	-	-	9,243	18.7	0.20	9,472	19.1	0.20
Ovary	-	-	-	-	-	-	4,453	9.2	0.14	4,648	9.6	0.15
Male Genital												
Prostate	20,273	55.9	0.41	21,578	59.6	0.43	-	-	-	-	-	-
Testis	942	1.9	0.06	957	2.0	0.07	-	-	-	-	-	-
Urinary												
Bladder (incl. <i>in situ</i>)	4,758	14.8	0.22	4,940	15.4	0.23	1,568	3.7	0.10	1,628	3.9	0.10
Kidney & renal pelvis	4,187	11.1	0.18	4,339	11.5	0.18	2,299	5.0	0.11	2,384	5.2	0.11
Brain & Other Nervous System	1,698	4.2	0.11	1,766	4.4	0.11	1,497	3.2	0.08	1,556	3.3	0.09
Endocrine												
Thyroid gland	3,047	7.2	0.13	3,140	7.5	0.14	10,925	21.8	0.21	11,260	22.5	0.22
Lymphomas												
Hodgkin Lymphoma	653	1.5	0.06	672	1.5	0.06	487	1.0	0.05	502	1.0	0.05
Non-Hodgkin Lymphoma	5,720	15.8	0.22	5,976	16.5	0.23	4,859	10.7	0.16	5,077	11.2	0.16
Multiple Myeloma	1,694	4.8	0.12	1,841	5.2	0.13	1,303	2.9	0.08	1,416	3.2	0.09
Leukemias	3,546	9.5	0.17	3,813	10.3	0.18	2,804	6.2	0.12	3,015	6.7	0.13

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See technical notes.

² Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD ³			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	105,163	292.1	0.94	20,273	55.9	0.41	14,816	44.5	0.38	13,256	36.1	0.33	7,489	19.9	0.24	5,720	15.8	0.22
Delay Adjusted	109,198	303.4	0.98	21,578	59.6	0.43	15,147	45.5	0.39	13,588	37.0	0.33	7,722	20.6	0.25	5,976	16.5	0.23
Alabama																		
Observed	266	266.3	19.12	64	63.8	8.83	33	40.7	8.40	21	16.5	4.04	25	24.4	5.44	11	10.2	3.28
Delay Adjusted	271	271.1	19.47	66	66.4	9.21	33	41.1	8.48	21	16.7	4.07	25	24.6	5.48	11	10.5	3.39
Alaska																		
Observed	279	311.8	21.57	48	57.4	9.20	35	46.7	9.06	42	44.8	7.84	18	20.9	5.76	18	21.2	5.98
Delay Adjusted	287	320.6	22.19	50	59.6	9.57	36	47.6	9.22	43	45.5	7.96	18	21.5	5.91	19	21.9	6.19
Arizona																		
Observed	901	229.4	8.23	152	39.1	3.38	129	36.2	3.41	107	27.3	2.85	63	15.7	2.14	41	10.4	1.76
Delay Adjusted	969	246.6	8.85	170	43.9	3.79	137	38.4	3.62	112	28.7	2.99	65	16.3	2.23	44	11.1	1.87
Arkansas																		
Observed	228	322.7	24.99	33	48.6	9.67	28	50.3	10.35	32	43.1	8.45	23	25.8	6.04	13	17.8	6.44
Delay Adjusted	236	333.4	25.80	34	50.6	10.08	28	51.1	10.51	33	44.0	8.63	23	26.1	6.09	13	18.5	6.73
California																		
Observed	39,317	294.0	1.52	7,481	54.4	0.64	5,827	45.8	0.61	5,289	38.9	0.55	2,895	20.9	0.40	2,229	16.8	0.36
Delay Adjusted	41,214	308.3	1.59	8,018	58.4	0.69	6,027	47.3	0.63	5,444	40.0	0.56	3,006	21.7	0.41	2,345	17.6	0.38
Greater California																		
Observed	13,940	277.1	2.42	2,618	50.9	1.02	2,050	43.3	0.99	1,836	35.9	0.86	1,071	20.3	0.64	748	14.9	0.56
Delay Adjusted	14,771	293.9	2.57	2,847	55.5	1.12	2,135	45.1	1.03	1,905	37.2	0.90	1,107	21.0	0.66	788	15.7	0.59
Greater Bay																		
Observed	13,845	314.8	2.73	2,805	63.0	1.22	2,087	50.1	1.12	1,747	38.7	0.95	1,030	22.4	0.72	836	19.0	0.67
Delay Adjusted	14,446	328.5	2.85	2,993	67.3	1.30	2,147	51.6	1.15	1,793	39.7	0.97	1,070	23.3	0.74	881	20.0	0.70
Los Angeles																		
Observed	11,529	292.1	2.77	2,057	49.4	1.11	1,690	44.0	1.09	1,705	42.8	1.05	794	19.8	0.72	645	16.6	0.66
Delay Adjusted	11,994	304.0	2.89	2,177	52.3	1.18	1,744	45.4	1.12	1,745	43.8	1.08	829	20.7	0.75	676	17.3	0.70
Colorado																		
Observed	789	268.6	10.24	123	43.0	4.07	105	41.6	4.32	102	34.2	3.60	64	20.2	2.69	56	19.5	2.80
Delay Adjusted	809	275.5	10.51	132	46.4	4.41	106	41.9	4.35	105	35.3	3.71	65	20.4	2.72	58	20.2	2.90

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD ³			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	628	228.5	10.18	92	33.4	3.67	78	30.2	3.78	70	22.9	3.01	56	20.4	3.03	36	13.6	2.60
Delay Adjusted	645	234.7	10.47	96	35.0	3.85	79	30.5	3.82	71	23.3	3.05	57	20.7	3.06	37	14.2	2.71
Delaware																		
Observed	176	277.7	22.58	44	66.4	10.28	18	35.8	9.37	14	19.8	5.50	10	15.4	5.08	15	27.8	8.01
Delay Adjusted	181	286.0	23.26	48	72.0	11.16	18	36.7	9.62	15	20.5	5.70	10	16.0	5.26	16	29.1	8.39
Florida																		
Observed	2,607	209.4	4.28	530	41.3	1.86	349	29.6	1.66	318	25.1	1.47	137	10.6	0.93	150	11.9	1.01
Delay Adjusted	2,722	218.4	4.46	566	44.1	1.99	352	29.9	1.67	329	26.0	1.52	140	10.8	0.95	159	12.6	1.07
Georgia																		
Observed	1,724	261.2	7.14	293	46.5	2.97	174	29.5	2.57	244	35.7	2.59	135	19.4	1.89	95	14.3	1.68
Delay Adjusted	1,799	273.0	7.47	303	48.2	3.08	176	29.9	2.61	249	36.5	2.64	137	19.7	1.92	98	14.8	1.73
Hawaii																		
Observed	10,177	383.9	3.87	2,236	82.8	1.78	1,571	59.2	1.52	1,398	52.2	1.42	502	18.7	0.85	502	19.2	0.87
Delay Adjusted	10,353	390.6	3.94	2,297	85.1	1.83	1,586	59.7	1.53	1,414	52.8	1.43	514	19.2	0.87	517	19.8	0.90
Idaho																		
Observed	117	286.2	29.20	24	52.6	11.42	18	56.5	14.43	14	35.3	10.53	7	12.8	5.08	-	-	-
Delay Adjusted	122	297.2	30.28	25	55.8	12.13	18	57.9	14.75	14	35.9	10.74	7	13.4	5.34	-	-	-
Illinois																		
Observed	3,814	282.1	4.91	767	55.7	2.14	514	41.2	1.96	497	36.1	1.74	221	16.2	1.18	204	15.6	1.18
Delay Adjusted	3,921	290.1	5.05	806	58.6	2.26	521	41.8	1.99	504	36.6	1.76	227	16.7	1.21	212	16.3	1.23
Indiana																		
Observed	434	249.3	14.13	68	45.0	6.01	43	28.5	5.07	55	26.4	3.92	25	14.4	3.43	23	11.1	2.77
Delay Adjusted	456	262.3	14.88	73	48.4	6.50	44	29.0	5.15	57	27.3	4.05	26	14.7	3.51	24	11.7	2.94
Iowa																		
Observed	276	343.7	24.94	36	48.8	9.25	33	56.8	11.38	37	43.3	8.45	37	44.7	8.48	13	16.9	5.30
Delay Adjusted	284	354.7	25.78	38	51.7	9.77	33	57.5	11.52	37	43.6	8.51	38	45.5	8.60	13	17.2	5.39

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD ³			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	204	224.9	18.26	35	50.7	9.63	22	24.4	6.02	27	28.2	6.27	14	17.4	5.40	12	11.6	4.06
Delay Adjusted	208	229.6	18.64	37	52.6	9.94	22	24.7	6.10	27	28.7	6.39	14	17.8	5.53	12	11.8	4.16
Louisiana																		
Observed	495	317.5	15.89	74	53.4	6.85	72	48.3	6.33	68	46.4	6.22	63	33.4	4.53	23	13.9	3.18
Delay Adjusted	502	322.3	16.14	76	54.7	7.01	73	48.8	6.39	69	47.1	6.31	64	34.1	4.62	24	14.3	3.29
Maine																		
Observed	51	193.9	30.00	8	29.8	11.41	-	-	-	7	22.4	8.69	7	25.3	10.45	6	26.6	12.00
Delay Adjusted	52	197.9	30.62	8	30.7	11.76	-	-	-	7	22.6	8.77	7	25.8	10.69	6	26.8	12.12
Maryland																		
Observed	2,043	258.6	6.02	456	56.0	2.74	242	33.8	2.30	231	28.5	1.97	135	16.7	1.51	97	12.6	1.33
Delay Adjusted	2,154	272.8	6.36	497	61.1	2.99	247	34.5	2.35	240	29.6	2.05	139	17.2	1.56	101	13.1	1.39
Massachusetts																		
Observed	2,193	303.3	6.87	390	56.3	2.97	365	56.9	3.13	233	31.9	2.21	191	25.6	1.96	95	12.2	1.34
Delay Adjusted	2,226	308.1	6.99	403	58.2	3.07	369	57.5	3.16	240	32.8	2.28	193	25.9	1.98	97	12.5	1.38
Michigan																		
Observed	1,198	249.5	7.92	295	61.9	3.82	121	28.1	2.83	148	33.0	3.01	53	10.4	1.57	72	13.7	1.77
Delay Adjusted	1,243	258.9	8.22	303	63.6	3.93	123	28.5	2.87	151	33.6	3.07	54	10.6	1.59	74	14.1	1.83
Detroit																		
Observed	836	274.9	10.40	240	78.4	5.39	83	29.6	3.59	96	32.2	3.65	33	10.6	2.02	38	9.9	1.65
Delay Adjusted	876	288.1	10.91	246	80.4	5.53	84	29.8	3.61	97	32.6	3.69	33	10.6	2.03	38	10.0	1.67
Minnesota																		
Observed	904	274.5	10.22	122	43.1	4.19	117	41.1	4.15	105	30.7	3.30	89	25.7	2.95	60	17.8	2.56
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	154	292.6	26.43	29	61.2	12.90	25	45.8	9.72	17	33.0	8.63	14	26.9	8.41	7	11.9	5.06
Delay Adjusted	157	298.9	27.00	30	63.1	13.26	25	46.4	9.85	17	33.3	8.70	14	27.8	8.72	7	12.6	5.37
Missouri																		
Observed	495	263.6	13.07	80	44.8	5.37	77	46.2	5.72	62	35.5	4.94	39	19.9	3.46	27	11.8	2.56
Delay Adjusted	520	277.1	13.75	86	48.1	5.78	78	46.8	5.80	63	36.1	5.03	40	20.3	3.53	28	12.2	2.64

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD ³			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	46	341.9	54.75	8	52.0	18.99	-	-	-	6	40.3	17.07	-	-	-	-	-	-
Delay Adjusted	48	355.9	56.88	8	54.3	19.82	-	-	-	6	42.0	17.74	-	-	-	-	-	-
Nebraska																		
Observed	174	323.8	27.64	28	68.0	13.77	23	47.2	10.66	19	29.1	7.39	20	32.0	7.84	9	19.6	7.30
Delay Adjusted	180	335.7	28.67	30	72.9	14.81	23	48.1	10.87	19	29.7	7.52	21	33.8	8.29	9	20.5	7.67
New Hampshire																		
Observed	126	259.8	26.76	30	58.0	11.84	11	24.4	8.15	13	24.4	7.31	8	15.7	6.53	-	-	-
Delay Adjusted	131	269.7	27.79	31	60.2	12.30	11	25.0	8.34	13	24.9	7.44	8	16.5	6.83	-	-	-
New Jersey																		
Observed	4,420	264.4	4.32	1,034	61.3	2.05	498	33.6	1.63	506	28.4	1.37	230	14.2	1.03	232	13.5	0.95
Delay Adjusted	4,636	277.5	4.54	1,129	67.0	2.24	514	34.7	1.68	530	29.7	1.43	235	14.5	1.05	248	14.4	1.02
New York																		
Observed	12,298	340.5	3.24	2,298	62.1	1.36	1,766	53.2	1.34	1,393	38.3	1.08	876	23.0	0.82	601	16.7	0.72
Delay Adjusted	12,579	348.3	3.31	2,461	66.6	1.46	1,782	53.7	1.35	1,407	38.7	1.09	897	23.5	0.84	618	17.2	0.74
North Carolina																		
Observed	974	249.7	9.17	205	53.0	3.95	134	38.3	3.74	104	25.9	2.95	60	14.4	2.12	56	14.3	2.25
Delay Adjusted	1,015	260.3	9.57	215	55.7	4.16	135	38.6	3.77	107	26.7	3.04	62	15.0	2.21	58	14.8	2.34
North Dakota																		
Observed	30	260.3	58.67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	31	269.6	60.69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio																		
Observed	909	229.5	8.33	207	51.2	3.74	119	35.7	3.58	110	28.4	3.01	57	13.5	1.94	47	11.2	1.81
Delay Adjusted	984	248.4	9.02	221	54.7	3.99	126	37.7	3.78	114	29.4	3.11	59	14.0	1.99	49	11.7	1.90
Oklahoma																		
Observed	420	335.4	18.57	73	57.4	7.28	50	44.6	6.98	57	48.5	7.46	35	31.9	6.02	27	18.3	4.06
Delay Adjusted	425	339.4	18.82	76	60.0	7.63	50	45.0	7.05	58	49.2	7.57	35	32.4	6.12	28	19.1	4.25

¹. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

². See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD ³			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	1,019	306.7	10.20	162	49.5	4.08	149	50.2	4.34	116	36.2	3.55	108	30.8	3.12	54	17.1	2.50
Delay Adjusted	1,065	320.8	10.67	173	52.8	4.36	152	51.1	4.41	121	37.9	3.71	110	31.5	3.19	56	17.7	2.58
Pennsylvania																		
Observed	1,972	271.9	6.68	354	49.4	2.81	268	42.6	2.83	219	30.2	2.21	161	20.5	1.73	100	12.9	1.39
Delay Adjusted	2,041	281.5	6.91	386	53.8	3.07	273	43.3	2.87	224	30.9	2.26	165	21.0	1.78	103	13.4	1.44
Rhode Island																		
Observed	164	268.2	22.82	30	49.6	9.58	20	36.0	8.76	12	22.0	6.89	24	39.0	8.60	13	22.0	6.70
Delay Adjusted	167	273.9	23.30	31	51.7	9.99	20	36.7	8.90	12	22.2	6.96	25	40.1	8.85	13	22.5	6.88
South Carolina																		
Observed	320	239.7	15.07	60	49.8	7.04	55	41.9	6.39	39	29.9	5.26	10	7.4	2.61	30	23.3	5.18
Delay Adjusted	327	245.6	15.46	65	53.8	7.62	56	42.8	6.52	40	31.1	5.50	10	7.6	2.66	32	24.5	5.43
South Dakota																		
Observed	32	282.8	60.03	-	-	-	7	85.7	36.48	6	33.7	14.28	-	-	-	-	-	-
Delay Adjusted	33	295.2	62.60	-	-	-	7	88.0	37.39	6	34.8	14.77	-	-	-	-	-	-
Tennessee																		
Observed	487	275.8	14.20	96	61.5	6.84	57	35.9	5.37	62	36.6	5.29	41	19.9	3.34	31	18.0	3.85
Delay Adjusted	499	282.9	14.56	99	63.2	7.03	58	36.5	5.46	63	37.2	5.37	42	20.3	3.42	32	18.6	3.97
Texas																		
Observed	5,289	248.5	3.82	971	47.3	1.67	706	37.8	1.60	616	28.0	1.26	471	21.2	1.08	316	14.6	0.91
Delay Adjusted	5,572	261.9	4.03	1,067	52.1	1.85	720	38.6	1.63	638	29.0	1.31	501	22.5	1.15	344	15.9	1.00
Utah																		
Observed	508	352.2	17.29	115	87.7	8.80	42	35.2	5.87	46	32.6	5.25	37	25.0	4.53	25	14.7	3.32
Delay Adjusted	543	376.8	18.50	118	90.0	9.03	42	35.5	5.93	46	32.8	5.28	38	25.8	4.68	25	14.9	3.36
Vermont																		
Observed	42	346.5	59.29	-	-	-	-	-	-	6	44.4	18.92	-	-	-	-	-	-
Delay Adjusted	43	353.4	60.57	-	-	-	-	-	-	6	46.0	19.69	-	-	-	-	-	-
Virginia																		
Observed	2,294	245.4	5.64	396	40.9	2.18	320	38.4	2.36	258	26.3	1.81	165	16.8	1.43	107	10.8	1.13
Delay Adjusted	2,349	251.0	5.76	411	42.4	2.26	323	38.8	2.39	262	26.7	1.84	169	17.2	1.46	110	11.1	1.16

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD ³			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Washington																		
Observed	3,569	311.2	5.51	620	55.2	2.32	501	49.0	2.30	455	38.0	1.88	295	24.1	1.48	209	17.9	1.31
Delay Adjusted	3,656	318.7	5.65	651	57.9	2.44	504	49.4	2.32	467	39.0	1.93	299	24.4	1.50	212	18.2	1.33
Seattle																		
Observed	3,411	331.2	6.00	608	60.8	2.58	475	51.4	2.48	435	40.6	2.06	277	25.3	1.60	207	19.6	1.44
Delay Adjusted	3,499	339.8	6.15	637	63.7	2.71	477	51.6	2.49	446	41.5	2.11	279	25.5	1.61	210	19.9	1.46
West Virginia																		
Observed	56	192.6	28.95	7	20.9	8.10	15	47.0	13.00	12	43.4	13.87	-	-	-	-	-	-
Delay Adjusted	57	197.0	29.65	7	21.3	8.24	15	47.6	13.13	12	44.0	14.06	-	-	-	-	-	-
Wisconsin																		
Observed	521	297.4	15.01	84	57.3	6.80	61	46.5	6.55	58	29.6	4.39	51	27.8	4.39	39	18.7	3.60
Delay Adjusted	524	299.1	15.10	89	60.6	7.18	63	48.6	6.87	60	30.7	4.57	52	28.3	4.48	39	18.8	3.61
Wyoming																		
Observed	23	210.3	47.36	6	55.4	24.44	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	23	212.2	47.81	6	56.1	24.79	-	-	-	-	-	-	-	-	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	133,644	285.8	0.80	44,825	92.7	0.44	12,136	27.8	0.26	11,980	26.4	0.25	10,925	21.8	0.21	9,243	18.7	0.20
Delay Adjusted	138,800	296.9	0.83	46,515	96.2	0.46	12,410	28.4	0.26	12,286	27.1	0.25	11,260	22.5	0.22	9,472	19.1	0.20
Alabama																		
Observed	419	279.7	14.75	127	78.2	7.38	40	32.4	5.46	40	28.9	4.97	29	14.9	2.80	16	8.9	2.31
Delay Adjusted	427	284.9	15.03	129	79.3	7.48	40	32.6	5.49	40	29.3	5.03	29	15.0	2.83	16	9.0	2.33
Alaska																		
Observed	374	291.4	15.86	116	84.8	8.21	38	32.8	5.66	27	21.2	4.30	35	25.4	4.39	35	23.7	4.14
Delay Adjusted	385	300.1	16.32	118	86.0	8.32	39	33.4	5.76	27	21.6	4.37	36	25.8	4.45	36	24.3	4.26
Arizona																		
Observed	1,474	252.0	6.85	487	77.2	3.60	155	30.0	2.53	111	21.4	2.12	145	22.0	1.87	95	14.3	1.51
Delay Adjusted	1,584	270.7	7.35	524	83.1	3.88	165	31.9	2.68	117	22.5	2.23	152	23.1	1.96	99	15.0	1.58
Arkansas																		
Observed	352	344.1	20.05	101	101.1	10.92	32	36.4	6.95	36	39.8	7.25	28	23.1	4.70	17	15.8	4.24
Delay Adjusted	364	355.6	20.72	106	106.4	11.49	33	37.1	7.08	37	40.5	7.39	28	23.4	4.78	18	16.4	4.40
California																		
Observed	50,242	291.6	1.32	17,088	97.8	0.76	4,605	27.1	0.40	4,859	28.2	0.41	3,319	19.5	0.34	3,656	20.4	0.34
Delay Adjusted	52,639	305.6	1.38	17,930	102.7	0.80	4,764	28.0	0.42	5,001	29.0	0.42	3,427	20.2	0.35	3,791	21.1	0.35
Greater California																		
Observed	18,379	281.7	2.11	6,100	91.1	1.18	1,671	26.6	0.66	1,760	27.4	0.66	1,341	20.1	0.55	1,321	19.2	0.53
Delay Adjusted	19,459	298.4	2.23	6,488	96.9	1.26	1,741	27.7	0.69	1,825	28.4	0.69	1,396	20.9	0.58	1,393	20.2	0.56
Greater Bay																		
Observed	16,989	302.1	2.35	5,988	104.9	1.37	1,596	28.9	0.73	1,514	26.9	0.70	984	17.6	0.57	1,240	21.2	0.61
Delay Adjusted	17,730	315.2	2.45	6,258	109.6	1.43	1,642	29.8	0.75	1,554	27.7	0.72	1,017	18.2	0.59	1,278	21.8	0.63
Los Angeles																		
Observed	14,871	293.7	2.45	4,999	99.0	1.43	1,338	25.8	0.72	1,584	30.5	0.78	994	21.0	0.68	1,095	21.2	0.65
Delay Adjusted	15,446	305.0	2.55	5,183	102.6	1.48	1,380	26.7	0.74	1,621	31.2	0.80	1,014	21.4	0.69	1,120	21.6	0.67
Colorado																		
Observed	1,100	251.4	7.83	352	75.3	4.12	111	28.4	2.78	111	27.6	2.70	114	22.1	2.11	60	12.3	1.62
Delay Adjusted	1,126	257.6	8.02	356	76.1	4.16	112	28.6	2.80	114	28.4	2.78	115	22.3	2.13	60	12.4	1.63

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	874	251.8	9.23	345	93.9	5.37	60	22.3	3.11	60	20.8	2.94	100	23.1	2.45	40	10.4	1.71
Delay Adjusted	898	258.8	9.49	373	101.6	5.81	61	22.6	3.14	61	21.2	2.98	102	23.5	2.49	41	10.7	1.76
Delaware																		
Observed	230	274.6	19.00	84	94.4	10.50	20	29.1	6.94	8	11.0	4.11	33	33.3	5.90	12	13.6	4.09
Delay Adjusted	236	282.1	19.51	86	96.1	10.71	20	29.8	7.10	8	11.4	4.27	34	34.0	6.03	12	13.7	4.13
Florida																		
Observed	3,639	219.5	3.75	1,275	73.2	2.09	321	20.9	1.21	301	18.6	1.11	276	15.8	0.97	248	14.0	0.92
Delay Adjusted	3,806	229.5	3.91	1,336	76.7	2.19	324	21.0	1.22	311	19.2	1.14	278	15.9	0.97	256	14.5	0.95
Georgia																		
Observed	2,213	257.8	5.97	755	80.6	3.11	150	20.8	1.84	204	25.7	1.98	198	18.7	1.37	114	12.3	1.21
Delay Adjusted	2,307	269.0	6.24	765	81.7	3.16	152	21.1	1.86	208	26.2	2.01	200	19.0	1.38	115	12.5	1.23
Hawaii																		
Observed	11,912	374.9	3.55	4,090	132.2	2.13	1,233	35.6	1.04	1,165	35.2	1.07	613	23.1	0.95	976	32.5	1.07
Delay Adjusted	12,120	381.4	3.61	4,157	134.4	2.16	1,245	35.9	1.05	1,179	35.6	1.08	621	23.4	0.97	988	32.9	1.08
Idaho																		
Observed	164	257.2	20.89	50	72.4	10.56	18	34.4	8.46	13	20.8	5.95	10	13.4	4.24	11	15.8	4.85
Delay Adjusted	170	266.9	21.66	51	73.5	10.72	18	35.1	8.65	13	21.1	6.03	10	13.5	4.28	11	16.2	4.96
Illinois																		
Observed	4,701	272.6	4.11	1,730	95.1	2.34	355	22.8	1.26	402	24.9	1.29	433	22.8	1.12	339	18.4	1.02
Delay Adjusted	4,829	280.1	4.22	1,781	97.9	2.41	360	23.2	1.28	407	25.2	1.31	441	23.3	1.14	344	18.6	1.04
Indiana																		
Observed	577	228.6	10.35	181	66.8	5.31	50	23.7	3.65	51	24.1	3.65	47	14.4	2.22	41	15.2	2.51
Delay Adjusted	607	240.3	10.89	187	69.1	5.50	51	24.2	3.73	52	24.8	3.74	48	14.7	2.27	42	15.4	2.55
Iowa																		
Observed	305	265.6	16.82	96	74.7	8.04	24	24.7	5.60	24	24.5	5.48	21	11.8	2.83	23	18.5	4.15
Delay Adjusted	315	274.1	17.38	101	78.9	8.50	24	24.9	5.66	24	24.8	5.54	21	11.9	2.86	23	18.7	4.18

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	322	258.2	15.69	98	68.1	7.30	36	38.7	6.86	31	28.3	5.54	31	19.1	3.48	20	15.0	3.54
Delay Adjusted	329	263.7	16.03	99	68.7	7.36	36	39.1	6.93	31	28.8	5.62	31	19.3	3.52	20	15.2	3.57
Louisiana																		
Observed	503	261.3	12.34	140	71.1	6.30	44	26.9	4.29	35	19.4	3.52	52	23.1	3.29	33	13.9	2.43
Delay Adjusted	511	265.1	12.52	142	72.0	6.38	44	27.1	4.33	35	19.7	3.57	53	23.8	3.39	33	13.9	2.45
Maine																		
Observed	101	274.9	30.17	28	71.8	14.74	12	46.2	14.50	8	22.5	8.41	18	35.9	8.51	-	-	-
Delay Adjusted	103	280.2	30.76	28	72.9	14.96	12	46.6	14.65	8	22.7	8.46	18	36.0	8.53	-	-	-
Maryland																		
Observed	2,652	264.5	5.30	927	87.1	2.92	191	21.1	1.58	214	22.5	1.59	294	27.3	1.62	173	15.9	1.24
Delay Adjusted	2,792	278.7	5.59	955	89.7	3.01	195	21.6	1.62	222	23.3	1.65	299	27.7	1.64	175	16.2	1.26
Massachusetts																		
Observed	2,726	296.6	5.91	873	89.1	3.10	257	32.4	2.09	237	28.1	1.90	316	29.1	1.69	145	15.2	1.29
Delay Adjusted	2,765	301.1	6.00	879	89.8	3.12	259	32.7	2.11	244	28.9	1.96	322	29.6	1.72	146	15.3	1.30
Michigan																		
Observed	1,565	258.6	6.92	556	84.3	3.72	153	30.4	2.59	109	20.1	2.05	116	15.6	1.49	106	16.3	1.64
Delay Adjusted	1,622	268.0	7.17	578	87.7	3.86	156	30.9	2.63	111	20.6	2.09	119	16.0	1.53	107	16.5	1.66
Detroit																		
Observed	1,008	275.6	9.17	372	93.5	5.05	88	29.0	3.26	70	21.3	2.70	80	18.7	2.15	66	16.6	2.12
Delay Adjusted	1,056	288.9	9.62	390	98.0	5.29	89	29.2	3.28	71	21.5	2.74	82	19.1	2.20	66	16.7	2.13
Minnesota																		
Observed	1,257	282.4	8.57	333	72.3	4.18	86	22.8	2.58	119	30.3	2.95	116	19.7	1.95	89	16.0	1.77
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	207	275.6	20.66	62	73.5	9.69	27	47.3	9.72	17	25.2	6.66	17	17.1	4.19	9	10.7	3.99
Delay Adjusted	212	281.7	21.11	63	75.2	9.91	27	47.8	9.82	17	25.5	6.74	17	17.4	4.26	9	10.8	4.05
Missouri																		
Observed	775	289.0	11.03	267	93.1	5.95	69	29.9	3.80	62	27.1	3.67	67	21.2	2.70	42	14.3	2.29
Delay Adjusted	814	303.8	11.60	282	98.2	6.28	70	30.3	3.85	63	27.6	3.73	69	22.0	2.80	42	14.4	2.31

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	72	306.7	37.69	25	95.1	19.68	9	37.1	12.84	-	-	-	-	-	-	8	34.2	12.59
Delay Adjusted	75	318.2	39.12	26	98.0	20.27	9	37.8	13.13	-	-	-	-	-	-	8	34.9	12.84
Nebraska																		
Observed	217	259.2	19.09	55	62.7	8.97	20	30.2	7.29	17	22.8	5.94	32	32.1	6.14	12	15.4	4.81
Delay Adjusted	225	269.2	19.81	56	63.7	9.10	20	30.8	7.43	17	23.3	6.07	33	32.6	6.23	12	15.5	4.83
New Hampshire																		
Observed	188	268.1	21.67	64	79.5	10.56	17	31.7	8.41	18	30.5	7.99	19	19.7	4.56	19	27.1	6.70
Delay Adjusted	195	278.4	22.55	65	80.4	10.69	18	32.9	8.73	18	31.3	8.24	20	20.3	4.69	19	27.3	6.76
New Jersey																		
Observed	5,468	265.5	3.75	2,067	94.0	2.13	387	21.9	1.17	409	21.1	1.10	510	21.5	0.96	382	16.9	0.89
Delay Adjusted	5,743	278.9	3.94	2,174	98.9	2.24	399	22.6	1.21	428	22.2	1.15	527	22.2	1.00	396	17.6	0.93
New York																		
Observed	14,002	317.6	2.75	4,318	94.7	1.47	1,281	31.4	0.90	1,153	27.3	0.83	1,671	34.7	0.86	914	19.9	0.67
Delay Adjusted	14,322	324.9	2.81	4,375	96.0	1.49	1,292	31.7	0.91	1,164	27.5	0.83	1,732	36.0	0.89	923	20.1	0.68
North Carolina																		
Observed	1,414	262.5	7.64	480	80.8	3.94	148	33.5	2.97	104	20.7	2.22	114	15.3	1.46	89	14.7	1.64
Delay Adjusted	1,474	273.7	7.97	533	89.8	4.38	150	34.0	3.01	107	21.3	2.29	117	15.7	1.50	91	15.1	1.68
North Dakota																		
Observed	47	278.9	47.57	8	38.5	15.46	-	-	-	-	-	-	13	62.1	21.73	-	-	-
Delay Adjusted	49	288.5	49.07	8	39.0	15.67	-	-	-	-	-	-	13	64.2	22.43	-	-	-
Ohio																		
Observed	1,258	241.2	7.16	450	82.1	4.03	115	25.8	2.53	100	21.1	2.23	114	18.0	1.74	74	13.0	1.55
Delay Adjusted	1,361	261.1	7.76	490	89.4	4.39	122	27.4	2.69	103	21.8	2.30	119	18.8	1.82	77	13.4	1.61
Oklahoma																		
Observed	581	316.5	13.98	173	84.6	6.65	69	45.0	5.75	49	32.2	4.94	32	15.7	3.05	49	24.0	3.57
Delay Adjusted	588	320.2	14.15	177	86.4	6.80	70	45.5	5.81	50	32.7	5.01	32	15.9	3.08	50	24.5	3.65

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	1,358	282.6	7.93	413	80.4	4.04	131	31.5	2.83	134	29.5	2.65	118	21.9	2.05	84	15.5	1.73
Delay Adjusted	1,418	295.3	8.29	434	84.6	4.25	134	32.1	2.89	140	30.8	2.77	120	22.2	2.08	85	15.7	1.75
Pennsylvania																		
Observed	2,508	272.6	5.74	754	76.8	2.89	227	27.8	1.95	209	24.3	1.78	284	25.4	1.55	139	13.9	1.22
Delay Adjusted	2,596	282.1	5.94	769	78.3	2.95	231	28.3	1.99	214	24.9	1.82	309	27.6	1.69	140	14.1	1.23
Rhode Island																		
Observed	209	279.0	20.43	63	78.8	10.25	19	29.4	7.18	17	24.4	6.21	17	17.7	4.35	15	18.2	4.84
Delay Adjusted	214	285.5	20.91	64	80.0	10.41	19	30.0	7.32	17	24.8	6.30	17	18.0	4.40	15	18.7	4.95
South Carolina																		
Observed	496	263.9	12.65	158	78.3	6.49	49	29.7	4.52	47	27.8	4.40	36	16.4	2.76	24	11.6	2.42
Delay Adjusted	507	270.0	12.97	163	80.8	6.70	51	30.6	4.67	49	28.9	4.58	37	16.8	2.84	25	11.9	2.48
South Dakota																		
Observed	59	291.1	41.95	16	73.7	20.05	-	-	-	7	42.6	17.30	-	-	-	-	-	-
Delay Adjusted	62	303.5	43.78	16	75.1	20.40	-	-	-	7	43.9	17.76	-	-	-	-	-	-
Tennessee																		
Observed	617	246.7	10.84	195	72.2	5.54	72	33.1	4.26	57	23.2	3.37	42	15.7	2.66	36	13.3	2.34
Delay Adjusted	633	253.3	11.14	200	73.9	5.68	73	33.6	4.33	58	23.6	3.43	43	16.0	2.73	36	13.4	2.37
Texas																		
Observed	6,500	233.7	3.09	2,124	69.5	1.57	544	23.0	1.05	608	23.3	1.01	583	17.7	0.76	409	13.5	0.70
Delay Adjusted	6,852	246.4	3.26	2,210	72.3	1.64	555	23.4	1.07	630	24.2	1.05	612	18.6	0.80	418	13.8	0.71
Utah																		
Observed	631	323.4	13.64	195	94.2	7.03	47	30.2	4.59	66	37.2	4.84	50	20.5	2.99	73	34.2	4.16
Delay Adjusted	675	346.0	14.59	204	98.6	7.36	47	30.5	4.63	67	37.5	4.88	50	20.5	3.00	73	34.3	4.17
Vermont																		
Observed	47	262.9	42.87	17	101.7	27.23	6	47.3	20.41	-	-	-	-	-	-	-	-	-
Delay Adjusted	48	267.2	43.56	17	102.2	27.37	6	47.8	20.69	-	-	-	-	-	-	-	-	-
Virginia																		
Observed	3,324	251.1	4.57	1,131	80.1	2.47	296	26.0	1.59	262	21.4	1.40	412	27.2	1.37	199	13.5	0.98
Delay Adjusted	3,408	257.2	4.68	1,152	81.6	2.51	299	26.2	1.61	266	21.7	1.41	426	28.1	1.41	202	13.7	0.99

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Asian/Pacific Islander, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Washington																		
Observed	5,067	306.5	4.40	1,703	98.7	2.44	518	34.1	1.53	399	24.8	1.27	355	19.8	1.07	331	18.7	1.05
Delay Adjusted	5,189	313.9	4.51	1,747	101.3	2.50	522	34.3	1.54	409	25.4	1.30	364	20.3	1.10	335	18.9	1.06
Seattle																		
Observed	4,741	319.3	4.74	1,582	102.3	2.61	476	34.8	1.63	387	26.7	1.39	343	21.3	1.17	308	19.5	1.13
Delay Adjusted	4,863	327.5	4.86	1,619	104.7	2.68	478	34.9	1.64	396	27.4	1.42	351	21.8	1.20	310	19.6	1.14
West Virginia																		
Observed	96	235.2	25.05	41	94.8	15.26	8	21.6	8.02	-	-	-	9	20.7	6.92	6	14.5	6.25
Delay Adjusted	98	241.4	25.73	42	97.5	15.70	8	22.2	8.25	-	-	-	9	21.1	7.07	6	14.7	6.33
Wisconsin																		
Observed	768	308.9	11.91	201	76.0	5.61	75	37.7	4.55	62	29.6	3.95	72	21.7	2.76	65	22.9	2.97
Delay Adjusted	772	310.7	11.98	207	78.3	5.78	78	39.3	4.75	64	30.8	4.11	74	22.3	2.84	67	23.6	3.07
Wyoming																		
Observed	33	240.3	43.20	13	88.6	25.32	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	33	242.5	43.58	13	89.3	25.52	-	-	-	-	-	-	-	-	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.


³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

NAACCR U.S. Combined Delay Adjusted Incidence 2011-2015, American Indian/Alaskan Native for CHSDA Combined



**Average Annual Age-adjusted Cancer Incidence Delay Adjusted Counts and Rates*, Selected Sites
NAACCR United States Combined¹, 2011-2015, American Indian/Alaskan Native for CHSDA**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
All Sites (invasive & in situ bladder)	12,932	410.8	3.99	13,836	439.6	4.27	14,491	380.9	3.31	15,500	407.4	3.54
Oral Cavity & Pharynx	559	15.5	0.71	597	16.6	0.76	240	6.3	0.43	257	6.8	0.46
Digestive												
Esophagus	241	7.8	0.55	251	8.1	0.58	76	2.1	0.25	79	2.2	0.26
Stomach	336	11.2	0.67	345	11.5	0.69	213	6.1	0.44	219	6.3	0.45
Colon & Rectum	1,562	49.8	1.39	1,657	52.8	1.48	1,466	40.1	1.10	1,555	42.5	1.16
Liver & IBD ²	743	20.9	0.83	776	21.9	0.87	353	9.5	0.53	368	9.9	0.55
Pancreas	387	12.4	0.69	402	12.9	0.72	374	10.6	0.58	388	11.0	0.60
Respiratory												
Larynx	171	5.2	0.44	182	5.6	0.47	43	1.0	0.16	46	1.1	0.18
Lung & bronchus	1,941	69.3	1.72	2,028	72.4	1.80	1,952	55.7	1.32	2,042	58.2	1.38
Skin												
Melanomas of the skin	274	9.0	0.61	306	10.1	0.68	229	5.8	0.40	255	6.5	0.45
Breast (female cases only)	-	-	-	-	-	-	3,954	100.9	1.67	4,256	108.7	1.80
Female Genital												
Cervix uteri	-	-	-	-	-	-	386	9.2	0.48	415	9.9	0.52
Corpus & uterus, NOS ²	-	-	-	-	-	-	936	22.6	0.76	983	23.7	0.80
Ovary	-	-	-	-	-	-	410	10.5	0.54	444	11.3	0.58
Male Genital												
Prostate	2,275	73.1	1.67	2,533	81.4	1.86	-	-	-	-	-	-
Testis	255	5.1	0.33	269	5.4	0.34	-	-	-	-	-	-
Urinary												
Bladder (incl. <i>in situ</i>)	527	19.9	0.96	579	21.9	1.05	196	5.8	0.43	215	6.3	0.47
Kidney & renal pelvis	1,027	29.9	1.01	1,102	32.1	1.09	692	17.4	0.69	742	18.7	0.74
Brain & Other Nervous System	214	5.4	0.42	230	5.8	0.45	150	3.6	0.31	161	3.8	0.33
Endocrine												
Thyroid gland	170	4.6	0.38	186	5.0	0.41	667	15.3	0.61	731	16.8	0.67
Lymphomas												
Hodgkin Lymphoma	56	1.3	0.18	59	1.4	0.19	53	1.2	0.18	56	1.3	0.19
Non-Hodgkin Lymphoma	519	16.9	0.83	557	18.1	0.89	486	13.5	0.64	520	14.4	0.69
Multiple Myeloma	234	8.1	0.59	262	9.0	0.66	187	5.3	0.40	209	5.9	0.46
Leukemias	436	12.6	0.68	483	13.9	0.75	336	8.2	0.47	370	9.1	0.52

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See technical notes.

² Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined², 2011-2015, American Indian/Alaskan Native for CHSDA³ by Region, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined												
Observed	12,932	410.8	3.99	2,275	73.1	1.67	1,941	69.3	1.72	1,562	49.8	1.39
Delay Adjusted	13,836	439.6	4.27	2,533	81.4	1.86	2,028	72.4	1.80	1,657	52.8	1.48
Alaska												
Observed	991	493.4	17.51	91	50.1	5.83	188	105.8	8.47	178	90.3	7.52
Delay Adjusted	1,008	501.9	17.81	93	51.0	5.93	192	107.7	8.60	179	91.1	7.59
East												
Observed	823	268.5	10.30	179	57.1	4.64	116	40.8	4.16	90	30.1	3.52
Delay Adjusted	889	290.1	11.14	201	64.1	5.22	125	44.2	4.52	96	32.1	3.75
Northern Plains												
Observed	2,295	536.2	12.68	449	101.1	5.28	388	106.0	6.02	300	68.4	4.48
Delay Adjusted	2,398	560.6	13.27	493	111.1	5.80	401	109.6	6.22	310	70.7	4.63
Southern Plains												
Observed	4,128	589.4	9.96	734	104.2	4.15	720	110.9	4.45	491	71.5	3.51
Delay Adjusted	4,410	629.5	10.64	819	116.3	4.64	748	115.1	4.63	520	75.7	3.72
Pacific Coast												
Observed	2,906	317.3	6.57	520	56.0	2.68	411	51.9	2.84	307	34.5	2.19
Delay Adjusted	3,187	347.9	7.21	588	63.3	3.03	433	54.7	2.99	333	37.4	2.39
Southwest												
Observed	1,789	297.6	7.69	302	57.2	3.52	118	23.3	2.30	196	31.0	2.40
Delay Adjusted	1,945	323.6	8.37	339	64.2	3.97	129	25.5	2.51	219	34.6	2.69

¹. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

². See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³. CHSDA – Indian Health Services Contract Service Delivery Areas (See Appendix G).

⁴. Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined², 2011-2015, American Indian/Alaskan Native for CHSDA³ by Region, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum		
	Count	Rate	S.E. ⁴	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined												
Observed	14,491	380.9	3.31	3,954	100.9	1.67	1,952	55.7	1.32	1,466	40.1	1.10
Delay Adjusted	15,500	407.4	3.54	4,256	108.7	1.80	2,042	58.2	1.38	1,555	42.5	1.16
Alaska												
Observed	1,202	515.4	15.61	358	147.5	8.13	148	68.4	5.90	193	88.7	6.68
Delay Adjusted	1,223	524.2	15.88	364	150.1	8.27	151	69.7	6.00	195	89.5	6.74
East												
Observed	905	258.5	8.93	249	71.1	4.68	127	38.3	3.53	93	26.0	2.80
Delay Adjusted	979	279.6	9.66	273	78.0	5.14	138	41.7	3.85	99	27.8	2.99
Northern Plains												
Observed	2,544	476.7	10.02	690	121.3	4.82	456	97.2	4.82	252	47.1	3.14
Delay Adjusted	2,659	498.2	10.48	719	126.4	5.03	472	100.7	5.00	260	48.6	3.24
Southern Plains												
Observed	4,467	530.7	8.21	1,277	149.5	4.30	689	84.6	3.34	446	54.8	2.68
Delay Adjusted	4,771	566.8	8.77	1,373	160.7	4.63	716	87.8	3.46	473	58.1	2.85
Pacific Coast												
Observed	3,279	308.5	5.73	921	84.4	2.93	408	43.0	2.26	308	31.1	1.88
Delay Adjusted	3,593	338.1	6.28	1,022	93.6	3.25	430	45.4	2.39	334	33.8	2.05
Southwest												
Observed	2,094	268.0	6.08	459	57.2	2.75	124	17.6	1.63	174	23.5	1.85
Delay Adjusted	2,276	291.3	6.61	505	63.0	3.03	135	19.1	1.78	193	26.1	2.06

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ CHSDA – Indian Health Services Contract Service Delivery Areas (See Appendix G).

⁴ Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

NAACCR U.S. Combined Delay Adjusted Incidence 2011-2015, Hispanic/Latino, All Races Combined



UNITED STATES

V-61 Combined Delay Adjusted Incidence – Hispanic/Latino, All Races

**Average Annual Age-adjusted Cancer Incidence Delay Adjusted Counts and Rates*, Selected Sites
NAACCR United States Combined¹, 2011-2015, Hispanic/Latino, All Races**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
All Sites (invasive & in situ bladder)	310,665	373.6	0.72	318,923	383.7	0.74	337,803	322.0	0.57	346,807	330.7	0.58
Oral Cavity & Pharynx	9,788	11.2	0.12	10,102	11.5	0.12	4,358	4.3	0.07	4,493	4.4	0.07
Digestive												
Esophagus	3,885	4.9	0.08	3,943	5.0	0.09	1,020	1.1	0.04	1,034	1.1	0.04
Stomach	9,724	12.3	0.13	9,874	12.5	0.14	7,457	7.5	0.09	7,570	7.6	0.09
Colon & Rectum	35,233	43.0	0.24	35,896	43.8	0.25	29,374	29.6	0.18	29,924	30.2	0.18
Liver & IBD ²	16,563	18.9	0.16	16,912	19.3	0.16	7,026	7.3	0.09	7,174	7.5	0.09
Pancreas	8,997	11.7	0.13	9,129	11.9	0.13	9,100	9.7	0.10	9,228	9.9	0.11
Respiratory												
Larynx	3,882	4.8	0.08	3,952	4.9	0.08	606	0.6	0.03	616	0.6	0.03
Lung & bronchus	26,235	36.9	0.24	26,585	37.4	0.24	21,331	22.8	0.16	21,627	23.1	0.16
Skin												
Melanomas of the skin	3,942	4.8	0.08	4,100	5.0	0.09	4,519	4.1	0.06	4,677	4.3	0.07
Breast (female cases only)	-	-	-	-	-	-	99,045	93.0	0.30	101,478	95.3	0.31
Female Genital												
Cervix uteri	-	-	-	-	-	-	11,482	9.9	0.09	11,695	10.0	0.10
Corpus & uterus, NOS ²	-	-	-	-	-	-	25,081	23.1	0.15	25,519	23.5	0.15
Ovary	-	-	-	-	-	-	10,637	9.9	0.10	10,940	10.2	0.10
Male Genital												
Prostate	78,710	99.1	0.37	82,163	103.5	0.39	-	-	-	-	-	-
Testis	7,249	4.7	0.06	7,356	4.8	0.06	-	-	-	-	-	-
Urinary												
Bladder (incl. <i>in situ</i>)	12,945	18.7	0.17	13,297	19.2	0.18	4,501	4.9	0.07	4,621	5.0	0.08
Kidney & renal pelvis	17,716	19.8	0.16	18,188	20.3	0.16	11,900	11.3	0.11	12,219	11.6	0.11
Brain & Other Nervous System	6,126	5.7	0.08	6,288	5.8	0.08	5,179	4.4	0.06	5,313	4.5	0.06
Endocrine												
Thyroid gland	6,222	5.9	0.08	6,331	6.0	0.08	26,919	22.4	0.14	27,373	22.8	0.14
Lymphomas												
Hodgkin Lymphoma	3,213	2.7	0.05	3,289	2.8	0.05	2,599	2.0	0.04	2,661	2.1	0.04
Non-Hodgkin Lymphoma	16,576	19.1	0.16	17,121	19.7	0.17	14,748	14.6	0.12	15,231	15.0	0.13
Multiple Myeloma	5,985	7.6	0.11	6,404	8.2	0.11	5,196	5.4	0.08	5,570	5.8	0.08
Leukemias	12,715	12.8	0.13	13,552	13.7	0.14	10,092	8.8	0.09	10,762	9.5	0.10

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See technical notes.

² Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latino, All Races, Males**

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	310,665	373.6	0.72	78,710	99.1	0.37	35,233	43.0	0.24	26,235	36.9	0.24	17,716	19.8	0.16	16,576	19.1	0.16
Delay Adjusted	318,923	383.7	0.74	82,163	103.5	0.39	35,896	43.8	0.25	26,585	37.4	0.24	18,188	20.3	0.16	17,121	19.7	0.17
Alabama																		
Observed	493	223.8	12.11	100	53.6	5.97	53	26.9	4.27	36	21.1	3.98	30	12.8	2.76	24	9.8	2.50
Delay Adjusted	498	226.1	12.24	101	54.3	6.06	53	27.1	4.31	36	21.2	4.00	30	12.9	2.78	24	9.9	2.52
Alaska																		
Observed	140	261.3	26.43	23	42.8	10.56	17	24.2	6.40	16	38.1	10.80	-	-	-	15	27.5	8.22
Delay Adjusted	143	267.1	27.02	24	44.0	10.84	17	24.5	6.47	16	38.6	10.91	-	-	-	15	28.3	8.44
Arizona																		
Observed	9,127	335.6	3.86	1,707	64.8	1.68	1,146	43.4	1.39	802	37.6	1.41	650	22.1	0.93	447	15.9	0.83
Delay Adjusted	9,762	358.9	4.12	1,864	70.8	1.84	1,206	45.7	1.47	835	39.2	1.47	703	23.9	1.01	475	16.9	0.88
Arkansas																		
Observed	621	311.0	15.47	150	88.7	8.25	71	31.9	4.72	63	38.4	5.67	40	18.0	3.50	25	15.3	3.79
Delay Adjusted	630	315.5	15.69	153	90.7	8.43	72	32.1	4.75	64	38.7	5.72	41	18.3	3.57	26	15.7	3.90
California																		
Observed	72,787	352.6	1.43	17,211	89.1	0.72	8,070	39.0	0.47	5,068	30.7	0.46	4,713	21.3	0.34	4,249	19.9	0.34
Delay Adjusted	73,513	356.3	1.44	17,662	91.5	0.74	8,134	39.3	0.48	5,109	30.9	0.46	4,780	21.6	0.34	4,307	20.2	0.34
Greater California																		
Observed	38,471	356.2	1.99	8,835	88.5	1.00	4,265	38.9	0.65	2,727	31.6	0.64	2,630	22.8	0.49	2,255	20.4	0.48
Delay Adjusted	38,975	361.0	2.02	9,085	91.1	1.03	4,310	39.3	0.66	2,750	31.9	0.65	2,674	23.2	0.49	2,299	20.8	0.48
Greater Bay																		
Observed	9,788	379.4	4.21	2,444	100.2	2.17	999	38.9	1.35	704	34.9	1.39	589	20.7	0.93	563	20.8	0.97
Delay Adjusted	9,851	381.9	4.24	2,465	101.2	2.19	1,003	39.0	1.35	708	35.1	1.40	598	21.0	0.95	570	21.1	0.98
Los Angeles																		
Observed	24,502	337.5	2.35	5,926	85.8	1.19	2,805	39.0	0.80	1,636	27.8	0.73	1,492	19.2	0.54	1,428	18.9	0.55
Delay Adjusted	24,661	339.8	2.36	6,106	88.4	1.22	2,821	39.3	0.80	1,649	28.0	0.73	1,506	19.4	0.54	1,434	18.9	0.55
Colorado																		
Observed	5,725	373.3	5.44	1,176	79.8	2.50	701	45.1	1.87	494	39.7	1.92	406	24.9	1.36	270	17.6	1.19
Delay Adjusted	5,953	388.3	5.66	1,236	83.9	2.63	715	46.0	1.91	497	39.9	1.93	422	25.9	1.41	285	18.6	1.26

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latino, All Races, Males

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	3,244	491.3	9.84	741	115.9	4.68	317	48.0	3.11	330	61.6	3.73	151	21.1	1.98	183	24.8	2.17
Delay Adjusted	3,331	504.8	10.12	789	123.9	5.02	320	48.4	3.14	334	62.3	3.78	154	21.5	2.01	190	25.7	2.25
Delaware																		
Observed	372	413.7	24.66	102	124.3	13.42	33	33.0	6.36	28	37.4	7.82	13	13.3	4.28	15	14.1	4.04
Delay Adjusted	384	427.3	25.48	107	130.5	14.09	34	33.7	6.49	29	38.4	8.03	13	13.8	4.46	16	14.8	4.24
Florida																		
Observed	38,458	407.0	2.11	9,794	103.7	1.06	4,247	45.6	0.71	4,696	52.6	0.78	1,757	18.0	0.44	1,984	20.4	0.47
Delay Adjusted	40,631	429.7	2.23	10,506	111.3	1.14	4,420	47.4	0.74	4,785	53.6	0.79	1,843	18.9	0.46	2,124	21.8	0.50
Georgia																		
Observed	2,908	338.9	7.97	613	86.1	4.01	280	33.0	2.51	266	41.3	3.02	144	15.8	1.63	204	19.0	1.80
Delay Adjusted	3,038	354.4	8.35	663	93.1	4.34	285	33.5	2.54	271	42.0	3.07	148	16.2	1.67	209	19.5	1.84
Hawaii																		
Observed	731	482.8	20.30	117	78.8	7.99	69	44.6	6.04	113	92.7	9.58	39	21.3	3.78	41	29.1	5.21
Delay Adjusted	846	558.2	23.46	145	97.6	9.88	69	44.9	6.07	123	100.5	10.39	40	21.6	3.85	42	29.6	5.29
Idaho																		
Observed	703	343.4	15.20	144	78.5	7.34	67	34.1	4.72	75	47.6	6.13	49	22.2	3.69	43	18.6	3.40
Delay Adjusted	723	353.1	15.63	151	82.4	7.72	68	34.6	4.79	77	48.6	6.27	51	23.0	3.83	44	19.0	3.47
Illinois																		
Observed	9,734	359.8	4.19	2,368	93.1	2.11	1,002	38.3	1.38	732	35.2	1.43	652	21.8	0.98	546	19.4	0.97
Delay Adjusted	9,801	362.3	4.22	2,403	94.5	2.14	1,009	38.5	1.39	737	35.4	1.44	654	21.9	0.98	557	19.8	0.99
Indiana																		
Observed	1,491	320.2	9.64	301	74.5	4.72	174	37.3	3.25	139	37.6	3.52	107	20.7	2.30	83	17.2	2.24
Delay Adjusted	1,511	324.6	9.77	314	77.6	4.91	178	38.1	3.32	141	38.2	3.58	109	21.2	2.36	86	17.8	2.32
Iowa																		
Observed	488	280.8	15.49	90	64.1	7.63	58	37.7	5.84	34	32.1	6.02	27	15.6	3.55	25	12.1	3.06
Delay Adjusted	494	284.4	15.71	91	65.1	7.75	58	38.0	5.90	34	32.4	6.08	27	15.8	3.61	25	12.2	3.09

¹. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

². See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³. Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latino, All Races, Males**

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	393	228.1	13.71	66	44.9	6.12	48	32.0	5.41	49	32.0	5.17	31	14.5	3.08	26	12.3	3.07
Delay Adjusted	396	229.7	13.81	67	45.8	6.24	49	32.5	5.50	49	32.3	5.23	31	14.7	3.13	26	12.5	3.12
Louisiana																		
Observed	1,169	346.4	10.94	302	97.8	5.93	107	29.9	3.10	131	43.0	3.98	61	19.3	2.65	66	17.7	2.40
Delay Adjusted	1,185	351.3	11.10	307	99.4	6.03	108	30.2	3.13	131	43.2	3.99	62	19.4	2.67	67	17.9	2.42
Maine																		
Observed	82	297.4	35.28	16	63.1	16.66	8	28.7	10.91	7	30.6	11.92	7	23.5	9.68	7	19.2	7.95
Delay Adjusted	83	300.8	35.69	16	63.9	16.89	8	28.9	10.97	7	31.0	12.10	7	23.9	9.84	7	19.6	8.10
Maryland																		
Observed	1,725	295.8	8.64	450	86.7	4.64	167	27.7	2.60	110	27.2	2.89	75	13.5	1.89	105	16.0	1.94
Delay Adjusted	1,767	303.1	8.86	469	90.4	4.84	170	28.1	2.64	112	27.7	2.94	77	13.9	1.93	108	16.5	1.99
Massachusetts																		
Observed	3,263	364.2	7.27	906	104.9	3.81	287	34.5	2.37	278	38.2	2.54	187	18.4	1.51	190	19.6	1.65
Delay Adjusted	3,311	369.5	7.38	932	107.9	3.92	292	35.1	2.41	282	38.7	2.58	191	18.7	1.54	191	19.7	1.66
Michigan																		
Observed	2,068	354.8	8.65	444	78.2	4.01	242	42.4	3.01	200	41.4	3.16	153	26.0	2.34	129	23.5	2.30
Delay Adjusted	2,110	361.9	8.82	464	81.7	4.19	247	43.3	3.06	204	42.3	3.23	157	26.7	2.40	132	24.2	2.36
Detroit																		
Observed	985	465.7	16.23	226	109.6	7.82	109	52.9	5.54	103	56.3	5.95	69	32.4	4.28	62	29.7	4.14
Delay Adjusted	993	469.4	16.36	233	112.8	8.04	110	53.2	5.56	103	56.5	5.98	70	32.7	4.32	63	30.1	4.19
Minnesota																		
Observed	1,022	425.6	16.43	181	90.8	7.72	92	36.4	4.72	96	52.8	6.18	64	20.8	3.21	58	24.2	3.97
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	243	215.2	16.15	63	68.4	9.57	24	20.9	4.99	26	28.6	6.28	10	9.3	3.48	12	11.4	3.82
Delay Adjusted	254	225.1	16.88	65	70.2	9.82	24	21.1	5.03	26	28.9	6.36	10	9.5	3.56	12	11.9	3.97
Missouri																		
Observed	771	273.2	11.01	138	55.3	5.03	80	28.9	3.58	86	39.5	4.55	54	15.6	2.31	42	15.2	2.70
Delay Adjusted	790	280.0	11.29	144	57.6	5.24	82	29.7	3.68	87	40.1	4.61	55	15.9	2.36	43	15.7	2.79

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latino, All Races, Males**

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	150	360.6	32.55	34	75.2	13.84	23	51.0	11.83	14	43.8	12.60	7	18.1	7.31	-	-	-
Delay Adjusted	151	363.4	32.81	35	78.3	14.44	24	52.3	12.13	14	44.4	12.78	7	18.8	7.58	-	-	-
Nebraska																		
Observed	687	359.3	16.60	132	85.8	8.39	70	34.8	5.08	56	39.6	5.89	57	27.6	4.28	43	25.1	4.64
Delay Adjusted	695	363.8	16.82	140	90.8	8.89	72	35.7	5.21	57	40.5	6.03	60	29.0	4.49	45	26.0	4.79
New Hampshire																		
Observed	195	371.9	29.99	58	114.9	16.30	15	24.9	7.42	18	42.7	11.01	8	17.8	7.08	10	15.9	5.83
Delay Adjusted	200	381.2	30.74	59	117.8	16.71	15	25.3	7.56	18	43.5	11.21	8	18.3	7.29	10	16.5	6.02
New Jersey																		
Observed	10,801	424.4	4.48	3,070	124.9	2.42	1,108	44.0	1.45	931	42.5	1.50	518	17.5	0.83	654	24.2	1.05
Delay Adjusted	11,123	437.2	4.62	3,230	131.5	2.55	1,129	44.8	1.48	944	43.1	1.52	528	17.9	0.85	684	25.3	1.10
New York																		
Observed	26,425	451.0	2.97	7,868	134.7	1.60	2,549	45.1	0.96	2,409	46.6	1.01	1,172	18.3	0.57	1,417	22.6	0.65
Delay Adjusted	26,610	454.3	3.00	7,989	137.0	1.63	2,563	45.3	0.96	2,427	47.0	1.02	1,183	18.5	0.57	1,445	23.1	0.67
North Carolina																		
Observed	2,428	305.0	7.96	531	82.7	4.14	207	25.5	2.27	196	34.8	2.95	146	16.9	1.81	168	18.1	1.88
Delay Adjusted	2,481	311.8	8.14	567	88.4	4.43	212	26.1	2.32	199	35.3	3.00	150	17.4	1.86	174	18.8	1.96
North Dakota																		
Observed	40	225.1	44.81	6	37.0	16.90	8	31.8	11.62	-	-	-	-	-	-	-	-	-
Delay Adjusted	41	230.5	45.79	6	38.1	17.38	8	33.1	12.13	-	-	-	-	-	-	-	-	-
Ohio																		
Observed	1,388	284.4	8.51	327	70.5	4.19	155	31.6	2.82	149	37.4	3.31	73	11.6	1.49	77	16.2	2.08
Delay Adjusted	1,438	294.7	8.82	340	73.2	4.35	160	32.7	2.92	153	38.4	3.39	76	12.1	1.55	80	16.9	2.16
Oklahoma																		
Observed	1,120	298.4	10.74	189	59.0	4.84	122	31.1	3.32	119	44.7	4.57	81	19.5	2.60	57	15.6	2.49
Delay Adjusted	1,129	300.9	10.83	193	60.3	4.94	123	31.5	3.36	120	45.3	4.63	83	20.0	2.66	58	15.9	2.54

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latino, All Races, Males**

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	1,766	354.6	10.22	345	78.5	4.77	182	37.9	3.37	139	37.8	3.67	115	21.6	2.48	112	19.3	2.26
Delay Adjusted	1,783	358.4	10.33	352	80.2	4.89	185	38.4	3.41	141	38.5	3.74	117	21.9	2.51	115	19.8	2.32
Pennsylvania																		
Observed	3,893	396.4	7.27	959	105.2	3.75	384	40.8	2.38	375	46.1	2.64	205	18.4	1.48	196	18.1	1.49
Delay Adjusted	4,081	415.6	7.62	1,022	112.1	4.00	402	42.8	2.49	378	46.4	2.66	219	19.7	1.58	201	18.5	1.53
Puerto Rico																		
Observed	40,635	404.9	2.04	15,440	146.6	1.20	5,245	52.5	0.74	2,465	24.7	0.51	1,132	11.4	0.35	1,621	17.0	0.43
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Rhode Island																		
Observed	578	353.9	17.19	138	93.0	8.91	70	41.5	5.87	62	41.8	5.93	26	12.9	2.73	28	15.2	3.36
Delay Adjusted	598	366.0	17.79	144	97.0	9.31	71	42.1	5.93	63	42.6	6.04	27	13.2	2.79	29	15.5	3.42
South Carolina																		
Observed	800	301.3	12.96	203	89.2	7.03	77	24.5	3.41	58	24.3	3.72	41	17.0	3.11	42	15.7	3.07
Delay Adjusted	827	311.9	13.42	214	94.3	7.45	79	25.3	3.52	59	24.8	3.80	43	17.7	3.23	44	16.4	3.22
South Dakota																		
Observed	81	247.2	30.79	13	52.2	15.07	9	26.0	9.18	7	33.0	12.83	-	-	-	11	35.1	12.31
Delay Adjusted	85	257.6	32.07	14	56.1	16.24	9	26.8	9.44	7	33.8	13.14	-	-	-	11	36.3	12.72
Tennessee																		
Observed	802	238.7	10.44	144	54.9	5.16	63	21.8	3.35	77	29.4	3.82	50	15.1	2.66	45	12.6	2.38
Delay Adjusted	807	240.2	10.51	147	55.9	5.25	64	21.9	3.37	78	29.6	3.86	51	15.4	2.70	46	12.9	2.44
Texas																		
Observed	53,022	365.8	1.74	10,293	76.3	0.81	6,793	46.8	0.62	4,669	39.1	0.61	4,123	26.5	0.45	2,776	18.8	0.39
Delay Adjusted	54,585	376.5	1.79	10,869	80.6	0.85	6,923	47.7	0.63	4,707	39.4	0.62	4,239	27.2	0.46	2,887	19.5	0.41
Utah																		
Observed	1,482	371.2	11.35	346	98.3	5.84	151	37.9	3.60	87	29.9	3.58	98	24.6	2.83	107	27.7	3.22
Delay Adjusted	1,503	376.9	11.54	370	105.2	6.25	153	38.4	3.65	89	30.4	3.64	101	25.3	2.92	108	28.1	3.27
Vermont																		
Observed	29	172.4	33.99	7	46.9	18.44	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	29	174.9	34.47	7	47.4	18.65	-	-	-	-	-	-	-	-	-	-	-	-

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latino, All Races, Males

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Virginia																		
Observed	1,991	268.2	7.53	435	65.5	3.67	195	27.9	2.49	170	30.7	2.76	130	15.4	1.66	139	17.6	1.92
Delay Adjusted	2,033	273.4	7.68	446	67.1	3.77	198	28.3	2.52	172	31.0	2.79	133	15.8	1.70	143	18.2	1.99
Washington																		
Observed	2,940	356.4	7.99	605	89.9	4.14	290	34.1	2.38	230	38.1	2.85	173	18.2	1.66	175	20.7	1.93
Delay Adjusted	3,112	377.0	8.45	645	95.6	4.40	293	34.5	2.41	245	40.5	3.03	184	19.2	1.75	178	21.1	1.97
Seattle																		
Observed	1,821	434.9	12.63	370	104.9	6.25	176	43.6	4.03	131	42.3	4.32	113	21.5	2.49	94	20.9	2.68
Delay Adjusted	1,991	475.7	13.82	408	115.8	6.90	177	43.7	4.05	144	46.5	4.75	122	23.3	2.69	95	21.1	2.71
West Virginia																		
Observed	82	197.6	22.88	21	53.4	12.00	12	27.9	8.46	10	27.4	9.10	-	-	-	-	-	-
Delay Adjusted	84	202.6	23.44	21	54.6	12.26	12	28.4	8.60	10	27.9	9.27	-	-	-	-	-	-
Wisconsin																		
Observed	1,327	358.1	11.76	281	82.7	5.57	112	30.3	3.38	94	35.2	4.04	101	23.8	2.74	87	21.0	2.82
Delay Adjusted	1,353	365.1	12.00	295	86.8	5.85	114	30.8	3.43	97	36.3	4.18	105	24.8	2.86	92	22.3	3.00
Wyoming																		
Observed	245	274.2	18.60	62	72.2	9.63	33	37.4	6.84	22	30.0	6.65	18	17.7	4.40	6	8.0	3.43
Delay Adjusted	247	276.6	18.76	63	72.9	9.73	33	37.5	6.87	22	30.2	6.69	18	17.9	4.46	6	8.0	3.44

¹. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

². See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³. Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latina, All Races, Females**

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³			Lung & Bronchus		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	337,803	322.0	0.57	99,045	93.0	0.30	29,374	29.6	0.18	26,919	22.4	0.14	25,081	23.1	0.15	21,331	22.8	0.16
Delay Adjusted	346,807	330.7	0.58	101,478	95.3	0.31	29,924	30.2	0.18	27,373	22.8	0.14	25,519	23.5	0.15	21,627	23.1	0.16
Alabama																		
Observed	485	208.6	10.54	148	60.9	5.42	43	22.5	3.73	40	13.1	2.31	29	12.5	2.53	39	23.4	3.92
Delay Adjusted	491	210.8	10.64	150	61.7	5.49	43	22.6	3.75	40	13.2	2.32	29	12.6	2.54	39	23.6	3.94
Alaska																		
Observed	183	264.0	21.74	62	82.2	11.21	20	26.8	6.19	11	11.3	3.49	11	14.2	4.46	11	16.3	5.07
Delay Adjusted	187	270.2	22.25	63	83.2	11.34	20	27.0	6.25	11	11.6	3.58	11	14.5	4.57	11	16.6	5.15
Arizona																		
Observed	10,969	321.6	3.22	3,145	90.1	1.66	851	27.1	0.97	908	21.7	0.74	760	20.9	0.78	780	27.2	1.01
Delay Adjusted	11,733	344.1	3.44	3,431	98.3	1.82	895	28.5	1.02	953	22.8	0.78	817	22.4	0.84	812	28.3	1.05
Arkansas																		
Observed	733	322.6	14.17	202	90.4	7.41	60	32.7	4.87	62	15.7	2.07	49	21.0	3.45	49	29.5	4.69
Delay Adjusted	743	327.1	14.37	204	91.4	7.49	61	33.0	4.93	63	15.9	2.10	49	21.2	3.48	50	29.8	4.75
California																		
Observed	83,031	313.7	1.13	24,728	90.5	0.59	6,944	27.8	0.35	5,784	18.3	0.25	6,228	22.5	0.29	4,659	20.8	0.31
Delay Adjusted	83,857	316.9	1.14	24,830	90.9	0.60	6,999	28.1	0.35	5,822	18.4	0.25	6,268	22.7	0.30	4,697	21.0	0.32
Greater California																		
Observed	43,259	318.1	1.60	13,122	93.3	0.84	3,603	28.3	0.49	3,124	18.9	0.35	3,015	21.3	0.40	2,545	22.6	0.46
Delay Adjusted	43,822	322.3	1.62	13,164	93.6	0.85	3,641	28.6	0.50	3,153	19.0	0.35	3,035	21.4	0.40	2,568	22.8	0.47
Greater Bay																		
Observed	10,742	328.6	3.29	3,213	95.6	1.74	867	27.9	0.98	663	16.5	0.66	799	23.7	0.86	661	23.7	0.94
Delay Adjusted	10,814	330.9	3.31	3,240	96.4	1.75	870	28.0	0.98	664	16.5	0.66	813	24.1	0.88	665	23.9	0.95
Los Angeles																		
Observed	27,600	288.2	1.79	8,010	81.0	0.93	2,377	26.1	0.55	1,867	17.0	0.40	2,295	22.8	0.49	1,360	16.4	0.45
Delay Adjusted	27,779	290.1	1.80	8,041	81.3	0.93	2,390	26.2	0.55	1,874	17.1	0.40	2,301	22.8	0.49	1,370	16.5	0.46
Colorado																		
Observed	6,637	358.3	4.61	1,999	105.3	2.44	556	32.4	1.43	530	23.1	1.03	399	19.7	1.01	544	35.4	1.57
Delay Adjusted	6,900	372.6	4.79	2,055	108.3	2.51	567	33.0	1.46	568	24.7	1.11	416	20.5	1.05	548	35.6	1.58

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latina, All Races, Females**

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³			Lung & Bronchus		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	3,883	430.9	7.43	1,200	127.5	3.91	285	33.3	2.12	363	32.0	1.76	275	29.7	1.91	293	40.9	2.52
Delay Adjusted	3,989	442.8	7.64	1,232	130.9	4.01	288	33.6	2.14	369	32.5	1.78	279	30.1	1.93	296	41.4	2.55
Delaware																		
Observed	374	350.5	20.02	96	92.1	10.33	32	38.5	7.32	41	26.8	4.37	31	25.9	4.91	25	28.9	6.14
Delay Adjusted	386	361.7	20.66	97	93.4	10.47	33	39.4	7.50	42	27.5	4.47	31	26.0	4.95	26	29.5	6.27
Florida																		
Observed	40,596	336.8	1.68	11,980	99.4	0.91	3,930	32.5	0.52	2,904	24.3	0.45	2,951	24.1	0.45	3,296	27.4	0.48
Delay Adjusted	42,938	356.2	1.77	12,747	105.7	0.97	4,089	33.8	0.54	2,926	24.5	0.46	3,080	25.2	0.46	3,359	28.0	0.49
Georgia																		
Observed	3,566	326.3	6.29	1,143	99.0	3.30	264	29.5	2.05	318	19.5	1.21	213	19.0	1.45	197	25.2	1.93
Delay Adjusted	3,725	341.1	6.59	1,182	102.4	3.41	269	30.0	2.08	321	19.7	1.22	215	19.2	1.47	201	25.7	1.97
Hawaii																		
Observed	870	461.0	16.70	282	144.8	9.12	76	42.9	5.23	46	18.6	2.91	52	25.6	3.71	92	55.4	6.10
Delay Adjusted	1,006	533.0	19.32	339	173.9	10.95	76	43.1	5.26	46	18.7	2.93	52	25.7	3.72	100	60.2	6.62
Idaho																		
Observed	795	334.8	13.33	228	94.2	6.87	53	24.7	3.74	69	19.4	2.52	57	22.1	3.14	49	29.0	4.45
Delay Adjusted	819	344.9	13.74	231	95.6	6.97	54	25.1	3.80	70	19.6	2.54	58	22.6	3.20	50	29.7	4.57
Illinois																		
Observed	10,684	330.5	3.45	3,041	89.4	1.72	816	27.9	1.04	917	21.8	0.76	896	25.5	0.90	639	24.3	1.02
Delay Adjusted	10,759	332.9	3.47	3,055	89.9	1.73	821	28.1	1.05	919	21.9	0.77	903	25.7	0.90	643	24.5	1.02
Indiana																		
Observed	1,670	310.7	8.35	481	88.9	4.38	143	29.6	2.66	122	16.3	1.60	132	22.1	2.05	124	29.4	2.81
Delay Adjusted	1,692	314.9	8.47	491	90.7	4.47	146	30.1	2.71	123	16.5	1.62	134	22.4	2.07	126	29.9	2.86
Iowa																		
Observed	519	244.8	12.22	138	60.8	5.62	33	20.0	3.93	45	16.7	2.81	43	18.8	3.10	29	20.9	4.15
Delay Adjusted	525	247.9	12.39	139	61.2	5.65	33	20.2	3.95	45	16.8	2.83	43	18.9	3.11	29	21.0	4.18

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latina, All Races, Females**

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³			Lung & Bronchus		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	355	219.6	12.78	113	71.9	7.29	29	21.0	4.23	21	8.7	1.98	20	11.5	2.87	33	25.6	4.64
Delay Adjusted	358	221.7	12.90	114	72.5	7.35	29	21.3	4.30	21	8.7	2.00	20	11.5	2.88	33	25.9	4.70
Louisiana																		
Observed	1,117	300.7	9.17	329	89.2	4.97	99	26.8	2.74	67	15.6	1.95	67	17.6	2.18	101	29.5	2.98
Delay Adjusted	1,133	305.0	9.30	332	89.8	5.01	100	27.0	2.76	68	15.8	1.97	67	17.7	2.19	101	29.6	2.99
Maine																		
Observed	75	232.8	27.75	23	67.2	14.43	-	-	-	7	17.5	6.71	7	19.0	7.21	10	35.1	11.35
Delay Adjusted	76	235.7	28.09	23	68.2	14.66	-	-	-	7	17.5	6.74	7	19.1	7.26	10	35.3	11.42
Maryland																		
Observed	2,372	298.0	6.67	742	89.9	3.55	164	22.2	1.87	213	20.5	1.50	162	19.6	1.66	148	24.5	2.13
Delay Adjusted	2,431	305.6	6.85	755	91.5	3.61	167	22.6	1.90	218	21.0	1.53	163	19.8	1.67	151	25.0	2.17
Massachusetts																		
Observed	3,825	319.2	5.55	1,109	88.9	2.82	273	25.3	1.64	423	27.9	1.42	255	20.6	1.36	266	27.5	1.79
Delay Adjusted	3,883	324.0	5.64	1,119	89.7	2.85	278	25.7	1.67	427	28.2	1.44	258	20.9	1.38	270	27.9	1.81
Michigan																		
Observed	2,050	295.4	6.88	572	80.4	3.51	144	22.0	1.91	135	15.2	1.39	179	24.2	1.88	174	29.6	2.34
Delay Adjusted	2,088	300.9	7.02	585	82.2	3.59	147	22.4	1.95	137	15.4	1.41	181	24.5	1.90	178	30.4	2.40
Detroit																		
Observed	1,213	465.8	14.05	348	132.4	7.42	91	36.4	3.98	74	22.3	2.72	102	36.5	3.75	110	49.2	4.86
Delay Adjusted	1,223	469.6	14.17	350	133.2	7.47	91	36.6	4.00	75	22.4	2.74	102	36.6	3.76	111	49.4	4.89
Minnesota																		
Observed	1,265	438.2	14.40	348	115.4	7.07	108	43.7	4.80	101	23.0	2.67	100	34.4	3.93	66	31.6	4.22
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	220	197.6	14.24	59	51.5	7.04	13	16.2	4.65	13	8.6	2.50	13	10.3	2.92	20	21.5	4.93
Delay Adjusted	230	206.5	14.90	60	52.3	7.15	13	16.4	4.70	13	8.7	2.54	13	10.4	2.93	20	21.7	5.01
Missouri																		
Observed	885	273.7	9.83	248	76.2	5.13	63	22.0	2.92	62	15.7	2.11	67	18.0	2.29	85	33.5	3.76
Delay Adjusted	906	280.3	10.08	252	77.4	5.20	65	22.6	3.01	63	16.0	2.14	68	18.2	2.31	86	34.0	3.82

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latina, All Races, Females**

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³			Lung & Bronchus		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	176	346.8	27.28	57	106.5	14.59	14	29.5	8.18	7	11.2	4.59	7	14.9	5.78	16	35.9	9.35
Delay Adjusted	178	350.3	27.55	59	109.6	15.02	14	30.4	8.42	7	11.4	4.63	7	15.2	5.87	16	36.5	9.50
Nebraska																		
Observed	720	349.2	14.75	191	90.9	7.32	61	34.2	4.87	60	17.7	2.62	50	23.3	3.62	60	36.8	5.15
Delay Adjusted	728	353.3	14.93	192	91.4	7.36	62	35.0	4.98	61	18.0	2.66	50	23.5	3.65	61	37.7	5.27
New Hampshire																		
Observed	224	329.8	23.80	72	103.2	12.86	17	24.7	6.49	29	34.5	6.80	11	14.9	4.54	18	37.1	9.17
Delay Adjusted	229	337.8	24.40	73	104.5	13.02	17	24.8	6.54	29	34.9	6.88	11	15.0	4.57	18	38.1	9.43
New Jersey																		
Observed	12,159	364.4	3.42	3,555	102.6	1.77	1,011	32.9	1.07	1,015	25.7	0.82	875	25.3	0.88	837	28.1	1.00
Delay Adjusted	12,526	375.5	3.53	3,622	104.6	1.81	1,030	33.5	1.09	1,044	26.4	0.84	882	25.5	0.89	849	28.5	1.02
New York																		
Observed	28,679	359.1	2.16	8,372	103.1	1.14	2,318	30.1	0.64	2,359	27.1	0.56	2,179	26.4	0.57	2,220	29.5	0.64
Delay Adjusted	28,885	361.7	2.17	8,398	103.4	1.15	2,331	30.3	0.64	2,368	27.2	0.57	2,183	26.5	0.58	2,236	29.7	0.64
North Carolina																		
Observed	2,910	304.2	6.64	804	80.4	3.27	200	24.2	1.95	266	17.1	1.17	201	20.5	1.65	193	28.2	2.23
Delay Adjusted	2,974	311.0	6.79	824	82.4	3.35	205	24.8	2.00	272	17.6	1.20	203	20.7	1.67	196	28.7	2.27
North Dakota																		
Observed	39	191.6	34.70	13	62.5	19.33	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	40	196.4	35.57	13	62.9	19.47	-	-	-	-	-	-	-	-	-	-	-	-
Ohio																		
Observed	1,349	235.1	6.74	376	64.9	3.49	110	20.8	2.07	101	13.7	1.43	96	16.2	1.71	117	23.6	2.26
Delay Adjusted	1,398	243.7	6.99	387	66.9	3.60	114	21.4	2.14	105	14.3	1.49	99	16.7	1.76	120	24.2	2.33
Oklahoma																		
Observed	1,483	351.3	10.34	408	91.5	5.00	120	33.5	3.41	99	17.6	2.00	100	21.7	2.38	112	35.2	3.60
Delay Adjusted	1,495	354.3	10.43	410	91.9	5.02	121	33.9	3.46	101	17.9	2.03	101	21.9	2.41	114	35.7	3.65

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latina, All Races, Females**

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³			Lung & Bronchus		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	2,083	356.1	8.87	565	94.9	4.46	157	28.4	2.53	176	20.3	1.71	156	24.7	2.17	170	40.8	3.38
Delay Adjusted	2,102	359.6	8.96	572	96.1	4.51	159	28.8	2.57	178	20.5	1.73	157	24.9	2.19	173	41.5	3.43
Pennsylvania																		
Observed	4,034	324.1	5.51	1,086	85.9	2.78	315	26.9	1.63	377	23.5	1.28	322	25.8	1.52	291	27.1	1.69
Delay Adjusted	4,230	339.9	5.77	1,113	88.1	2.85	330	28.2	1.71	383	23.8	1.29	326	26.2	1.54	293	27.3	1.70
Puerto Rico																		
Observed	36,714	319.3	1.72	10,793	93.2	0.92	4,307	35.1	0.55	4,226	42.2	0.67	2,973	25.6	0.48	1,556	12.3	0.32
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Rhode Island																		
Observed	659	296.3	12.54	212	90.2	6.66	47	21.9	3.47	51	16.8	2.44	46	21.2	3.37	42	25.0	4.04
Delay Adjusted	682	306.8	12.99	224	95.3	7.03	48	22.2	3.52	51	17.0	2.46	47	21.6	3.42	43	25.5	4.13
South Carolina																		
Observed	835	269.1	10.46	258	82.1	5.66	86	30.1	3.55	61	14.6	2.08	44	14.3	2.39	58	24.6	3.52
Delay Adjusted	862	278.0	10.82	264	84.2	5.80	89	31.1	3.69	63	15.0	2.14	45	14.6	2.44	59	25.0	3.57
South Dakota																		
Observed	69	199.1	25.42	22	61.4	13.79	11	30.9	10.04	6	17.4	7.40	-	-	-	-	-	-
Delay Adjusted	72	208.6	26.64	22	62.7	14.08	11	31.7	10.28	6	17.9	7.62	-	-	-	-	-	-
Tennessee																		
Observed	899	238.8	9.17	255	69.2	4.86	53	16.6	2.54	70	12.6	1.70	58	15.4	2.22	64	24.0	3.21
Delay Adjusted	905	240.3	9.23	258	70.0	4.92	54	16.8	2.56	71	12.8	1.72	58	15.5	2.23	65	24.2	3.24
Texas																		
Observed	57,688	315.4	1.36	16,714	89.3	0.71	4,819	27.7	0.41	3,833	18.0	0.30	4,290	22.1	0.35	3,187	20.3	0.37
Delay Adjusted	59,398	324.7	1.40	17,151	91.6	0.73	4,910	28.2	0.42	3,964	18.6	0.31	4,370	22.5	0.35	3,214	20.5	0.37
Utah																		
Observed	1,813	364.7	9.65	526	105.4	5.07	136	31.4	2.96	217	31.0	2.29	128	24.1	2.31	108	30.4	3.14
Delay Adjusted	1,837	370.0	9.80	528	105.8	5.09	138	31.8	3.00	218	31.1	2.30	129	24.2	2.32	110	31.0	3.20
Vermont																		
Observed	40	225.0	37.78	15	84.1	22.89	-	-	-	-	-	-	7	43.7	17.86	-	-	-
Delay Adjusted	41	228.5	38.33	15	84.4	22.98	-	-	-	-	-	-	7	43.8	17.90	-	-	-

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Hispanic/Latina, All Races, Females**

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS ³			Lung & Bronchus		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Virginia																		
Observed	2,902	279.4	5.85	865	79.0	2.97	225	23.9	1.78	324	21.7	1.30	179	17.2	1.43	170	20.9	1.75
Delay Adjusted	2,966	285.2	5.97	881	80.4	3.02	228	24.2	1.80	330	22.1	1.32	181	17.4	1.45	172	21.1	1.76
Washington																		
Observed	3,469	342.1	6.62	1,000	94.8	3.31	236	25.9	1.88	294	19.9	1.30	226	22.2	1.62	241	32.7	2.29
Delay Adjusted	3,683	363.6	7.05	1,091	103.6	3.63	238	26.1	1.90	298	20.2	1.32	228	22.4	1.63	261	35.4	2.48
Seattle																		
Observed	2,365	454.1	10.68	738	136.6	5.61	162	35.4	3.12	187	23.4	1.90	141	27.2	2.52	189	49.6	3.93
Delay Adjusted	2,586	496.5	11.68	839	155.4	6.38	163	35.5	3.13	188	23.5	1.91	142	27.3	2.53	208	54.6	4.33
West Virginia																		
Observed	63	140.7	18.14	15	36.8	9.61	6	13.9	5.73	-	-	-	-	-	-	8	18.3	6.52
Delay Adjusted	65	144.4	18.61	15	37.8	9.86	6	14.3	5.88	-	-	-	-	-	-	8	18.6	6.61
Wisconsin																		
Observed	1,353	303.6	9.24	377	86.0	4.86	100	25.7	2.83	126	19.5	1.94	113	23.5	2.37	98	28.2	3.05
Delay Adjusted	1,378	309.4	9.43	383	87.2	4.93	102	26.2	2.88	130	20.1	2.01	119	24.7	2.49	101	29.1	3.15
Wyoming																		
Observed	284	306.1	18.63	78	85.8	9.87	16	18.3	4.66	12	10.1	3.04	15	15.6	4.10	27	34.3	6.70
Delay Adjusted	286	308.7	18.79	78	86.3	9.93	16	18.4	4.68	12	10.2	3.07	15	15.8	4.14	27	34.5	6.75

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

NAACCR U.S. Combined Delay Adjusted Incidence 2011-2015, Non-Hispanic White Combined



**Average Annual Age-adjusted Cancer Incidence Delay Adjusted Counts and Rates*, Selected Sites
NAACCR United States Combined¹, 2011-2015, Non-Hispanic White**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
All Sites (invasive & in situ bladder)	3,016,743	494.8	0.29	3,098,031	508.2	0.30	2,924,153	431.5	0.26	3,003,197	443.2	0.27
Oral Cavity & Pharynx	120,662	19.2	0.06	123,848	19.7	0.06	47,649	6.9	0.03	48,871	7.0	0.03
Digestive												
Esophagus	54,080	8.6	0.04	54,961	8.8	0.04	13,536	1.8	0.02	13,756	1.9	0.02
Stomach	47,034	7.8	0.04	47,781	7.9	0.04	25,198	3.5	0.02	25,590	3.6	0.02
Colon & Rectum	266,618	44.6	0.09	271,247	45.4	0.09	243,066	34.2	0.07	247,273	34.7	0.07
Liver & IBD ²	66,765	10.3	0.04	68,434	10.5	0.04	25,768	3.6	0.02	26,422	3.7	0.02
Pancreas	89,240	14.6	0.05	90,634	14.8	0.05	81,245	10.9	0.04	82,498	11.1	0.04
Respiratory												
Larynx	37,439	5.9	0.03	38,142	6.0	0.03	10,096	1.4	0.01	10,286	1.5	0.01
Lung & bronchus	454,794	74.0	0.11	461,662	75.2	0.11	417,568	57.2	0.09	423,934	58.1	0.09
Skin												
Melanomas of the skin	200,602	34.0	0.08	209,086	35.5	0.08	136,205	22.2	0.06	141,736	23.1	0.07
Breast (female cases only)	-	-	-	-	-	-	867,317	130.1	0.15	883,062	132.5	0.15
Female Genital												
Cervix uteri	-	-	-	-	-	-	37,384	7.0	0.04	38,040	7.2	0.04
Corpus & uterus, NOS ²	-	-	-	-	-	-	189,607	26.9	0.06	192,455	27.3	0.07
Ovary	-	-	-	-	-	-	79,866	11.8	0.04	81,943	12.2	0.04
Male Genital												
Prostate	669,372	101.9	0.13	699,314	106.5	0.13	-	-	-	-	-	-
Testis	31,041	6.9	0.04	31,546	7.0	0.04	-	-	-	-	-	-
Urinary												
Bladder (incl. <i>in situ</i>)	235,809	39.5	0.08	242,503	40.6	0.09	72,090	9.7	0.04	74,120	10.0	0.04
Kidney & renal pelvis	136,208	22.5	0.06	139,718	23.0	0.06	77,542	11.4	0.04	79,529	11.7	0.04
Brain & Other Nervous System	47,921	8.7	0.04	49,159	8.9	0.04	37,768	6.3	0.03	38,736	6.5	0.04
Endocrine												
Thyroid gland	45,112	8.1	0.04	46,033	8.3	0.04	122,974	22.9	0.07	125,479	23.4	0.07
Lymphomas												
Hodgkin Lymphoma	16,187	3.2	0.03	16,482	3.3	0.03	12,817	2.6	0.02	13,046	2.6	0.02
Non-Hodgkin Lymphoma	140,926	23.9	0.07	145,762	24.8	0.07	114,045	16.3	0.05	117,940	16.8	0.05
Multiple Myeloma	45,294	7.5	0.04	48,726	8.0	0.04	33,131	4.5	0.03	35,643	4.9	0.03
Leukemias	105,580	18.4	0.06	116,324	20.2	0.06	73,823	11.0	0.04	81,242	12.1	0.05

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See technical notes.

² Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	3,016,743	494.8	0.29	669,372	101.9	0.13	454,794	74.0	0.11	266,618	44.6	0.09	235,809	39.5	0.08	200,602	34.0	0.08
Delay Adjusted	3,098,031	508.2	0.30	699,314	106.5	0.13	461,662	75.2	0.11	271,247	45.4	0.09	242,503	40.6	0.09	209,086	35.5	0.08
Alabama																		
Observed	50,910	510.2	2.33	11,062	103.3	1.00	9,144	90.2	0.97	4,850	49.5	0.73	3,599	37.0	0.63	3,368	35.2	0.62
Delay Adjusted	51,551	516.7	2.35	11,320	105.8	1.03	9,196	90.7	0.97	4,892	49.9	0.74	3,640	37.4	0.64	3,449	36.0	0.64
Alaska																		
Observed	5,166	418.0	6.54	1,160	84.0	2.78	686	60.6	2.61	475	39.2	2.03	407	38.3	2.12	228	18.6	1.35
Delay Adjusted	5,317	430.3	6.73	1,210	87.7	2.91	700	61.8	2.66	484	39.9	2.06	414	39.0	2.16	242	19.7	1.44
Arizona																		
Observed	58,374	416.8	1.78	11,680	77.7	0.73	8,622	58.7	0.64	5,214	37.9	0.54	5,183	35.8	0.50	4,524	33.5	0.52
Delay Adjusted	60,991	435.4	1.86	12,549	83.4	0.79	8,804	59.9	0.65	5,450	39.7	0.57	5,433	37.5	0.53	4,927	36.5	0.56
Arkansas																		
Observed	35,577	514.6	2.79	7,772	105.0	1.21	6,961	98.3	1.20	3,377	50.0	0.88	2,479	36.6	0.75	1,988	30.0	0.69
Delay Adjusted	35,980	520.5	2.82	7,945	107.3	1.24	7,008	98.9	1.21	3,400	50.4	0.89	2,508	37.0	0.76	2,037	30.7	0.71
California																		
Observed	249,152	482.8	0.99	56,797	102.1	0.44	28,018	54.1	0.33	21,098	41.4	0.29	19,586	38.4	0.28	23,325	46.4	0.31
Delay Adjusted	255,361	494.8	1.02	59,359	106.9	0.46	28,441	54.9	0.33	21,385	42.0	0.30	20,009	39.3	0.29	24,265	48.2	0.32
Greater California																		
Observed	157,321	483.7	1.26	35,481	100.9	0.55	18,744	57.1	0.42	13,395	41.8	0.37	12,252	38.2	0.35	14,607	46.2	0.40
Delay Adjusted	161,685	497.1	1.29	37,294	106.2	0.58	19,070	58.1	0.43	13,595	42.5	0.38	12,591	39.2	0.36	15,339	48.5	0.41
Greater Bay																		
Observed	47,424	490.3	2.32	11,463	109.3	1.05	4,405	46.4	0.72	3,685	38.5	0.65	3,502	37.0	0.64	5,264	55.7	0.79
Delay Adjusted	47,584	492.0	2.33	11,574	110.4	1.06	4,415	46.5	0.72	3,689	38.5	0.65	3,509	37.1	0.64	5,356	56.7	0.80
Los Angeles																		
Observed	44,379	471.9	2.29	9,851	98.8	1.01	4,861	51.4	0.75	4,016	43.0	0.69	3,829	40.8	0.67	3,453	37.3	0.65
Delay Adjusted	46,062	489.8	2.38	10,488	105.4	1.08	4,948	52.3	0.76	4,099	43.9	0.71	3,906	41.6	0.68	3,568	38.6	0.67
Colorado																		
Observed	44,327	422.3	2.09	10,728	93.7	0.94	4,800	47.5	0.71	3,666	36.2	0.62	3,318	33.7	0.61	3,414	33.0	0.59
Delay Adjusted	45,574	434.2	2.14	11,519	100.9	1.02	4,844	47.9	0.72	3,710	36.6	0.63	3,435	34.8	0.63	3,502	33.9	0.60

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	41,292	507.2	2.57	9,355	106.3	1.12	5,611	68.5	0.93	3,350	41.9	0.75	3,990	49.4	0.80	2,401	30.7	0.65
Delay Adjusted	42,191	518.3	2.63	9,659	109.9	1.16	5,686	69.4	0.95	3,386	42.3	0.75	4,054	50.2	0.81	2,465	31.5	0.67
Delaware																		
Observed	11,398	559.5	5.40	2,701	122.0	2.39	1,762	85.3	2.07	835	42.2	1.50	959	47.3	1.56	984	50.1	1.66
Delay Adjusted	11,758	577.1	5.58	2,827	127.7	2.51	1,803	87.3	2.12	846	42.7	1.52	992	49.0	1.61	1,011	51.5	1.71
Florida																		
Observed	211,879	476.2	1.08	41,688	87.3	0.44	34,714	74.0	0.41	17,954	41.1	0.32	17,268	36.6	0.28	17,552	40.8	0.33
Delay Adjusted	220,043	494.7	1.12	44,264	92.7	0.46	34,993	74.6	0.41	18,438	42.2	0.33	17,954	38.0	0.30	18,784	43.6	0.35
Georgia																		
Observed	83,688	526.1	1.88	18,045	104.8	0.80	13,594	86.1	0.76	7,566	48.2	0.57	5,662	37.6	0.52	7,562	48.9	0.58
Delay Adjusted	85,274	536.1	1.92	18,451	107.2	0.82	13,738	87.0	0.77	7,646	48.7	0.58	5,770	38.4	0.53	7,770	50.2	0.60
Hawaii																		
Observed	5,773	506.5	7.18	1,068	83.9	2.74	570	49.3	2.21	494	43.3	2.08	400	36.6	1.94	901	82.8	2.95
Delay Adjusted	5,880	515.9	7.31	1,106	86.9	2.84	576	49.8	2.23	498	43.6	2.10	410	37.6	1.99	931	85.5	3.04
Idaho																		
Observed	18,174	464.0	3.53	4,536	108.7	1.65	2,191	56.4	1.23	1,523	39.7	1.04	1,410	37.1	1.01	1,339	35.0	0.99
Delay Adjusted	18,724	478.1	3.64	4,800	115.0	1.75	2,238	57.7	1.26	1,550	40.4	1.06	1,487	39.1	1.06	1,384	36.2	1.02
Illinois																		
Observed	126,244	518.1	1.49	28,092	107.5	0.66	19,525	80.4	0.59	12,323	51.3	0.47	10,016	42.2	0.43	6,960	29.5	0.36
Delay Adjusted	128,789	528.5	1.52	29,135	111.6	0.68	19,771	81.4	0.59	12,443	51.8	0.48	10,242	43.1	0.44	7,193	30.5	0.37
Indiana																		
Observed	73,208	487.2	1.85	14,194	88.2	0.76	13,454	89.8	0.79	7,186	48.4	0.59	5,647	39.0	0.53	3,492	23.8	0.41
Delay Adjusted	75,404	501.9	1.90	15,022	93.3	0.80	13,696	91.4	0.81	7,348	49.5	0.60	5,894	40.7	0.55	3,683	25.1	0.44
Iowa																		
Observed	42,243	514.7	2.56	9,372	106.7	1.12	6,431	77.6	0.98	4,139	51.4	0.82	3,142	38.6	0.70	2,369	30.1	0.64
Delay Adjusted	42,933	523.1	2.60	9,615	109.5	1.15	6,504	78.5	1.00	4,166	51.7	0.82	3,203	39.4	0.71	2,423	30.8	0.65

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	60,885	568.4	2.38	11,418	99.5	0.96	12,336	114.6	1.06	6,156	58.2	0.76	4,156	40.8	0.65	3,515	34.2	0.59
Delay Adjusted	62,122	579.9	2.42	11,936	103.9	1.00	12,464	115.8	1.07	6,256	59.1	0.78	4,257	41.8	0.67	3,593	34.9	0.61
Louisiana																		
Observed	44,897	552.8	2.68	10,613	121.9	1.21	6,780	83.7	1.04	4,162	52.0	0.83	2,998	38.3	0.72	2,572	33.1	0.67
Delay Adjusted	45,294	557.7	2.70	10,687	122.7	1.22	6,825	84.3	1.05	4,175	52.2	0.83	3,029	38.7	0.72	2,606	33.6	0.68
Maine																		
Observed	20,451	497.0	3.59	4,184	92.4	1.46	3,450	83.4	1.46	1,676	41.7	1.05	1,903	47.4	1.11	1,141	28.4	0.87
Delay Adjusted	20,743	504.1	3.64	4,302	95.0	1.51	3,477	84.1	1.47	1,688	42.0	1.06	1,933	48.2	1.13	1,169	29.1	0.89
Maryland																		
Observed	49,328	500.4	2.32	11,608	108.3	1.03	6,641	67.8	0.85	3,969	41.3	0.67	4,203	44.0	0.69	4,219	44.0	0.70
Delay Adjusted	50,643	513.7	2.38	12,087	112.9	1.08	6,784	69.3	0.87	4,028	42.0	0.68	4,373	45.8	0.72	4,247	44.3	0.70
Massachusetts																		
Observed	74,020	484.8	1.83	16,386	98.8	0.79	10,734	70.9	0.70	6,226	41.7	0.54	6,355	42.5	0.54	3,978	26.9	0.44
Delay Adjusted	75,521	494.6	1.87	16,994	102.5	0.82	10,927	72.1	0.71	6,340	42.4	0.55	6,484	43.4	0.55	4,147	28.0	0.46
Michigan																		
Observed	112,611	484.5	1.49	27,127	108.1	0.67	17,198	73.8	0.58	9,275	41.0	0.44	9,144	40.7	0.43	5,806	26.0	0.35
Delay Adjusted	116,710	502.2	1.54	28,954	115.3	0.72	17,711	76.0	0.59	9,536	42.2	0.45	9,445	42.0	0.45	6,160	27.6	0.37
Detroit																		
Observed	41,134	550.1	2.79	10,275	128.3	1.30	5,917	80.2	1.07	3,281	44.6	0.80	3,402	47.0	0.83	2,060	28.5	0.65
Delay Adjusted	41,627	556.7	2.83	10,517	131.3	1.33	5,952	80.6	1.08	3,300	44.9	0.81	3,459	47.8	0.84	2,075	28.7	0.65
Minnesota																		
Observed	64,768	488.3	1.97	15,853	110.6	0.90	8,029	60.9	0.69	5,488	42.4	0.59	4,901	38.2	0.56	4,558	35.4	0.54
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	28,061	528.5	3.24	6,048	105.9	1.39	5,190	96.7	1.37	2,755	52.8	1.03	1,841	35.7	0.85	1,643	32.1	0.82
Delay Adjusted	28,646	539.6	3.31	6,248	109.4	1.44	5,254	97.9	1.39	2,785	53.3	1.04	1,895	36.7	0.88	1,671	32.7	0.83
Missouri																		
Observed	70,952	488.0	1.87	14,533	92.8	0.78	12,722	87.2	0.79	6,887	48.5	0.60	5,021	35.5	0.51	3,909	27.8	0.45
Delay Adjusted	72,647	499.6	1.92	15,225	97.3	0.82	12,912	88.5	0.80	6,988	49.2	0.61	5,145	36.4	0.52	4,020	28.5	0.47

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	13,633	461.8	4.10	3,525	109.2	1.89	1,671	57.1	1.43	1,231	42.6	1.26	1,051	36.2	1.15	859	30.3	1.08
Delay Adjusted	14,157	479.5	4.25	3,734	115.7	2.00	1,702	58.1	1.46	1,272	44.0	1.30	1,103	38.0	1.20	909	32.0	1.14
Nebraska																		
Observed	21,964	491.5	3.39	5,273	111.0	1.56	3,159	70.9	1.28	2,163	49.1	1.08	1,644	37.5	0.94	1,127	25.9	0.79
Delay Adjusted	22,772	509.5	3.52	5,651	119.0	1.67	3,217	72.2	1.31	2,211	50.2	1.10	1,736	39.6	0.99	1,198	27.5	0.84
New Hampshire																		
Observed	18,972	510.8	3.85	4,701	114.1	1.72	2,591	71.3	1.45	1,533	42.7	1.13	1,662	47.2	1.19	1,220	34.2	1.02
Delay Adjusted	19,449	523.7	3.95	4,840	117.5	1.77	2,650	73.0	1.48	1,556	43.3	1.15	1,693	48.1	1.22	1,258	35.2	1.05
New Jersey																		
Observed	89,853	545.6	1.87	22,062	125.3	0.86	11,346	68.6	0.66	7,945	48.9	0.56	7,662	46.9	0.55	6,076	37.7	0.50
Delay Adjusted	92,380	560.9	1.92	23,278	132.2	0.91	11,485	69.4	0.66	8,074	49.7	0.57	7,930	48.6	0.56	6,316	39.2	0.52
New York																		
Observed	191,591	547.4	1.28	45,372	121.6	0.58	25,932	73.6	0.47	15,649	45.5	0.37	16,855	48.6	0.38	10,912	32.0	0.31
Delay Adjusted	195,159	557.6	1.30	46,514	124.7	0.60	26,148	74.2	0.47	15,820	46.0	0.38	17,202	49.6	0.39	11,474	33.6	0.33
North Carolina																		
Observed	99,284	507.4	1.65	22,099	104.3	0.72	16,932	85.9	0.68	7,991	41.7	0.48	7,277	38.3	0.46	7,581	40.3	0.48
Delay Adjusted	102,130	521.9	1.70	23,086	108.9	0.75	17,197	87.3	0.69	8,139	42.5	0.49	7,467	39.3	0.47	7,834	41.7	0.49
North Dakota																		
Observed	9,133	495.3	5.31	2,394	122.0	2.55	1,224	67.1	1.96	956	53.1	1.76	667	37.1	1.47	499	27.8	1.28
Delay Adjusted	9,421	510.9	5.48	2,475	126.1	2.63	1,257	68.9	2.01	981	54.4	1.81	695	38.7	1.53	520	28.9	1.33
Ohio																		
Observed	136,194	490.4	1.36	28,932	96.7	0.58	23,026	82.7	0.56	12,991	47.8	0.43	10,815	40.2	0.39	7,506	28.0	0.33
Delay Adjusted	142,057	511.5	1.42	30,991	103.5	0.62	23,659	84.9	0.57	13,403	49.3	0.44	11,284	41.9	0.41	7,941	29.7	0.35
Oklahoma																		
Observed	39,565	477.7	2.46	8,157	92.3	1.04	7,146	84.9	1.02	3,749	46.1	0.77	2,865	35.1	0.67	2,247	28.2	0.61
Delay Adjusted	40,010	483.0	2.48	8,330	94.2	1.06	7,217	85.7	1.03	3,772	46.4	0.78	2,894	35.5	0.67	2,258	28.4	0.61

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	46,107	459.4	2.21	10,473	95.5	0.96	6,166	61.5	0.80	3,864	39.6	0.66	3,743	38.0	0.64	3,367	34.7	0.62
Delay Adjusted	47,215	470.5	2.26	10,807	98.6	0.99	6,275	62.6	0.82	3,940	40.4	0.67	3,841	39.0	0.65	3,440	35.5	0.63
Pennsylvania																		
Observed	165,988	516.6	1.30	35,015	101.1	0.55	24,836	76.3	0.49	15,581	49.2	0.40	14,442	45.2	0.38	9,662	31.1	0.33
Delay Adjusted	169,085	526.2	1.32	36,451	105.3	0.57	25,098	77.1	0.50	15,723	49.7	0.41	14,679	46.0	0.39	10,000	32.2	0.34
Rhode Island																		
Observed	12,716	508.2	4.65	2,624	97.1	1.94	2,010	79.8	1.82	983	39.8	1.30	1,201	48.0	1.42	754	31.3	1.18
Delay Adjusted	12,997	519.4	4.75	2,750	101.8	2.04	2,044	81.2	1.85	994	40.3	1.32	1,228	49.1	1.45	771	32.0	1.20
South Carolina																		
Observed	49,346	505.5	2.36	10,724	100.3	1.00	8,387	84.5	0.95	4,021	42.5	0.69	3,705	39.5	0.67	3,581	38.0	0.66
Delay Adjusted	51,141	523.9	2.44	11,319	105.9	1.05	8,589	86.6	0.97	4,145	43.8	0.72	3,829	40.8	0.69	3,716	39.5	0.69
South Dakota																		
Observed	10,572	485.9	4.85	2,677	115.4	2.28	1,445	66.2	1.77	1,033	48.3	1.54	767	36.2	1.33	584	27.8	1.19
Delay Adjusted	11,035	507.2	5.06	2,870	123.7	2.44	1,492	68.3	1.83	1,068	49.9	1.59	826	38.9	1.43	619	29.5	1.26
Tennessee																		
Observed	76,167	515.8	1.93	17,064	106.8	0.84	14,147	95.0	0.82	6,553	45.5	0.58	5,190	36.6	0.52	4,235	30.0	0.47
Delay Adjusted	77,450	524.5	1.96	17,401	108.9	0.85	14,273	95.9	0.83	6,602	45.8	0.58	5,271	37.2	0.53	4,347	30.7	0.49
Texas																		
Observed	170,373	476.5	1.19	36,833	96.2	0.51	26,129	73.1	0.46	15,848	45.0	0.37	11,259	32.8	0.32	9,276	26.8	0.29
Delay Adjusted	176,669	494.2	1.23	39,385	103.0	0.55	26,508	74.1	0.47	16,077	45.7	0.37	11,646	33.9	0.33	10,095	29.2	0.31
Utah																		
Observed	22,915	446.7	3.01	6,526	122.8	1.55	1,595	32.3	0.83	1,688	33.8	0.84	1,471	30.7	0.82	2,712	53.5	1.05
Delay Adjusted	23,261	453.4	3.06	6,675	125.6	1.59	1,614	32.7	0.84	1,697	34.0	0.84	1,489	31.1	0.83	2,758	54.4	1.07
Vermont																		
Observed	8,735	472.1	5.25	1,868	91.4	2.19	1,296	69.7	2.00	698	38.7	1.53	681	38.0	1.50	756	41.8	1.59
Delay Adjusted	8,873	479.4	5.33	1,897	92.8	2.22	1,311	70.5	2.03	712	39.5	1.56	695	38.8	1.53	766	42.3	1.60
Virginia																		
Observed	68,884	439.1	1.72	14,989	88.1	0.74	10,888	69.8	0.69	6,108	39.5	0.52	5,030	33.7	0.49	4,742	31.1	0.46
Delay Adjusted	70,552	449.8	1.76	15,349	90.3	0.76	11,011	70.6	0.69	6,188	40.0	0.53	5,119	34.3	0.50	4,867	31.9	0.48

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Washington																		
Observed	74,779	485.2	1.83	17,718	105.9	0.82	9,728	64.2	0.67	5,982	39.6	0.53	5,780	39.2	0.53	5,275	35.1	0.50
Delay Adjusted	76,438	496.0	1.87	18,339	109.6	0.85	9,863	65.1	0.68	6,090	40.3	0.54	5,961	40.5	0.55	5,386	35.8	0.51
Seattle																		
Observed	52,296	514.5	2.32	12,717	115.7	1.06	6,376	64.5	0.83	4,106	41.0	0.66	3,996	41.4	0.67	4,047	40.6	0.66
Delay Adjusted	52,651	518.0	2.34	12,895	117.3	1.07	6,380	64.6	0.83	4,116	41.1	0.66	4,043	41.9	0.68	4,118	41.3	0.67
West Virginia																		
Observed	28,067	511.7	3.15	5,519	92.7	1.28	5,534	98.9	1.37	2,847	53.2	1.03	2,142	40.1	0.89	1,345	26.1	0.74
Delay Adjusted	28,708	523.5	3.23	5,648	94.8	1.31	5,620	100.4	1.39	2,900	54.1	1.05	2,183	40.9	0.91	1,383	26.9	0.76
Wisconsin																		
Observed	72,123	491.2	1.88	17,117	107.9	0.84	9,770	66.6	0.69	6,004	41.9	0.55	5,787	40.7	0.54	4,136	29.0	0.46
Delay Adjusted	75,998	518.0	1.98	18,040	113.7	0.89	10,257	69.9	0.72	6,303	43.9	0.58	6,155	43.3	0.58	4,393	30.8	0.49
Wyoming																		
Observed	6,404	440.3	5.72	1,690	106.1	2.68	673	47.5	1.90	556	39.1	1.73	525	38.4	1.73	402	29.2	1.51
Delay Adjusted	6,456	443.8	5.77	1,706	107.1	2.71	675	47.7	1.91	560	39.4	1.74	528	38.6	1.74	414	30.1	1.56

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	2,924,153	431.5	0.26	867,317	130.1	0.15	417,568	57.2	0.09	243,066	34.2	0.07	189,607	26.9	0.06	136,205	22.2	0.06
Delay Adjusted	3,003,197	443.2	0.27	883,062	132.5	0.15	423,934	58.1	0.09	247,273	34.7	0.07	192,455	27.3	0.07	141,736	23.1	0.07
Alabama																		
Observed	45,215	402.5	1.97	13,385	120.1	1.08	6,869	56.3	0.69	4,061	35.1	0.57	2,168	18.9	0.42	2,195	21.8	0.49
Delay Adjusted	45,794	407.7	1.99	13,556	121.7	1.09	6,908	56.6	0.69	4,097	35.4	0.57	2,177	18.9	0.42	2,247	22.3	0.50
Alaska																		
Observed	4,652	396.7	6.18	1,509	125.1	3.42	548	50.3	2.29	359	31.1	1.75	349	27.1	1.55	185	16.1	1.24
Delay Adjusted	4,789	408.3	6.36	1,530	126.8	3.47	559	51.3	2.33	365	31.7	1.78	358	27.8	1.59	196	17.0	1.31
Arizona																		
Observed	55,998	383.0	1.73	17,287	120.7	0.98	8,180	49.3	0.56	4,563	29.6	0.46	3,291	21.7	0.40	2,424	18.4	0.41
Delay Adjusted	58,507	400.2	1.81	17,975	125.5	1.02	8,354	50.3	0.57	4,770	31.0	0.48	3,423	22.6	0.42	2,634	20.0	0.44
Arkansas																		
Observed	30,747	403.9	2.40	8,572	113.7	1.28	5,310	64.2	0.90	2,866	36.1	0.70	1,712	22.5	0.57	1,237	18.1	0.54
Delay Adjusted	31,096	408.5	2.43	8,637	114.6	1.29	5,347	64.6	0.90	2,885	36.4	0.70	1,722	22.6	0.57	1,264	18.5	0.55
California																		
Observed	240,085	428.5	0.92	76,582	139.6	0.53	29,102	47.5	0.29	19,472	32.8	0.25	15,371	26.1	0.22	14,136	27.5	0.25
Delay Adjusted	246,130	439.3	0.95	77,678	141.6	0.54	29,540	48.2	0.29	19,734	33.3	0.25	15,575	26.5	0.22	14,661	28.5	0.25
Greater California																		
Observed	150,966	426.1	1.16	47,587	136.4	0.66	19,451	50.1	0.37	12,220	32.7	0.31	9,415	25.3	0.27	8,801	27.2	0.31
Delay Adjusted	155,195	438.0	1.19	48,198	138.2	0.67	19,794	51.0	0.37	12,401	33.2	0.32	9,493	25.5	0.27	9,202	28.4	0.32
Greater Bay																		
Observed	45,347	432.6	2.14	14,671	143.3	1.24	4,963	44.0	0.64	3,518	31.9	0.56	3,013	26.9	0.51	3,322	34.5	0.63
Delay Adjusted	45,497	434.0	2.14	14,673	143.3	1.24	4,974	44.1	0.64	3,522	31.9	0.57	3,014	26.9	0.51	3,380	35.1	0.65
Los Angeles																		
Observed	44,936	446.6	2.22	14,643	150.1	1.30	4,756	42.8	0.64	3,807	35.0	0.60	3,049	29.5	0.55	2,058	21.8	0.51
Delay Adjusted	46,645	463.5	2.30	15,136	155.1	1.34	4,841	43.6	0.65	3,886	35.7	0.61	3,179	30.7	0.58	2,125	22.5	0.52
Colorado																		
Observed	44,936	388.9	1.90	14,875	128.0	1.09	4,949	41.6	0.61	3,471	29.8	0.52	2,773	22.2	0.44	2,371	21.5	0.46
Delay Adjusted	46,169	399.3	1.95	15,050	129.5	1.10	4,994	42.0	0.61	3,512	30.2	0.53	2,794	22.4	0.44	2,432	22.0	0.47

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	42,824	456.9	2.34	13,096	143.9	1.33	5,991	59.2	0.79	3,329	32.9	0.61	2,870	28.9	0.56	1,708	19.6	0.51
Delay Adjusted	43,759	466.9	2.39	13,283	145.9	1.35	6,072	59.9	0.80	3,365	33.2	0.61	2,893	29.2	0.56	1,753	20.1	0.52
Delaware																		
Observed	10,586	469.1	4.84	3,071	136.3	2.61	1,635	66.0	1.67	755	32.4	1.24	742	31.1	1.20	631	30.5	1.31
Delay Adjusted	10,922	484.0	4.99	3,110	138.1	2.64	1,673	67.5	1.71	765	32.8	1.26	748	31.4	1.21	649	31.5	1.35
Florida																		
Observed	192,223	412.5	1.03	54,450	121.8	0.57	32,400	60.8	0.35	15,896	31.5	0.27	10,999	23.1	0.24	9,749	23.3	0.26
Delay Adjusted	199,793	429.1	1.08	56,254	125.8	0.59	32,665	61.3	0.35	16,325	32.4	0.28	11,311	23.8	0.24	10,434	25.0	0.28
Georgia																		
Observed	77,270	430.1	1.59	22,865	126.7	0.86	11,075	58.0	0.56	6,311	34.3	0.44	4,170	22.2	0.35	5,077	31.1	0.45
Delay Adjusted	78,724	438.1	1.62	23,056	127.7	0.87	11,194	58.7	0.57	6,377	34.7	0.45	4,207	22.4	0.36	5,210	31.8	0.46
Hawaii																		
Observed	4,437	453.3	7.44	1,420	145.8	4.23	451	42.3	2.12	354	36.1	2.07	248	23.0	1.58	481	51.9	2.60
Delay Adjusted	4,518	461.5	7.57	1,425	146.3	4.24	455	42.7	2.14	357	36.4	2.08	255	23.6	1.62	496	53.4	2.67
Idaho																		
Observed	17,045	412.7	3.26	5,105	123.7	1.79	2,066	47.2	1.06	1,394	33.2	0.91	1,065	24.7	0.78	957	25.2	0.85
Delay Adjusted	17,565	425.3	3.36	5,181	125.5	1.82	2,109	48.2	1.08	1,419	33.8	0.93	1,088	25.2	0.80	990	26.1	0.88
Illinois																		
Observed	127,175	454.1	1.33	37,668	137.6	0.74	18,290	61.3	0.46	11,104	37.1	0.37	8,668	29.8	0.33	5,251	21.1	0.30
Delay Adjusted	129,755	463.3	1.35	38,134	139.3	0.75	18,525	62.1	0.47	11,211	37.4	0.37	8,753	30.1	0.33	5,428	21.8	0.32
Indiana																		
Observed	74,095	429.0	1.63	20,992	122.8	0.88	11,378	62.5	0.60	6,864	38.3	0.48	4,958	27.8	0.41	2,743	17.6	0.35
Delay Adjusted	76,319	441.8	1.68	21,432	125.4	0.89	11,584	63.7	0.61	7,016	39.2	0.49	5,028	28.2	0.41	2,884	18.5	0.37
Iowa																		
Observed	40,169	437.6	2.29	11,190	125.3	1.24	5,305	53.9	0.76	3,942	39.8	0.66	2,901	30.8	0.59	1,907	24.0	0.58
Delay Adjusted	40,814	444.4	2.32	11,268	126.2	1.25	5,366	54.6	0.77	3,967	40.0	0.67	2,918	31.0	0.60	1,947	24.5	0.59

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	58,381	475.1	2.02	15,459	125.8	1.04	10,443	80.3	0.80	5,325	42.4	0.59	3,368	26.9	0.48	2,637	23.3	0.47
Delay Adjusted	59,595	485.0	2.07	15,598	126.9	1.05	10,553	81.2	0.81	5,413	43.1	0.60	3,400	27.2	0.48	2,694	23.8	0.48
Louisiana																		
Observed	38,489	425.1	2.24	11,074	122.7	1.21	5,597	58.0	0.79	3,461	37.4	0.65	1,758	19.0	0.47	1,457	17.7	0.48
Delay Adjusted	38,830	428.8	2.26	11,155	123.6	1.22	5,635	58.4	0.79	3,471	37.5	0.66	1,778	19.2	0.47	1,477	17.9	0.49
Maine																		
Observed	20,611	449.7	3.29	5,679	126.3	1.76	3,180	65.0	1.18	1,616	34.0	0.88	1,508	30.9	0.83	905	21.7	0.76
Delay Adjusted	20,907	456.1	3.33	5,764	128.3	1.79	3,206	65.5	1.19	1,627	34.2	0.89	1,519	31.1	0.83	924	22.1	0.78
Maryland																		
Observed	49,420	445.9	2.10	15,029	136.9	1.17	6,813	57.5	0.71	3,769	32.6	0.55	3,283	28.2	0.51	2,790	27.7	0.55
Delay Adjusted	50,739	457.7	2.15	15,284	139.3	1.19	6,958	58.7	0.73	3,826	33.1	0.56	3,327	28.6	0.52	2,808	27.8	0.56
Massachusetts																		
Observed	81,692	455.0	1.67	25,064	143.1	0.94	12,077	63.2	0.59	6,265	33.1	0.44	5,613	30.1	0.41	3,137	18.6	0.35
Delay Adjusted	83,352	464.2	1.70	25,376	144.9	0.96	12,297	64.4	0.60	6,380	33.7	0.45	5,683	30.5	0.42	3,265	19.3	0.36
Michigan																		
Observed	109,364	423.6	1.34	31,588	123.9	0.73	16,182	58.7	0.47	8,807	32.6	0.36	7,925	29.5	0.34	4,425	19.4	0.31
Delay Adjusted	113,337	439.0	1.38	32,307	126.7	0.74	16,653	60.4	0.49	9,049	33.5	0.37	8,088	30.1	0.35	4,697	20.6	0.33
Detroit																		
Observed	40,403	465.9	2.42	11,559	135.2	1.31	6,068	66.0	0.87	3,298	35.7	0.65	2,829	31.5	0.61	1,559	20.3	0.54
Delay Adjusted	40,888	471.4	2.44	11,661	136.4	1.32	6,104	66.3	0.87	3,317	35.9	0.65	2,844	31.7	0.62	1,573	20.5	0.55
Minnesota																		
Observed	62,609	427.2	1.77	19,101	132.3	0.99	7,791	50.4	0.58	5,088	33.0	0.48	4,660	30.3	0.46	3,459	26.1	0.46
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	24,157	409.7	2.74	6,647	114.0	1.46	3,945	61.6	1.00	2,304	37.2	0.80	1,186	19.9	0.60	1,062	20.3	0.66
Delay Adjusted	24,666	418.3	2.80	6,750	115.9	1.48	3,995	62.4	1.01	2,330	37.6	0.81	1,193	20.0	0.60	1,080	20.7	0.67
Missouri																		
Observed	69,880	427.1	1.68	20,748	128.6	0.93	11,243	64.5	0.62	6,067	35.5	0.47	4,471	26.6	0.41	2,496	17.0	0.36
Delay Adjusted	71,542	437.1	1.71	21,063	130.6	0.94	11,411	65.5	0.63	6,154	36.0	0.48	4,510	26.9	0.41	2,566	17.5	0.37

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	12,381	411.6	3.88	3,676	123.3	2.14	1,698	52.3	1.30	998	32.4	1.07	812	25.2	0.93	607	22.6	0.98
Delay Adjusted	12,857	427.4	4.03	3,789	127.1	2.21	1,730	53.3	1.32	1,030	33.4	1.10	830	25.8	0.95	643	24.0	1.04
Nebraska																		
Observed	20,779	418.7	3.03	6,196	126.8	1.68	2,667	50.2	0.99	1,969	37.2	0.87	1,420	28.1	0.77	931	21.2	0.73
Delay Adjusted	21,552	434.2	3.15	6,305	129.0	1.71	2,716	51.1	1.01	2,014	38.1	0.89	1,428	28.3	0.78	985	22.4	0.77
New Hampshire																		
Observed	18,969	461.4	3.49	5,983	145.8	1.96	2,718	63.6	1.25	1,442	33.8	0.92	1,408	32.1	0.88	948	24.6	0.84
Delay Adjusted	19,454	473.1	3.57	6,050	147.4	1.98	2,778	65.0	1.28	1,463	34.3	0.94	1,422	32.4	0.89	977	25.3	0.87
New Jersey																		
Observed	91,949	479.7	1.67	26,490	143.1	0.93	12,389	59.3	0.55	7,838	37.5	0.45	6,766	33.8	0.42	4,229	24.1	0.40
Delay Adjusted	94,539	493.0	1.72	26,851	145.0	0.94	12,542	60.1	0.55	7,962	38.1	0.45	6,849	34.2	0.43	4,397	25.0	0.41
New York																		
Observed	193,084	481.9	1.15	55,070	142.1	0.63	27,234	62.8	0.39	15,299	35.6	0.30	13,697	33.1	0.29	8,030	21.8	0.26
Delay Adjusted	196,690	490.9	1.17	55,664	143.7	0.64	27,463	63.3	0.39	15,466	36.0	0.31	13,814	33.4	0.29	8,439	22.9	0.27
North Carolina																		
Observed	95,254	427.4	1.44	29,246	132.4	0.80	14,391	59.9	0.51	7,323	32.0	0.39	5,663	24.4	0.34	5,100	25.0	0.37
Delay Adjusted	98,013	439.8	1.48	29,960	135.6	0.82	14,622	60.9	0.52	7,461	32.6	0.39	5,710	24.6	0.34	5,270	25.9	0.38
North Dakota																		
Observed	8,047	411.5	4.81	2,358	125.3	2.71	1,023	49.2	1.57	808	38.6	1.42	505	25.1	1.15	392	22.6	1.21
Delay Adjusted	8,303	424.7	4.96	2,389	126.8	2.74	1,052	50.6	1.62	828	39.6	1.46	515	25.5	1.18	406	23.4	1.24
Ohio																		
Observed	137,590	434.5	1.22	39,854	127.4	0.66	20,133	59.9	0.43	12,014	36.0	0.34	9,885	30.1	0.31	5,602	19.7	0.28
Delay Adjusted	143,533	453.2	1.27	41,178	131.6	0.69	20,691	61.6	0.44	12,396	37.2	0.35	10,214	31.1	0.32	5,924	20.8	0.29
Oklahoma																		
Observed	37,019	399.8	2.16	10,576	115.2	1.17	5,771	57.9	0.78	3,354	34.9	0.62	2,020	21.3	0.49	1,340	16.0	0.46
Delay Adjusted	37,434	404.2	2.19	10,613	115.6	1.17	5,829	58.5	0.78	3,374	35.1	0.63	2,033	21.5	0.50	1,346	16.1	0.46

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	45,814	418.4	2.05	13,902	127.4	1.14	6,253	53.2	0.69	3,439	30.2	0.54	3,080	26.7	0.50	2,725	27.7	0.56
Delay Adjusted	46,899	428.1	2.10	14,140	129.5	1.15	6,363	54.1	0.70	3,508	30.8	0.55	3,114	27.0	0.51	2,781	28.2	0.57
Pennsylvania																		
Observed	167,909	459.2	1.18	47,659	133.5	0.64	22,424	56.3	0.39	14,496	36.5	0.32	12,479	33.2	0.31	6,845	21.0	0.27
Delay Adjusted	171,058	467.8	1.21	48,178	134.9	0.65	22,667	56.9	0.39	14,626	36.8	0.32	12,545	33.3	0.31	7,069	21.7	0.28
Rhode Island																		
Observed	14,005	474.2	4.25	4,037	141.0	2.34	2,149	67.3	1.50	1,050	32.3	1.06	987	32.2	1.07	594	21.7	0.95
Delay Adjusted	14,313	484.5	4.34	4,081	142.5	2.37	2,187	68.5	1.52	1,061	32.7	1.07	1,002	32.7	1.08	607	22.2	0.97
South Carolina																		
Observed	45,416	421.2	2.06	13,976	129.9	1.15	6,837	58.5	0.72	3,608	32.7	0.56	2,532	22.7	0.47	2,348	24.1	0.52
Delay Adjusted	47,052	436.2	2.14	14,371	133.6	1.18	7,003	59.9	0.74	3,718	33.7	0.58	2,591	23.3	0.48	2,433	24.9	0.54
South Dakota																		
Observed	9,860	426.8	4.53	3,049	135.8	2.59	1,255	51.2	1.48	917	36.0	1.25	679	28.6	1.14	487	24.4	1.18
Delay Adjusted	10,289	445.4	4.72	3,103	138.1	2.64	1,296	52.9	1.53	948	37.3	1.29	686	28.8	1.15	517	25.9	1.25
Tennessee																		
Observed	70,466	424.2	1.65	20,334	122.8	0.89	11,414	64.3	0.61	6,000	35.2	0.47	4,085	24.0	0.39	3,007	19.7	0.38
Delay Adjusted	71,678	431.7	1.68	20,595	124.4	0.90	11,517	64.8	0.62	6,044	35.4	0.47	4,111	24.2	0.39	3,087	20.3	0.39
Texas																		
Observed	157,239	400.4	1.05	47,761	122.6	0.58	22,189	52.8	0.36	13,115	32.3	0.29	8,554	21.0	0.23	5,640	15.8	0.22
Delay Adjusted	163,107	415.3	1.08	48,848	125.5	0.60	22,515	53.6	0.37	13,303	32.7	0.29	8,690	21.3	0.24	6,137	17.2	0.24
Utah																		
Observed	20,929	376.0	2.64	6,451	117.2	1.48	1,313	23.3	0.65	1,480	26.8	0.71	1,473	25.7	0.68	1,830	33.3	0.79
Delay Adjusted	21,251	381.7	2.68	6,473	117.6	1.49	1,328	23.6	0.66	1,489	27.0	0.71	1,476	25.7	0.68	1,861	33.8	0.80
Vermont																		
Observed	8,847	436.0	4.86	2,630	130.9	2.67	1,246	58.0	1.69	711	33.7	1.31	726	33.8	1.31	526	27.2	1.25
Delay Adjusted	8,988	442.8	4.93	2,645	131.6	2.69	1,260	58.7	1.71	726	34.4	1.34	729	34.0	1.31	533	27.5	1.26
Virginia																		
Observed	71,340	406.9	1.57	22,806	131.0	0.90	9,957	53.9	0.55	5,648	31.3	0.43	4,618	25.0	0.38	3,341	20.3	0.37
Delay Adjusted	73,082	416.8	1.61	23,212	133.3	0.91	10,075	54.6	0.56	5,722	31.7	0.43	4,665	25.3	0.38	3,428	20.9	0.38

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic White, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Melanoma of the Skin		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Washington																		
Observed	73,582	437.7	1.68	23,450	139.7	0.95	9,543	54.2	0.57	5,535	32.3	0.45	4,668	26.0	0.40	4,041	26.0	0.43
Delay Adjusted	75,227	447.5	1.72	23,865	142.1	0.97	9,667	54.9	0.58	5,637	32.8	0.46	4,754	26.5	0.40	4,125	26.5	0.44
Seattle																		
Observed	50,897	454.1	2.09	16,274	145.1	1.18	6,386	55.0	0.71	3,738	32.7	0.55	3,245	27.0	0.49	3,085	29.5	0.55
Delay Adjusted	51,244	457.2	2.10	16,299	145.3	1.18	6,390	55.0	0.71	3,747	32.8	0.56	3,263	27.1	0.49	3,139	30.0	0.56
West Virginia																		
Observed	26,784	446.3	2.85	6,964	116.5	1.46	4,350	67.2	1.04	2,632	41.9	0.84	1,919	31.6	0.76	970	18.3	0.62
Delay Adjusted	27,431	457.6	2.92	7,166	119.9	1.50	4,418	68.2	1.06	2,681	42.7	0.86	1,943	32.0	0.77	997	18.8	0.64
Wisconsin																		
Observed	69,208	429.8	1.70	20,692	131.0	0.95	9,120	53.3	0.57	5,525	32.4	0.45	5,228	31.0	0.44	2,957	20.6	0.40
Delay Adjusted	72,846	452.0	1.79	21,560	136.5	0.99	9,570	56.0	0.60	5,799	34.0	0.48	5,507	32.6	0.47	3,137	21.9	0.42
Wyoming																		
Observed	5,622	382.0	5.29	1,701	114.9	2.90	674	43.9	1.73	422	28.5	1.43	346	22.4	1.26	295	21.1	1.28
Delay Adjusted	5,668	385.1	5.34	1,712	115.7	2.92	676	44.1	1.74	425	28.7	1.44	349	22.6	1.27	304	21.7	1.32

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

⁻ Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

NAACCR U.S. Combined Delay Adjusted Incidence 2011-2015, Non-Hispanic Black Combined



UNITED STATES

V-89 Combined Delay Adjusted Incidence – Non-Hispanic Black

**Average Annual Age-adjusted Cancer Incidence Delay Adjusted Counts and Rates*, Selected Sites
NAACCR United States Combined¹, 2011-2015, Non-Hispanic Black**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
All Sites (invasive & in situ bladder)	421,124	541.2	0.89	433,968	557.8	0.92	409,477	401.0	0.64	422,148	413.4	0.66
Oral Cavity & Pharynx	12,267	14.6	0.14	12,560	14.9	0.14	5,403	5.1	0.07	5,532	5.3	0.07
Digestive												
Esophagus	5,311	6.8	0.10	5,371	6.9	0.10	2,338	2.3	0.05	2,366	2.3	0.05
Stomach	10,021	14.1	0.15	10,194	14.3	0.15	7,509	7.7	0.09	7,637	7.8	0.09
Colon & Rectum	41,587	55.1	0.29	42,552	56.4	0.30	41,194	40.7	0.20	42,146	41.6	0.21
Liver & IBD ²	15,821	17.7	0.15	16,234	18.1	0.15	5,614	5.3	0.07	5,763	5.4	0.07
Pancreas	12,681	17.3	0.16	12,888	17.5	0.17	14,624	14.8	0.13	14,859	15.0	0.13
Respiratory												
Larynx	6,738	8.5	0.11	6,850	8.6	0.11	1,767	1.6	0.04	1,796	1.7	0.04
Lung & bronchus	61,658	85.4	0.37	62,526	86.6	0.37	49,473	49.2	0.23	50,204	49.9	0.23
Skin												
Melanomas of the skin	837	1.2	0.04	876	1.2	0.04	953	1.0	0.03	993	1.0	0.03
Breast (female cases only)	-	-	-	-	-	-	130,482	126.4	0.36	133,533	129.3	0.37
Female Genital												
Cervix uteri	-	-	-	-	-	-	9,335	9.2	0.10	9,496	9.4	0.10
Corpus & uterus, NOS ²	-	-	-	-	-	-	27,741	26.2	0.16	28,190	26.6	0.16
Ovary	-	-	-	-	-	-	9,505	9.3	0.10	9,806	9.6	0.10
Male Genital												
Prostate	145,815	179.2	0.50	153,421	188.7	0.53	-	-	-	-	-	-
Testis	1,400	1.5	0.04	1,424	1.6	0.04	-	-	-	-	-	-
Urinary												
Bladder (incl. <i>in situ</i>)	13,218	19.9	0.19	13,605	20.5	0.19	6,363	6.6	0.08	6,548	6.8	0.09
Kidney & renal pelvis	20,580	25.4	0.19	21,156	26.1	0.19	13,416	13.1	0.12	13,786	13.5	0.12
Brain & Other Nervous System	4,224	4.9	0.08	4,357	5.1	0.08	3,649	3.6	0.06	3,759	3.7	0.06
Endocrine												
Thyroid gland	3,283	3.9	0.07	3,357	4.0	0.07	14,533	14.0	0.12	14,852	14.4	0.12
Lymphomas												
Hodgkin Lymphoma	2,954	3.2	0.06	3,023	3.2	0.06	2,486	2.4	0.05	2,545	2.4	0.05
Non-Hodgkin Lymphoma	13,498	17.0	0.16	13,988	17.6	0.16	12,235	12.0	0.11	12,679	12.5	0.12
Multiple Myeloma	11,505	15.9	0.16	12,499	17.2	0.17	11,700	11.7	0.11	12,693	12.7	0.12
Leukemias	10,188	13.5	0.14	11,101	14.7	0.16	8,784	8.7	0.10	9,567	9.5	0.10

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See technical notes.

² Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
 Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	421,124	541.2	0.89	145,815	179.2	0.50	61,658	85.4	0.37	41,587	55.1	0.29	20,580	25.4	0.19	15,821	17.7	0.15
Delay Adjusted	433,968	557.8	0.92	153,421	188.7	0.53	62,526	86.6	0.37	42,552	56.4	0.30	21,156	26.1	0.19	16,234	18.1	0.15
Alabama																		
Observed	14,383	552.0	4.94	5,110	188.9	2.84	2,273	90.1	2.03	1,547	62.2	1.70	655	24.4	1.01	384	12.8	0.70
Delay Adjusted	14,632	561.7	5.03	5,290	196.0	2.95	2,288	90.7	2.05	1,560	62.7	1.71	665	24.8	1.03	389	13.0	0.70
Alaska																		
Observed	183	378.8	34.61	66	113.8	17.22	26	76.8	17.71	18	34.9	9.67	7	8.0	3.07	6	9.8	4.59
Delay Adjusted	188	389.3	35.57	69	118.9	18.02	27	78.4	18.08	18	35.3	9.78	7	8.2	3.12	6	10.0	4.68
Arizona																		
Observed	2,084	388.1	9.42	667	116.8	4.94	309	67.3	4.22	188	37.0	3.02	122	21.6	2.11	89	14.7	1.67
Delay Adjusted	2,243	417.8	10.14	738	129.3	5.47	316	68.7	4.32	202	39.8	3.25	131	23.3	2.28	93	15.4	1.75
Arkansas																		
Observed	5,166	576.5	8.66	1,707	179.4	4.67	982	114.9	3.97	519	60.2	2.84	225	25.2	1.80	135	13.3	1.23
Delay Adjusted	5,307	592.2	8.90	1,793	188.5	4.91	988	115.6	4.00	522	60.5	2.86	229	25.6	1.83	137	13.5	1.25
California																		
Observed	26,623	501.6	3.24	9,114	161.6	1.77	3,364	68.9	1.25	2,674	52.0	1.06	1,357	24.8	0.71	1,120	18.8	0.59
Delay Adjusted	27,863	525.2	3.39	9,848	175.3	1.93	3,453	70.8	1.29	2,755	53.6	1.09	1,392	25.5	0.72	1,161	19.5	0.61
Greater California																		
Observed	10,732	490.0	5.11	3,712	159.9	2.81	1,326	68.1	2.02	1,109	52.5	1.71	584	25.7	1.14	451	18.4	0.93
Delay Adjusted	11,048	504.5	5.27	3,949	170.9	3.02	1,349	69.3	2.06	1,126	53.3	1.74	596	26.2	1.17	465	18.9	0.96
Greater Bay																		
Observed	5,775	531.2	7.37	1,949	166.8	3.97	766	76.0	2.90	516	49.5	2.30	293	26.6	1.64	302	24.0	1.44
Delay Adjusted	6,073	558.9	7.76	2,097	179.7	4.28	788	78.2	2.99	539	51.7	2.40	301	27.4	1.68	312	24.8	1.49
Los Angeles																		
Observed	10,114	499.2	5.13	3,453	160.7	2.82	1,272	66.5	1.93	1,049	53.3	1.70	480	23.2	1.09	367	16.5	0.89
Delay Adjusted	10,739	530.2	5.45	3,802	177.7	3.13	1,316	68.8	1.99	1,090	55.4	1.77	496	24.0	1.13	385	17.3	0.93
Colorado																		
Observed	2,054	466.1	11.45	709	154.1	6.47	212	56.1	4.25	213	50.7	3.91	112	24.1	2.43	102	19.8	2.16
Delay Adjusted	2,115	480.4	11.82	757	165.8	7.02	214	56.7	4.29	215	51.3	3.96	114	24.6	2.48	103	19.9	2.18

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	3,661	530.0	9.34	1,251	172.3	5.15	464	75.3	3.73	341	51.9	3.02	171	21.7	1.73	126	16.7	1.57
Delay Adjusted	3,750	542.8	9.57	1,309	180.8	5.43	467	75.8	3.76	345	52.5	3.05	175	22.1	1.77	128	17.0	1.59
Delaware																		
Observed	2,373	579.5	12.68	939	214.7	7.38	305	81.3	4.97	194	51.2	3.94	122	29.6	2.84	87	18.1	2.06
Delay Adjusted	2,448	597.9	13.08	984	225.0	7.73	312	83.2	5.09	205	54.0	4.16	126	30.6	2.94	91	18.8	2.12
Florida																		
Observed	28,422	470.4	2.95	10,308	165.2	1.71	3,648	64.1	1.12	2,941	50.3	0.98	1,197	19.0	0.58	860	12.7	0.46
Delay Adjusted	29,615	489.8	3.07	10,988	176.3	1.82	3,677	64.6	1.13	3,053	52.2	1.02	1,239	19.7	0.60	879	13.0	0.47
Georgia																		
Observed	30,308	554.3	3.57	11,043	194.3	2.05	4,189	83.8	1.46	3,107	57.7	1.16	1,395	23.8	0.70	884	13.8	0.51
Delay Adjusted	30,922	565.6	3.64	11,425	200.9	2.12	4,236	84.7	1.47	3,153	58.5	1.18	1,431	24.4	0.72	896	14.0	0.52
Hawaii																		
Observed	281	516.5	36.13	113	181.6	19.26	22	57.6	14.08	28	49.9	11.42	14	22.1	6.99	12	17.1	5.23
Delay Adjusted	294	540.2	37.81	117	188.4	20.00	22	58.3	14.24	28	50.2	11.46	15	22.9	7.27	12	17.3	5.29
Idaho																		
Observed	61	357.3	57.72	22	104.7	26.29	-	-	-	-	-	-	-	-	-	7	54.6	27.93
Delay Adjusted	63	367.7	59.39	23	110.9	27.78	-	-	-	-	-	-	-	-	-	7	56.4	28.87
Illinois																		
Observed	21,805	582.1	4.14	7,029	178.6	2.23	3,542	100.1	1.77	2,401	66.5	1.43	1,124	28.9	0.90	715	17.0	0.67
Delay Adjusted	22,259	594.2	4.22	7,304	186.0	2.33	3,587	101.4	1.79	2,431	67.3	1.44	1,147	29.5	0.92	732	17.5	0.68
Indiana																		
Observed	5,726	511.0	7.21	1,637	141.6	3.72	961	91.8	3.16	570	52.0	2.32	340	28.5	1.64	240	18.3	1.24
Delay Adjusted	5,928	529.1	7.47	1,734	150.1	3.95	977	93.4	3.21	583	53.2	2.38	351	29.5	1.69	250	19.0	1.29
Iowa																		
Observed	832	562.3	22.43	255	172.5	12.08	129	98.1	9.88	80	52.3	6.85	53	31.3	4.95	37	22.2	4.10
Delay Adjusted	859	581.0	23.18	269	182.3	12.78	130	98.9	9.97	81	52.6	6.90	54	31.9	5.04	38	22.9	4.22

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	3,925	567.8	9.84	1,129	157.6	5.07	706	110.6	4.53	412	59.9	3.22	238	31.3	2.17	155	19.2	1.64
Delay Adjusted	4,005	579.1	10.04	1,184	164.8	5.29	713	111.7	4.58	419	60.9	3.27	242	31.9	2.21	158	19.6	1.68
Louisiana																		
Observed	17,897	608.6	4.88	5,843	191.8	2.68	2,966	106.4	2.11	1,923	67.0	1.64	839	28.4	1.04	750	21.7	0.84
Delay Adjusted	18,188	618.5	4.96	5,986	196.5	2.75	2,986	107.2	2.12	1,950	68.0	1.67	846	28.6	1.05	762	22.0	0.85
Maine																		
Observed	108	355.0	38.59	32	107.2	21.01	11	53.2	17.80	8	21.2	7.75	7	18.4	7.08	11	37.2	13.09
Delay Adjusted	110	362.1	39.38	33	109.9	21.55	11	53.9	18.05	8	21.4	7.82	7	18.8	7.25	11	38.0	13.37
Maryland																		
Observed	18,842	524.1	4.10	7,235	188.9	2.36	2,306	70.7	1.59	1,664	49.0	1.29	835	22.7	0.84	784	18.9	0.72
Delay Adjusted	19,408	539.8	4.23	7,521	197.1	2.48	2,354	72.2	1.62	1,718	50.5	1.34	867	23.5	0.87	816	19.7	0.75
Massachusetts																		
Observed	4,460	499.3	8.03	1,683	179.5	4.66	501	63.6	3.06	400	45.7	2.47	197	21.5	1.63	195	19.1	1.45
Delay Adjusted	4,657	521.4	8.39	1,770	188.7	4.90	512	65.0	3.12	420	48.1	2.60	201	21.9	1.67	210	20.6	1.56
Michigan																		
Observed	16,591	564.2	4.61	5,612	181.7	2.54	2,609	95.3	1.97	1,557	54.5	1.45	890	29.7	1.04	678	20.1	0.81
Delay Adjusted	16,857	573.3	4.69	5,759	186.4	2.61	2,639	96.3	1.99	1,580	55.3	1.48	907	30.3	1.06	691	20.5	0.82
Detroit																		
Observed	12,647	610.2	5.69	4,365	200.2	3.17	1,917	99.0	2.38	1,216	60.8	1.83	684	32.7	1.30	520	21.7	1.00
Delay Adjusted	12,820	618.6	5.77	4,467	204.8	3.24	1,930	99.6	2.39	1,231	61.5	1.85	693	33.1	1.32	526	22.0	1.01
Minnesota																		
Observed	2,196	525.5	13.36	705	159.3	6.94	265	77.8	5.64	187	45.8	4.08	121	27.6	3.02	153	36.3	3.38
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	12,835	597.6	5.71	4,374	196.3	3.20	2,252	111.5	2.55	1,523	72.2	2.01	623	28.5	1.22	271	11.0	0.71
Delay Adjusted	13,105	610.2	5.82	4,520	202.9	3.30	2,279	112.8	2.58	1,540	73.0	2.03	637	29.1	1.25	279	11.3	0.73
Missouri																		
Observed	7,684	560.5	6.81	2,321	159.4	3.50	1,388	107.9	3.08	730	57.0	2.25	380	26.5	1.44	365	23.0	1.27
Delay Adjusted	7,867	574.0	6.98	2,461	169.6	3.74	1,406	109.3	3.13	740	57.8	2.28	393	27.4	1.49	376	23.7	1.31

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	50	586.6	93.66	18	200.0	49.69	7	93.0	39.04	-	-	-	-	-	-	-	-	-
Delay Adjusted	51	592.9	94.74	19	211.6	52.71	7	94.4	39.66	-	-	-	-	-	-	-	-	-
Nebraska																		
Observed	899	613.1	22.48	311	203.9	12.56	125	99.2	9.59	103	78.0	8.54	54	32.9	4.91	37	21.6	3.84
Delay Adjusted	959	654.5	24.00	337	221.0	13.61	127	100.9	9.76	105	79.7	8.72	57	34.7	5.17	39	22.8	4.04
New Hampshire																		
Observed	128	404.0	39.36	50	150.5	23.47	11	37.5	12.24	14	43.5	12.54	-	-	-	7	23.9	9.97
Delay Adjusted	131	413.3	40.23	51	154.6	24.07	11	38.2	12.50	14	44.1	12.71	-	-	-	7	24.8	10.27
New Jersey																		
Observed	13,004	546.2	5.05	4,981	202.2	3.00	1,585	72.8	1.93	1,267	54.3	1.61	639	25.4	1.05	403	14.8	0.77
Delay Adjusted	13,610	571.7	5.29	5,378	218.3	3.24	1,612	74.1	1.96	1,328	56.9	1.69	657	26.2	1.08	413	15.2	0.79
New York																		
Observed	34,462	561.8	3.17	13,881	217.4	1.92	3,922	68.0	1.14	3,057	52.1	0.99	1,457	22.9	0.62	1,249	18.5	0.55
Delay Adjusted	35,224	574.3	3.24	14,432	226.2	2.00	3,959	68.6	1.15	3,098	52.8	1.00	1,494	23.5	0.64	1,283	19.0	0.56
North Carolina																		
Observed	24,763	557.2	3.81	8,579	183.8	2.12	4,005	96.1	1.64	2,269	51.9	1.17	1,174	25.7	0.80	800	15.4	0.58
Delay Adjusted	25,677	577.8	3.95	9,077	194.4	2.25	4,068	97.6	1.67	2,345	53.7	1.21	1,207	26.4	0.82	816	15.7	0.59
North Dakota																		
Observed	50	320.9	61.20	20	115.7	30.44	-	-	-	7	54.7	28.62	-	-	-	-	-	-
Delay Adjusted	52	332.9	63.39	21	120.2	31.56	-	-	-	7	56.7	29.88	-	-	-	-	-	-
Ohio																		
Observed	15,865	526.5	4.38	5,284	167.2	2.40	2,670	94.3	1.91	1,455	49.6	1.36	826	26.3	0.95	626	18.1	0.75
Delay Adjusted	16,539	549.0	4.57	5,662	179.2	2.58	2,743	96.9	1.96	1,501	51.1	1.41	861	27.5	0.99	653	18.8	0.78
Oklahoma																		
Observed	3,159	569.5	11.06	1,062	186.2	6.22	509	97.1	4.66	305	54.2	3.38	164	29.3	2.48	99	14.8	1.60
Delay Adjusted	3,245	585.1	11.37	1,111	194.6	6.49	514	97.9	4.71	307	54.5	3.40	166	29.7	2.51	100	15.0	1.62

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	823	523.0	20.54	271	169.8	11.65	120	83.4	8.56	73	51.1	6.64	43	23.2	3.89	51	30.0	4.66
Delay Adjusted	864	550.3	21.66	290	182.0	12.51	122	85.0	8.74	74	51.9	6.76	44	23.6	3.96	52	30.7	4.77
Pennsylvania																		
Observed	16,248	583.1	4.82	5,026	171.9	2.55	2,427	94.7	2.02	1,491	55.6	1.52	963	33.1	1.11	936	29.6	1.01
Delay Adjusted	16,808	603.2	4.98	5,499	188.3	2.80	2,452	95.7	2.04	1,523	56.7	1.55	1,003	34.4	1.16	961	30.4	1.04
Rhode Island																		
Observed	505	441.0	21.32	156	127.7	11.00	77	74.2	9.18	34	33.9	6.29	25	20.3	4.42	21	13.7	3.16
Delay Adjusted	516	450.4	21.78	163	133.5	11.49	78	75.2	9.29	34	34.2	6.34	26	20.7	4.51	21	14.0	3.22
South Carolina																		
Observed	15,656	554.2	4.75	5,526	186.0	2.67	2,432	90.2	1.97	1,501	54.8	1.52	695	23.7	0.96	439	13.6	0.69
Delay Adjusted	16,212	574.1	4.93	5,831	196.4	2.83	2,492	92.4	2.02	1,548	56.5	1.57	726	24.8	1.00	455	14.1	0.72
South Dakota																		
Observed	67	250.3	34.79	12	37.3	10.98	7	36.5	17.28	8	32.6	11.92	6	18.3	7.48	-	-	-
Delay Adjusted	70	261.2	36.22	13	40.2	11.84	7	37.5	17.61	8	33.8	12.35	6	19.1	7.82	-	-	-
Tennessee																		
Observed	11,369	556.7	5.75	3,817	179.5	3.18	1,917	102.6	2.58	1,134	57.8	1.89	543	26.1	1.22	420	17.0	0.90
Delay Adjusted	11,599	567.9	5.86	3,914	184.1	3.26	1,925	103.1	2.59	1,151	58.7	1.92	552	26.5	1.24	428	17.4	0.92
Texas																		
Observed	29,877	525.8	3.36	9,035	153.6	1.77	4,619	90.1	1.46	3,270	58.0	1.12	1,576	26.3	0.72	1,594	23.1	0.62
Delay Adjusted	31,017	545.8	3.49	9,791	167.1	1.94	4,686	91.4	1.48	3,365	59.7	1.16	1,628	27.1	0.75	1,624	23.6	0.63
Utah																		
Observed	232	496.7	40.72	78	172.2	23.55	25	72.6	17.60	30	64.2	14.55	11	20.6	7.21	13	22.2	6.93
Delay Adjusted	253	542.6	44.50	85	188.7	25.82	25	73.9	17.97	30	64.7	14.65	11	21.1	7.38	13	22.8	7.11
Vermont																		
Observed	38	293.4	53.30	16	124.7	34.74	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	39	299.7	54.49	16	128.4	36.00	-	-	-	-	-	-	-	-	-	-	-	-
Virginia																		
Observed	17,893	522.7	4.17	6,381	175.3	2.33	2,666	84.8	1.76	1,627	49.0	1.30	958	26.7	0.91	552	13.6	0.61
Delay Adjusted	18,327	535.4	4.27	6,580	180.8	2.40	2,696	85.7	1.78	1,649	49.6	1.32	982	27.3	0.93	564	13.9	0.62

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Males**

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD ³		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Washington																		
Observed	2,679	491.7	10.81	861	148.3	5.67	319	71.4	4.49	242	44.3	3.20	158	26.8	2.40	155	24.9	2.23
Delay Adjusted	2,753	505.3	11.11	902	155.3	5.94	321	71.9	4.53	251	45.9	3.31	161	27.5	2.46	157	25.2	2.25
Seattle																		
Observed	2,488	517.2	11.80	815	158.0	6.19	288	73.1	4.84	225	47.9	3.60	145	27.6	2.59	146	27.0	2.49
Delay Adjusted	2,550	530.0	12.10	857	166.3	6.52	289	73.3	4.86	234	49.8	3.74	148	28.1	2.63	147	27.1	2.50
West Virginia																		
Observed	878	530.0	19.53	283	157.2	10.07	139	96.1	8.91	92	56.8	6.52	42	24.1	3.96	47	20.9	3.11
Delay Adjusted	912	549.7	20.23	290	161.2	10.33	141	97.4	9.03	94	57.8	6.64	43	24.8	4.06	48	21.4	3.20
Wisconsin																		
Observed	3,945	665.7	11.80	1,255	204.4	6.37	629	118.6	5.25	368	62.1	3.62	205	31.9	2.46	194	28.0	2.14
Delay Adjusted	4,127	699.2	12.45	1,323	215.6	6.72	658	124.1	5.49	384	64.8	3.78	214	33.3	2.56	202	29.1	2.24
Wyoming																		
Observed	34	182.7	32.50	8	39.9	14.63	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	34	184.4	32.80	8	40.3	14.79	-	-	-	-	-	-	-	-	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Pancreas		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR U.S. Combined																		
Observed	409,477	401.0	0.64	130,482	126.4	0.36	49,473	49.2	0.23	41,194	40.7	0.20	27,741	26.2	0.16	14,624	14.8	0.13
Delay Adjusted	422,148	413.4	0.66	133,533	129.3	0.37	50,204	49.9	0.23	42,146	41.6	0.21	28,190	26.6	0.16	14,859	15.0	0.13
Alabama																		
Observed	13,100	375.9	3.36	4,394	124.5	1.92	1,340	38.6	1.08	1,533	44.3	1.16	786	22.0	0.80	516	15.2	0.68
Delay Adjusted	13,335	382.6	3.42	4,455	126.3	1.95	1,349	38.9	1.09	1,546	44.7	1.17	790	22.1	0.81	523	15.4	0.69
Alaska																		
Observed	154	321.2	27.29	54	111.4	15.93	12	27.6	8.22	13	24.6	7.18	7	15.9	6.27	-	-	-
Delay Adjusted	159	330.7	28.08	55	112.8	16.13	12	28.1	8.37	13	25.0	7.31	7	16.5	6.50	-	-	-
Arizona																		
Observed	2,039	357.5	8.19	664	113.4	4.53	233	43.2	2.93	191	35.1	2.62	142	23.8	2.05	80	15.6	1.81
Delay Adjusted	2,196	384.9	8.82	726	123.9	4.95	238	44.0	2.99	206	37.8	2.82	153	25.5	2.21	82	16.0	1.86
Arkansas																		
Observed	4,438	385.1	5.94	1,370	117.2	3.25	568	50.4	2.18	528	46.6	2.09	258	21.3	1.37	187	17.1	1.29
Delay Adjusted	4,560	395.7	6.11	1,446	123.7	3.43	572	50.7	2.19	532	46.9	2.10	267	22.0	1.41	188	17.2	1.30
California																		
Observed	25,288	397.4	2.55	8,334	130.3	1.46	3,055	48.1	0.89	2,587	40.9	0.82	1,751	26.2	0.64	850	13.5	0.47
Delay Adjusted	26,513	416.7	2.67	8,561	133.9	1.50	3,139	49.5	0.91	2,670	42.2	0.85	1,789	26.7	0.65	873	13.9	0.48
Greater California																		
Observed	9,411	388.1	4.12	3,132	126.4	2.32	1,099	47.0	1.46	948	40.5	1.36	621	24.2	1.00	305	13.1	0.77
Delay Adjusted	9,693	399.7	4.24	3,176	128.2	2.35	1,118	47.8	1.49	962	41.1	1.38	627	24.4	1.01	310	13.3	0.78
Greater Bay																		
Observed	5,310	415.9	5.85	1,706	133.5	3.31	688	53.5	2.09	563	43.8	1.89	379	28.3	1.49	191	15.1	1.12
Delay Adjusted	5,588	437.8	6.16	1,771	138.7	3.44	708	55.1	2.15	589	45.8	1.98	379	28.3	1.49	199	15.7	1.17
Los Angeles																		
Observed	10,598	399.2	3.94	3,501	132.5	2.28	1,274	47.0	1.33	1,079	40.2	1.24	753	27.2	1.01	353	13.1	0.70
Delay Adjusted	11,264	424.3	4.19	3,619	136.9	2.36	1,319	48.6	1.38	1,122	41.8	1.29	785	28.3	1.05	364	13.5	0.73
Colorado																		
Observed	1,607	346.9	8.89	548	116.1	5.08	180	41.1	3.15	144	32.5	2.78	91	19.4	2.10	58	13.6	1.83
Delay Adjusted	1,653	357.0	9.15	554	117.3	5.13	182	41.4	3.18	146	32.9	2.81	92	19.6	2.11	58	13.7	1.84

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Pancreas		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Connecticut																		
Observed	3,770	400.5	6.64	1,216	126.6	3.69	411	44.5	2.24	335	35.9	2.00	271	27.4	1.69	124	14.0	1.28
Delay Adjusted	3,862	410.2	6.80	1,237	128.8	3.76	414	44.8	2.26	339	36.3	2.02	273	27.7	1.71	126	14.2	1.30
Delaware																		
Observed	2,271	428.6	9.24	728	133.2	5.06	295	59.1	3.54	195	37.7	2.77	165	30.4	2.43	92	17.9	1.93
Delay Adjusted	2,344	442.5	9.54	742	135.8	5.16	302	60.5	3.62	206	39.8	2.93	166	30.6	2.45	93	18.2	1.95
Florida																		
Observed	27,172	353.4	2.18	8,469	108.7	1.20	2,682	35.6	0.70	2,780	36.6	0.71	2,105	26.4	0.59	953	12.9	0.43
Delay Adjusted	28,348	368.6	2.28	8,841	113.5	1.25	2,704	35.9	0.71	2,885	38.0	0.73	2,171	27.3	0.61	972	13.2	0.44
Georgia																		
Observed	29,766	392.5	2.36	10,053	128.4	1.32	2,938	40.6	0.78	3,094	41.8	0.78	2,011	25.5	0.59	1,001	14.4	0.47
Delay Adjusted	30,367	400.5	2.41	10,169	129.9	1.34	2,972	41.1	0.79	3,140	42.4	0.79	2,032	25.8	0.60	1,014	14.6	0.48
Hawaii																		
Observed	126	346.0	34.03	48	120.3	18.44	11	47.1	14.88	8	29.5	11.24	7	19.3	8.10	-	-	-
Delay Adjusted	132	362.4	35.72	54	135.4	20.86	11	47.7	15.07	8	29.8	11.34	7	19.9	8.34	-	-	-
Idaho																		
Observed	43	352.1	60.46	7	52.4	23.08	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	44	364.0	62.52	7	53.2	23.44	-	-	-	-	-	-	-	-	-	-	-	-
Illinois																		
Observed	22,614	437.8	2.96	6,977	134.9	1.64	3,284	63.2	1.12	2,443	47.5	0.98	1,557	28.8	0.74	783	15.4	0.56
Delay Adjusted	23,086	446.9	3.02	7,065	136.6	1.66	3,326	64.0	1.14	2,473	48.1	0.99	1,573	29.1	0.75	793	15.6	0.56
Indiana																		
Observed	6,160	417.2	5.44	1,940	130.2	3.02	914	63.1	2.14	602	41.5	1.73	370	24.3	1.29	225	15.5	1.06
Delay Adjusted	6,380	432.1	5.63	1,990	133.5	3.10	931	64.2	2.18	615	42.4	1.77	376	24.6	1.31	229	15.7	1.08
Iowa																		
Observed	703	448.1	17.79	178	110.4	8.63	97	65.6	6.94	59	42.1	5.74	47	31.2	4.73	25	19.2	4.00
Delay Adjusted	725	462.5	18.37	179	111.1	8.69	98	66.1	6.99	59	42.3	5.76	47	31.4	4.76	25	19.5	4.06

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Pancreas		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Kentucky																		
Observed	3,864	446.8	7.38	1,133	129.2	3.93	639	76.9	3.13	416	47.7	2.40	233	26.4	1.78	126	15.0	1.37
Delay Adjusted	3,946	456.1	7.53	1,146	130.7	3.98	646	77.8	3.16	423	48.4	2.43	234	26.5	1.79	127	15.1	1.38
Louisiana																		
Observed	15,802	417.5	3.41	5,116	134.2	1.92	1,850	49.1	1.17	1,829	48.6	1.17	877	22.2	0.77	541	14.8	0.65
Delay Adjusted	16,061	424.4	3.46	5,161	135.4	1.94	1,862	49.4	1.18	1,855	49.3	1.18	880	22.2	0.77	548	15.0	0.66
Maine																		
Observed	74	291.8	35.78	18	70.0	16.90	10	42.3	14.03	-	-	-	7	28.3	11.20	-	-	-
Delay Adjusted	76	298.5	36.63	18	71.3	17.22	10	42.5	14.10	-	-	-	7	28.6	11.33	-	-	-
Maryland																		
Observed	19,830	400.5	2.93	6,709	132.5	1.66	2,268	46.9	1.02	1,798	36.8	0.89	1,447	27.9	0.76	680	14.4	0.57
Delay Adjusted	20,428	412.5	3.01	6,883	135.9	1.70	2,318	48.0	1.04	1,856	38.0	0.92	1,467	28.3	0.77	692	14.6	0.58
Massachusetts																		
Observed	4,440	388.2	5.93	1,383	119.9	3.28	472	42.7	2.01	395	34.7	1.78	308	26.4	1.54	139	12.7	1.10
Delay Adjusted	4,641	405.8	6.20	1,410	122.2	3.34	483	43.7	2.05	414	36.5	1.87	312	26.8	1.56	142	13.0	1.12
Michigan																		
Observed	16,210	421.3	3.39	4,897	127.5	1.86	2,394	62.2	1.30	1,593	41.3	1.06	1,100	27.2	0.84	634	16.4	0.67
Delay Adjusted	16,474	428.1	3.44	4,966	129.3	1.89	2,420	62.8	1.32	1,616	41.9	1.07	1,112	27.6	0.85	642	16.6	0.68
Detroit																		
Observed	12,601	442.1	4.03	3,821	134.5	2.23	1,830	63.8	1.53	1,270	44.5	1.28	830	27.6	0.98	487	16.8	0.78
Delay Adjusted	12,778	448.3	4.09	3,855	135.7	2.25	1,843	64.2	1.54	1,285	45.0	1.29	834	27.8	0.99	489	16.9	0.78
Minnesota																		
Observed	1,901	396.8	10.03	531	102.6	4.82	220	53.8	3.94	185	42.9	3.48	113	24.9	2.52	63	15.4	2.12
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Mississippi																		
Observed	11,191	397.5	3.85	3,464	121.0	2.10	1,275	46.4	1.33	1,427	50.8	1.38	674	23.3	0.92	381	14.2	0.74
Delay Adjusted	11,427	405.8	3.93	3,535	123.5	2.15	1,291	46.9	1.35	1,443	51.4	1.39	678	23.4	0.93	387	14.4	0.75
Missouri																		
Observed	8,052	438.3	4.98	2,481	134.1	2.75	1,197	65.5	1.93	777	42.8	1.56	508	27.0	1.22	289	16.1	0.97
Delay Adjusted	8,242	448.7	5.10	2,510	135.6	2.78	1,213	66.4	1.96	787	43.3	1.59	512	27.2	1.23	293	16.3	0.98

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Pancreas		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Montana																		
Observed	15	214.5	58.68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	15	216.4	59.19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska																		
Observed	732	419.4	16.00	206	120.1	8.59	103	60.3	6.11	73	43.6	5.25	38	20.7	3.46	27	16.9	3.34
Delay Adjusted	781	447.7	17.08	209	122.0	8.73	105	61.4	6.22	75	44.6	5.37	38	20.8	3.48	27	17.2	3.40
New Hampshire																		
Observed	67	227.1	28.77	21	72.9	16.50	7	27.5	10.53	8	26.0	9.43	-	-	-	-	-	-
Delay Adjusted	69	233.1	29.56	21	73.7	16.69	7	28.6	10.95	8	26.3	9.55	-	-	-	-	-	-
New Jersey																		
Observed	13,801	414.2	3.58	4,331	128.7	1.98	1,639	49.2	1.23	1,401	42.6	1.15	1,003	29.0	0.93	499	15.3	0.70
Delay Adjusted	14,455	433.8	3.75	4,474	132.9	2.05	1,668	50.1	1.26	1,467	44.6	1.21	1,026	29.6	0.95	506	15.6	0.71
New York																		
Observed	34,890	400.4	2.18	10,603	122.0	1.20	3,724	42.1	0.70	3,297	37.7	0.67	2,987	32.9	0.61	1,281	14.8	0.42
Delay Adjusted	35,671	409.3	2.22	10,746	123.7	1.22	3,760	42.5	0.71	3,341	38.2	0.67	3,014	33.2	0.62	1,294	14.9	0.42
North Carolina																		
Observed	24,080	404.1	2.66	8,046	134.0	1.53	2,810	47.3	0.91	2,224	37.3	0.81	1,640	26.5	0.67	884	15.2	0.52
Delay Adjusted	24,976	419.1	2.76	8,313	138.5	1.58	2,856	48.1	0.93	2,298	38.5	0.83	1,660	26.9	0.68	899	15.5	0.53
North Dakota																		
Observed	30	214.5	46.09	6	43.9	18.00	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	31	223.1	47.87	6	44.3	18.18	-	-	-	-	-	-	-	-	-	-	-	-
Ohio																		
Observed	15,870	408.5	3.30	4,946	127.5	1.85	2,481	63.4	1.29	1,470	37.9	1.00	972	24.3	0.79	581	15.0	0.63
Delay Adjusted	16,555	426.1	3.44	5,110	131.7	1.91	2,551	65.2	1.33	1,517	39.1	1.04	1,005	25.1	0.82	597	15.5	0.65
Oklahoma																		
Observed	2,747	401.3	7.88	834	119.7	4.26	375	56.9	3.03	290	42.5	2.57	168	23.3	1.85	88	13.0	1.42
Delay Adjusted	2,823	412.4	8.10	853	122.4	4.35	379	57.4	3.06	292	42.8	2.58	169	23.4	1.86	90	13.3	1.46

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Pancreas		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Oregon																		
Observed	630	406.4	16.67	197	123.9	9.04	84	57.8	6.50	49	33.1	4.88	41	25.1	4.02	20	13.5	3.10
Delay Adjusted	661	426.6	17.51	200	126.0	9.19	85	58.9	6.62	50	33.8	4.97	41	25.4	4.07	20	13.7	3.16
Pennsylvania																		
Observed	17,205	458.4	3.55	4,862	130.5	1.90	2,587	68.9	1.38	1,597	42.3	1.07	1,162	29.7	0.89	619	16.4	0.67
Delay Adjusted	17,802	474.3	3.68	4,937	132.5	1.93	2,615	69.6	1.39	1,631	43.2	1.10	1,170	29.9	0.89	625	16.5	0.67
Rhode Island																		
Observed	515	365.9	16.47	162	114.8	9.21	62	45.0	5.85	39	27.9	4.55	30	20.7	3.88	15	11.0	2.89
Delay Adjusted	526	373.8	16.84	169	119.8	9.61	63	45.7	5.95	39	28.2	4.60	30	21.0	3.93	15	11.2	2.93
South Carolina																		
Observed	14,338	386.3	3.31	4,763	127.8	1.90	1,557	41.5	1.08	1,383	36.9	1.02	1,029	26.5	0.85	550	15.2	0.66
Delay Adjusted	14,849	400.1	3.43	4,898	131.4	1.95	1,594	42.5	1.10	1,425	38.0	1.05	1,056	27.2	0.87	564	15.5	0.68
South Dakota																		
Observed	38	192.5	31.98	14	73.3	19.81	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	40	201.0	33.37	14	74.6	20.17	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee																		
Observed	11,015	397.7	3.90	3,581	126.3	2.17	1,394	51.7	1.43	1,113	41.1	1.27	639	22.3	0.91	385	14.9	0.78
Delay Adjusted	11,244	406.0	3.98	3,634	128.2	2.20	1,400	51.9	1.44	1,130	41.7	1.29	643	22.5	0.92	389	15.1	0.79
Texas																		
Observed	29,186	391.9	2.37	9,223	120.0	1.28	3,388	48.2	0.86	3,052	41.2	0.77	1,754	22.9	0.57	1,043	15.1	0.48
Delay Adjusted	30,303	406.8	2.46	9,550	124.3	1.33	3,437	48.9	0.87	3,139	42.4	0.79	1,793	23.4	0.58	1,060	15.4	0.49
Utah																		
Observed	135	364.0	33.69	36	99.8	17.53	15	45.2	12.21	17	51.8	13.11	6	21.4	9.08	-	-	-
Delay Adjusted	147	397.3	36.80	36	100.1	17.60	15	46.5	12.58	17	52.1	13.17	6	21.5	9.09	-	-	-
Vermont																		
Observed	33	328.1	63.79	11	100.4	32.31	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	34	333.8	64.95	11	100.9	32.45	-	-	-	-	-	-	-	-	-	-	-	-
Virginia																		
Observed	17,237	394.7	3.07	5,982	135.1	1.78	2,059	47.9	1.08	1,673	38.8	0.97	1,038	23.0	0.73	656	15.2	0.60
Delay Adjusted	17,664	404.5	3.15	6,090	137.5	1.82	2,084	48.5	1.09	1,695	39.3	0.98	1,061	23.6	0.75	663	15.4	0.61

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined², 2011-2015, Non-Hispanic Black, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Pancreas		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
Washington																		
Observed	1,999	375.6	8.86	672	123.1	4.97	215	45.1	3.23	170	32.3	2.62	118	22.1	2.15	64	13.5	1.78
Delay Adjusted	2,053	385.7	9.10	677	124.0	5.01	216	45.4	3.25	176	33.5	2.72	121	22.6	2.20	64	13.6	1.78
Seattle																		
Observed	1,883	395.8	9.64	638	129.7	5.39	205	49.1	3.60	157	33.9	2.86	111	23.4	2.35	60	14.2	1.93
Delay Adjusted	1,930	405.7	9.87	643	130.6	5.43	206	49.2	3.61	163	35.3	2.97	113	23.9	2.40	60	14.2	1.93
West Virginia																		
Observed	664	384.6	15.35	208	124.7	8.90	84	47.6	5.30	74	42.4	5.05	39	20.4	3.38	24	13.6	2.83
Delay Adjusted	690	399.5	15.95	220	131.7	9.40	85	48.2	5.37	75	43.2	5.14	39	20.7	3.42	24	13.8	2.88
Wisconsin																		
Observed	3,607	484.9	8.42	1,057	138.9	4.43	523	75.0	3.42	317	42.8	2.51	221	29.0	2.02	123	17.6	1.66
Delay Adjusted	3,773	508.4	8.85	1,102	144.9	4.62	547	78.4	3.58	332	44.8	2.62	233	30.6	2.13	130	18.5	1.75
Wyoming																		
Observed	28	171.2	33.43	6	41.0	17.27	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	28	172.6	33.71	6	41.2	17.36	-	-	-	-	-	-	-	-	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

NAACCR Canadian Combined Delay Adjusted Incidence 2011-2015, All Races Combined



**Average Annual Age-adjusted Cancer Incidence Delay Adjusted Counts and Rates*, Selected Sites
NAACCR Canadian Combined¹, 2011-2015, All Races**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
All Sites (invasive & in situ bladder)	177,735	477.2	1.16	179,606	482.3	1.17	166,905	406.4	1.02	168,618	410.5	1.03
Oral Cavity & Pharynx	5,738	14.6	0.20	5,804	14.7	0.20	2,499	6.1	0.12	2,530	6.2	0.13
Digestive												
Esophagus	2,925	7.7	0.15	2,943	7.7	0.15	894	2.1	0.07	899	2.1	0.07
Stomach	3,790	10.4	0.17	3,805	10.5	0.17	1,897	4.5	0.11	1,904	4.5	0.11
Colon & Rectum	25,480	68.9	0.44	25,728	69.6	0.45	20,168	47.8	0.34	20,363	48.3	0.35
Liver & IBD ²	3,594	9.1	0.16	3,784	9.6	0.16	1,612	3.8	0.10	1,693	4.0	0.10
Pancreas	4,583	12.5	0.19	4,650	12.7	0.19	4,377	10.2	0.16	4,441	10.3	0.16
Respiratory												
Larynx	1,517	3.9	0.10	1,534	4.0	0.10	268	0.6	0.04	271	0.6	0.04
Lung & bronchus	23,552	64.4	0.43	23,820	65.2	0.43	22,848	54.1	0.36	23,107	54.7	0.37
Skin												
Melanomas of the skin	7,297	19.8	0.24	7,430	20.1	0.24	6,358	16.0	0.21	6,467	16.3	0.21
Breast (female cases only)	-	-	-	-	-	-	47,037	115.4	0.54	47,274	116.0	0.55
Female Genital												
Cervix uteri	-	-	-	-	-	-	2,660	7.5	0.15	2,692	7.6	0.15
Corpus & uterus, NOS ²	-	-	-	-	-	-	10,798	25.4	0.25	10,865	25.5	0.25
Ovary	-	-	-	-	-	-	4,607	11.3	0.17	4,682	11.5	0.17
Male Genital												
Prostate	42,070	107.5	0.54	42,369	108.3	0.54	-	-	-	-	-	-
Testis	2,044	6.1	0.14	2,057	6.1	0.14	-	-	-	-	-	-
Urinary												
Bladder (incl. <i>in situ</i>)	13,067	36.6	0.33	13,283	37.3	0.33	4,060	9.5	0.15	4,124	9.7	0.15
Kidney & renal pelvis	7,380	19.4	0.23	7,610	20.0	0.24	4,041	9.8	0.16	4,164	10.1	0.16
Brain & Other Nervous System	2,764	7.6	0.15	2,826	7.8	0.15	1,969	5.2	0.12	2,012	5.3	0.12
Endocrine												
Thyroid gland	2,123	5.8	0.13	2,145	5.8	0.13	5,820	16.0	0.21	5,880	16.2	0.22
Lymphomas												
Hodgkin Lymphoma	953	2.8	0.09	959	2.8	0.09	714	2.1	0.08	719	2.1	0.08
Non-Hodgkin Lymphoma	8,314	22.8	0.26	8,395	23.0	0.26	6,664	16.1	0.20	6,729	16.3	0.20
Multiple Myeloma	2,657	7.2	0.14	2,716	7.3	0.15	1,924	4.6	0.11	1,968	4.7	0.11
Leukemias	6,417	17.9	0.23	6,766	18.9	0.24	4,179	10.5	0.17	4,408	11.1	0.18

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ NAACCR Canadian Combined includes registries for which a Canada average delay adjustment factor was calculated. See technical notes.

² Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined², 2011-2015, All Races, Males**

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Bladder			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR Canadian Combined																		
Observed	177,735	477.2	1.16	42,070	107.5	0.54	25,480	68.9	0.44	23,552	64.4	0.43	13,067	36.6	0.33	8,314	22.8	0.26
Delay Adjusted	179,606	482.3	1.17	42,369	108.3	0.54	25,728	69.6	0.45	23,820	65.2	0.43	13,283	37.3	0.33	8,395	23.0	0.26
Alberta																		
Observed	44,364	478.3	2.36	11,374	117.7	1.15	5,759	63.1	0.86	5,199	59.9	0.86	3,214	37.6	0.69	2,080	22.6	0.51
Delay Adjusted	44,804	483.3	2.39	11,467	118.8	1.16	5,788	63.5	0.87	5,247	60.5	0.87	3,248	38.0	0.69	2,093	22.8	0.52
British Columbia																		
Observed	62,918	449.6	1.83	14,989	102.2	0.85	8,947	64.1	0.69	7,843	56.1	0.64	4,963	36.4	0.53	2,993	22.0	0.41
Delay Adjusted	63,649	454.8	1.85	15,026	102.4	0.85	9,078	65.1	0.70	7,947	56.8	0.65	5,109	37.5	0.54	3,029	22.2	0.41
Manitoba																		
Observed	16,147	480.4	3.86	3,372	97.0	1.70	2,384	71.5	1.49	2,214	66.4	1.44	1,054	32.1	1.01	799	23.9	0.86
Delay Adjusted	16,285	484.7	3.89	3,437	98.9	1.74	2,396	71.9	1.50	2,232	67.0	1.45	1,059	32.2	1.01	810	24.3	0.88
New Brunswick																		
Observed	12,463	512.3	4.74	2,848	106.8	2.06	1,647	68.1	1.73	2,097	87.6	1.97	942	40.0	1.34	578	24.9	1.07
Delay Adjusted	12,644	519.9	4.81	2,899	108.8	2.10	1,660	68.6	1.75	2,130	89.1	2.00	951	40.4	1.35	584	25.1	1.08
Newfoundland and Labrador																		
Observed	9,129	534.0	5.87	2,148	113.7	2.56	1,691	100.6	2.56	1,371	81.4	2.30	581	36.0	1.57	386	22.9	1.22
Delay Adjusted	9,196	537.9	5.91	2,155	114.1	2.56	1,704	101.4	2.58	1,385	82.3	2.33	585	36.3	1.58	392	23.2	1.24
Northwest Territories																		
Observed	351	457.8	28.51	54	72.7	11.33	71	96.9	13.32	53	84.2	13.09	10	10.8	3.75	15	14.4	4.14
Delay Adjusted	365	476.5	29.69	55	73.9	11.54	73	99.1	13.62	54	85.1	13.23	10	10.9	3.80	15	14.6	4.19
Nova Scotia																		
Observed	15,915	536.4	4.39	3,329	104.9	1.87	2,335	78.9	1.68	2,546	86.1	1.75	1,113	38.5	1.18	757	26.7	1.01
Delay Adjusted	16,128	543.5	4.45	3,354	105.7	1.88	2,357	79.6	1.70	2,582	87.3	1.78	1,126	39.0	1.20	763	26.9	1.01
Prince Edward Island																		
Observed	2,386	534.7	11.35	562	116.3	5.08	343	77.5	4.32	345	77.5	4.31	163	37.6	3.04	100	22.9	2.37
Delay Adjusted	2,412	540.5	11.47	571	118.3	5.17	344	77.6	4.34	348	78.2	4.35	165	38.1	3.08	102	23.2	2.41
Saskatchewan																		
Observed	14,062	468.7	4.02	3,394	108.8	1.90	2,303	76.8	1.63	1,884	63.9	1.49	1,027	35.3	1.12	606	20.7	0.86
Delay Adjusted	14,124	470.8	4.04	3,406	109.2	1.91	2,328	77.7	1.65	1,897	64.3	1.50	1,030	35.4	1.12	608	20.7	0.86

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

**Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates¹ for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined², 2011-2015, All Races, Females**

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS ³			Non-Hodgkin Lymphoma		
	Count	Rate	S.E. ³	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
NAACCR Canadian Combined																		
Observed	166,905	406.4	1.02	47,037	115.4	0.54	22,848	54.1	0.36	20,168	47.8	0.34	10,798	25.4	0.25	6,664	16.1	0.20
Delay Adjusted	168,618	410.5	1.03	47,274	116.0	0.55	23,107	54.7	0.37	20,363	48.3	0.35	10,865	25.5	0.25	6,729	16.3	0.20
Alberta																		
Observed	41,439	403.4	2.01	12,202	118.2	1.09	5,277	52.5	0.73	4,443	43.4	0.66	2,803	26.1	0.50	1,593	15.6	0.40
Delay Adjusted	41,836	407.4	2.03	12,240	118.6	1.09	5,325	53.0	0.74	4,466	43.6	0.66	2,812	26.2	0.50	1,603	15.7	0.40
British Columbia																		
Observed	58,906	388.8	1.64	17,039	113.9	0.89	7,975	50.5	0.57	7,181	45.7	0.55	3,699	23.6	0.40	2,425	15.8	0.33
Delay Adjusted	59,588	393.3	1.66	17,179	114.8	0.90	8,083	51.1	0.58	7,285	46.4	0.56	3,738	23.9	0.40	2,454	16.0	0.33
Manitoba																		
Observed	16,222	423.7	3.41	4,328	114.9	1.79	2,354	59.4	1.24	1,860	46.8	1.11	1,248	32.4	0.93	634	16.2	0.66
Delay Adjusted	16,351	426.9	3.43	4,334	115.0	1.79	2,373	59.9	1.26	1,869	47.0	1.12	1,252	32.5	0.94	643	16.4	0.67
New Brunswick																		
Observed	11,130	411.7	4.04	2,907	107.9	2.07	1,667	58.5	1.46	1,297	45.8	1.30	669	23.6	0.93	481	17.8	0.84
Delay Adjusted	11,287	417.3	4.09	2,924	108.5	2.08	1,692	59.4	1.48	1,307	46.2	1.31	673	23.7	0.94	486	18.0	0.85
Newfoundland and Labrador																		
Observed	8,290	454.1	5.15	2,200	119.0	2.62	972	50.7	1.66	1,300	70.1	1.99	545	28.5	1.26	315	17.1	1.00
Delay Adjusted	8,349	457.2	5.19	2,207	119.4	2.63	982	51.2	1.68	1,310	70.6	2.01	548	28.6	1.26	320	17.4	1.02
Northwest Territories																		
Observed	349	427.0	25.20	112	128.5	13.28	39	59.6	10.38	60	77.0	11.00	20	22.1	5.44	10	10.9	3.72
Delay Adjusted	363	444.6	26.27	113	129.4	13.38	39	60.3	10.50	61	78.9	11.27	20	22.1	5.45	10	11.1	3.81
Nova Scotia																		
Observed	15,134	446.3	3.76	3,897	116.6	1.94	2,367	66.0	1.38	1,975	55.8	1.29	887	24.8	0.86	589	17.2	0.73
Delay Adjusted	15,331	451.9	3.80	3,918	117.2	1.95	2,400	66.9	1.40	1,993	56.3	1.30	891	24.9	0.86	593	17.3	0.74
Prince Edward Island																		
Observed	2,156	418.1	9.30	599	115.1	4.86	317	58.8	3.35	297	56.7	3.37	112	21.5	2.11	76	15.0	1.78
Delay Adjusted	2,179	422.5	9.40	600	115.3	4.86	320	59.3	3.38	298	56.8	3.38	112	21.6	2.11	77	15.2	1.80
Saskatchewan																		
Observed	13,279	401.0	3.58	3,753	115.9	1.95	1,880	55.4	1.30	1,755	50.9	1.25	815	24.3	0.87	541	16.0	0.71
Delay Adjusted	13,332	402.5	3.60	3,760	116.1	1.95	1,893	55.8	1.31	1,774	51.4	1.26	818	24.4	0.87	543	16.1	0.71

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

² See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.

³ Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

[^] There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.

NAACCR North American Combined Delay Adjusted Incidence 2011-2015, All Races Combined



**Average Annual Age-adjusted Cancer Incidence Delay Adjusted Counts and Rates*, Selected Sites
NAACCR North American Combined¹, 2011-2015, All Races**

SITES	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.	Count	Rate	S.E.
All Sites (invasive & in situ bladder)	4,108,100	483.7	0.24	4,193,098	493.7	0.25	4,025,667	411.5	0.21	4,109,102	420.0	0.21
Oral Cavity & Pharynx	155,002	17.5	0.05	158,241	17.8	0.05	63,345	6.4	0.03	64,624	6.5	0.03
Digestive												
Esophagus	68,097	7.9	0.03	68,899	8.0	0.03	18,395	1.8	0.01	18,605	1.8	0.01
Stomach	76,139	9.2	0.03	77,052	9.3	0.03	46,150	4.6	0.02	46,702	4.7	0.02
Colon & Rectum	387,398	46.3	0.08	392,909	47.0	0.08	350,192	34.9	0.06	355,137	35.4	0.06
Liver & IBD ²	111,765	12.3	0.04	114,291	12.5	0.04	43,907	4.3	0.02	44,896	4.4	0.02
Pancreas	119,893	14.3	0.04	121,414	14.5	0.04	113,907	11.1	0.03	115,322	11.2	0.03
Respiratory												
Larynx	50,862	5.8	0.03	51,617	5.9	0.03	12,989	1.3	0.01	13,180	1.3	0.01
Lung & bronchus	585,690	70.3	0.09	593,052	71.2	0.10	527,461	51.9	0.07	534,135	52.5	0.07
Skin												
Melanomas of the skin	222,287	26.9	0.06	228,211	27.6	0.06	156,398	16.7	0.04	160,396	17.1	0.04
Breast (female cases only)	-	-	-	-	-	-	1,201,579	124.1	0.12	1,219,955	126.0	0.12
Female Genital												
Cervix uteri	-	-	-	-	-	-	64,923	7.6	0.03	65,870	7.7	0.03
Corpus & uterus, NOS ²	-	-	-	-	-	-	265,721	26.2	0.05	268,489	26.5	0.05
Ovary	-	-	-	-	-	-	110,192	11.3	0.03	112,920	11.6	0.04
Male Genital												
Prostate	987,315	109.6	0.11	1,016,932	112.9	0.12	-	-	-	-	-	-
Testis	43,624	5.6	0.03	44,222	5.7	0.03	-	-	-	-	-	-
Urinary												
Bladder (incl. <i>in situ</i>)	283,845	35.3	0.07	289,652	36.0	0.07	89,971	8.7	0.03	91,788	8.9	0.03
Kidney & renal pelvis	188,434	21.9	0.05	192,849	22.5	0.05	110,631	11.3	0.03	113,209	11.5	0.04
Brain & Other Nervous System	63,431	7.7	0.03	64,908	7.8	0.03	50,578	5.5	0.03	51,739	5.6	0.03
Endocrine												
Thyroid gland	60,702	7.2	0.03	61,616	7.3	0.03	184,364	21.4	0.05	187,167	21.7	0.05
Lymphomas												
Hodgkin Lymphoma	24,297	3.0	0.02	24,692	3.1	0.02	19,367	2.3	0.02	19,677	2.3	0.02
Non-Hodgkin Lymphoma	187,910	22.8	0.05	192,944	23.4	0.06	154,959	15.7	0.04	159,106	16.1	0.04
Multiple Myeloma	67,994	8.2	0.03	72,826	8.7	0.03	53,955	5.3	0.02	57,807	5.7	0.03
Leukemias	141,252	17.4	0.05	153,691	18.9	0.05	101,635	10.6	0.03	110,459	11.4	0.04

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age standard.

- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ NAACCR North American Combined includes registries for which a U.S. and Canada average delay adjustment factor was calculated. See technical notes.

² Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see <https://surveillance.cancer.gov/delay/>.