


Cancer in North America: 2011-2015

Volume Three: Registry-specific Cancer Mortality in the United States and Canada



North American Association of Central Cancer Registries, Inc.



EXECUTIVE SUMMARY

Members of the North American Association of Central Cancer Registries, Inc. (NAACCR) participate voluntarily in an annual call for data to develop a multi-registry, aggregated data resource for cancer surveillance and research. In June of 2018, NAACCR released the four volume monograph, *Cancer in North America (CiNA): 2011-2015*. This release of cancer incidence statistics for the United States is the 28th publication in the series and the 26th release that includes statistics for both Canada and the United States.

This year's publication includes cancer incidence data for all 50 U.S. states, the District of Columbia, Puerto Rico, and for 12 Canadian provinces and territories. We also report data by 5 regions: California (excluding the Greater Bay area and Los Angeles), and 4 SEER urban registries (Detroit, Los Angeles, San Francisco-Oakland, and Seattle). CiNA includes registry-specific data on stage at diagnosis, survival and delay adjusted estimates of counts and age-adjusted rates for selected cancers. These delay adjustment figures provide a projection of the likely volume of tardy reports of cancer for the time period and is recommended for use in assessing current cancer incidence trends.

Volume One presents the aggregated cancer incidence data, including pediatric cancer and cancer by stage at diagnosis, representing North America including data from the high quality registries in the United States and Canada. Age-adjusted cancer incidence rates for the Canadian and United States populations are provided standardized to the 2000 US, 2011 Canadian, and the world population standards. Combined United States and Canadian data are presented by race and for Hispanic/Latino ethnicity in Volume One. Volume Two contains registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR members submitting data for inclusion in the monograph. Volume Three presents the registry-specific cancer death rates by cancer site, sex, race, and ethnicity. Volume Four provides cancer survival data for the US and Canada from 56 registries on more than 9 million cases diagnosed among North Americans between 2008 and 2014. All four volumes are available free of charge from the NAACCR website, along with population data, supporting appendices, and cancer rates age-adjusted to the US, Canadian and World population standards.

Note that this publication utilizes population estimates that are based upon the United States 2010 and Canada 2011 censuses.

In addition to publication of cancer statistics for the most recent five-year period, the CiNA data resource is used to create the CiNA+ *Online* database and NAACCR FastStats (graphic and tables by cancer sites, race/sex, race/ethnicity, age at diagnosis, sex, registry, and data type) for public queries regarding cancer incidence for the most recent five years. The CiNA data are also used to develop a discretionary research data set (*CiNA Deluxe*), including data from 1995 to 2015, to facilitate analytic studies conducted by epidemiologists and other qualified researchers. The data within this report are also available as an electronic reproduction of all cancer statistics reported in the CiNA monograph for use in SAS analytic software and in SEER*Stat software for approved uses by NAACCR members. These preeminent cancer data resources are unparalleled in geographic scope, timeliness of statistics, and assurance of standardization of information and data quality across all contributors, with standard data quality metrics reported for all contributors. Additional information about CiNA Research Data can be found on-line: <https://www.naacccr.org/cina-data-products-overview/>.

We hope that *Cancer in North America: 2011-2015*, with the companion CiNA products and resources, facilitate studies of cancer burden, so that we are better able to identify and understand appropriate and important measures to control the myriad diseases within the cancer rubric. The cancer surveillance infrastructure in the U.S. and Canada has been orchestrated to meet these objectives.

This publication is made possible by the continuing efforts of the NAACCR member registries. High quality standardized cancer incidence data aggregated across the states, provinces, territories, and regions in North America is made possible by the dedication of our members to cancer surveillance.

The Editors would like to acknowledge the fine work and support of the National Cancer Institute, the National Center for Health Statistics and Statistics Canada for their assistance in developing this publication.

The Editors
June 2018

CANCER IN NORTH AMERICA: 2011-2015

VOLUME THREE: REGISTRY-SPECIFIC CANCER MORTALITY IN THE UNITED STATES AND CANADA

**A Publication of the North American Association of Central Cancer Registries, Inc.
(NAACCR)**

Editors:

Glenn Copeland, Michigan Cancer Surveillance Program
Don Green, Information Management Services, Inc.
Rick Firth, Information Management Services, Inc.
Brad Wohler, Florida Cancer Data System
Xiao-Cheng Wu, Louisiana Tumor Registry
Maria J. Schymura, New York State Cancer Registry
Prithwish De, Ontario Cancer Registry at Cancer Care Ontario
Jim Hofferkamp, NAACCR, Inc.
Recinda Sherman, NAACCR Inc.
Betsy Kohler, NAACCR, Inc.



June 2018

The Editorial Subcommittee of the NAACCR Standing Committee, Data Use and Research Committee publishes this monograph. We are grateful to the National Cancer Institute, National Institutes of Health (NCI/NIH) for providing support for the production under Contract No. HHSN261200444001C/ADB Contract No. PC-44401. We acknowledge partial support of NAACCR staff by cooperative agreement U75/CCU52346-05 from the Centers for Disease Control and Prevention (CDC) and by the NCI/NIH Contract No. HHSN261200444001C/ADB Contract No. PC-44401. Its contents are solely the responsibility of the editors and do not necessarily represent the official view of CDC.

NAACCR 2011-2015



SUGGESTED CITATION:

Copeland G, Green D, Firth R, Wohler B, Wu XC, Schymura M, De P, Hofferkamp J, Sherman R, Kohler B (eds). *Cancer In North America, 2011-2015. Volume Three: Registry-specific Cancer Mortality in the United States and Canada*. Springfield, IL: North American Association of Central Cancer Registries, Inc. June 2018.

TABLE OF CONTENTS

SECTION I: Introduction and Technical Notes I-1

**SECTION II: Average-annual Registry-specific Cancer Death Rates by Race and Sex,
Age-adjusted to the 2000 U.S. and World Population Standards**

UNITED STATES REGISTRIES

Alabama	II-1
Alaska.....	II-5
Arizona.....	II-9
Arkansas.....	II-13
California.....	II-17
CA: Greater California	II-21
CA: Greater Bay Area.....	II-25
CA: Los Angeles	II-29
Colorado.....	II-33
Connecticut	II-37
Delaware	II-41
District of Columbia.....	II-45
Florida.....	II-49
Georgia.....	II-53
Hawaii.....	II-57
Idaho.....	II-61
Illinois	II-65
Indiana.....	II-69
Iowa.....	II-73
Kansas	II-77
Kentucky	II-81
Louisiana.....	II-85
Maine	II-89
Maryland	II-93
Massachusetts.....	II-97
Michigan	II-101
MI: Metropolitan Detroit.....	II-105
Minnesota.....	II-109
Mississippi.....	II-113
Missouri	II-117
Montana	II-121
Nebraska.....	II-125
Nevada	II-129
New Hampshire.....	II-133
New Jersey	II-137
New Mexico.....	II-141
New York.....	II-145
North Carolina.....	II-149

Contents

North Dakota	II-153
Ohio	II-157
Oklahoma.....	II-161
Oregon	II-165
Pennsylvania.....	II-169
Rhode Island.....	II-173
South Carolina	II-177
South Dakota	II-181
Tennessee	II-185
Texas.....	II-189
Utah	II-193
Vermont	II-197
Virginia.....	II-201
Washington.....	II-205
WA: Seattle/Puget Sound	II-209
West Virginia.....	II-213
Wisconsin	II-217
Wyoming	II-221
U.S. TERRITORIES	
Puerto Rico	II-225
 CANADIAN REGISTRIES	
Alberta	II-226
British Columbia.....	II-227
Manitoba.....	II-228
New Brunswick	II-229
Newfoundland and Labrador	II-230
Northwest Territories.....	II-231
Nova Scotia.....	II-232
Nunavut	II-233
Ontario.....	II-234
Prince Edward Island.....	II-235
Quebec.....	II-236
Saskatchewan.....	II-237
Yukon	II-238

SECTION III: Average-annual Registry-specific Cancer Death Rates by Sex, Age-adjusted to the 2011 Canadian and World Population Standards

UNITED STATES REGISTRIES	
Alabama.....	III-1
Alaska	III-2
Arizona	III-3
Arkansas	III-4
California.....	III-5
CA: Greater California	III-6
CA: Greater Bay Area	III-7
CA: Los Angeles	III-8

Contents

Colorado	III-9
Connecticut	III-10
Delaware	III-11
District of Columbia	III-12
Florida	III-13
Georgia	III-14
Hawaii	III-15
Idaho	III-16
Illinois	III-17
Indiana	III-18
Iowa	III-19
Kansas	III-20
Kentucky	III-21
Louisiana	III-22
Maine	III-23
Maryland	III-24
Massachusetts	III-25
Michigan	III-26
MI: Metropolitan Detroit	III-27
Minnesota	III-28
Mississippi	III-29
Missouri	III-30
Montana	III-31
Nebraska	III-32
Nevada	III-33
New Hampshire	III-34
New Jersey	III-35
New Mexico	III-36
New York	III-37
North Carolina	III-38
North Dakota	III-39
Ohio	III-40
Oklahoma	III-41
Oregon	III-42
Pennsylvania	III-43
Rhode Island	III-44
South Carolina	III-45
South Dakota	III-46
Tennessee	III-47
Texas	III-48
Utah	III-49
Vermont	III-50
Virginia	III-51
Washington	III-52
WA: Seattle/Puget Sound	III-53
West Virginia	III-54

Contents

Wisconsin	III-55
Wyoming	III-56
U.S. TERRITORIES	
Puerto Rico	III-57
 CANADIAN REGISTRIES	
Alberta	III-58
British Columbia.....	III-59
Manitoba.....	III-60
New Brunswick	III-61
Newfoundland and Labrador	III-62
Northwest Territories.....	III-63
Nova Scotia.....	III-64
Nunavut	III-65
Ontario.....	III-66
Prince Edward Island.....	III-67
Quebec.....	III-68
Saskatchewan.....	III-69
Yukon	III-70

SECTION IV: Cancer Mortality for the United States and Canada

United States	
All Races (2000 U.S. and World populations).....	IV-1
All Races (2011 Canadian and World populations).....	IV-2
Comparison of Selected Site-Specific Death Rates by Registry,	
All Races, Males (2000 U.S. population).....	IV-3
All Races, Males (World population)	IV-5
All Races, Females (2000 U.S. population).....	IV-7
All Races, Females (World population).....	IV-9
White (2000 U.S. and World populations).....	IV-12
Comparison of Selected Site-Specific Death Rates by Registry,	
White, Males (2000 U.S. population)	IV-13
White, Males (World population)	IV-15
White, Females (2000 U.S. population).....	IV-17
White, Females (World population).....	IV-19
Black (2000 U.S. and World populations)	IV-22
Comparison of Selected Site	
Black, Males (2000 U.S. population).....	IV-23
Black, Males (World population).....	IV-25
Black, Females (2000 U.S. population)	IV-27
Black, Females (World population)	IV-29
Asian/Pacific Islander (2000 U.S. and World populations)	IV-32
Comparison of Selected Site-Specific Death Rates by Registry,	
Asian/Pacific Islander, Males (2000 U.S. population).....	IV-33
Asian/Pacific Islander, Males (World population).....	IV-35
Asian/Pacific Islander, Females (2000 U.S. population).....	IV-37
Asian/Pacific Islander, Females (World population)	IV-39

Contents

American Indian/Alaska Native (2000 U.S. and World populations).....	IV-42
Hispanic (2000 U.S. and World populations).....	IV-43
Non-Hispanic (2000 U.S. and World populations).....	IV-44

Canada

All Races (2000 U.S. and World populations)	IV-45
All Races (2011 Canadian and World Populations)	IV-46
Comparison of Selected Site-Specific Death Rates by Registry,	
All Races, Males (2000 U.S. population)	IV-47
All Races, Males (2011 Canadian population)	IV-48
All Races, Females (2000 U.S. population).....	IV-49
All Races, Females (2011 Canadian population).....	IV-50

All Appendices are available on the NAACCR website:

<https://www.naacr.org/cancer-in-north-america-cina-volumes/#Appendices>



Section I

Introduction and Technical Notes



Cancer in North America: 2011-2015

INTRODUCTION

The North American Association of Central Cancer Registries, Inc. (NAACCR) is a professional organization that develops and promotes uniform data standards for cancer registration; provides education and training; certifies population based registries; aggregates and publishes data from central cancer registries; and promotes the use of cancer surveillance data and systems for cancer control and epidemiologic research, public health programs, and patient care to reduce the burden of cancer in North America. NAACCR annually produces this statistical monograph on cancer in North America to provide cancer incidence and mortality statistics for the United States, Canada, and North America.

This year marks the 28th annual release of the series of Cancer in North America (CiNA) monographs. The 2018 monograph includes data from 69 central population-based registries: 57 from the United States (50 states, the District of Columbia, and Puerto Rico, plus 5 regions (California--excluding the Greater Bay area and Los Angeles and 4 metropolitan areas) and 12 from Canada (9 provinces and 3 territories).

The submitted data reflect nearly 100% population coverage of Canada and the United States. Combined, five-year average annual incidence statistics for the United States, for Canada and for North America are created from registries that met or exceeded the NAACCR standards of “fitness for use” in aggregated incidence data for all years, 2011-2015.

Volume One presents the combined U.S. and Canadian statistics for cancer incidence rates across North America. The combined statistics presented in Volume One reflect 97.4% of the U.S. population (47 states and the Puerto Rico) and includes statistics from the 9 Canadian registries that met the CiNA inclusion requirements, reflecting 38.1% of the Canadian population.

NAACCR issues an annual call for data to member registries to create the CiNA monograph and other useful CiNA products for data analyses and cancer incidence information (e.g., CiNA+ Online, NAACCR FastStats, CiNA in SEER*Stat, CiNA Plus in SEER*Stat, CiNA Monograph data in SAS Data set and CiNA Deluxe). For more information on these products and the process for gaining access to them, please visit www.naaccr.org and select *Cancer in North America CiNA Data Products* under the *Research & Analytic Tools* tab.

This monograph is a testament to the continuing commitment by population-based cancer registries throughout the United States and Canada. The efforts of the NAACCR membership to collect timely, complete, and accurate data make this publication possible. An Editorial Board of member volunteers, with support from NAACCR staff and staff from Information Management Services, takes on the responsibility to oversee the call for data, evaluate all submissions, and make all editorial decisions in production of the monograph. The objective of this work is to provide timely and useful information on cancer incidence and mortality for all geographic areas and race/ethnic groups in the United States and Canada.

The publication includes U.S. cancer incidence and mortality for white, black, Hispanic/Latino and Asian/Pacific Islander as combined and registry specific rates and American Indian and Alaskan Native populations presented for U.S. counties located in Indian Health Service Contract Health Service Delivery Areas (CHSDA) of the United States (excepting only for Kansas and Minnesota).

The 2011-2015 Cancer Incidence in North America monograph, registry specific delay adjusted rates are provided to adjust for reporting delay. Each year, registries submit cases approximately two years after the close of a calendar year (e.g. cases for 2015 were first submitted in the December 2017 NAACCR Call For Data submission). These case counts are then revised in each subsequent submission. Delay adjusted rates represent the observed rate adjusted to estimate what will be the “eventual” case count, providing more accurate trends and levels of incidence rates.

Starting in 2015, a joint effort by NCI, CDC, and the North American Association of Central Cancer Registries (NAACCR) was mounted to develop a unified approach for estimating and reporting delay-adjusted rates across all of the U.S. and Canada. The delay-adjusted rates for NAACCR registries, including SEER registries reported in the Cancer Statistics Review, is based on the data submitted to the North American Association of Central Cancer Registries (NAACCR). Statistical models to estimate delay are estimated for each registry by age (<50, 50-69, 70+), gender (male and female) and race/ethnicity (all races combined, white, black, API, AIAN CHSDA region, Hispanic, non-Hispanic white and non-Hispanic black), and delay time (for the 2017 submission a delay of 2 years for diagnosis year 2015, 3 years for diagnosis year 2014, etc.) While the statistical models estimate reporting delay registry by age, race, gender, and delay time, delay adjusted rates for any grouping is done in SEER*Stat by weighting each group appropriately.

For the second year, an improved statistical model has been used with the goal of producing more stable estimates. The details of the new modeling are available in the [Development of the Delay Model](http://www-surveillance.cancer.gov/delay/) of the website <http://www-surveillance.cancer.gov/delay/>.

For some registries, there were insufficient historical data available to calculate registry specific delay factors. In order to calculate delay adjusted national statistics, delay factors were applied to registries with missing data using an average of the U.S. or Canadian delay factors.

CONTENTS OF THE CiNA MONOGRAPH

This year the CiNA monograph is comprised of four volumes as described below. Rates are presented as average-annual, age-adjusted rates using three different standard million populations: the 2000 U.S. (Census P25-1130), the 2011 Canadian, and the World (WHO 2000-2025) standard populations. We believe that presenting cancer rates adjusted to all three standards enhances the meaning and utility of the rates for users in the United States, Canada, and international settings. Recent volumes of the CiNA publication, including sections containing incidence rates standardized to the World Standard, and the population counts used in the calculation of cancer rates are available for download on the NAACCR website, <https://www.naacr.org/cancer-in-north-america-cina-volumes/>.

Volume One, Combined Cancer Incidence for the United States, Canada, and North America presents cancer incidence data that have been combined to create five-year, average-annual data for cancers occurring in all persons and for children, aged 0 to 14 and 0 to 19. Registries submitting the data must meet the NAACCR criteria of high quality incidence data indicating that the data are fit for use at the time of data submission. The criteria for the standard are described in detail below in the Data Quality Indicator section. In the United States, cancer counts and incidence rates are presented for all races combined, black, white, Asian/Pacific Islander, American Indian/Alaskan Native, and for Hispanic/Latino, non-Hispanic white, non-Hispanic black populations.

It should be noted that cancer incidence data for two of the largest provinces in Canada, Ontario and Quebec, are not included in Volume One. Ontario submitted data that did not meet NAACCR standards for the December 2017 data, while Quebec did not complete a data submission for the year. These two provinces represent over 60% of new cancer cases in Canada. As a result, the statistics for Canada should be interpreted with this in mind.

Volume One is comprised of four data sections:

Section two includes the five most common types of cancer by sex in North America, the United States and Canada based on the combined United States and the combined Canadian data. The section also includes the top five most common types of cancer by sex, race and ethnicity in the United States based on the combined United States data.

Section three provides cancer incidence rates for the United States, Canada and North America. The rates for the United States are presented for all races combined, white, black, Asian or Pacific Islander, American Indian/Alaska Native, Hispanic, non-Hispanic white and non-Hispanic black populations for all ages combined. The rates for Canada and North America are presented for all races combined and for all ages combined. Also included in section three are tables of cancer rates for children, aged 0-14 and 0-19 for the United States, Canada

and North America. As with the tables for all ages, the pediatric tables are presented by race and ethnicity for the United States and for all races combined for Canada and North America.

Section four contains the frequency counts, percent distribution and age-adjusted rates of cancer by derived summary stage at diagnosis (derived from and following the Collaborative Stage staging system) for female breast, and for prostate, lung, uterine cervix and colorectal cancers. Combined United States data are provided for white, black, Asian or Pacific Islander, and American Indian/Alaska Native populations with American Indian/Alaska Native data limited to Contract Health Service Delivery Areas counties. In addition, combined United States data, combined Canadian data and combined North America data are provided for all races combined. U.S. data are also provided by Hispanic ethnicity.

Section five provides cancer counts and rates for the time period 2011-2015 that are “delay-adjusted.” This adjustment is done to estimate the number of incident cancer cases that were diagnosed in the time period but whose reporting to a central registry is delayed. These estimates are derived from historic patterns of reporting lag adjusted by various factors including cancer type, sex, age and race/ethnicity. A U.S. average and a Canadian average delay factor was calculated and applied to these excluded registries to assure the combined delay-adjusted data are consistent with the incidence rates otherwise presented in Volume One. For more information on the importance of this methodology see the articles by Clegg, Midthune and Zou listed in the references at the end of this section or visit <http://surveillance.cancer.gov/delay/>.

Volume Two, Registry-specific Cancer Incidence in the United States and Canada presents cancer incidence data for NAACCR-member, population-based central cancer registries in Canada and the United States that have agreed to participate in the CiNA monograph. Five-year averages of data are presented for the years 2011 to 2015.

Each set of data tables includes demographic and data quality information and registry descriptions to help interpret the statistics reported. The 2018 publication includes registry specific data on stage at diagnosis for female breast, lung, colon and rectum, prostate and uterine cervix cases for all registries submitting stage data for 2011 through 2015. In the United States, cancer incidence rates are calculated for the following race/ethnic populations: all races combined, white, black, Asian or Pacific Islander, American Indian/Alaskan Native for CHSDA counties, Hispanic/Latino (all races), non-Hispanic white, and non-Hispanic black. Race and ethnicity information is not collected in Canada, and thus is not presented.

Volume Three, Registry-specific Cancer Mortality in the United States and Canada presents cancer mortality data for all geographic areas in the United States and Canada.

Volume Four, Cancer Survival Rates in the United States and Canada includes data from 56 registries, 46 U.S. registries (41 states and 5 regions) and 10 Canadian registries (9 provinces and 1 territory) on more than 9 million cases diagnosed among North Americans between 2008 and 2014. Note, while one of Canada’s biggest provinces, Ontario, was not included in Volume One, it was eligible for inclusion in the survival data. Also, since Quebec, Canada’s second largest province, did not submit data, they did not contribute to the survival statistics.

Volume Four is comprised of two data sections:

Section two includes counts, relative survival ratios and confidence intervals for the United States, Canada and North America combined. These statistics are presented for all races by sex and select cancer sites. The tables for each cancer site present statistics by a total, stage and specific age groups for each region. In the United States combined, survival statistics by white and black race are also presented.

Section three includes counts, relative survival ratios and confidence intervals by registry, sex and select cancer sites. Survival statistics are available for the United States and Canadian registries by all races and for the United States registries by white and black race.

SOURCES OF DATA

Cancer Incidence. A cancer registry must be population-based and a NAACCR member in good standing to be included in NAACCR data publications. All cancer registries in the United States and Canada are NAACCR members, including the three territories in Canada and three U.S. territories. An annual request is sent to all members to submit voluntarily a data file for use in CiNA, CiNA research and data information products, the U.S. *Annual Report to the Nation*, and the American Cancer Society's *Cancer Facts and Figures* annual publication. All NAACCR member registries receive support from the state, province or territory. In the U.S., they also participate in the National Cancer Institute's Surveillance, Epidemiology, and End Results (SEER) Program or the Centers for Disease Control and Prevention's National Program of Cancer Registries (NPCR) or both. In Canada, all registries submit data to the Canadian Cancer Registry maintained by Statistics Canada.

Mortality Data. Mortality data for 2011 to 2015 for United States and Puerto Rico were obtained from the National Center for Health Statistics (NCHS) of the Centers for Disease Control and Prevention (CDC), as provided to the National Cancer Institute (NCI). The Canadian mortality data for 2011 to 2015 were provided by Statistics Canada. These data are available from Statistics Canada's Vital Statistics – Death Database (<http://www23.statcan.gc.ca/imdb/p2SV.pl?Function=getSurvey&SDDS=3233>).

Population Estimates. To assist the reader, population estimates by age, sex, and race/ethnicity (where relevant) used in the calculation of rates in the monograph are available for each central registry, the United States and Canada. These data are available online on the NAACCR website at <https://www.naacr.org/cancer-in-north-america-cina-volumes/>.

Population estimates for 2011 through 2015 for the United States, individual states, and SEER metropolitan areas were obtained from the SEER program. These estimates were based on United States Census Bureau population estimates for these years and represent a modification of the annual time series population estimates produced by the Population Estimates Program of the Census Bureau with support from the NCI. The population estimates incorporate bridged, single race estimates that are derived from the original multiple race categories in the 2010 Census. These bridged estimates are consistent with the four race groups enumerated in the 1990 Census and were produced under a collaborative arrangement between the National Center for Health Statistics (NCHS) and the Census Bureau. The methodology implemented by the Census Bureau to develop these county estimates is comparable to that used to produce national and state 1990-2000 intercensal estimates and is described on the Census Bureau's website (National Center for Health Statistics 2003). In 2007, the U.S. Census revised their methodology for population estimation. This revision impacts all population denominators for 2011 to 2015. The main effect of this approach was on specific age groups, particularly, two of the oldest age groups, ages 65-74 and 75 and older. In many states, the new method results in a larger increase in the younger age category and fewer in the older age category than estimated in previous years. Subsequently, this revision contributed to a larger decrease in age-adjusted cancer mortality rates in some states than what was expected based on statistics from last year.

The NCI modifies the Census data for the population estimates for the state of Hawaii. The Epidemiology Program of the Hawaii Cancer Research Center has developed its own set of population estimates, based on sample survey data collected by the Hawaii Department of Health. This effort grew out of a concern that the native Hawaiian population had been vastly undercounted in previous censuses. The "Hawaii adjustment" to the Census Bureau estimates has the net result of reducing the estimated white population and increasing the Asian and Pacific Islander population for the state. The Census Bureau estimates for the total population, black population, and American Indian and Alaska Native populations in Hawaii are unaffected. Refer to the SEER *Cancer Statistics Review, 1975-2006* and its methodologies for specific documentation regarding modifications made by the NCI to the Census Bureau estimates (Horner 2009).

For **Canada**, Statistics Canada provided the estimates of the Canadian population for all Canadian provinces and territories, adjusted for census net under coverage (<http://www5.statcan.gc.ca/cansim/a26?lang=eng&retrLang=eng&id=0510001&pattern=population+estimates&tabMode=dataTable&srchLan=-1&p1=1&p2=-1>).

CANCER SITE CODING, 2011-2015

Incidence Data. All cancer registries use the International Classification of Diseases for Oncology, third edition (ICD-O-3) to code the anatomic site and morphology. Cancer incidence statistics include invasive cancers only, with the exception of *in situ* cancer of the bladder. Although tables include incidence statistics for breast cancer *in situ* and benign tumors of the brain and central nervous system, these cases are not included in any counts or rates of total cancer incidence.

The SEER program site recode groups were used for classifying types of cancer, using anatomic site and morphology. Using this standard ontology, only squamous and basal cell carcinomas of the lip and genital organs are included in the data reported. All categories used to present pediatric cancer rates in Volume One are based on the International Classification of Childhood Cancer, third edition (ICCC-3) (Steliarova-Foucher 2005).

Summary tables of all codes and site groups for incidence can be found in the electronic copy of the CiNA Monograph Appendices on the NAACCR website, <https://www.naacr.org/cancer-in-north-america-cina-volumes/>.

Mortality Data. Underlying cause of death was coded using the International Classification of Diseases version 10 (ICD-10). Cancer deaths were defined as those coded C00 through C97 in ICD-10.

The SEER mortality recode scheme was used to classify cancer deaths into the groupings used in the volume III (see Appendix B on the NAACCR website, <https://www.naacr.org/cancer-in-north-america-cina-volumes/>).

Hispanic/Latino Ethnicity Identification. The ethnicity available in medical records and reported to cancer registries is enhanced by the use of the NAACCR Hispanic Identification Algorithm, version 2 (NHIAv2). NHIAv2 uses a combination of NAACCR variables including direct identification of ethnicity from the Spanish/Hispanic Origin variable (NAACCR data element 190 values 1-6), and information indirectly derived based on an evaluation of the strength of the birthplace, race, and surname (including maiden name when available) associations with Hispanic ethnicity status. After applying NHIAv2, cases not ultimately classified as Hispanic are classified as non-Hispanic, leaving no cases with “unknown” Hispanic status. The NHIAv2 algorithm allows the user to run the program using one of three possible options:

- 1) All Records: Surname portion is run on 0 (non-Hispanic), 7 (surname only), and 9 (unknown) for all counties. After the algorithm, item 190 codes (0, 7, 9) are either NHIA - Hispanic or non-Hispanic.
- 2) Option 1: (The default) For counties with 5% or more Hispanics - as for all records option. For counties with < than 5% Hispanic, surname portion is run on 7 (surname only) and 9 (unknown). After the algorithm, item 190 codes (7, 9) are either NHIA - Hispanic or non-Hispanic.
- 3) Option 2: For counties with 5% or more Hispanics - as for all records option. For counties with < than 5% Hispanic, surname portion is run on 7 (surname only). These become either NHIA - Hispanic or non-Hispanic. All cases coded to 9 on item 190 are converted to NHIA - non-Hispanic.

A comparison of the direct and indirect categorization of Hispanic ethnicity is provided in the Appendix F available from the NAACCR Website, <https://www.naacr.org/cancer-in-north-america-cina-volumes/>

The NHIAv2 method is described in detail elsewhere. (NAACCR Race and Ethnicity Work Group, 2011; NAACCR Guideline for Enhancing Hispanic-Latino Identification: Revised NAACCR Hispanic/Latino Identification Algorithm [NHIA v2.2.1], Revised September 12, 2011.)

[URL: https://20tqtx36s11a18rvn82wcmpn-wpengine.netdna-ssl.com/wp-content/uploads/2016/11/NHIA_v2_2_1_09122011.pdf Last Accessed, May 15, 2018].

Asian/Pacific Islander Identification. The information on Asian and Pacific Islander populations is also enhanced by submitting registries using a NAACCR developed algorithm (NAACCR, 2010). The NAACCR Asian Pacific Islander Identification Algorithm version 1 (NAPIIA v1.2.1) uses a combination of NAACCR variables to classify cases directly or indirectly as Asian/Pacific Islander for analytic purposes. It is focused on coding cases with a race code of Asian NOS (race code 96) or Pacific Islander NOS (race code 97) to a more

specific Asian or Pacific Islander race category, using the birthplace and name fields (first, last, and maiden names). Birthplace can be used to indirectly assign a specific race to one of eight Asian groups (Chinese, Japanese, Vietnamese, Korean, Asian Indian, Filipino, Thai, and Cambodian) and three Pacific Islander groups (Samoan, Micronesian, and Polynesian). Names can be used to indirectly assign a specific race to one of seven Asian groups (Chinese, Japanese, Vietnamese, Korean, Asian Indian, Filipino, and Hmong) and three Pacific Islander groups (Hawaiian, Guamanian, and Samoan). The algorithm uses the following NAACCR standard variables: Race 1 through Race 5 (NAACCR Items 160 through 164), Name – Last (NAACCR Item 2230), Name – First (NAACCR Item 2240), Name – Maiden (NAACCR Item 2390), Birthplace (NAACCR Item 250), Sex (NAACCR Item 220).

Misclassification of American Indian and Alaskan Native Populations. The collection of accurate information on the cancer incidence in American Indian and Alaskan Native populations is hampered by misclassification of this population within cancer case reports. In order to address this problem, cancer registries in the United States coordinate with the Centers for Disease Control and the Bureau of Indian Affairs to link their case files to the enrollment files of the Indian Health Service (Espey, et al., 2008). This process identifies significant numbers of American Indians and Alaskan Natives that were otherwise classified within the cancer case report. The improved information on this population enables calculation of much more accurate cancer incidence rates. As presented in the incidence volumes, the data on American Indians and Alaskan natives are restricted to those counties where Indian Health Service Clinics are located, namely Contract Health Service Delivery Area (CHSDA) counties. This restriction assures that the incidence data presented is the best available data for this population.

DATA QUALITY INDICATORS

NAACCR assesses the quality of cancer incidence data from individual registries for a number of data quality indicators, which are described in detail below. Results for these indicators can be found in the *Cancer in North America, 2011-2015* Appendices on the NAACCR website. A dash in the tables indicates that data were not submitted for the year or were not able to be calculated.

In order to be included in the NAACCR Combined rates presented in Volume One, the data had to meet the criteria for high quality incidence data. These criteria were applied to each year of data individually, except for the estimate of duplicate reports, which was calculated for the years 2011 to 2015 as a whole.

- Data for 2011 through 2015 had to be submitted to NAACCR by December 1, 2017.
- The estimate of duplicate case reports had to be less than 2 duplicate reports per 1000 cases.
- All cases had to pass the edits on variables needed to compute cancer incidence rates by site, sex, race, and tumor descriptions on the NAACCR Call for Data EDITS metafile.
- Fewer than 3% of cases had missing information for sex, county of residence at diagnosis, and age at diagnosis, and fewer than 5% of the cases had an unknown race.
- Death clearance must be completed for 2011 through 2015 mortality with the percent of all cases derived from death certificates only (DCOs) of less than 5%.
- The NAACCR method to estimate completeness of case ascertainment yielded an estimate of 90% or higher.
- All cases had to pass the inter-record edits on cases reporting multiple primary cancers, as determined by the standard Inter-record EDITS program developed for the NAACCR Call for Data submissions.

To be included in the combined stage data, the registry must meet the requirements for being included in the combined rates (above), have submitted stage data for all years 2011 through 2015 and provided the derived summary stage field in their submission.

To be included in the delay adjusted data, the registry must meet the requirements for being included in the combined rates, have submitted data for all years 2011 through 2015 and have provided the data needed to calculate the delay factors.

The selection criteria for including registry data in Volume Four on cancer survival included meeting the criteria for inclusion in the combined incidence rates and providing the follow up fields required for the survival calculations. In addition, the data either needed to meet the SEER standards for follow-up or the registry needed

to have ascertained deaths through the study cutoff date (December 31, 2014). To meet the SEER standard for follow-up, a minimum of 90% of patients needed to have follow-up dates on or after January 1, 2015, or be deceased. For U.S. registries that did not meet the SEER standard for follow-up, it was necessary to conduct state death linkages and linkage with the National Death Index. For Canadian registries, it was necessary to conduct death linkages within the province or territory. Registry data also were required to have no irregularities in the variables that are key to the survival calculations.

Duplicate Case Records. Most central cancer registries rely on multiple reporting sources for cancer case reports. At the central cancer registry, multiple reports for the same patient must then be matched and the information from all records consolidated. In addition to determining whether multiple reports refer to the same individual, central cancer registry staff must also determine whether the tumor represents a new primary tumor or a duplicate report for a tumor already recorded. Failure to eliminate duplicate cases and duplicate tumors results in over-counting cancer cases. As a part of routine cancer registry operations, a variety of tools are used to ensure accurate case linkage and case consolidation. As part of the preparation of the data submission to NAACCR, each registry uses the NAACCR protocol to determine the adequacy of case linkage and consolidation operations in identifying duplicate records.

The NAACCR protocol for assessing duplicate cases can be found on the NAACCR website, <http://www.naacccr.org>.

Completeness of Case Ascertainment. In order to evaluate case completeness for all geographic areas included in this monograph, the NAACCR Method to Estimate Completeness is used. The method is described in detail elsewhere (Wu, et al., 2002; Howe, 2007). A data analysis tool is available on the NAACCR website, <https://www.naacccr.org/analysis-and-data-improvement-tools/#COMPLETENESS> that documents and calculates sex-, race-, and site- specific estimates based on observed incidence counts and rates, observed local cancer death rates, and a standard rate ratio of incidence to mortality. In addition, adjustments are made to the calculations to account for some variation in sex-, race- and site-specific variation in case fatality. The method assumes that the relationship between incidence rates and mortality rates are stable. However, with the recent annual decreases in cancer death rates, and the awareness that the decreases are not the same in all parts of the United States and Canada, it appears that this assumption is being challenged with a noticeable bias in an upward migration of completeness estimates for many locales. The completeness estimates provided in this publication used mortality data for the years 2011-2015 to determine completeness in U.S. registries and Canadian registries. The percent completeness presented for each registry and used to determine inclusion of individual registry data in the combined rates presented in Volume One were based upon rate ratios of 2011-2015 SEER 11 incidence rates divided by 2011-2015 U.S. mortality rates.

Missing Case Information. NAACCR has developed standards for completeness of data on key data items that are needed to produce meaningful cancer incidence statistics. These key data items include race, sex, county of residence at diagnosis, and age at diagnosis. Cases with unknown sex or age are omitted from all calculations. Cases with unknown race and county of residence were included in the cancer counts and rates for all races and/or all counties combined.

Death Certificate Only Cases. The proportion of cases identified by death certificate only (DCO) is an indicator of data quality and completeness. Central cancer registries use death certificates to identify potentially missed cases and to conduct follow back on cases that have cancer on the death certificate but who are not incident cases in the registry. Cases without follow back information are considered to be DCO cases and may have incomplete or missing information, including date of diagnosis and stage at diagnosis. For DCO cases, the date of death is used as the date of diagnosis. Registries that did not use death certificates as a source of case ascertainment have “na” listed in the death certificate only row on the registry description page.

Data Reliability and Accuracy. All data submitted to NAACCR are evaluated for reliability and accuracy using the EDITS program and a specific set of edits incorporated into a Call for Data Edits Metafile. An edit reviews the internal consistency between and among data elements, such as anatomic site and morphology. Cases that are identified as having errors are reviewed by registry staff and resolved prior to their NAACCR submission. The NAACCR Call for Data EDITS metafile is available on the NAACCR website.

[URL <http://www.naacccr.org/DataandPublications/CallforData.aspx>, Last accessed April 24, 2017].

An inter-record edits program, developed by the Centers for Disease Control and Prevention, is used to identify errors among the records reported for persons who have had multiple tumors diagnosed. For example, an inter-record edit will identify whether birthplace is the same on all reports of multiple tumors that are reported for one individual.

Timeliness of Data. The NAACCR standard defines timely data as data that are available for use in incidence statistics within 23 months of the close of a diagnostic year (i.e., December 1, 2017 for all cases diagnosed in 2015).

Site-Specific Microscopic Confirmation. This criterion is not used by NAACCR to determine high quality for the purposes of this publication. However, it is a useful indicator of quality of data collection. A proportion of microscopically confirmed cases that is too high or low may suggest problems in case ascertainment or abstracting. However, this proportion varies by cancer site. For sites that are more likely to rely on a clinical or radiological diagnosis, e.g., cancers of the pancreas and brain, confirmation rates that are too high may suggest that some clinically diagnosed cases are missing. Also, registries that do not use death certificates for case finding have an artificially high proportion of microscopically confirmed cases, because DCO cases by definition do not have information on whether the tumor was microscopically confirmed. While no NAACCR standard has been determined for microscopic confirmation, the guideline we use is that the proportion should fall between 92 and 96 percent of all cancer cases, based on the experience of the SEER program.

CALCULATION OF STATISTICS

Rates. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. (Census P25-1130) standard population based on single years of age (Day, et al., 1996), the 2011 Canadian population standard (Statistics Canada, CANSIM Table 051-0001), and to the World (WHO 2000-2025) population standard (Ahmad, et al., 2001). Rates for children and adolescents in Volume One were expressed per million population. The incidence and death rates in this monograph are annual averages for the period 2011 through 2015. The age distributions of the three population standards are as follows:

AGE GROUP	2000 U.S. (Census P25-1130)	2011 CDN.	WORLD (WHO 2000-2025)
00 years	3,794,901	376,321	17,917
01-04 years	15,191,619	1,522,743	70,625
05-09 years	19,919,840	1,810,433	86,870
10-14 years	20,056,779	1,918,164	85,970
15-19 years	19,819,518	2,238,952	84,670
20-24 years	18,257,225	2,354,354	82,171
25-29 years	17,722,067	2,369,841	79,272
30-34 years	19,511,370	2,327,955	76,073
35-39 years	22,179,956	2,273,087	71,475
40-44 years	22,479,229	2,385,918	65,877
45-49 years	19,805,793	2,719,909	60,379
50-54 years	17,224,359	2,691,260	53,681
55-59 years	13,307,234	2,353,090	45,484
60-64 years	10,654,272	2,050,443	37,187
65-69 years	9,409,940	1,532,940	29,590
70-74 years	8,725,574	1,153,822	22,092
75-79 years	7,414,559	919,338	15,195
80-84 years	4,900,234	701,140	9,097
85+ years	4,259,173	643,070	6,348
Total	274,633,642	34,342,780	1,000,000

Standard Errors. Standard errors (S.E.) of the rates were calculated using the formula:

$$S.E. = \sqrt{\frac{\sum w_j^2 n_j}{p_j^2}}$$

where w_j = the fraction of the standard population in age group j , n_j = number of cases or deaths in that age group, and p_j = person years denominator (Breslow and Day, 1987). For many registries, the standard errors of the rates are small, as the population covered is large. However, for registries that cover a small population, the standard error may be substantial.

Confidence Intervals. Although not reproduced in the printed monograph, bar charts of the registry-specific, age-adjusted rates with 95 percent confidence intervals (Tiwari, et al., 2006) are available on the NAACCR website (<https://www.naacr.org/cancer-in-north-america-cina-volumes/>). The confidence intervals allow the user to assess the precision of the estimate and is an approximate and conservative indicator of whether a registry's rate is statistically higher or lower than the rate for the combined United States, based on whether or not the upper or lower limit of the confidence interval overlaps the 95% confidence interval for the United States.

Comparison of Rates. In addition to true regional variation in cancer risk, differences in cancer incidence or mortality rates between areas may be due to either differences in the demographic makeup of the population or differences in data quality. In making valid comparisons of cancer incidence rates among registries, it is important to review the data quality indicators for each registry and consider differences in the racial composition of the populations being compared before conclusions are drawn about variations in regional rates. Interpretation without consideration of these factors may contribute to misleading or inaccurate conclusions.

The standard error of adjusted rates can be used to evaluate the statistical significance of rate differences among comparable populations. For example, if the adjusted rates in two populations are R_1 and R_2 and their standard errors are $S.E._1$ and $S.E._2$, an approximate confidence interval for the rate ratio can be calculated using the following formula:

$$(R_1/R_2)^{1 \pm z/x}$$

where $x = (R_1 \pm R_2) / \sqrt{(S.E._1^2 + S.E._2^2)}$ and $z = 1.96$ for 95% limits (Parkin, et al., 1992). If this interval does not include one, the two rates are statistically significantly different at a p value of 0.05. This test can be inaccurate for rates based on fewer than 16 cases or deaths, and it should not be used for rates based on fewer than six cases or deaths. It should be emphasized that this kind of comparison of adjusted rates must be undertaken with caution as misleading conclusions may be drawn if the ratios of the age specific rates in the two populations are not constant in all age groups. In these circumstances, the ratios of the adjusted rates will vary according to the standard populations used (Esteve, et al., 1994).

Cell Suppression. Counts and rates were suppressed (indicated by “-”) in the tables if the race, gender, and site-specific number of cases for incidence was less than six or when the number of deaths was less than ten. Complementary cell suppression was employed, when necessary, to prevent the contents of a single suppressed cell from being calculated. These counts are included in the calculation of all sites combined. A dash is also used to indicate not applicable, as in the gender specific cancers. If the rate was less than 0.05 per 100,000 then the rate is listed as 0.0.

REFERENCES

Anderson RN, Minino AM, Hoyert DL, Rosenberg HM. Comparability of cause of death between ICD-9 and ICD-10: Preliminary estimates. *National Vital Statistics Reports 2001*;49:1-32.

Breslow NE and Day NE. *Statistical Methods in Cancer Research. Vol. II.* 1987. International Agency for Research on Cancer: Lyon, France.

Clegg LX, Feuer EJ, Midthune D, Fay MP, Hankey BF. Impact of reporting delay and reporting error on cancer incidence rates and trends. *J Natl Cancer Inst* 2002;94:1537-45.

Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer*. 2008 Sep 1;113(5 Suppl):1120-30.

Espey DK, Wu XC, Swan J, Wiggins C, Jim MA, Ward E, Wingo PA, Howe HL, Ries LA, Miller BA, Jemal A, Ahmed F, Cobb N, Kaur JS, Edwards BK. Annual report to the nation on the status of cancer, 1975-2004, featuring cancer in American Indians and Alaska Natives. *Cancer*. 2007 Nov 15;110(10):2119-52.

Esteve J, Benhamou E, and Raymond L. *Statistical Methods in Cancer Research*. Vol. V. 1994. International Agency for Research on Cancer: Lyon, France.

Horner MJ, Ries LAG, Krapcho M, Neyman N, Aminou R, Howlander N, Altekruse SF, Feuer EJ, Huang L, Mariotto A, Miller BA, Lewis DR, Eisner MP, Stinchcomb DG, Edwards BK (eds). *SEER Cancer Statistics Review, 1975-2006*, National Cancer Institute. Bethesda, MD

[URL: http://www.seer.cancer.gov/csr/1975_2006/, based on November 2008 SEER data submission, posted to the SEER web site, 2009.]

Howe HL, Carozza S, O'Malley C, Dolecek TA, Finch JL, Kohler B, Wet D, Liu L, Schymura MJ, Williams M, Abe T, Agovino P, Chen VW, Firth R, Harkins D, Hotes, J, Lake A, Roney D, Suarez L (eds). *Cancer in U.S. Hispanics/Latinos, 1995-2000*. Springfield (IL): North American Association of Central Cancer Registries, December 2003.

Johnson CH, Peace S, Adamo P, Fritz A, Percy-Laurry A, Edwards BK. *The 2007 Multiple Primary and Histology Coding Rules*. National Cancer Institute, Surveillance, Epidemiology and End Results Program. Bethesda, MD, 2007.

Midthune DN, Fay MP, Clegg LX, Feuer EJ. Modeling reporting delays and reporting corrections in cancer registry data. *J Am Stat Assoc* 2005;100(469):61-70.

NAACCR Expert Panel in Hispanic Identification. *Report of the NAACCR Expert Panel on Hispanic Identification 2003*. Springfield (IL): North American Association of Central Cancer Registries, October 2003.

NAACCR Latino Research Work Group. *NAACCR Guideline for Enhancing Hispanic/Latino Identification: Revised NAACCR Hispanic/Latino Identification Algorithm [NHIA v2]*. Springfield (IL): North American Association of Central Cancer Registries. September 2005.

[URL: https://20tqtx36s11a18rvn82wcmprn-wpengine.netdna-ssl.com/wp-content/uploads/2016/11/NHIA_v2_2_1_09122011.pdf NAACCR Method to Estimate Completeness. A Data Analysis Tool for Calculations.

[URL: <https://www.naacr.org/analysis-and-data-improvement-tools/#COMPLETENESS> Last accessed May 11, 2017].

NAACCR Race and Ethnicity Work Group. *NAACCR Asian Pacific Islander Identification Algorithm [NAPIIA v1.2.1]*. Springfield, IL: North American Association of Central Cancer Registries, September 2010.

National Center for Health Statistics. *U.S. Census Populations with Bridged Race Categories*. September 2003. [URL: http://www.cdc.gov/nchs/nvss/bridged_race.htm. Last Accessed, April 24, 2017].

Parkin D.M., Whelan S.L., Ferlay J., Teppo L., Thomas D., Thomas D.B. *Cancer Incidence in Five Continents*. Vol. VIII. 2002. International Agency for Research on Cancer: Lyon, France.

SEER. 2000 U.S. Standard Population vs. Standard Million. 13 December 2004.

http://seer.cancer.gov/stdpopulations/single_age.html

Steliarova-Foucher E, Stiller C, Lacour B, Kaatsch P. International Classification of Childhood Cancer, third edition. *Cancer* 2005;103:1457-67.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006;15:547-569.

Weir HK, Johnson CJ, Mariotto AB, Turner D, Wilson RJ, Nishri D, Ward KC. Evaluation of North American Association of Central Cancer Registries' (NAACCR) data for use in population-based cancer survival studies. *J Natl Cancer Inst Monogr*. 2014 Nov;2014(49):198-209.

Wu XC, Hotes J, Fulton JP, Cormier M, Correa C, McLaughlin CC, Kosary C, Howe HL, Chen VW (Eds.) *Cancer in North America, 1996-2000, Volume One: Introduction and Technical Notes, Incidence*. April 2002. [URL: <https://www.naaccr.org/previous-volumes-of-cina/>. Last accessed May 11, 2017].

Zou J, Huang L, Midthune D, Horner MJ, Krapcho M, Feuer EJ. Effect of reporting year on delay modeling. Statistical Research and Applications Branch, National Cancer Institute; 2009. Technical Report #2009-01
Clegg LX, Feuer EJ, Midthune D, Fay MP, Hankey BF. Impact of reporting delay and reporting error on cancer incidence rates and trends. *J Natl Cancer Inst* 2002;94:1537-45. [Full Text]

Midthune DN, Fay MP, Clegg LX, Feuer EJ. Modeling reporting delays and reporting corrections in cancer registry data. *J Am Stat Assoc* 2005;100(469):61-70. [View Abstract]

Zou J, Huang L, Midthune D, Horner MJ, Krapcho M, Feuer EJ. Effect of reporting year on delay modeling. Statistical Research and Applications Branch, National Cancer Institute; 2009. Technical Report #2009-01. Available from: <http://surveillance.cancer.gov/reports/>.

Day, Jennifer Cheeseman, *Population Projections of the United States by Age, Sex, Race, and Hispanic Origin: 1995 to 2050*, U.S. Bureau of the Census, Current Population Reports, P25-1130, U.S. Government Printing Office, Washington, DC, 1996. Available from: <https://www.census.gov/prod/1/pop/p25-1130/p251130.pdf>.

2011 Canadian Standard Population. Statistics Canada, Table 051-0001 – Estimates of population, by age group and sex for July 1, Canada, provinces and territories, annual (persons unless otherwise noted). CANSIM (database) available from: <http://www5.statcan.gc.ca/cansim/a26?id=510001>.

Ahmad O, Boschi-Pinto C, Lopez A, Murray C, Lozano R, Inoue M. Age Standardization of Rates: A New WHO Standard. GPE Discussion Paper Series: No. 31. World Health Organization 2001. Available from: <http://www.who.int/healthinfo/paper31.pdf>.



Section II

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 2000 U.S. and
World Population Standards



**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2011-2015, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	28,408	231.5	1.42	157.9	0.95	23,067	145.7	0.97	102.9	0.71
Oral Cavity & Pharynx	565	4.4	0.19	3.3	0.14	207	1.3	0.09	0.9	0.07
Digestive System	7,275	57.5	0.70	40.9	0.48	5,224	32.8	0.46	22.5	0.33
Esophagus	916	7.0	0.24	5.2	0.17	225	1.4	0.10	1.0	0.07
Stomach	576	4.8	0.20	3.3	0.14	371	2.4	0.13	1.7	0.09
Colon & Rectum	2,475	20.1	0.42	14.0	0.29	2,113	13.4	0.30	9.1	0.21
Liver	1,153	8.6	0.26	6.5	0.19	481	3.0	0.14	2.1	0.10
Pancreas	1,704	13.4	0.33	9.4	0.23	1,585	9.8	0.25	6.7	0.17
Respiratory System	9,680	76.3	0.80	53.2	0.54	6,245	38.8	0.50	27.6	0.36
Larynx	294	2.2	0.13	1.6	0.10	63	0.4	0.05	0.3	0.04
Lung & bronchus	9,335	73.7	0.79	51.2	0.53	6,155	38.2	0.49	27.2	0.36
Skin	686	5.8	0.23	3.9	0.15	325	2.1	0.12	1.5	0.09
Melanomas of the skin	498	4.2	0.19	2.9	0.13	245	1.6	0.11	1.2	0.08
Breast	34	0.3	0.05	0.2	0.03	3,394	21.8	0.38	16.1	0.29
Female Genital System	-	-	-	-	-	2,371	15.3	0.32	11.1	0.24
Cervix uteri	-	-	-	-	-	488	3.5	0.17	2.9	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	549	3.4	0.15	2.4	0.11
Ovary	-	-	-	-	-	1,200	7.5	0.22	5.3	0.16
Male Genital System	2,499	23.2	0.48	13.2	0.27	-	-	-	-	-
Prostate	2,437	22.7	0.47	12.8	0.26	-	-	-	-	-
Testis	27	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,637	14.0	0.36	8.9	0.22	703	4.3	0.16	2.8	0.11
Bladder	843	7.5	0.27	4.5	0.16	311	1.9	0.11	1.1	0.07
Kidney & renal pelvis	768	6.2	0.23	4.3	0.16	378	2.3	0.12	1.6	0.09
Brain & Other Nervous System	790	6.2	0.23	4.8	0.17	632	4.1	0.17	3.2	0.14
Endocrine System	100	0.8	0.08	0.6	0.06	110	0.7	0.07	0.6	0.06
Thyroid gland	59	0.5	0.06	0.3	0.04	69	0.4	0.05	0.3	0.04
Lymphomas	910	7.8	0.27	5.1	0.17	764	4.8	0.18	3.1	0.12
Hodgkin Lymphoma	59	0.5	0.07	0.4	0.05	39	0.3	0.04	0.2	0.04
Non-Hodgkin Lymphoma	851	7.3	0.26	4.7	0.16	725	4.5	0.17	2.9	0.11
Multiple Myeloma	595	5.0	0.21	3.2	0.13	461	2.9	0.13	1.9	0.09
Leukemias	1,142	9.8	0.30	6.5	0.20	800	5.1	0.19	3.5	0.14
Other, Ill-defined & Unknown	2,495	20.4	0.42	14.1	0.29	1,831	11.6	0.28	8.2	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	21,914	223.8	1.55	151.9	1.04	17,481	143.2	1.11	100.9	0.82
Oral Cavity & Pharynx	421	4.1	0.21	3.1	0.15	165	1.3	0.11	0.9	0.08
Digestive System	5,356	53.6	0.75	37.8	0.53	3,678	29.9	0.50	20.5	0.36
Esophagus	707	6.9	0.27	5.1	0.19	160	1.3	0.10	0.9	0.07
Stomach	354	3.7	0.20	2.5	0.13	219	1.8	0.13	1.3	0.09
Colon & Rectum	1,806	18.5	0.45	12.8	0.31	1,476	12.2	0.32	8.3	0.23
Liver	842	8.1	0.29	6.0	0.21	348	2.8	0.15	2.0	0.12
Pancreas	1,309	12.9	0.37	9.1	0.25	1,128	9.0	0.27	6.1	0.19
Respiratory System	7,617	75.3	0.88	52.1	0.60	5,161	41.5	0.59	29.7	0.43
Larynx	202	2.0	0.14	1.4	0.10	48	0.4	0.06	0.3	0.04
Lung & bronchus	7,380	73.0	0.87	50.4	0.59	5,095	40.9	0.58	29.3	0.43
Skin	656	6.9	0.28	4.7	0.19	303	2.6	0.16	1.9	0.12
Melanomas of the skin	489	5.1	0.24	3.5	0.17	232	2.0	0.14	1.5	0.11
Breast	26	0.3	0.06	0.2	0.04	2,371	19.8	0.42	14.3	0.32
Female Genital System	-	-	-	-	-	1,676	14.3	0.36	10.3	0.27
Cervix uteri	-	-	-	-	-	313	3.1	0.19	2.6	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	309	2.5	0.14	1.7	0.11
Ovary	-	-	-	-	-	954	7.8	0.26	5.5	0.19
Male Genital System	1,619	18.5	0.47	10.4	0.26	-	-	-	-	-
Prostate	1,569	18.0	0.46	10.0	0.25	-	-	-	-	-
Testis	20	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,373	14.6	0.40	9.3	0.25	544	4.3	0.19	2.8	0.13
Bladder	741	8.1	0.31	4.8	0.18	242	1.9	0.12	1.1	0.08
Kidney & renal pelvis	610	6.2	0.26	4.3	0.18	293	2.3	0.14	1.6	0.10
Brain & Other Nervous System	670	6.7	0.27	5.1	0.21	545	4.7	0.21	3.7	0.17
Endocrine System	79	0.8	0.09	0.6	0.07	78	0.7	0.08	0.5	0.07
Thyroid gland	51	0.5	0.07	0.4	0.05	46	0.4	0.06	0.3	0.04
Lymphomas	771	8.2	0.30	5.3	0.20	644	5.1	0.20	3.3	0.14
Hodgkin Lymphoma	44	0.5	0.08	0.4	0.06	29	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	727	7.7	0.29	5.0	0.19	615	4.9	0.20	3.1	0.13
Multiple Myeloma	419	4.4	0.22	2.8	0.14	289	2.3	0.14	1.5	0.09
Leukemias	977	10.5	0.34	6.9	0.23	655	5.5	0.22	3.7	0.16
Other, Ill-defined & Unknown	1,930	19.8	0.46	13.6	0.32	1,372	11.3	0.31	7.9	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,379	274.7	3.72	189.6	2.40	5,461	159.3	2.20	113.5	1.57
Oral Cavity & Pharynx	144	5.5	0.49	4.2	0.36	42	1.2	0.19	0.8	0.13
Digestive System	1,879	76.3	1.90	54.9	1.28	1,505	44.4	1.17	30.4	0.80
Esophagus	205	8.0	0.60	6.0	0.42	64	1.8	0.23	1.4	0.17
Stomach	218	9.5	0.69	6.5	0.45	147	4.4	0.37	3.0	0.26
Colon & Rectum	658	27.9	1.17	19.6	0.77	627	18.6	0.76	12.6	0.52
Liver	301	10.3	0.64	8.3	0.48	122	3.6	0.33	2.5	0.24
Pancreas	386	15.7	0.86	11.2	0.58	446	13.2	0.64	9.0	0.43
Respiratory System	2,030	83.1	1.99	59.4	1.33	1,048	30.4	0.96	21.6	0.68
Larynx	91	3.4	0.38	2.5	0.27	15	0.4	0.10	0.3	0.08
Lung & bronchus	1,923	79.1	1.95	56.4	1.30	1,024	29.7	0.95	21.1	0.67
Skin	29	1.4	0.28	0.9	0.17	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	13	0.4	0.11	0.3	0.07
Breast	-	-	-	-	-	1,004	28.4	0.92	21.8	0.70
Female Genital System	-	-	-	-	-	686	20.3	0.79	14.7	0.57
Cervix uteri	-	-	-	-	-	173	5.2	0.41	4.0	0.31
Corpus & uterus, NOS ¹	-	-	-	-	-	238	7.0	0.47	5.0	0.33
Ovary	-	-	-	-	-	241	7.1	0.47	5.0	0.33
Male Genital System	872	47.7	1.71	27.5	0.94	-	-	-	-	-
Prostate	861	47.2	1.70	27.2	0.93	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	260	11.6	0.78	7.8	0.49	158	4.7	0.38	3.0	0.24
Bladder	100	4.6	0.50	3.0	0.30	69	2.1	0.25	1.2	0.15
Kidney & renal pelvis	156	6.8	0.59	4.6	0.38	84	2.4	0.27	1.6	0.18
Brain & Other Nervous System	118	4.2	0.42	3.4	0.32	86	2.4	0.27	1.9	0.21
Endocrine System	21	1.0	0.23	0.7	0.15	31	0.9	0.17	0.7	0.12
Thyroid gland	-	-	-	-	-	22	0.6	0.14	0.4	0.09
Lymphomas	136	5.8	0.54	4.1	0.36	115	3.5	0.33	2.4	0.23
Hodgkin Lymphoma	15	0.5	0.14	0.5	0.12	10	0.3	0.09	0.3	0.08
Non-Hodgkin Lymphoma	121	5.3	0.52	3.7	0.34	105	3.2	0.32	2.2	0.22
Multiple Myeloma	174	7.8	0.64	5.2	0.40	171	5.1	0.40	3.3	0.26
Leukemias	160	7.0	0.59	4.9	0.39	141	4.2	0.36	2.9	0.26
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	51	62.6	10.48	40.0	5.96	83	70.0	8.24	43.8	4.84
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	20	23.1	6.21	15.5	3.66	29	25.8	5.10	15.5	2.89
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	11	13.9	4.92	8.7	2.75	23	22.3	4.83	12.8	2.69
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	11	13.9	4.92	8.7	2.75	23	22.3	4.83	12.8	2.69
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	12	9.3	2.98	6.0	1.74
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2011-2015, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	2,660	196.0	4.31	128.2	2.56	2,166	146.0	3.32	99.8	2.18
Oral Cavity & Pharynx	53	3.1	0.49	2.3	0.32	18	1.2	0.29	0.8	0.19
Digestive System	804	54.7	2.21	37.2	1.35	517	34.7	1.61	23.5	1.05
Esophagus	129	9.0	0.91	6.0	0.54	29	2.0	0.39	1.4	0.26
Stomach	89	5.6	0.67	4.0	0.44	40	2.7	0.44	1.8	0.29
Colon & Rectum	235	17.4	1.30	11.3	0.76	198	13.6	1.02	9.0	0.65
Liver	139	7.7	0.74	5.9	0.51	36	2.3	0.42	1.6	0.28
Pancreas	157	11.1	1.01	7.4	0.61	161	10.7	0.90	7.3	0.59
Respiratory System	738	54.4	2.25	35.6	1.35	581	40.3	1.77	27.0	1.14
Larynx	16	1.2	0.33	0.8	0.20	-	-	-	-	-
Lung & bronchus	719	53.0	2.22	34.7	1.33	575	39.9	1.76	26.7	1.13
Skin	57	4.8	0.71	2.9	0.40	-	-	-	-	-
Melanomas of the skin	42	3.7	0.63	2.2	0.35	25	1.7	0.35	1.2	0.25
Breast	-	-	-	-	-	310	19.6	1.18	14.0	0.81
Female Genital System	-	-	-	-	-	217	13.8	1.00	9.9	0.69
Cervix uteri	-	-	-	-	-	34	1.9	0.35	1.6	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	57	3.6	0.51	2.6	0.35
Ovary	-	-	-	-	-	104	6.6	0.69	4.7	0.47
Male Genital System	205	18.7	1.46	10.7	0.76	-	-	-	-	-
Prostate	201	18.5	1.46	10.5	0.76	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	148	11.9	1.09	7.4	0.62	76	5.4	0.66	3.5	0.41
Bladder	65	5.4	0.74	3.3	0.42	28	2.1	0.42	1.3	0.24
Kidney & renal pelvis	77	5.9	0.76	3.8	0.44	45	3.1	0.49	2.1	0.32
Brain & Other Nervous System	83	5.0	0.62	3.8	0.43	58	3.4	0.48	2.7	0.37
Endocrine System	13	0.8	0.24	0.6	0.18	11	0.8	0.26	0.5	0.15
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	101	7.6	0.85	5.0	0.51	58	4.3	0.59	2.7	0.36
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	55	4.5	0.68	2.8	0.38	35	2.3	0.41	1.6	0.27
Leukemias	94	7.3	0.83	4.8	0.51	62	4.8	0.63	3.0	0.38
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,990	184.1	4.68	120.3	2.78	1,547	139.1	3.76	94.5	2.46
Oral Cavity & Pharynx	35	2.5	0.49	1.8	0.32	-	-	-	-	-
Digestive System	563	48.8	2.35	32.9	1.43	333	30.0	1.75	20.0	1.12
Esophagus	108	9.5	1.05	6.3	0.63	21	2.0	0.45	1.3	0.30
Stomach	30	2.6	0.54	1.8	0.34	14	1.2	0.33	0.8	0.22
Colon & Rectum	144	13.2	1.25	8.7	0.74	113	10.5	1.05	6.7	0.65
Liver	103	7.2	0.80	5.4	0.55	23	2.1	0.47	1.4	0.30
Pancreas	135	12.3	1.20	8.1	0.72	127	11.2	1.06	7.7	0.69
Respiratory System	544	49.3	2.38	32.6	1.44	443	40.9	2.07	27.3	1.32
Larynx	13	1.1	0.34	0.8	0.22	-	-	-	-	-
Lung & bronchus	529	48.1	2.36	31.8	1.42	438	40.5	2.06	27.0	1.32
Skin	53	5.7	0.87	3.4	0.48	-	-	-	-	-
Melanomas of the skin	40	4.5	0.78	2.6	0.43	22	1.9	0.42	1.4	0.31
Breast	-	-	-	-	-	230	19.4	1.36	13.7	0.92
Female Genital System	-	-	-	-	-	164	14.1	1.18	10.1	0.81
Cervix uteri	-	-	-	-	-	22	1.7	0.39	1.4	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	41	3.3	0.55	2.4	0.39
Ovary	-	-	-	-	-	84	7.4	0.87	5.2	0.58
Male Genital System	155	17.5	1.57	10.1	0.83	-	-	-	-	-
Prostate	152	17.3	1.56	9.9	0.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	116	11.3	1.18	7.2	0.68	49	4.5	0.68	2.9	0.42
Bladder	50	5.1	0.80	3.2	0.46	19	1.9	0.46	1.1	0.27
Kidney & renal pelvis	61	5.7	0.82	3.7	0.49	27	2.3	0.48	1.6	0.31
Brain & Other Nervous System	72	5.5	0.73	4.1	0.50	48	3.9	0.59	3.0	0.45
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	82	7.5	0.93	5.0	0.56	44	4.3	0.69	2.7	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	46	4.7	0.78	2.9	0.44	23	2.2	0.48	1.4	0.30
Leukemias	79	8.1	1.00	5.2	0.60	51	5.5	0.79	3.3	0.48
Other, Ill-defined & Unknown	232	22.4	1.67	14.5	0.98	120	10.7	1.03	7.4	0.70

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2011-2015, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	74	212.7	29.54	134.3	16.64	56	130.9	18.47	89.6	12.16
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	17	38.0	11.50	26.3	6.93	12	24.7	7.59	18.1	5.29
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	23	66.7	16.51	42.1	9.36	10	25.0	8.12	17.0	5.48
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	22	65.3	16.46	41.0	9.29	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	12	24.7	7.59	18.8	5.48
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	16	61.9	17.56	34.0	8.77	-	-	-	-	-
Prostate	16	61.9	17.56	34.0	8.77	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	96	118.0	14.16	80.6	8.60	129	110.8	10.36	77.0	6.84
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	42	43.1	7.85	32.1	5.15	34	28.5	5.16	20.4	3.52
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	11	12.0	4.40	8.5	2.68	12	9.6	2.90	7.1	2.07
Liver	15	15.1	4.38	11.7	3.12	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	24	35.0	8.27	21.8	4.63	35	30.9	5.56	20.7	3.52
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	35.0	8.27	21.8	4.63	35	30.9	5.56	20.7	3.52
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	15	12.2	3.28	9.3	2.42
Female Genital System	-	-	-	-	-	14	10.2	2.93	7.9	2.14
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	12	14.3	4.69	10.2	3.09	11	10.9	3.41	7.0	2.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,324	170.6	0.99	114.4	0.67	26,029	124.9	0.79	86.3	0.57
Oral Cavity & Pharynx	553	3.0	0.13	2.2	0.09	210	1.0	0.07	0.7	0.05
Digestive System	8,710	48.1	0.52	33.9	0.37	6,153	29.2	0.38	19.6	0.26
Esophagus	1,267	6.9	0.20	4.9	0.14	305	1.4	0.08	1.0	0.06
Stomach	623	3.5	0.14	2.5	0.10	412	2.0	0.10	1.4	0.08
Colon & Rectum	2,678	15.2	0.30	10.4	0.21	2,285	10.9	0.23	7.2	0.16
Liver	1,476	7.8	0.21	6.0	0.16	620	2.9	0.12	2.1	0.09
Pancreas	2,110	11.5	0.25	8.0	0.18	1,904	8.9	0.21	5.9	0.14
Respiratory System	7,791	43.0	0.49	28.9	0.33	6,477	30.6	0.38	20.6	0.27
Larynx	225	1.2	0.08	0.9	0.06	62	0.3	0.04	0.2	0.03
Lung & bronchus	7,508	41.5	0.48	27.8	0.33	6,382	30.1	0.38	20.3	0.26
Skin	1,146	6.5	0.19	4.4	0.13	477	2.4	0.11	1.7	0.08
Melanomas of the skin	725	4.1	0.15	2.8	0.11	367	1.8	0.10	1.3	0.08
Breast	29	0.2	0.03	0.1	0.02	3,957	19.4	0.32	14.1	0.24
Female Genital System	-	-	-	-	-	2,868	14.0	0.27	10.3	0.20
Cervix uteri	-	-	-	-	-	402	2.2	0.11	1.8	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	806	3.8	0.14	2.8	0.10
Ovary	-	-	-	-	-	1,490	7.1	0.19	5.1	0.14
Male Genital System	3,103	18.4	0.33	10.5	0.19	-	-	-	-	-
Prostate	3,000	17.8	0.33	10.0	0.19	-	-	-	-	-
Testis	63	0.4	0.05	0.4	0.05	-	-	-	-	-
Urinary System	2,220	12.6	0.27	8.1	0.17	872	4.1	0.14	2.6	0.09
Bladder	1,230	7.2	0.21	4.2	0.12	407	1.9	0.09	1.1	0.06
Kidney & renal pelvis	965	5.3	0.17	3.7	0.12	440	2.1	0.10	1.4	0.07
Brain & Other Nervous System	912	5.1	0.17	4.0	0.14	727	3.7	0.14	2.8	0.11
Endocrine System	147	0.8	0.07	0.6	0.05	132	0.6	0.06	0.5	0.05
Thyroid gland	98	0.6	0.06	0.4	0.04	80	0.4	0.04	0.3	0.03
Lymphomas	1,196	6.9	0.20	4.5	0.13	928	4.4	0.15	2.8	0.10
Hodgkin Lymphoma	67	0.4	0.05	0.3	0.04	42	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,129	6.5	0.20	4.2	0.13	886	4.2	0.14	2.7	0.10
Multiple Myeloma	645	3.6	0.15	2.4	0.09	484	2.3	0.10	1.5	0.07
Leukemias	1,456	8.5	0.22	5.6	0.15	939	4.6	0.15	3.2	0.11
Other, Ill-defined & Unknown	2,416	13.8	0.28	9.2	0.19	1,805	8.7	0.21	6.0	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,398	172.7	1.04	115.9	0.71	24,108	126.4	0.83	87.4	0.60
Oral Cavity & Pharynx	523	3.1	0.14	2.2	0.10	202	1.0	0.07	0.7	0.05
Digestive System	7,986	47.9	0.54	33.8	0.39	5,559	28.7	0.39	19.2	0.28
Esophagus	1,209	7.1	0.21	5.1	0.15	283	1.5	0.09	1.0	0.06
Stomach	540	3.4	0.15	2.4	0.11	343	1.9	0.10	1.3	0.08
Colon & Rectum	2,482	15.3	0.31	10.5	0.22	2,099	10.9	0.24	7.2	0.17
Liver	1,277	7.4	0.21	5.7	0.16	528	2.7	0.12	1.9	0.09
Pancreas	1,988	11.8	0.27	8.2	0.19	1,748	8.9	0.22	5.8	0.15
Respiratory System	7,398	44.0	0.52	29.6	0.35	6,168	31.7	0.41	21.4	0.28
Larynx	211	1.2	0.09	0.9	0.06	58	0.3	0.04	0.2	0.03
Lung & bronchus	7,132	42.4	0.51	28.5	0.34	6,078	31.2	0.41	21.1	0.28
Skin	1,124	6.9	0.21	4.7	0.15	465	2.6	0.12	1.8	0.09
Melanomas of the skin	721	4.4	0.17	3.1	0.12	362	2.0	0.11	1.5	0.09
Breast	27	0.2	0.03	0.1	0.02	3,666	19.8	0.34	14.4	0.26
Female Genital System	-	-	-	-	-	2,608	14.1	0.28	10.3	0.22
Cervix uteri	-	-	-	-	-	358	2.2	0.12	1.8	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	715	3.7	0.14	2.7	0.11
Ovary	-	-	-	-	-	1,375	7.2	0.20	5.2	0.15
Male Genital System	2,879	18.3	0.34	10.4	0.20	-	-	-	-	-
Prostate	2,791	17.7	0.34	9.9	0.19	-	-	-	-	-
Testis	53	0.4	0.05	0.4	0.05	-	-	-	-	-
Urinary System	2,104	12.9	0.28	8.2	0.18	813	4.1	0.15	2.6	0.10
Bladder	1,204	7.5	0.22	4.4	0.13	388	1.9	0.10	1.2	0.06
Kidney & renal pelvis	876	5.2	0.18	3.7	0.13	400	2.1	0.10	1.4	0.07
Brain & Other Nervous System	864	5.4	0.19	4.2	0.15	692	3.9	0.15	3.0	0.13
Endocrine System	134	0.8	0.07	0.6	0.06	117	0.6	0.06	0.5	0.05
Thyroid gland	88	0.5	0.06	0.4	0.04	72	0.4	0.04	0.2	0.03
Lymphomas	1,135	7.0	0.21	4.6	0.14	868	4.4	0.15	2.8	0.10
Hodgkin Lymphoma	61	0.4	0.05	0.3	0.04	36	0.2	0.03	0.1	0.03
Non-Hodgkin Lymphoma	1,074	6.7	0.21	4.3	0.14	832	4.2	0.15	2.7	0.10
Multiple Myeloma	575	3.5	0.15	2.3	0.10	429	2.2	0.11	1.4	0.07
Leukemias	1,379	8.7	0.24	5.8	0.16	883	4.8	0.17	3.3	0.13
Other, Ill-defined & Unknown	2,270	14.0	0.30	9.4	0.21	1,638	8.6	0.22	5.9	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2011-2015, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	848	175.1	6.72	119.5	4.18	831	143.7	5.19	101.9	3.55
Oral Cavity & Pharynx	12	1.9	0.59	1.5	0.44	-	-	-	-	-
Digestive System	284	56.1	3.72	39.3	2.38	220	40.0	2.80	26.9	1.83
Esophagus	22	4.9	1.14	3.2	0.70	-	-	-	-	-
Stomach	29	5.8	1.18	4.1	0.77	21	3.7	0.83	2.6	0.58
Colon & Rectum	85	19.3	2.36	12.2	1.36	91	17.0	1.85	11.0	1.16
Liver	66	10.5	1.38	8.5	1.06	20	3.4	0.80	2.5	0.56
Pancreas	63	11.7	1.64	8.4	1.08	68	12.5	1.57	8.4	1.03
Respiratory System	222	46.6	3.44	31.7	2.16	154	26.6	2.23	19.2	1.55
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	213	44.9	3.39	30.4	2.12	151	26.1	2.21	18.8	1.54
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	151	24.7	2.09	18.5	1.51
Female Genital System	-	-	-	-	-	116	19.2	1.85	14.2	1.33
Cervix uteri	-	-	-	-	-	21	3.0	0.67	2.5	0.55
Corpus & uterus, NOS ¹	-	-	-	-	-	57	9.9	1.36	7.1	0.94
Ovary	-	-	-	-	-	33	5.5	1.00	4.1	0.71
Male Genital System	98	25.2	2.83	15.2	1.56	-	-	-	-	-
Prostate	96	24.6	2.78	14.9	1.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	9.2	1.54	6.4	0.96	27	4.7	0.95	3.2	0.63
Bladder	16	3.7	1.02	2.3	0.59	12	2.1	0.62	1.4	0.40
Kidney & renal pelvis	29	5.2	1.09	3.9	0.74	15	2.6	0.71	1.8	0.48
Brain & Other Nervous System	22	3.5	0.86	2.8	0.60	15	2.6	0.69	1.9	0.49
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	25	4.8	1.07	3.4	0.69	25	4.3	0.90	3.1	0.61
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	45	9.4	1.55	6.4	0.97	26	4.9	1.00	3.1	0.61
Leukemias	33	6.7	1.29	4.6	0.82	25	4.8	0.99	3.1	0.62
Other, Ill-defined & Unknown	49	9.9	1.59	6.8	1.00	56	9.5	1.33	6.8	0.92

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	389	111.5	6.11	72.9	3.72	451	88.1	4.34	59.0	2.79
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	153	42.0	3.66	28.4	2.31	143	29.2	2.54	18.7	1.57
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	13	3.8	1.08	2.5	0.69	16	3.1	0.81	2.1	0.52
Colon & Rectum	40	12.1	2.09	7.6	1.21	41	8.4	1.37	5.4	0.84
Liver	54	14.1	2.07	9.9	1.36	26	5.1	1.04	3.4	0.66
Pancreas	21	5.9	1.38	3.9	0.86	42	9.1	1.46	5.5	0.86
Respiratory System	101	31.7	3.37	19.5	1.95	95	19.9	2.13	12.5	1.28
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	97	30.4	3.30	18.7	1.91	95	19.9	2.13	12.5	1.28
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	72	12.1	1.49	9.3	1.10
Female Genital System	-	-	-	-	-	51	9.6	1.41	6.7	0.94
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	32	5.7	1.05	4.2	0.74
Male Genital System	32	10.6	2.02	6.2	1.10	-	-	-	-	-
Prostate	29	9.9	1.97	5.7	1.07	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	10	1.7	0.56	1.4	0.46
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	17	5.0	1.29	3.2	0.78	13	2.3	0.66	1.6	0.45
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	20	4.5	1.13	3.4	0.77	-	-	-	-	-
Other, Ill-defined & Unknown	27	6.5	1.37	4.9	0.95	39	7.7	1.29	5.1	0.83

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,289	234.2	1.77	159.8	1.20	14,709	152.6	1.28	107.6	0.94
Oral Cavity & Pharynx	414	5.1	0.26	3.8	0.19	165	1.7	0.14	1.3	0.11
Digestive System	4,568	57.5	0.87	40.8	0.61	3,191	32.7	0.59	22.4	0.42
Esophagus	635	7.9	0.32	5.8	0.23	130	1.3	0.12	1.0	0.09
Stomach	284	3.7	0.22	2.5	0.15	222	2.3	0.16	1.6	0.12
Colon & Rectum	1,647	21.2	0.53	14.6	0.37	1,373	14.1	0.39	9.7	0.28
Liver	737	8.8	0.33	6.7	0.25	306	3.1	0.18	2.2	0.13
Pancreas	996	12.6	0.41	8.8	0.28	913	9.2	0.31	6.1	0.21
Respiratory System	6,503	80.7	1.02	56.4	0.70	4,328	44.3	0.68	31.5	0.50
Larynx	154	1.8	0.15	1.4	0.11	42	0.4	0.07	0.3	0.05
Lung & bronchus	6,316	78.5	1.01	54.7	0.69	4,272	43.7	0.68	31.1	0.49
Skin	451	5.9	0.28	4.0	0.19	201	2.1	0.15	1.5	0.11
Melanomas of the skin	323	4.2	0.24	2.9	0.17	145	1.6	0.13	1.1	0.10
Breast	26	0.3	0.07	0.2	0.04	2,050	21.6	0.49	15.7	0.37
Female Genital System	-	-	-	-	-	1,465	15.7	0.42	11.5	0.32
Cervix uteri	-	-	-	-	-	267	3.3	0.21	2.7	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	384	4.0	0.21	2.9	0.16
Ovary	-	-	-	-	-	729	7.6	0.29	5.3	0.21
Male Genital System	1,443	20.4	0.55	11.6	0.31	-	-	-	-	-
Prostate	1,414	20.0	0.54	11.3	0.30	-	-	-	-	-
Testis	10	0.1	0.05	0.1	0.04	-	-	-	-	-
Urinary System	1,194	15.8	0.47	10.1	0.30	504	5.1	0.23	3.4	0.16
Bladder	596	8.2	0.34	4.8	0.20	213	2.1	0.15	1.3	0.09
Kidney & renal pelvis	569	7.2	0.31	5.1	0.22	276	2.8	0.17	2.0	0.13
Brain & Other Nervous System	483	6.2	0.29	4.7	0.22	382	4.1	0.22	3.2	0.18
Endocrine System	69	0.9	0.11	0.7	0.09	67	0.7	0.09	0.5	0.07
Thyroid gland	38	0.5	0.08	0.3	0.06	43	0.4	0.07	0.3	0.05
Lymphomas	591	7.8	0.33	5.2	0.22	472	4.9	0.23	3.2	0.16
Hodgkin Lymphoma	31	0.4	0.08	0.3	0.06	22	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	560	7.4	0.32	4.9	0.21	450	4.6	0.22	3.0	0.15
Multiple Myeloma	316	4.2	0.24	2.7	0.15	280	2.8	0.17	1.9	0.12
Leukemias	753	10.2	0.38	6.6	0.25	491	5.2	0.24	3.5	0.17
Other, Ill-defined & Unknown	1,478	19.1	0.51	13.1	0.35	1,113	11.5	0.35	8.1	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,959	231.2	1.86	157.0	1.27	12,688	151.2	1.37	106.4	1.02
Oral Cavity & Pharynx	353	5.0	0.27	3.6	0.20	145	1.8	0.15	1.3	0.12
Digestive System	3,902	55.9	0.91	39.4	0.64	2,650	31.2	0.62	21.3	0.45
Esophagus	562	8.0	0.34	5.8	0.25	111	1.3	0.13	1.0	0.10
Stomach	212	3.1	0.22	2.1	0.15	178	2.1	0.16	1.5	0.12
Colon & Rectum	1,393	20.3	0.56	14.0	0.38	1,158	13.7	0.41	9.4	0.30
Liver	622	8.5	0.35	6.4	0.26	245	2.9	0.19	2.0	0.13
Pancreas	882	12.6	0.43	8.8	0.30	744	8.6	0.32	5.7	0.22
Respiratory System	5,688	79.8	1.08	55.5	0.75	3,903	45.8	0.74	32.7	0.55
Larynx	123	1.6	0.15	1.3	0.11	34	0.4	0.07	0.3	0.06
Lung & bronchus	5,535	77.8	1.06	54.0	0.73	3,855	45.2	0.74	32.2	0.54
Skin	443	6.5	0.32	4.4	0.22	196	2.4	0.18	1.7	0.13
Melanomas of the skin	321	4.7	0.27	3.3	0.19	141	1.8	0.15	1.3	0.12
Breast	21	0.3	0.07	0.2	0.05	1,683	20.4	0.51	14.5	0.39
Female Genital System	-	-	-	-	-	1,207	15.0	0.45	11.0	0.34
Cervix uteri	-	-	-	-	-	196	2.9	0.22	2.4	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	297	3.6	0.21	2.6	0.16
Ovary	-	-	-	-	-	638	7.6	0.31	5.4	0.23
Male Genital System	1,167	18.5	0.55	10.4	0.31	-	-	-	-	-
Prostate	1,140	18.1	0.54	10.0	0.30	-	-	-	-	-
Testis	10	0.2	0.06	0.2	0.06	-	-	-	-	-
Urinary System	1,092	16.3	0.50	10.4	0.32	443	5.2	0.25	3.4	0.18
Bladder	557	8.6	0.37	5.0	0.22	190	2.2	0.16	1.3	0.10
Kidney & renal pelvis	509	7.3	0.33	5.1	0.23	243	2.9	0.19	2.0	0.14
Brain & Other Nervous System	447	6.5	0.32	5.0	0.25	350	4.4	0.24	3.5	0.20
Endocrine System	62	1.0	0.13	0.7	0.10	53	0.6	0.09	0.4	0.07
Thyroid gland	35	0.5	0.09	0.4	0.06	34	0.4	0.07	0.3	0.05
Lymphomas	537	8.0	0.35	5.3	0.23	436	5.1	0.25	3.3	0.17
Hodgkin Lymphoma	25	0.4	0.08	0.3	0.06	21	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	512	7.6	0.34	5.0	0.22	415	4.8	0.24	3.1	0.16
Multiple Myeloma	258	3.9	0.25	2.4	0.15	220	2.5	0.17	1.6	0.12
Leukemias	702	10.7	0.41	6.9	0.27	444	5.4	0.26	3.6	0.19
Other, Ill-defined & Unknown	1,287	18.9	0.54	12.8	0.37	958	11.4	0.38	8.0	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	2,218	277.2	6.39	193.7	4.18	1,906	170.6	4.02	121.5	2.85
Oral Cavity & Pharynx	61	6.4	0.88	5.1	0.66	20	1.8	0.42	1.3	0.30
Digestive System	614	72.1	3.16	52.4	2.15	503	45.5	2.08	31.0	1.42
Esophagus	68	7.4	0.95	5.7	0.70	19	1.4	0.33	1.2	0.28
Stomach	69	8.4	1.10	6.0	0.73	41	3.7	0.59	2.5	0.41
Colon & Rectum	242	29.5	2.05	21.1	1.37	202	17.9	1.30	12.5	0.91
Liver	91	9.3	1.06	7.4	0.79	51	4.8	0.68	3.2	0.46
Pancreas	108	13.6	1.43	9.3	0.91	164	15.3	1.23	10.0	0.80
Respiratory System	789	95.3	3.68	68.4	2.47	404	36.2	1.86	25.7	1.30
Larynx	31	3.6	0.71	2.7	0.50	-	-	-	-	-
Lung & bronchus	755	91.3	3.60	65.4	2.42	397	35.7	1.85	25.3	1.29
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	351	30.5	1.68	23.2	1.26
Female Genital System	-	-	-	-	-	239	21.8	1.45	16.1	1.06
Cervix uteri	-	-	-	-	-	63	5.5	0.71	4.5	0.58
Corpus & uterus, NOS ¹	-	-	-	-	-	82	7.4	0.85	5.5	0.62
Ovary	-	-	-	-	-	85	8.0	0.90	5.5	0.61
Male Genital System	270	43.6	2.80	25.4	1.57	-	-	-	-	-
Prostate	268	43.4	2.79	25.2	1.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	99	12.1	1.32	8.4	0.86	59	5.4	0.73	3.4	0.45
Bladder	37	4.9	0.86	3.2	0.53	23	2.2	0.46	1.2	0.27
Kidney & renal pelvis	59	6.8	0.96	5.0	0.66	31	2.8	0.52	1.8	0.34
Brain & Other Nervous System	35	4.2	0.76	3.1	0.53	31	2.6	0.48	2.1	0.39
Endocrine System	-	-	-	-	-	12	1.0	0.29	0.7	0.22
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	48	5.7	0.89	4.3	0.63	35	3.2	0.55	2.3	0.40
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	56	7.4	1.06	5.0	0.68	58	5.2	0.70	3.6	0.48
Leukemias	48	6.2	0.97	4.3	0.62	44	3.9	0.60	2.7	0.43
Other, Ill-defined & Unknown	179	21.9	1.77	15.6	1.18	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	80	132.8	17.60	90.9	10.61	87	97.5	11.40	68.7	7.49
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	37	55.5	11.04	39.9	6.83	29	34.0	6.80	24.0	4.52
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	20	29.7	7.99	21.5	5.00	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	18	37.0	10.19	22.9	5.63	16	20.2	5.39	13.0	3.31
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	18	37.0	10.19	22.9	5.63	16	20.2	5.39	13.0	3.31
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	10	7.6	2.40	6.7	2.12
Female Genital System	-	-	-	-	-	18	17.1	4.43	13.3	3.18
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	11	18.3	6.23	12.6	3.91	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	149,843	174.1	0.46	114.4	0.30	140,033	128.4	0.35	87.9	0.25
Oral Cavity & Pharynx	3,474	3.8	0.07	2.7	0.05	1,469	1.3	0.04	0.9	0.03
Digestive System	46,053	51.8	0.25	35.6	0.17	35,308	32.1	0.17	21.4	0.12
Esophagus	5,189	5.8	0.08	4.0	0.06	1,372	1.3	0.03	0.8	0.02
Stomach	4,576	5.2	0.08	3.6	0.05	3,317	3.1	0.05	2.1	0.04
Colon & Rectum	13,639	15.6	0.14	10.5	0.09	12,690	11.4	0.10	7.5	0.07
Liver	8,724	9.2	0.10	6.9	0.07	3,521	3.2	0.05	2.2	0.04
Pancreas	10,299	11.8	0.12	7.9	0.08	10,036	9.1	0.09	6.0	0.06
Respiratory System	34,148	40.0	0.22	26.1	0.14	30,171	27.9	0.16	18.4	0.11
Larynx	1,157	1.3	0.04	0.9	0.03	252	0.2	0.01	0.2	0.01
Lung & bronchus	32,642	38.3	0.22	24.9	0.14	29,730	27.5	0.16	18.2	0.11
Skin	4,559	5.3	0.08	3.5	0.05	2,072	1.9	0.04	1.3	0.03
Melanomas of the skin	3,192	3.7	0.07	2.5	0.04	1,546	1.4	0.04	1.0	0.03
Breast	189	0.2	0.02	0.1	0.01	22,033	20.3	0.14	14.7	0.10
Female Genital System	-	-	-	-	-	16,110	14.9	0.12	10.8	0.09
Cervix uteri	-	-	-	-	-	2,321	2.2	0.05	1.8	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	5,027	4.5	0.07	3.3	0.05
Ovary	-	-	-	-	-	7,796	7.2	0.08	5.1	0.06
Male Genital System	16,207	20.2	0.16	11.4	0.09	-	-	-	-	-
Prostate	15,719	19.7	0.16	10.9	0.09	-	-	-	-	-
Testis	320	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	10,278	12.2	0.12	7.6	0.08	4,647	4.2	0.06	2.6	0.04
Bladder	5,515	6.8	0.09	3.9	0.05	2,138	1.9	0.04	1.1	0.03
Kidney & renal pelvis	4,571	5.2	0.08	3.5	0.05	2,344	2.1	0.04	1.4	0.03
Brain & Other Nervous System	4,889	5.3	0.08	4.1	0.06	3,731	3.5	0.06	2.7	0.05
Endocrine System	808	0.9	0.03	0.7	0.02	994	0.9	0.03	0.7	0.02
Thyroid gland	506	0.6	0.03	0.4	0.02	716	0.7	0.02	0.4	0.02
Lymphomas	6,311	7.5	0.10	4.8	0.06	4,991	4.6	0.07	3.0	0.04
Hodgkin Lymphoma	410	0.5	0.02	0.3	0.02	276	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	5,901	7.0	0.09	4.5	0.06	4,715	4.3	0.06	2.7	0.04
Multiple Myeloma	3,315	3.9	0.07	2.5	0.04	2,648	2.4	0.05	1.6	0.03
Leukemias	6,946	8.3	0.10	5.4	0.07	5,199	4.8	0.07	3.3	0.05
Other, Ill-defined & Unknown	12,666	14.7	0.13	9.8	0.09	10,660	9.7	0.10	6.6	0.07

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	121,619	180.2	0.53	118.0	0.34	112,621	133.8	0.41	91.4	0.29
Oral Cavity & Pharynx	2,778	3.9	0.08	2.8	0.05	1,161	1.4	0.04	0.9	0.03
Digestive System	35,870	51.6	0.28	35.4	0.19	27,080	31.8	0.20	21.2	0.14
Esophagus	4,573	6.6	0.10	4.5	0.07	1,144	1.4	0.04	0.9	0.03
Stomach	3,278	4.8	0.09	3.3	0.06	2,276	2.8	0.06	2.0	0.04
Colon & Rectum	10,657	15.6	0.15	10.4	0.10	9,849	11.4	0.12	7.5	0.08
Liver	6,205	8.3	0.11	6.3	0.08	2,444	2.9	0.06	2.0	0.04
Pancreas	8,355	12.2	0.14	8.2	0.09	7,941	9.3	0.11	6.1	0.07
Respiratory System	26,821	40.1	0.25	26.1	0.16	24,675	29.5	0.19	19.4	0.13
Larynx	955	1.4	0.05	0.9	0.03	207	0.2	0.02	0.2	0.01
Lung & bronchus	25,563	38.3	0.24	24.8	0.16	24,317	29.1	0.19	19.1	0.13
Skin	4,407	6.5	0.10	4.3	0.07	1,962	2.3	0.05	1.6	0.04
Melanomas of the skin	3,118	4.6	0.08	3.1	0.06	1,482	1.8	0.05	1.3	0.03
Breast	139	0.2	0.02	0.1	0.01	17,646	21.2	0.16	15.3	0.12
Female Genital System	-	-	-	-	-	12,962	15.6	0.14	11.3	0.10
Cervix uteri	-	-	-	-	-	1,753	2.3	0.06	1.8	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	3,866	4.6	0.07	3.3	0.06
Ovary	-	-	-	-	-	6,513	7.8	0.10	5.6	0.07
Male Genital System	13,248	20.9	0.18	11.7	0.10	-	-	-	-	-
Prostate	12,823	20.3	0.18	11.2	0.10	-	-	-	-	-
Testis	285	0.4	0.02	0.4	0.02	-	-	-	-	-
Urinary System	8,903	13.4	0.14	8.3	0.09	3,918	4.5	0.07	2.9	0.05
Bladder	4,899	7.6	0.11	4.4	0.06	1,826	2.1	0.05	1.2	0.03
Kidney & renal pelvis	3,845	5.5	0.09	3.8	0.06	1,958	2.3	0.05	1.6	0.04
Brain & Other Nervous System	4,266	6.0	0.09	4.6	0.07	3,216	3.9	0.07	3.0	0.06
Endocrine System	630	0.9	0.04	0.7	0.03	749	0.9	0.03	0.6	0.03
Thyroid gland	397	0.6	0.03	0.4	0.02	537	0.6	0.03	0.4	0.02
Lymphomas	5,328	8.0	0.11	5.2	0.07	4,136	4.9	0.08	3.1	0.05
Hodgkin Lymphoma	343	0.5	0.03	0.4	0.02	233	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	4,985	7.5	0.11	4.8	0.07	3,903	4.6	0.07	2.9	0.05
Multiple Myeloma	2,707	4.1	0.08	2.6	0.05	2,041	2.4	0.05	1.6	0.04
Leukemias	5,916	9.0	0.12	5.9	0.08	4,332	5.2	0.08	3.5	0.06
Other, Ill-defined & Unknown	10,606	15.7	0.15	10.5	0.10	8,743	10.3	0.11	6.9	0.08

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,922	220.8	2.24	148.5	1.43	10,811	162.1	1.59	115.2	1.13
Oral Cavity & Pharynx	211	3.9	0.29	2.8	0.20	107	1.6	0.16	1.1	0.11
Digestive System	3,440	65.3	1.18	46.1	0.79	2,776	42.1	0.81	28.8	0.56
Esophagus	220	4.1	0.30	2.9	0.20	114	1.7	0.16	1.2	0.11
Stomach	397	8.0	0.43	5.3	0.27	246	3.8	0.25	2.5	0.16
Colon & Rectum	1,168	23.1	0.72	15.8	0.47	1,115	16.9	0.52	11.5	0.35
Liver	701	11.6	0.46	9.2	0.35	269	3.8	0.24	2.8	0.17
Pancreas	735	14.2	0.55	9.9	0.37	753	11.5	0.43	7.8	0.29
Respiratory System	2,737	54.8	1.11	37.3	0.72	2,307	34.8	0.74	24.5	0.52
Larynx	109	2.1	0.22	1.5	0.14	33	0.5	0.09	0.4	0.06
Lung & bronchus	2,614	52.4	1.08	35.7	0.70	2,263	34.1	0.73	24.0	0.51
Skin	54	1.0	0.15	0.7	0.10	35	0.5	0.09	0.4	0.06
Melanomas of the skin	22	0.4	0.10	0.3	0.06	17	0.3	0.06	0.2	0.05
Breast	31	0.6	0.11	0.4	0.08	2,048	30.1	0.68	22.5	0.51
Female Genital System	-	-	-	-	-	1,275	18.6	0.53	14.0	0.40
Cervix uteri	-	-	-	-	-	204	2.9	0.21	2.4	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	560	8.1	0.35	6.1	0.26
Ovary	-	-	-	-	-	447	6.6	0.32	4.9	0.23
Male Genital System	1,769	42.3	1.05	24.5	0.59	-	-	-	-	-
Prostate	1,744	41.9	1.05	24.2	0.58	-	-	-	-	-
Testis	14	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	536	11.1	0.51	7.3	0.32	306	4.7	0.27	3.0	0.18
Bladder	241	5.5	0.37	3.3	0.22	161	2.5	0.20	1.5	0.12
Kidney & renal pelvis	288	5.4	0.34	3.9	0.23	137	2.0	0.18	1.4	0.12
Brain & Other Nervous System	220	3.9	0.28	3.0	0.20	145	2.1	0.18	1.6	0.14
Endocrine System	44	0.8	0.12	0.6	0.09	62	0.9	0.11	0.6	0.08
Thyroid gland	22	0.4	0.09	0.3	0.06	36	0.5	0.09	0.4	0.06
Lymphomas	286	5.2	0.33	3.8	0.23	262	4.1	0.25	2.8	0.18
Hodgkin Lymphoma	33	0.5	0.10	0.4	0.08	17	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	253	4.7	0.31	3.4	0.21	245	3.8	0.25	2.6	0.17
Multiple Myeloma	354	7.3	0.41	4.9	0.26	374	5.8	0.31	3.8	0.20
Leukemias	362	7.2	0.40	5.0	0.26	315	4.9	0.28	3.4	0.20
Other, Ill-defined & Unknown	878	17.2	0.62	11.9	0.40	799	12.0	0.43	8.5	0.31

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	16,335	129.3	1.03	85.4	0.68	15,824	92.8	0.75	63.7	0.52
Oral Cavity & Pharynx	467	3.4	0.16	2.5	0.12	195	1.1	0.08	0.8	0.06
Digestive System	6,405	49.5	0.63	33.7	0.42	5,232	30.9	0.43	20.1	0.29
Esophagus	358	2.7	0.15	1.9	0.10	106	0.6	0.06	0.4	0.04
Stomach	879	7.1	0.24	4.5	0.15	782	4.6	0.17	3.0	0.11
Colon & Rectum	1,724	13.3	0.33	9.1	0.22	1,657	9.7	0.24	6.4	0.16
Liver	1,719	12.8	0.32	9.2	0.22	755	4.5	0.17	2.9	0.11
Pancreas	1,143	9.0	0.27	5.9	0.18	1,287	7.7	0.22	4.9	0.14
Respiratory System	4,364	34.9	0.54	22.6	0.35	3,024	17.9	0.33	11.8	0.22
Larynx	84	0.7	0.08	0.4	0.05	-	-	-	-	-
Lung & bronchus	4,251	34.1	0.53	22.1	0.34	2,989	17.7	0.33	11.7	0.22
Skin	88	0.7	0.07	0.5	0.05	70	0.4	0.05	0.3	0.03
Melanomas of the skin	46	0.3	0.05	0.3	0.04	44	0.3	0.04	0.2	0.03
Breast	16	0.1	0.03	0.1	0.02	2,230	12.7	0.27	9.7	0.21
Female Genital System	-	-	-	-	-	1,794	10.3	0.25	7.8	0.19
Cervix uteri	-	-	-	-	-	347	2.0	0.11	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	577	3.3	0.14	2.5	0.10
Ovary	-	-	-	-	-	803	4.6	0.16	3.5	0.12
Male Genital System	1,093	9.6	0.29	5.2	0.16	-	-	-	-	-
Prostate	1,060	9.4	0.29	5.0	0.16	-	-	-	-	-
Testis	17	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	773	6.3	0.23	3.9	0.14	388	2.3	0.12	1.4	0.08
Bladder	346	3.0	0.16	1.7	0.09	137	0.8	0.07	0.4	0.04
Kidney & renal pelvis	403	3.1	0.16	2.1	0.11	229	1.4	0.09	0.9	0.06
Brain & Other Nervous System	373	2.8	0.15	2.2	0.12	349	2.1	0.11	1.6	0.09
Endocrine System	129	1.0	0.09	0.7	0.06	177	1.0	0.08	0.7	0.06
Thyroid gland	84	0.7	0.07	0.4	0.05	138	0.8	0.07	0.5	0.05
Lymphomas	664	5.3	0.21	3.5	0.14	571	3.4	0.14	2.2	0.10
Hodgkin Lymphoma	32	0.3	0.05	0.2	0.03	24	0.1	0.03	0.1	0.02
Non-Hodgkin Lymphoma	632	5.1	0.21	3.3	0.13	547	3.3	0.14	2.1	0.09
Multiple Myeloma	241	1.9	0.12	1.3	0.08	219	1.3	0.09	0.9	0.06
Leukemias	631	5.1	0.21	3.5	0.14	527	3.2	0.14	2.3	0.11
Other, Ill-defined & Unknown	1,091	8.7	0.27	5.8	0.18	1,048	6.2	0.19	4.2	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater California, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	86,980	181.0	0.63	119.1	0.41	79,226	132.7	0.48	91.0	0.34
Oral Cavity & Pharynx	2,050	4.0	0.09	2.9	0.06	843	1.4	0.05	1.0	0.03
Digestive System	25,627	51.6	0.33	35.6	0.23	18,986	31.5	0.23	21.0	0.16
Esophagus	3,250	6.5	0.12	4.5	0.08	757	1.3	0.05	0.8	0.03
Stomach	2,210	4.5	0.10	3.1	0.07	1,576	2.7	0.07	1.9	0.05
Colon & Rectum	7,682	15.9	0.18	10.6	0.12	7,018	11.5	0.14	7.6	0.10
Liver	4,719	8.8	0.13	6.7	0.10	1,862	3.1	0.07	2.1	0.05
Pancreas	5,818	11.9	0.16	8.0	0.11	5,514	9.2	0.13	6.0	0.08
Respiratory System	20,302	42.4	0.30	27.8	0.20	18,147	30.6	0.23	20.3	0.16
Larynx	688	1.4	0.05	0.9	0.04	164	0.3	0.02	0.2	0.02
Lung & bronchus	19,394	40.6	0.30	26.5	0.19	17,870	30.1	0.23	20.0	0.15
Skin	2,950	6.2	0.12	4.0	0.08	1,325	2.2	0.06	1.5	0.04
Melanomas of the skin	2,089	4.3	0.10	2.9	0.06	1,014	1.7	0.05	1.2	0.04
Breast	88	0.2	0.02	0.1	0.01	12,303	20.7	0.19	15.1	0.14
Female Genital System	-	-	-	-	-	8,920	15.0	0.16	10.9	0.12
Cervix uteri	-	-	-	-	-	1,299	2.3	0.07	1.9	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,696	4.4	0.09	3.2	0.06
Ovary	-	-	-	-	-	4,394	7.4	0.11	5.3	0.08
Male Genital System	9,533	21.4	0.22	12.0	0.13	-	-	-	-	-
Prostate	9,216	20.7	0.22	11.5	0.12	-	-	-	-	-
Testis	211	0.4	0.03	0.4	0.03	-	-	-	-	-
Urinary System	6,172	13.1	0.17	8.2	0.11	2,741	4.5	0.09	2.9	0.06
Bladder	3,330	7.4	0.13	4.2	0.07	1,254	2.0	0.06	1.2	0.04
Kidney & renal pelvis	2,727	5.5	0.11	3.8	0.07	1,394	2.3	0.06	1.6	0.04
Brain & Other Nervous System	2,863	5.6	0.11	4.3	0.08	2,137	3.6	0.08	2.8	0.06
Endocrine System	445	0.9	0.04	0.7	0.03	551	0.9	0.04	0.7	0.03
Thyroid gland	283	0.6	0.03	0.4	0.02	388	0.6	0.03	0.4	0.02
Lymphomas	3,546	7.5	0.13	4.8	0.08	2,756	4.6	0.09	3.0	0.06
Hodgkin Lymphoma	248	0.5	0.03	0.4	0.02	159	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,298	7.0	0.12	4.5	0.08	2,597	4.3	0.09	2.8	0.06
Multiple Myeloma	1,886	4.0	0.09	2.6	0.06	1,432	2.4	0.06	1.6	0.04
Leukemias	3,986	8.5	0.14	5.6	0.09	2,939	5.0	0.09	3.4	0.07
Other, Ill-defined & Unknown	7,532	15.6	0.18	10.5	0.12	6,146	10.2	0.13	7.0	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater California, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	76,110	186.6	0.69	122.7	0.45	68,920	137.3	0.53	94.1	0.38
Oral Cavity & Pharynx	1,791	4.1	0.10	3.0	0.07	727	1.4	0.05	1.0	0.04
Digestive System	21,785	51.9	0.36	35.8	0.25	15,917	31.3	0.25	20.9	0.18
Esophagus	3,007	7.1	0.13	5.0	0.09	680	1.3	0.05	0.9	0.04
Stomach	1,774	4.3	0.10	3.0	0.07	1,206	2.5	0.07	1.7	0.05
Colon & Rectum	6,562	16.0	0.20	10.6	0.13	5,974	11.6	0.15	7.6	0.11
Liver	3,726	8.3	0.14	6.3	0.10	1,429	2.8	0.08	2.0	0.05
Pancreas	5,063	12.2	0.17	8.2	0.12	4,727	9.3	0.14	6.1	0.09
Respiratory System	17,493	43.1	0.33	28.1	0.22	16,111	32.2	0.26	21.4	0.18
Larynx	615	1.5	0.06	1.0	0.04	146	0.3	0.02	0.2	0.02
Lung & bronchus	16,682	41.1	0.32	26.8	0.21	15,870	31.7	0.26	21.0	0.17
Skin	2,893	7.1	0.13	4.7	0.09	1,284	2.5	0.07	1.7	0.05
Melanomas of the skin	2,057	5.0	0.11	3.4	0.08	986	2.0	0.06	1.4	0.05
Breast	71	0.2	0.02	0.1	0.01	10,648	21.5	0.21	15.6	0.16
Female Genital System	-	-	-	-	-	7,702	15.6	0.18	11.3	0.14
Cervix uteri	-	-	-	-	-	1,058	2.3	0.07	1.9	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,279	4.5	0.10	3.2	0.07
Ovary	-	-	-	-	-	3,886	7.8	0.13	5.5	0.09
Male Genital System	8,368	21.8	0.24	12.2	0.14	-	-	-	-	-
Prostate	8,091	21.1	0.24	11.7	0.13	-	-	-	-	-
Testis	188	0.4	0.03	0.4	0.03	-	-	-	-	-
Urinary System	5,669	14.1	0.19	8.8	0.12	2,461	4.8	0.10	3.0	0.07
Bladder	3,119	8.0	0.15	4.6	0.08	1,140	2.2	0.07	1.3	0.04
Kidney & renal pelvis	2,449	5.8	0.12	4.0	0.08	1,241	2.5	0.07	1.7	0.05
Brain & Other Nervous System	2,600	6.1	0.12	4.7	0.09	1,921	3.9	0.09	3.1	0.07
Endocrine System	377	0.9	0.05	0.7	0.03	439	0.9	0.04	0.6	0.03
Thyroid gland	246	0.6	0.04	0.4	0.03	309	0.6	0.04	0.4	0.02
Lymphomas	3,174	7.9	0.14	5.1	0.09	2,444	4.8	0.10	3.2	0.07
Hodgkin Lymphoma	215	0.5	0.04	0.4	0.03	137	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,959	7.4	0.14	4.7	0.09	2,307	4.6	0.10	2.9	0.07
Multiple Myeloma	1,643	4.1	0.10	2.6	0.07	1,235	2.4	0.07	1.6	0.05
Leukemias	3,565	9.0	0.15	5.9	0.10	2,602	5.2	0.10	3.5	0.08
Other, Ill-defined & Unknown	6,681	16.4	0.20	10.9	0.14	5,429	10.7	0.15	7.3	0.11

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater California, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,219	211.8	3.56	142.2	2.22	3,830	154.6	2.58	108.9	1.77
Oral Cavity & Pharynx	77	3.6	0.44	2.5	0.29	40	1.7	0.27	1.1	0.18
Digestive System	1,343	63.2	1.88	44.2	1.22	952	39.6	1.32	26.8	0.88
Esophagus	93	4.6	0.51	3.1	0.33	38	1.6	0.27	1.1	0.17
Stomach	142	7.2	0.67	4.8	0.40	73	3.2	0.38	2.0	0.24
Colon & Rectum	474	23.2	1.16	15.9	0.74	396	16.6	0.86	11.1	0.57
Liver	278	11.0	0.72	8.6	0.52	99	3.8	0.40	2.8	0.28
Pancreas	275	13.1	0.86	9.1	0.56	258	10.7	0.69	7.3	0.46
Respiratory System	1,067	53.5	1.77	36.3	1.12	793	32.4	1.19	22.6	0.81
Larynx	39	2.0	0.35	1.3	0.21	12	0.5	0.16	0.3	0.10
Lung & bronchus	1,018	51.0	1.73	34.6	1.10	777	31.7	1.18	22.2	0.80
Skin	-	-	-	-	-	11	0.4	0.14	0.3	0.10
Melanomas of the skin	10	0.4	0.15	0.3	0.10	-	-	-	-	-
Breast	-	-	-	-	-	774	29.8	1.10	22.1	0.80
Female Genital System	-	-	-	-	-	465	17.6	0.84	13.4	0.63
Cervix uteri	-	-	-	-	-	82	2.8	0.32	2.4	0.27
Corpus & uterus, NOS ¹	-	-	-	-	-	193	7.3	0.55	5.5	0.40
Ovary	-	-	-	-	-	164	6.4	0.52	4.7	0.37
Male Genital System	644	40.5	1.71	23.2	0.92	-	-	-	-	-
Prostate	627	39.8	1.69	22.7	0.91	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	202	10.0	0.77	6.7	0.48	111	4.8	0.47	3.0	0.29
Bladder	79	4.7	0.57	2.8	0.32	55	2.6	0.36	1.5	0.20
Kidney & renal pelvis	119	5.1	0.52	3.8	0.35	52	2.1	0.30	1.4	0.20
Brain & Other Nervous System	100	4.1	0.46	3.2	0.32	57	2.2	0.30	1.6	0.21
Endocrine System	16	0.7	0.19	0.5	0.13	26	1.0	0.20	0.7	0.15
Thyroid gland	-	-	-	-	-	15	0.6	0.16	0.4	0.11
Lymphomas	115	5.1	0.52	3.6	0.34	94	4.0	0.42	2.7	0.28
Hodgkin Lymphoma	19	0.8	0.19	0.6	0.13	10	0.4	0.12	0.3	0.10
Non-Hodgkin Lymphoma	96	4.3	0.49	3.1	0.32	84	3.6	0.41	2.4	0.27
Multiple Myeloma	133	6.9	0.64	4.6	0.40	106	4.7	0.47	3.0	0.30
Leukemias	155	7.5	0.65	5.2	0.42	122	5.1	0.48	3.5	0.32
Other, Ill-defined & Unknown	341	15.8	0.94	11.3	0.62	279	11.4	0.70	7.9	0.48

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater California, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,912	126.2	1.69	84.2	1.10	5,901	93.8	1.24	64.7	0.86
Oral Cavity & Pharynx	167	3.2	0.25	2.4	0.19	72	1.1	0.13	0.8	0.10
Digestive System	2,240	46.4	1.01	31.9	0.68	1,959	31.6	0.72	20.6	0.48
Esophagus	125	2.5	0.24	1.8	0.16	33	0.6	0.10	0.3	0.06
Stomach	277	6.1	0.38	3.9	0.24	287	4.6	0.28	3.1	0.18
Colon & Rectum	579	12.1	0.52	8.3	0.34	602	9.6	0.40	6.4	0.27
Liver	641	12.5	0.51	9.2	0.36	293	4.8	0.28	3.1	0.18
Pancreas	424	9.2	0.46	6.0	0.29	489	8.0	0.36	5.1	0.23
Respiratory System	1,571	33.9	0.88	22.3	0.56	1,114	18.1	0.55	11.9	0.36
Larynx	26	0.5	0.11	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,534	33.2	0.87	21.7	0.56	1,098	17.8	0.54	11.7	0.36
Skin	32	0.7	0.12	0.5	0.08	-	-	-	-	-
Melanomas of the skin	16	0.3	0.08	0.2	0.06	18	0.3	0.06	0.2	0.05
Breast	-	-	-	-	-	800	12.1	0.43	9.3	0.33
Female Genital System	-	-	-	-	-	699	10.7	0.41	8.1	0.31
Cervix uteri	-	-	-	-	-	148	2.3	0.19	1.8	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	212	3.2	0.22	2.4	0.17
Ovary	-	-	-	-	-	317	4.8	0.28	3.6	0.21
Male Genital System	438	10.8	0.53	5.9	0.29	-	-	-	-	-
Prostate	420	10.5	0.52	5.7	0.28	-	-	-	-	-
Testis	11	0.2	0.06	0.2	0.06	-	-	-	-	-
Urinary System	253	5.5	0.36	3.6	0.23	140	2.3	0.20	1.4	0.13
Bladder	114	2.7	0.26	1.6	0.15	47	0.8	0.12	0.4	0.07
Kidney & renal pelvis	131	2.6	0.24	1.9	0.17	85	1.4	0.15	0.9	0.10
Brain & Other Nervous System	144	2.7	0.23	2.2	0.19	145	2.3	0.19	1.8	0.15
Endocrine System	48	1.0	0.15	0.7	0.10	81	1.3	0.15	0.9	0.10
Thyroid gland	31	0.6	0.12	0.4	0.08	59	0.9	0.12	0.6	0.08
Lymphomas	230	5.2	0.35	3.3	0.22	205	3.4	0.24	2.2	0.16
Hodgkin Lymphoma	12	0.3	0.09	0.2	0.05	11	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	218	4.9	0.34	3.1	0.21	194	3.2	0.23	2.1	0.15
Multiple Myeloma	100	2.1	0.21	1.4	0.14	81	1.3	0.15	0.9	0.10
Leukemias	239	5.1	0.34	3.5	0.23	193	3.1	0.23	2.3	0.17
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,982	161.4	1.00	105.0	0.65	25,768	120.3	0.77	81.3	0.54
Oral Cavity & Pharynx	615	3.5	0.14	2.5	0.10	261	1.2	0.08	0.8	0.05
Digestive System	8,501	49.0	0.55	33.5	0.37	6,737	31.1	0.39	20.5	0.27
Esophagus	895	5.1	0.18	3.6	0.12	305	1.4	0.08	0.9	0.06
Stomach	866	5.1	0.18	3.4	0.12	633	3.0	0.12	2.0	0.09
Colon & Rectum	2,349	13.7	0.29	9.1	0.19	2,324	10.6	0.22	6.9	0.15
Liver	1,704	9.2	0.23	6.9	0.17	640	3.0	0.12	2.0	0.08
Pancreas	1,918	11.3	0.26	7.5	0.17	1,881	8.7	0.21	5.6	0.14
Respiratory System	6,031	36.5	0.48	23.5	0.31	5,447	25.8	0.36	16.8	0.24
Larynx	192	1.1	0.08	0.7	0.05	33	0.2	0.03	0.1	0.02
Lung & bronchus	5,786	35.1	0.47	22.5	0.30	5,378	25.5	0.35	16.6	0.24
Skin	766	4.5	0.17	2.9	0.11	346	1.6	0.09	1.0	0.06
Melanomas of the skin	543	3.2	0.14	2.1	0.09	256	1.2	0.07	0.8	0.05
Breast	43	0.2	0.04	0.2	0.03	3,968	18.5	0.30	13.5	0.22
Female Genital System	-	-	-	-	-	2,906	13.6	0.26	9.8	0.19
Cervix uteri	-	-	-	-	-	306	1.5	0.09	1.2	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	964	4.5	0.15	3.2	0.11
Ovary	-	-	-	-	-	1,438	6.7	0.18	4.9	0.13
Male Genital System	2,782	17.8	0.34	10.0	0.19	-	-	-	-	-
Prostate	2,714	17.4	0.34	9.6	0.19	-	-	-	-	-
Testis	49	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,806	11.1	0.27	6.8	0.16	815	3.6	0.13	2.2	0.08
Bladder	960	6.1	0.20	3.4	0.11	378	1.7	0.09	0.9	0.05
Kidney & renal pelvis	808	4.7	0.17	3.2	0.11	401	1.8	0.09	1.2	0.06
Brain & Other Nervous System	910	5.1	0.17	3.9	0.13	693	3.4	0.13	2.6	0.11
Endocrine System	141	0.8	0.07	0.6	0.05	181	0.9	0.07	0.6	0.05
Thyroid gland	81	0.5	0.05	0.3	0.04	130	0.6	0.05	0.4	0.04
Lymphomas	1,216	7.4	0.22	4.7	0.14	906	4.2	0.14	2.6	0.09
Hodgkin Lymphoma	65	0.4	0.05	0.3	0.04	47	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,151	7.0	0.21	4.4	0.13	859	3.9	0.14	2.4	0.09
Multiple Myeloma	611	3.8	0.16	2.4	0.10	520	2.5	0.11	1.6	0.07
Leukemias	1,243	7.7	0.22	4.9	0.14	908	4.3	0.15	3.0	0.11
Other, Ill-defined & Unknown	2,317	13.9	0.30	9.1	0.19	2,080	9.6	0.22	6.3	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,282	168.7	1.24	108.9	0.80	18,458	128.2	0.97	86.1	0.68
Oral Cavity & Pharynx	418	3.5	0.17	2.4	0.12	175	1.2	0.09	0.8	0.06
Digestive System	5,670	48.0	0.65	32.6	0.44	4,484	30.6	0.47	20.1	0.32
Esophagus	725	6.1	0.23	4.2	0.16	234	1.6	0.11	1.1	0.07
Stomach	494	4.3	0.20	2.9	0.13	335	2.4	0.13	1.6	0.10
Colon & Rectum	1,596	13.8	0.35	9.0	0.23	1,579	10.6	0.27	6.8	0.19
Liver	957	7.5	0.25	5.6	0.18	348	2.4	0.13	1.6	0.09
Pancreas	1,384	11.9	0.33	7.9	0.22	1,321	8.9	0.25	5.8	0.17
Respiratory System	3,960	35.1	0.57	22.4	0.36	3,957	27.9	0.46	17.9	0.30
Larynx	142	1.2	0.11	0.8	0.07	27	0.2	0.04	0.1	0.03
Lung & bronchus	3,778	33.5	0.56	21.4	0.35	3,905	27.5	0.45	17.7	0.30
Skin	727	6.3	0.24	4.1	0.15	320	2.2	0.13	1.4	0.09
Melanomas of the skin	524	4.5	0.20	3.0	0.13	242	1.7	0.11	1.1	0.08
Breast	24	0.2	0.04	0.1	0.03	2,881	20.2	0.39	14.5	0.29
Female Genital System	-	-	-	-	-	2,137	15.1	0.34	10.8	0.25
Cervix uteri	-	-	-	-	-	195	1.5	0.11	1.2	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	671	4.6	0.18	3.2	0.13
Ovary	-	-	-	-	-	1,114	7.9	0.24	5.6	0.18
Male Genital System	2,092	19.3	0.43	10.7	0.24	-	-	-	-	-
Prostate	2,033	18.8	0.42	10.3	0.24	-	-	-	-	-
Testis	45	0.4	0.05	0.4	0.05	-	-	-	-	-
Urinary System	1,413	12.6	0.34	7.7	0.21	624	4.1	0.17	2.4	0.11
Bladder	785	7.2	0.26	4.1	0.15	300	1.9	0.11	1.1	0.07
Kidney & renal pelvis	600	5.1	0.22	3.4	0.14	299	2.0	0.12	1.3	0.08
Brain & Other Nervous System	727	6.0	0.23	4.6	0.17	547	4.0	0.18	3.1	0.14
Endocrine System	89	0.8	0.08	0.6	0.06	121	0.9	0.08	0.6	0.06
Thyroid gland	48	0.4	0.06	0.3	0.04	88	0.6	0.07	0.4	0.05
Lymphomas	945	8.4	0.28	5.3	0.18	663	4.5	0.18	2.8	0.12
Hodgkin Lymphoma	52	0.5	0.07	0.3	0.05	41	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	893	8.0	0.27	5.0	0.17	622	4.2	0.17	2.5	0.11
Multiple Myeloma	468	4.3	0.20	2.6	0.12	360	2.5	0.14	1.6	0.09
Leukemias	966	8.7	0.29	5.5	0.19	691	4.9	0.19	3.4	0.14
Other, Ill-defined & Unknown	1,783	15.7	0.38	10.3	0.25	1,498	10.3	0.27	6.7	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,325	228.9	5.02	154.7	3.24	2,196	163.9	3.58	116.9	2.57
Oral Cavity & Pharynx	50	4.7	0.70	3.4	0.48	15	1.2	0.32	0.8	0.22
Digestive System	752	68.2	2.64	49.3	1.81	582	43.6	1.86	30.4	1.29
Esophagus	44	3.9	0.62	2.9	0.44	26	2.0	0.40	1.4	0.27
Stomach	87	8.3	0.95	5.6	0.61	60	4.7	0.62	2.9	0.40
Colon & Rectum	211	20.1	1.47	13.9	0.97	227	16.9	1.15	11.7	0.80
Liver	183	14.6	1.14	11.8	0.88	56	3.8	0.52	3.1	0.42
Pancreas	177	16.7	1.33	11.8	0.89	156	11.9	0.98	8.3	0.68
Respiratory System	561	54.6	2.44	37.3	1.59	478	36.2	1.70	25.5	1.19
Larynx	22	2.0	0.45	1.4	0.31	-	-	-	-	-
Lung & bronchus	538	52.6	2.40	35.8	1.56	472	35.7	1.69	25.2	1.18
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	12	1.1	0.32	0.8	0.22	372	27.2	1.45	20.8	1.11
Female Genital System	-	-	-	-	-	237	17.3	1.15	12.9	0.86
Cervix uteri	-	-	-	-	-	24	1.8	0.37	1.4	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	111	8.1	0.79	5.8	0.57
Ovary	-	-	-	-	-	90	6.6	0.71	5.1	0.54
Male Genital System	366	41.8	2.27	24.6	1.30	-	-	-	-	-
Prostate	364	41.6	2.27	24.5	1.29	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	121	12.6	1.20	8.1	0.74	72	5.2	0.63	3.4	0.42
Bladder	59	6.5	0.89	3.9	0.51	38	2.8	0.46	1.8	0.30
Kidney & renal pelvis	61	5.9	0.79	4.1	0.53	33	2.4	0.42	1.6	0.29
Brain & Other Nervous System	45	4.1	0.64	3.2	0.48	25	1.8	0.37	1.5	0.31
Endocrine System	-	-	-	-	-	12	0.8	0.25	0.6	0.19
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	56	5.1	0.72	3.8	0.52	51	3.8	0.55	2.6	0.38
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	76	7.6	0.92	5.0	0.58	86	6.6	0.73	4.2	0.47
Leukemias	75	7.6	0.93	5.1	0.59	54	4.2	0.59	2.9	0.41
Other, Ill-defined & Unknown	195	19.9	1.50	13.0	0.94	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,273	127.0	1.78	83.4	1.16	5,028	90.7	1.30	61.5	0.90
Oral Cavity & Pharynx	146	3.3	0.28	2.4	0.20	70	1.2	0.15	0.9	0.11
Digestive System	2,040	47.7	1.08	32.4	0.72	1,642	29.9	0.75	19.2	0.49
Esophagus	119	2.7	0.26	1.9	0.18	44	0.8	0.12	0.5	0.08
Stomach	284	6.9	0.42	4.4	0.27	238	4.3	0.28	2.9	0.19
Colon & Rectum	529	12.2	0.54	8.4	0.37	505	9.0	0.41	5.9	0.27
Liver	553	12.6	0.55	9.0	0.38	229	4.3	0.29	2.7	0.18
Pancreas	353	8.5	0.46	5.5	0.30	397	7.4	0.37	4.6	0.24
Respiratory System	1,490	36.4	0.96	23.4	0.61	998	18.1	0.58	11.9	0.39
Larynx	27	0.7	0.13	0.4	0.08	-	-	-	-	-
Lung & bronchus	1,451	35.5	0.95	22.8	0.60	987	17.9	0.58	11.8	0.39
Skin	29	0.7	0.13	0.5	0.09	-	-	-	-	-
Melanomas of the skin	17	0.4	0.09	0.3	0.08	10	0.2	0.06	0.1	0.04
Breast	-	-	-	-	-	704	12.4	0.47	9.3	0.36
Female Genital System	-	-	-	-	-	522	9.2	0.41	6.9	0.31
Cervix uteri	-	-	-	-	-	85	1.5	0.17	1.2	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	177	3.1	0.24	2.3	0.18
Ovary	-	-	-	-	-	231	4.0	0.27	3.1	0.21
Male Genital System	317	8.4	0.48	4.5	0.26	-	-	-	-	-
Prostate	310	8.3	0.47	4.4	0.26	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	262	6.6	0.41	4.0	0.25	117	2.1	0.20	1.3	0.13
Bladder	108	2.9	0.28	1.5	0.15	39	0.7	0.11	0.4	0.06
Kidney & renal pelvis	145	3.4	0.29	2.3	0.19	68	1.2	0.15	0.8	0.10
Brain & Other Nervous System	134	3.1	0.27	2.4	0.21	118	2.2	0.20	1.7	0.17
Endocrine System	44	1.0	0.16	0.7	0.11	48	0.9	0.13	0.6	0.09
Thyroid gland	28	0.7	0.13	0.5	0.09	39	0.7	0.11	0.4	0.07
Lymphomas	212	5.2	0.36	3.4	0.23	190	3.5	0.25	2.2	0.16
Hodgkin Lymphoma	10	0.2	0.08	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	202	4.9	0.35	3.2	0.23	-	-	-	-	-
Multiple Myeloma	66	1.6	0.20	1.1	0.13	73	1.3	0.16	0.9	0.10
Leukemias	198	5.0	0.36	3.3	0.24	162	3.0	0.24	2.2	0.19
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,881	168.7	0.91	111.1	0.60	35,039	125.4	0.68	86.4	0.49
Oral Cavity & Pharynx	809	3.6	0.13	2.6	0.09	365	1.3	0.07	0.9	0.05
Digestive System	11,925	54.4	0.51	37.4	0.35	9,585	34.1	0.35	22.8	0.25
Esophagus	1,044	4.8	0.15	3.3	0.10	310	1.1	0.06	0.7	0.04
Stomach	1,500	6.9	0.18	4.7	0.12	1,108	4.0	0.12	2.8	0.09
Colon & Rectum	3,608	16.5	0.28	11.2	0.19	3,348	11.8	0.21	7.8	0.14
Liver	2,301	10.0	0.21	7.3	0.15	1,019	3.6	0.12	2.4	0.08
Pancreas	2,563	11.9	0.24	8.0	0.16	2,641	9.4	0.19	6.1	0.12
Respiratory System	7,815	37.3	0.43	24.3	0.28	6,577	23.7	0.30	15.7	0.20
Larynx	277	1.3	0.08	0.9	0.05	55	0.2	0.03	0.1	0.02
Lung & bronchus	7,462	35.7	0.42	23.2	0.27	6,482	23.4	0.30	15.5	0.20
Skin	843	3.9	0.14	2.6	0.09	401	1.4	0.07	0.9	0.05
Melanomas of the skin	560	2.6	0.11	1.8	0.08	276	1.0	0.06	0.7	0.04
Breast	58	0.3	0.04	0.2	0.02	5,762	20.6	0.28	15.0	0.21
Female Genital System	-	-	-	-	-	4,284	15.4	0.24	11.4	0.18
Cervix uteri	-	-	-	-	-	716	2.6	0.10	2.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,367	4.9	0.13	3.6	0.10
Ovary	-	-	-	-	-	1,964	7.0	0.16	5.1	0.12
Male Genital System	3,892	19.7	0.32	11.1	0.18	-	-	-	-	-
Prostate	3,789	19.3	0.32	10.7	0.18	-	-	-	-	-
Testis	60	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,300	11.0	0.23	6.9	0.15	1,091	3.8	0.12	2.5	0.08
Bladder	1,225	6.1	0.18	3.5	0.10	506	1.8	0.08	1.0	0.05
Kidney & renal pelvis	1,036	4.7	0.15	3.3	0.10	549	2.0	0.09	1.3	0.06
Brain & Other Nervous System	1,116	4.9	0.15	3.7	0.11	901	3.2	0.11	2.5	0.09
Endocrine System	222	1.0	0.07	0.7	0.05	262	1.0	0.06	0.7	0.04
Thyroid gland	142	0.7	0.06	0.4	0.04	198	0.7	0.05	0.5	0.03
Lymphomas	1,549	7.3	0.19	4.8	0.12	1,329	4.8	0.13	3.1	0.09
Hodgkin Lymphoma	97	0.4	0.05	0.3	0.03	70	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,452	6.9	0.18	4.5	0.12	1,259	4.5	0.13	2.9	0.09
Multiple Myeloma	818	3.9	0.14	2.5	0.09	696	2.5	0.10	1.6	0.06
Leukemias	1,717	8.2	0.20	5.5	0.14	1,352	4.9	0.14	3.4	0.10
Other, Ill-defined & Unknown	2,817	13.1	0.25	8.9	0.17	2,434	8.7	0.18	5.9	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,227	171.6	1.08	112.7	0.71	25,243	128.6	0.82	88.0	0.59
Oral Cavity & Pharynx	569	3.5	0.15	2.5	0.11	259	1.3	0.08	0.9	0.06
Digestive System	8,415	53.4	0.60	36.7	0.40	6,679	33.8	0.42	22.7	0.29
Esophagus	841	5.4	0.19	3.7	0.13	230	1.2	0.08	0.8	0.05
Stomach	1,010	6.4	0.21	4.5	0.14	735	3.8	0.14	2.8	0.11
Colon & Rectum	2,499	15.9	0.33	10.7	0.22	2,296	11.5	0.24	7.6	0.17
Liver	1,522	9.2	0.24	6.8	0.17	667	3.4	0.13	2.3	0.09
Pancreas	1,908	12.4	0.29	8.3	0.19	1,893	9.5	0.22	6.2	0.15
Respiratory System	5,368	35.8	0.50	23.2	0.32	4,607	23.7	0.36	15.5	0.24
Larynx	198	1.3	0.09	0.9	0.06	34	0.2	0.03	0.1	0.02
Lung & bronchus	5,103	34.1	0.49	22.1	0.31	4,542	23.4	0.35	15.2	0.24
Skin	787	5.1	0.19	3.4	0.12	358	1.8	0.10	1.2	0.07
Melanomas of the skin	537	3.4	0.15	2.3	0.10	254	1.3	0.08	0.9	0.06
Breast	44	0.3	0.05	0.2	0.03	4,117	21.0	0.33	15.1	0.25
Female Genital System	-	-	-	-	-	3,123	16.0	0.29	11.8	0.22
Cervix uteri	-	-	-	-	-	500	2.6	0.12	2.1	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	916	4.7	0.16	3.4	0.12
Ovary	-	-	-	-	-	1,513	7.7	0.20	5.6	0.15
Male Genital System	2,788	19.6	0.38	10.9	0.21	-	-	-	-	-
Prostate	2,699	19.1	0.37	10.5	0.21	-	-	-	-	-
Testis	52	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	1,821	12.1	0.29	7.6	0.18	833	4.2	0.15	2.7	0.10
Bladder	995	6.9	0.22	3.9	0.13	386	1.9	0.10	1.1	0.06
Kidney & renal pelvis	796	5.0	0.18	3.5	0.13	418	2.1	0.11	1.5	0.08
Brain & Other Nervous System	939	5.7	0.19	4.3	0.14	748	3.8	0.14	2.9	0.11
Endocrine System	164	1.0	0.08	0.8	0.06	189	1.0	0.07	0.7	0.05
Thyroid gland	103	0.7	0.07	0.4	0.04	140	0.7	0.06	0.5	0.04
Lymphomas	1,209	8.0	0.24	5.2	0.15	1,029	5.2	0.17	3.3	0.11
Hodgkin Lymphoma	76	0.5	0.06	0.3	0.04	55	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,133	7.5	0.23	4.8	0.15	974	4.9	0.16	3.1	0.11
Multiple Myeloma	596	4.0	0.17	2.5	0.11	446	2.3	0.11	1.5	0.07
Leukemias	1,385	9.1	0.25	6.1	0.17	1,039	5.3	0.17	3.7	0.12
Other, Ill-defined & Unknown	2,142	13.9	0.31	9.3	0.21	1,816	9.2	0.22	6.2	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,378	225.7	3.54	151.8	2.31	4,785	168.9	2.47	120.6	1.80
Oral Cavity & Pharynx	84	4.0	0.45	2.9	0.32	52	1.8	0.25	1.3	0.19
Digestive System	1,345	66.0	1.87	46.5	1.27	1,242	43.8	1.26	30.1	0.88
Esophagus	83	3.9	0.45	2.8	0.31	50	1.7	0.25	1.3	0.19
Stomach	168	8.7	0.69	5.8	0.45	113	4.1	0.39	2.7	0.26
Colon & Rectum	483	24.5	1.16	16.8	0.77	492	17.3	0.79	11.9	0.56
Liver	240	10.6	0.71	8.3	0.54	114	3.9	0.37	2.7	0.26
Pancreas	283	13.9	0.86	9.7	0.58	339	12.1	0.66	8.1	0.45
Respiratory System	1,109	56.5	1.76	38.5	1.16	1,036	36.4	1.14	25.9	0.82
Larynx	48	2.4	0.36	1.6	0.24	16	0.5	0.14	0.4	0.11
Lung & bronchus	1,058	54.0	1.72	36.8	1.14	1,014	35.7	1.13	25.3	0.81
Skin	27	1.4	0.28	1.0	0.19	15	0.5	0.14	0.4	0.10
Melanomas of the skin	10	0.6	0.18	0.4	0.11	-	-	-	-	-
Breast	11	0.6	0.17	0.4	0.12	902	31.9	1.08	23.8	0.82
Female Genital System	-	-	-	-	-	573	20.0	0.85	15.1	0.64
Cervix uteri	-	-	-	-	-	98	3.5	0.36	2.8	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	256	8.8	0.56	6.7	0.42
Ovary	-	-	-	-	-	193	6.8	0.50	4.9	0.36
Male Genital System	759	44.5	1.66	25.8	0.94	-	-	-	-	-
Prostate	753	44.3	1.66	25.6	0.94	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	213	11.4	0.80	7.5	0.52	123	4.4	0.40	2.8	0.27
Bladder	103	5.8	0.59	3.6	0.35	68	2.4	0.30	1.5	0.19
Kidney & renal pelvis	108	5.4	0.54	3.9	0.37	52	1.9	0.26	1.3	0.19
Brain & Other Nervous System	75	3.5	0.42	2.7	0.31	63	2.3	0.29	1.7	0.23
Endocrine System	21	0.9	0.21	0.8	0.17	24	0.8	0.17	0.6	0.12
Thyroid gland	14	0.6	0.17	0.5	0.13	18	0.6	0.15	0.4	0.10
Lymphomas	115	5.6	0.54	4.1	0.38	117	4.2	0.39	3.0	0.29
Hodgkin Lymphoma	11	0.5	0.16	0.4	0.13	-	-	-	-	-
Non-Hodgkin Lymphoma	104	5.1	0.52	3.7	0.36	-	-	-	-	-
Multiple Myeloma	145	7.6	0.65	5.1	0.42	182	6.4	0.48	4.3	0.33
Leukemias	132	6.7	0.61	4.7	0.42	139	5.1	0.43	3.6	0.33
Other, Ill-defined & Unknown	342	17.1	0.96	11.9	0.65	317	11.1	0.63	8.0	0.47

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,150	135.1	1.91	89.0	1.27	4,895	93.7	1.36	64.9	0.98
Oral Cavity & Pharynx	154	3.8	0.31	2.8	0.23	53	1.0	0.14	0.7	0.10
Digestive System	2,125	54.8	1.21	37.0	0.82	1,631	31.0	0.78	20.3	0.53
Esophagus	114	2.9	0.27	2.0	0.19	29	0.6	0.11	0.4	0.07
Stomach	318	8.4	0.48	5.4	0.31	257	4.9	0.31	3.2	0.21
Colon & Rectum	616	15.8	0.65	10.7	0.44	550	10.3	0.45	6.9	0.31
Liver	525	13.4	0.59	9.4	0.41	233	4.5	0.30	2.9	0.20
Pancreas	366	9.4	0.50	6.3	0.33	401	7.7	0.39	4.9	0.25
Respiratory System	1,303	34.5	0.97	22.3	0.63	912	17.5	0.59	11.6	0.40
Larynx	31	0.8	0.15	0.5	0.10	-	-	-	-	-
Lung & bronchus	1,266	33.5	0.96	21.6	0.62	904	17.3	0.59	11.5	0.40
Skin	27	0.7	0.14	0.5	0.09	28	0.6	0.11	0.3	0.07
Melanomas of the skin	13	0.3	0.10	0.2	0.06	16	0.3	0.08	0.2	0.06
Breast	-	-	-	-	-	726	13.8	0.52	10.6	0.41
Female Genital System	-	-	-	-	-	573	11.1	0.47	8.5	0.37
Cervix uteri	-	-	-	-	-	114	2.3	0.22	1.8	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	188	3.6	0.26	2.7	0.21
Ovary	-	-	-	-	-	255	4.9	0.31	3.7	0.24
Male Genital System	338	9.4	0.51	5.0	0.28	-	-	-	-	-
Prostate	330	9.2	0.51	4.8	0.27	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	258	6.9	0.43	4.3	0.28	131	2.5	0.22	1.5	0.14
Bladder	124	3.4	0.31	1.9	0.18	51	0.9	0.13	0.5	0.08
Kidney & renal pelvis	127	3.3	0.30	2.3	0.21	76	1.4	0.17	0.9	0.11
Brain & Other Nervous System	95	2.5	0.27	1.9	0.21	86	1.6	0.18	1.3	0.14
Endocrine System	37	1.0	0.17	0.7	0.12	48	0.9	0.13	0.6	0.09
Thyroid gland	25	0.7	0.13	0.4	0.09	40	0.8	0.12	0.5	0.08
Lymphomas	222	5.8	0.39	3.9	0.27	176	3.4	0.26	2.2	0.18
Hodgkin Lymphoma	10	0.3	0.09	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	212	5.5	0.38	3.7	0.26	-	-	-	-	-
Multiple Myeloma	75	2.0	0.23	1.3	0.15	65	1.2	0.15	0.8	0.10
Leukemias	194	5.2	0.38	3.7	0.28	172	3.5	0.27	2.5	0.22
Other, Ill-defined & Unknown	-	-	-	-	-	294	5.6	0.33	4.0	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2011-2015, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	19,071	163.8	1.23	106.5	0.78	17,652	122.3	0.94	82.6	0.65
Oral Cavity & Pharynx	350	2.7	0.15	2.0	0.11	167	1.2	0.09	0.8	0.06
Digestive System	5,534	44.9	0.63	30.9	0.42	3,993	27.6	0.45	18.4	0.30
Esophagus	870	7.0	0.25	4.9	0.17	171	1.2	0.09	0.8	0.06
Stomach	421	3.5	0.18	2.4	0.12	251	1.8	0.11	1.2	0.08
Colon & Rectum	1,693	14.3	0.36	9.5	0.23	1,547	10.7	0.28	6.9	0.18
Liver	854	6.2	0.22	4.7	0.16	296	2.0	0.12	1.4	0.08
Pancreas	1,310	10.7	0.31	7.3	0.20	1,210	8.4	0.25	5.6	0.17
Respiratory System	4,163	35.4	0.57	23.2	0.36	3,933	27.7	0.45	18.3	0.30
Larynx	140	1.2	0.10	0.8	0.07	34	0.2	0.04	0.2	0.03
Lung & bronchus	3,984	34.0	0.56	22.2	0.35	3,884	27.3	0.45	18.0	0.30
Skin	709	6.0	0.24	3.9	0.15	378	2.6	0.14	1.8	0.10
Melanomas of the skin	500	4.2	0.19	2.8	0.13	297	2.1	0.12	1.5	0.09
Breast	33	0.3	0.05	0.2	0.03	2,796	19.0	0.37	13.5	0.27
Female Genital System	-	-	-	-	-	2,029	13.9	0.32	10.0	0.23
Cervix uteri	-	-	-	-	-	230	1.6	0.11	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	561	3.8	0.16	2.7	0.12
Ovary	-	-	-	-	-	1,087	7.5	0.23	5.3	0.16
Male Genital System	2,229	21.9	0.47	12.1	0.26	-	-	-	-	-
Prostate	2,175	21.4	0.47	11.7	0.25	-	-	-	-	-
Testis	33	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,337	11.8	0.33	7.4	0.20	633	4.4	0.18	2.7	0.11
Bladder	741	6.8	0.26	4.0	0.15	279	2.0	0.12	1.1	0.07
Kidney & renal pelvis	572	4.7	0.21	3.2	0.13	339	2.3	0.13	1.5	0.08
Brain & Other Nervous System	649	5.1	0.21	3.8	0.15	545	3.8	0.17	2.9	0.13
Endocrine System	108	0.9	0.09	0.6	0.06	96	0.7	0.07	0.5	0.05
Thyroid gland	67	0.6	0.08	0.4	0.05	60	0.4	0.05	0.3	0.04
Lymphomas	769	6.9	0.26	4.4	0.16	577	4.0	0.17	2.5	0.11
Hodgkin Lymphoma	43	0.4	0.06	0.3	0.04	32	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	726	6.5	0.25	4.1	0.15	545	3.8	0.17	2.3	0.10
Multiple Myeloma	443	4.0	0.19	2.4	0.12	335	2.4	0.13	1.5	0.09
Leukemias	931	8.3	0.28	5.3	0.18	625	4.4	0.18	2.9	0.12
Other, Ill-defined & Unknown	1,816	15.6	0.38	10.2	0.24	1,545	10.7	0.28	6.9	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,898	164.3	1.27	106.7	0.81	16,627	123.5	0.98	83.6	0.68
Oral Cavity & Pharynx	327	2.7	0.16	2.0	0.11	154	1.1	0.09	0.7	0.06
Digestive System	5,153	44.8	0.65	30.8	0.43	3,710	27.5	0.46	18.3	0.31
Esophagus	847	7.2	0.26	5.1	0.18	163	1.2	0.10	0.8	0.07
Stomach	369	3.3	0.18	2.2	0.12	227	1.7	0.12	1.2	0.08
Colon & Rectum	1,580	14.3	0.37	9.4	0.24	1,445	10.7	0.29	6.9	0.19
Liver	762	5.9	0.22	4.5	0.17	260	1.9	0.12	1.3	0.08
Pancreas	1,235	10.8	0.32	7.3	0.21	1,130	8.4	0.25	5.6	0.17
Respiratory System	3,892	35.3	0.59	23.2	0.37	3,713	28.0	0.47	18.4	0.31
Larynx	130	1.2	0.11	0.8	0.07	31	0.2	0.04	0.2	0.03
Lung & bronchus	3,725	33.9	0.58	22.2	0.37	3,669	27.6	0.47	18.2	0.31
Skin	705	6.4	0.25	4.2	0.16	372	2.8	0.15	1.9	0.10
Melanomas of the skin	499	4.4	0.21	3.0	0.14	293	2.2	0.13	1.6	0.10
Breast	33	0.3	0.06	0.2	0.04	2,630	19.3	0.38	13.7	0.28
Female Genital System	-	-	-	-	-	1,905	14.0	0.33	10.1	0.24
Cervix uteri	-	-	-	-	-	216	1.6	0.11	1.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	507	3.7	0.17	2.6	0.12
Ovary	-	-	-	-	-	1,042	7.7	0.24	5.5	0.17
Male Genital System	2,064	21.5	0.48	11.9	0.26	-	-	-	-	-
Prostate	2,011	21.0	0.48	11.5	0.26	-	-	-	-	-
Testis	33	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,277	12.0	0.35	7.5	0.21	599	4.4	0.18	2.7	0.12
Bladder	715	7.0	0.27	4.2	0.16	262	1.9	0.12	1.1	0.07
Kidney & renal pelvis	540	4.8	0.21	3.2	0.14	323	2.3	0.13	1.5	0.09
Brain & Other Nervous System	624	5.3	0.22	4.0	0.16	527	4.0	0.18	3.1	0.14
Endocrine System	102	0.9	0.10	0.6	0.07	92	0.7	0.07	0.5	0.06
Thyroid gland	63	0.6	0.08	0.4	0.05	58	0.4	0.06	0.3	0.04
Lymphomas	721	6.9	0.26	4.4	0.16	550	4.1	0.18	2.5	0.11
Hodgkin Lymphoma	40	0.4	0.06	0.3	0.04	32	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	681	6.5	0.26	4.1	0.16	518	3.8	0.17	2.4	0.11
Multiple Myeloma	407	3.9	0.20	2.4	0.12	307	2.3	0.13	1.5	0.09
Leukemias	879	8.4	0.29	5.3	0.18	601	4.6	0.19	3.0	0.13
Other, Ill-defined & Unknown	1,714	15.8	0.40	10.3	0.25	1,467	10.9	0.29	7.0	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	748	198.9	8.19	131.8	4.94	620	137.5	5.68	95.0	3.85
Oral Cavity & Pharynx	14	3.0	0.87	2.3	0.64	-	-	-	-	-
Digestive System	229	55.2	4.13	38.5	2.61	148	32.8	2.78	22.7	1.89
Esophagus	12	3.6	1.14	2.2	0.66	-	-	-	-	-
Stomach	30	8.5	1.78	5.5	1.02	-	-	-	-	-
Colon & Rectum	79	20.3	2.57	13.6	1.57	49	10.9	1.60	7.6	1.09
Liver	48	8.5	1.29	7.3	1.08	16	3.4	0.86	2.5	0.63
Pancreas	47	11.0	1.80	7.8	1.16	52	12.1	1.72	7.9	1.11
Respiratory System	174	44.9	3.78	30.4	2.36	129	29.2	2.64	20.3	1.80
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	167	43.3	3.73	29.3	2.32	127	28.8	2.63	19.9	1.78
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	118	24.3	2.31	17.8	1.65
Female Genital System	-	-	-	-	-	82	18.3	2.08	12.5	1.39
Cervix uteri	-	-	-	-	-	11	2.5	0.78	1.7	0.51
Corpus & uterus, NOS ¹	-	-	-	-	-	39	8.6	1.41	6.1	0.98
Ovary	-	-	-	-	-	27	6.1	1.20	4.0	0.78
Male Genital System	133	45.8	4.37	26.1	2.30	-	-	-	-	-
Prostate	132	45.6	4.37	25.9	2.30	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	42	10.3	1.80	7.2	1.13	19	4.8	1.11	2.9	0.67
Bladder	19	4.6	1.23	3.2	0.75	-	-	-	-	-
Kidney & renal pelvis	22	5.3	1.26	3.8	0.82	10	2.5	0.80	1.5	0.47
Brain & Other Nervous System	11	1.6	0.49	1.5	0.45	11	2.3	0.72	1.8	0.53
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	20	5.5	1.36	3.6	0.82	18	4.0	0.97	2.8	0.66
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	28	7.7	1.64	5.0	0.98	24	5.4	1.14	3.6	0.75
Leukemias	31	8.7	1.77	5.7	1.04	13	2.9	0.82	1.9	0.53
Other, Ill-defined & Unknown	60	14.6	2.07	10.4	1.37	46	10.8	1.64	6.8	1.02

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	312	122.2	7.38	79.0	4.50	293	76.4	4.59	50.5	2.98
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	114	41.9	4.18	28.6	2.70	105	28.2	2.83	18.1	1.79
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	19	6.4	1.58	4.5	1.04	15	3.7	0.98	2.7	0.70
Colon & Rectum	22	9.1	2.04	5.6	1.20	41	11.2	1.79	7.1	1.12
Liver	35	11.7	2.11	8.7	1.48	11	3.3	1.00	2.0	0.60
Pancreas	19	6.9	1.67	4.8	1.11	21	5.8	1.30	3.4	0.76
Respiratory System	67	28.6	3.68	17.3	2.13	65	17.1	2.18	11.3	1.41
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	64	27.5	3.62	16.6	2.08	64	16.8	2.16	11.1	1.40
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	32	7.7	1.41	5.5	0.98
Female Genital System	-	-	-	-	-	33	8.0	1.44	5.7	1.00
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	13	3.2	0.90	2.2	0.62
Ovary	-	-	-	-	-	14	3.5	0.98	2.4	0.65
Male Genital System	20	10.2	2.37	5.2	1.18	-	-	-	-	-
Prostate	20	10.2	2.37	5.2	1.18	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	5.8	1.69	3.3	0.93	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	3.7	1.12	2.9	0.83	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	24	10.4	2.22	6.3	1.30	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	16	5.5	1.47	4.1	1.03	-	-	-	-	-
Other, Ill-defined & Unknown	29	9.4	1.86	7.0	1.30	23	6.4	1.37	3.7	0.78

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,853	178.4	1.40	116.8	0.92	16,571	130.7	1.05	88.5	0.75
Oral Cavity & Pharynx	287	2.9	0.18	2.1	0.12	123	1.0	0.09	0.7	0.06
Digestive System	4,644	48.0	0.72	32.8	0.49	3,791	29.5	0.50	19.4	0.34
Esophagus	691	7.0	0.27	4.9	0.19	183	1.5	0.11	0.9	0.07
Stomach	412	4.4	0.22	2.9	0.15	284	2.2	0.14	1.5	0.10
Colon & Rectum	1,282	13.5	0.38	8.9	0.26	1,361	10.4	0.29	6.7	0.20
Liver	644	6.3	0.25	4.7	0.19	192	1.5	0.11	1.0	0.08
Pancreas	1,168	12.1	0.36	8.2	0.24	1,256	9.8	0.28	6.4	0.19
Respiratory System	4,347	45.6	0.71	30.4	0.47	4,158	33.3	0.53	22.5	0.37
Larynx	136	1.4	0.12	1.0	0.08	43	0.3	0.05	0.2	0.04
Lung & bronchus	4,176	43.9	0.69	29.2	0.46	4,098	32.9	0.53	22.2	0.37
Skin	422	4.4	0.22	2.9	0.14	249	1.9	0.13	1.3	0.09
Melanomas of the skin	309	3.3	0.19	2.2	0.13	199	1.6	0.11	1.1	0.08
Breast	31	0.3	0.06	0.2	0.04	2,288	18.3	0.40	13.2	0.30
Female Genital System	-	-	-	-	-	1,746	14.1	0.35	10.1	0.26
Cervix uteri	-	-	-	-	-	173	1.6	0.12	1.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	548	4.4	0.19	3.1	0.14
Ovary	-	-	-	-	-	860	6.9	0.24	5.0	0.18
Male Genital System	1,656	18.3	0.46	10.1	0.26	-	-	-	-	-
Prostate	1,621	18.0	0.45	9.9	0.25	-	-	-	-	-
Testis	20	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,254	13.6	0.39	8.3	0.24	594	4.5	0.19	2.8	0.13
Bladder	786	8.6	0.31	5.0	0.18	338	2.5	0.14	1.5	0.09
Kidney & renal pelvis	441	4.7	0.23	3.1	0.15	228	1.8	0.12	1.2	0.09
Brain & Other Nervous System	495	5.2	0.24	4.0	0.19	400	3.3	0.17	2.5	0.14
Endocrine System	61	0.6	0.08	0.5	0.07	81	0.7	0.08	0.5	0.06
Thyroid gland	40	0.4	0.06	0.3	0.05	59	0.4	0.06	0.3	0.04
Lymphomas	690	7.5	0.29	4.8	0.19	585	4.4	0.19	2.8	0.13
Hodgkin Lymphoma	35	0.4	0.07	0.3	0.05	26	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	655	7.1	0.28	4.5	0.18	559	4.2	0.19	2.6	0.12
Multiple Myeloma	346	3.7	0.20	2.4	0.13	334	2.6	0.15	1.6	0.10
Leukemias	807	8.8	0.32	5.7	0.21	628	4.8	0.20	3.1	0.14
Other, Ill-defined & Unknown	1,813	19.4	0.46	12.6	0.31	1,594	12.3	0.32	8.1	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,361	179.3	1.48	117.2	0.98	15,066	132.0	1.12	89.2	0.81
Oral Cavity & Pharynx	254	2.8	0.18	2.0	0.13	110	0.9	0.09	0.6	0.06
Digestive System	4,146	47.4	0.75	32.3	0.52	3,378	29.1	0.52	19.1	0.37
Esophagus	646	7.2	0.29	5.1	0.20	161	1.4	0.12	0.9	0.08
Stomach	349	4.1	0.22	2.7	0.15	241	2.1	0.14	1.4	0.10
Colon & Rectum	1,152	13.4	0.40	8.9	0.27	1,224	10.3	0.31	6.7	0.22
Liver	534	5.8	0.26	4.3	0.19	158	1.4	0.11	0.9	0.08
Pancreas	1,061	12.1	0.38	8.2	0.26	1,137	9.8	0.30	6.4	0.21
Respiratory System	3,954	45.7	0.74	30.4	0.49	3,891	34.7	0.57	23.4	0.40
Larynx	115	1.3	0.12	0.9	0.09	35	0.3	0.05	0.2	0.04
Lung & bronchus	3,808	44.1	0.73	29.3	0.48	3,839	34.2	0.57	23.1	0.40
Skin	414	4.8	0.24	3.1	0.16	246	2.1	0.14	1.4	0.10
Melanomas of the skin	306	3.6	0.21	2.4	0.14	197	1.7	0.13	1.2	0.10
Breast	29	0.3	0.06	0.2	0.04	2,052	18.4	0.43	13.1	0.32
Female Genital System	-	-	-	-	-	1,543	14.0	0.37	10.0	0.28
Cervix uteri	-	-	-	-	-	144	1.5	0.13	1.2	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	456	4.1	0.20	2.9	0.14
Ovary	-	-	-	-	-	789	7.1	0.26	5.1	0.20
Male Genital System	1,479	17.7	0.47	9.7	0.26	-	-	-	-	-
Prostate	1,448	17.4	0.46	9.4	0.26	-	-	-	-	-
Testis	20	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,186	14.1	0.42	8.6	0.26	553	4.6	0.20	2.9	0.14
Bladder	754	9.0	0.33	5.2	0.20	314	2.5	0.15	1.5	0.10
Kidney & renal pelvis	408	4.8	0.24	3.2	0.16	214	1.8	0.13	1.2	0.09
Brain & Other Nervous System	472	5.5	0.26	4.3	0.21	374	3.5	0.19	2.7	0.16
Endocrine System	56	0.7	0.09	0.5	0.07	71	0.6	0.08	0.4	0.06
Thyroid gland	36	0.4	0.07	0.3	0.05	52	0.4	0.06	0.3	0.04
Lymphomas	644	7.7	0.31	4.9	0.20	547	4.6	0.21	2.9	0.14
Hodgkin Lymphoma	33	0.4	0.08	0.3	0.06	23	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	611	7.2	0.30	4.6	0.19	524	4.3	0.20	2.7	0.14
Multiple Myeloma	309	3.6	0.21	2.3	0.14	272	2.3	0.14	1.4	0.10
Leukemias	755	9.1	0.34	5.9	0.23	585	4.9	0.21	3.2	0.16
Other, Ill-defined & Unknown	1,663	19.6	0.49	12.8	0.33	1,444	12.3	0.34	8.1	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,246	193.7	5.90	131.3	3.75	1,290	131.4	3.74	93.4	2.63
Oral Cavity & Pharynx	24	3.8	0.82	2.6	0.53	-	-	-	-	-
Digestive System	405	59.6	3.19	41.9	2.10	342	35.6	1.97	24.3	1.33
Esophagus	36	5.5	0.98	3.8	0.64	20	2.1	0.47	1.4	0.33
Stomach	52	8.1	1.19	5.6	0.79	35	3.9	0.66	2.4	0.41
Colon & Rectum	111	17.3	1.78	11.5	1.10	113	11.5	1.10	8.0	0.76
Liver	84	10.2	1.19	8.2	0.90	27	2.5	0.48	2.0	0.38
Pancreas	91	13.4	1.51	9.4	0.99	101	10.8	1.10	7.1	0.72
Respiratory System	325	50.6	3.00	34.5	1.93	238	24.0	1.59	17.4	1.13
Larynx	18	2.5	0.64	1.8	0.44	-	-	-	-	-
Lung & bronchus	306	47.9	2.93	32.5	1.88	231	23.3	1.57	16.9	1.12
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	204	19.2	1.37	15.3	1.08
Female Genital System	-	-	-	-	-	176	17.7	1.36	12.8	0.97
Cervix uteri	-	-	-	-	-	23	2.1	0.43	1.8	0.37
Corpus & uterus, NOS ¹	-	-	-	-	-	84	8.6	0.95	6.0	0.67
Ovary	-	-	-	-	-	60	6.2	0.82	4.3	0.56
Male Genital System	168	31.5	2.57	18.5	1.44	-	-	-	-	-
Prostate	164	30.8	2.54	18.1	1.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	8.1	1.17	5.8	0.77	38	3.8	0.63	2.7	0.45
Bladder	27	4.2	0.87	2.8	0.55	23	2.4	0.51	1.6	0.35
Kidney & renal pelvis	27	3.6	0.75	2.7	0.52	13	1.2	0.35	0.9	0.26
Brain & Other Nervous System	17	1.8	0.46	1.7	0.41	23	2.4	0.50	1.7	0.37
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	35	5.4	0.97	3.7	0.64	28	2.9	0.57	2.0	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	35	6.0	1.08	3.8	0.65	55	5.9	0.82	3.8	0.52
Leukemias	38	5.5	0.98	3.9	0.64	37	4.0	0.67	2.6	0.44
Other, Ill-defined & Unknown	129	19.3	1.83	13.5	1.20	131	13.9	1.24	9.4	0.83

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	222	99.9	7.58	65.4	4.48	199	74.6	5.69	49.5	3.55
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	87	36.4	4.36	25.1	2.74	65	26.7	3.55	16.6	2.08
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	10	4.4	1.45	3.0	0.95	-	-	-	-	-
Colon & Rectum	17	5.0	1.22	4.3	1.06	20	8.5	2.03	5.2	1.16
Liver	25	9.8	2.18	7.2	1.46	-	-	-	-	-
Pancreas	14	7.5	2.20	4.4	1.20	17	7.5	1.90	4.5	1.11
Respiratory System	57	26.4	3.89	17.1	2.30	27	10.8	2.23	6.9	1.34
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	51	24.3	3.78	15.4	2.20	26	10.6	2.22	6.7	1.32
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	31	9.1	1.76	7.0	1.27
Female Genital System	-	-	-	-	-	23	8.6	1.91	5.8	1.22
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	6.9	2.22	3.9	1.15	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	10	7.1	2.40	3.6	1.14	10	4.4	1.47	2.7	0.84
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	13	5.7	1.83	3.8	1.08	-	-	-	-	-
Other, Ill-defined & Unknown	16	6.0	1.66	4.2	1.07	17	6.3	1.65	4.3	1.06

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,009	201.8	2.91	134.0	1.93	4,718	149.2	2.21	103.5	1.59
Oral Cavity & Pharynx	102	3.9	0.39	2.9	0.29	49	1.6	0.23	1.1	0.17
Digestive System	1,362	53.4	1.48	37.2	1.02	1,023	32.1	1.02	21.6	0.71
Esophagus	185	7.0	0.53	5.0	0.37	51	1.6	0.23	1.1	0.16
Stomach	92	3.7	0.40	2.5	0.27	77	2.4	0.28	1.7	0.20
Colon & Rectum	398	16.1	0.83	10.9	0.56	349	11.1	0.60	7.3	0.42
Liver	220	8.2	0.56	6.2	0.42	79	2.5	0.29	1.7	0.20
Pancreas	352	13.8	0.75	9.4	0.51	330	10.3	0.57	6.9	0.40
Respiratory System	1,561	61.8	1.60	41.6	1.06	1,322	41.5	1.16	28.8	0.82
Larynx	51	1.9	0.27	1.4	0.20	16	0.5	0.12	0.4	0.09
Lung & bronchus	1,499	59.4	1.57	39.9	1.04	1,301	40.9	1.15	28.4	0.82
Skin	165	6.8	0.54	4.3	0.34	86	2.8	0.31	1.9	0.22
Melanomas of the skin	103	4.1	0.41	2.7	0.28	60	2.0	0.27	1.5	0.20
Breast	-	-	-	-	-	672	21.6	0.86	15.8	0.65
Female Genital System	-	-	-	-	-	528	16.7	0.74	12.3	0.56
Cervix uteri	-	-	-	-	-	73	2.6	0.31	2.1	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	187	5.7	0.43	4.2	0.31
Ovary	-	-	-	-	-	239	7.5	0.49	5.4	0.36
Male Genital System	430	18.7	0.92	10.8	0.53	-	-	-	-	-
Prostate	417	18.1	0.90	10.3	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	329	14.0	0.79	8.5	0.48	176	5.4	0.42	3.5	0.28
Bladder	180	7.9	0.60	4.5	0.34	80	2.5	0.28	1.5	0.18
Kidney & renal pelvis	138	5.6	0.49	3.8	0.33	88	2.7	0.29	1.8	0.21
Brain & Other Nervous System	114	4.6	0.45	3.5	0.34	112	3.7	0.37	3.1	0.32
Endocrine System	18	0.8	0.18	0.5	0.12	20	0.7	0.16	0.5	0.13
Thyroid gland	-	-	-	-	-	10	0.3	0.11	0.2	0.08
Lymphomas	200	8.3	0.60	5.5	0.40	143	4.6	0.39	2.8	0.25
Hodgkin Lymphoma	13	0.6	0.16	0.5	0.14	-	-	-	-	-
Non-Hodgkin Lymphoma	187	7.7	0.58	5.0	0.37	-	-	-	-	-
Multiple Myeloma	112	4.3	0.41	2.9	0.28	101	3.2	0.32	2.1	0.21
Leukemias	213	9.1	0.63	5.6	0.40	149	4.7	0.39	3.1	0.28
Other, Ill-defined & Unknown	-	-	-	-	-	337	10.5	0.58	7.0	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,165	202.9	3.20	134.2	2.14	3,792	148.1	2.47	102.7	1.81
Oral Cavity & Pharynx	77	3.6	0.42	2.7	0.31	42	1.7	0.27	1.1	0.19
Digestive System	1,113	53.2	1.63	36.9	1.13	785	30.3	1.11	20.3	0.78
Esophagus	163	7.5	0.60	5.3	0.42	40	1.6	0.25	1.0	0.18
Stomach	61	2.9	0.38	2.0	0.26	58	2.3	0.31	1.6	0.23
Colon & Rectum	331	16.4	0.92	11.1	0.63	272	10.6	0.66	6.9	0.47
Liver	156	7.3	0.60	5.4	0.45	49	2.0	0.29	1.3	0.20
Pancreas	308	14.6	0.84	9.9	0.58	261	9.8	0.62	6.6	0.43
Respiratory System	1,315	62.7	1.76	42.2	1.19	1,105	42.4	1.30	29.4	0.93
Larynx	37	1.7	0.29	1.3	0.23	14	0.5	0.13	0.4	0.10
Lung & bronchus	1,268	60.5	1.73	40.5	1.16	1,087	41.8	1.29	29.0	0.92
Skin	161	7.9	0.63	5.0	0.41	82	3.3	0.38	2.2	0.28
Melanomas of the skin	102	4.9	0.49	3.3	0.34	57	2.4	0.33	1.7	0.26
Breast	-	-	-	-	-	524	21.2	0.96	15.5	0.74
Female Genital System	-	-	-	-	-	400	16.0	0.83	11.9	0.64
Cervix uteri	-	-	-	-	-	56	2.6	0.37	2.2	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	125	4.8	0.44	3.5	0.33
Ovary	-	-	-	-	-	195	7.6	0.56	5.5	0.42
Male Genital System	324	16.9	0.95	9.6	0.55	-	-	-	-	-
Prostate	314	16.3	0.93	9.1	0.52	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	291	14.7	0.88	9.0	0.55	151	5.7	0.47	3.7	0.33
Bladder	161	8.3	0.66	4.7	0.38	68	2.6	0.32	1.6	0.21
Kidney & renal pelvis	123	6.0	0.56	4.1	0.39	77	2.9	0.34	2.0	0.25
Brain & Other Nervous System	104	5.3	0.53	3.9	0.41	98	4.2	0.45	3.4	0.39
Endocrine System	16	0.8	0.22	0.5	0.14	16	0.7	0.19	0.6	0.16
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	164	8.2	0.66	5.3	0.44	122	4.7	0.44	2.8	0.28
Hodgkin Lymphoma	10	0.5	0.18	0.4	0.15	-	-	-	-	-
Non-Hodgkin Lymphoma	154	7.7	0.63	4.9	0.41	-	-	-	-	-
Multiple Myeloma	78	3.7	0.42	2.4	0.28	74	2.8	0.33	1.8	0.23
Leukemias	183	9.3	0.70	5.7	0.44	118	4.5	0.43	2.9	0.30
Other, Ill-defined & Unknown	-	-	-	-	-	275	10.6	0.66	7.0	0.47

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	783	213.8	8.25	146.4	5.27	860	166.1	5.83	116.2	4.01
Oral Cavity & Pharynx	22	5.4	1.24	4.0	0.85	-	-	-	-	-
Digestive System	228	58.4	4.18	41.8	2.79	224	44.0	3.03	30.1	2.03
Esophagus	20	4.8	1.14	3.6	0.82	10	1.7	0.55	1.4	0.43
Stomach	27	7.8	1.59	5.1	0.99	16	2.9	0.74	2.0	0.51
Colon & Rectum	62	16.5	2.27	11.6	1.48	74	14.8	1.77	9.9	1.16
Liver	60	13.4	1.84	10.6	1.37	28	5.7	1.12	3.8	0.72
Pancreas	42	11.0	1.84	7.7	1.19	66	13.4	1.69	9.0	1.12
Respiratory System	232	64.1	4.52	43.5	2.87	195	38.1	2.81	26.9	1.94
Larynx	13	3.8	1.15	2.5	0.69	-	-	-	-	-
Lung & bronchus	218	59.8	4.35	40.8	2.78	193	37.7	2.80	26.6	1.93
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	142	25.9	2.23	19.0	1.61
Female Genital System	-	-	-	-	-	121	23.2	2.17	16.4	1.51
Cervix uteri	-	-	-	-	-	17	3.1	0.78	2.3	0.58
Corpus & uterus, NOS ¹	-	-	-	-	-	59	11.6	1.55	8.0	1.05
Ovary	-	-	-	-	-	40	7.5	1.22	5.4	0.86
Male Genital System	101	33.5	3.53	20.0	2.00	-	-	-	-	-
Prostate	98	32.5	3.48	19.4	1.97	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	35	11.0	1.98	6.8	1.16	25	5.1	1.06	3.2	0.64
Bladder	18	5.5	1.42	3.4	0.82	12	2.5	0.75	1.5	0.43
Kidney & renal pelvis	14	4.3	1.20	2.7	0.73	11	2.2	0.67	1.4	0.43
Brain & Other Nervous System	-	-	-	-	-	11	2.1	0.64	1.8	0.55
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	31	7.3	1.42	5.6	1.02	19	3.6	0.86	2.5	0.59
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	33	8.5	1.59	6.1	1.07	25	5.1	1.05	3.4	0.68
Leukemias	27	7.6	1.56	5.1	0.99	28	5.7	1.11	3.7	0.72
Other, Ill-defined & Unknown	57	14.4	2.08	10.4	1.39	57	10.8	1.47	7.5	1.00

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	51	91.0	13.87	58.7	8.31	52	83.5	12.29	50.4	7.02
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	19	35.1	8.87	22.0	5.11	13	23.4	6.73	13.0	3.61
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	16	28.2	7.41	15.7	3.92
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	15	25.8	7.01	14.7	3.80
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2011-2015, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	2,606	205.0	4.15	139.9	2.77	2,828	159.2	3.07	111.8	2.22
Oral Cavity & Pharynx	72	5.2	0.63	3.9	0.46	27	1.5	0.30	1.2	0.23
Digestive System	860	65.1	2.30	46.7	1.60	755	42.0	1.56	29.1	1.12
Esophagus	81	6.3	0.72	4.3	0.48	46	2.6	0.38	1.8	0.27
Stomach	89	7.3	0.80	4.8	0.51	70	4.0	0.49	2.7	0.35
Colon & Rectum	238	18.3	1.23	12.8	0.84	266	14.7	0.93	10.2	0.67
Liver	173	12.0	0.94	9.5	0.72	73	3.9	0.47	2.8	0.35
Pancreas	207	15.6	1.12	11.4	0.80	205	11.5	0.82	7.7	0.56
Respiratory System	647	50.2	2.04	35.2	1.40	592	33.6	1.41	23.3	1.00
Larynx	37	2.8	0.47	2.0	0.32	11	0.6	0.19	0.5	0.15
Lung & bronchus	607	47.2	1.98	33.1	1.35	577	32.7	1.39	22.6	0.99
Skin	27	2.1	0.42	1.5	0.28	-	-	-	-	-
Melanomas of the skin	14	1.0	0.29	0.8	0.21	12	0.7	0.21	0.5	0.15
Breast	-	-	-	-	-	509	28.9	1.31	21.3	0.99
Female Genital System	-	-	-	-	-	357	20.4	1.11	15.1	0.83
Cervix uteri	-	-	-	-	-	56	3.3	0.45	2.6	0.36
Corpus & uterus, NOS ¹	-	-	-	-	-	131	7.3	0.65	5.4	0.49
Ovary	-	-	-	-	-	145	8.3	0.71	6.1	0.53
Male Genital System	376	32.8	1.73	18.9	0.99	-	-	-	-	-
Prostate	369	32.3	1.72	18.6	0.98	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	114	9.3	0.89	5.9	0.56	102	5.6	0.57	3.4	0.36
Bladder	62	5.2	0.68	3.1	0.41	62	3.4	0.45	2.0	0.28
Kidney & renal pelvis	50	3.9	0.57	2.7	0.38	39	2.0	0.34	1.3	0.23
Brain & Other Nervous System	49	3.6	0.53	2.7	0.40	33	1.9	0.34	1.5	0.27
Endocrine System	11	0.8	0.24	0.6	0.19	19	1.0	0.24	0.7	0.16
Thyroid gland	-	-	-	-	-	19	1.0	0.24	0.7	0.16
Lymphomas	80	6.5	0.74	4.5	0.51	61	3.6	0.47	2.5	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	52	4.4	0.63	2.8	0.40	62	3.5	0.46	2.2	0.30
Leukemias	87	7.5	0.83	4.7	0.51	73	3.9	0.47	2.6	0.33
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	599	125.2	5.30	77.3	3.21	617	105.0	4.41	69.6	2.97
Oral Cavity & Pharynx	17	3.2	0.81	2.2	0.54	-	-	-	-	-
Digestive System	175	35.2	2.77	23.2	1.77	142	25.3	2.21	16.1	1.42
Esophagus	25	5.4	1.12	3.2	0.65	11	2.2	0.69	1.4	0.43
Stomach	20	4.0	0.95	2.6	0.58	13	2.0	0.59	1.5	0.43
Colon & Rectum	40	7.5	1.22	5.1	0.82	47	8.3	1.26	5.3	0.82
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	59	12.2	1.65	8.1	1.06	42	7.4	1.19	4.4	0.73
Respiratory System	112	24.2	2.36	14.9	1.43	127	22.6	2.09	14.5	1.34
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	108	23.7	2.35	14.4	1.41	126	22.4	2.08	14.3	1.34
Skin	-	-	-	-	-	10	1.6	0.54	1.2	0.39
Melanomas of the skin	10	1.8	0.59	1.3	0.41	-	-	-	-	-
Breast	-	-	-	-	-	123	20.7	1.93	14.8	1.40
Female Genital System	-	-	-	-	-	67	10.4	1.32	7.3	0.94
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	18	2.7	0.65	1.8	0.46
Ovary	-	-	-	-	-	40	6.3	1.02	4.4	0.73
Male Genital System	83	19.0	2.12	9.7	1.09	-	-	-	-	-
Prostate	82	18.7	2.10	9.6	1.08	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	34	7.3	1.29	4.2	0.74	25	4.2	0.86	2.5	0.55
Bladder	20	4.4	1.00	2.4	0.55	14	2.4	0.67	1.5	0.42
Kidney & renal pelvis	13	2.8	0.80	1.7	0.48	11	1.7	0.54	1.1	0.36
Brain & Other Nervous System	25	4.4	0.92	3.2	0.64	18	2.9	0.71	2.1	0.52
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	30	6.8	1.26	4.0	0.74	15	2.6	0.70	1.6	0.45
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	3.0	0.84	1.8	0.49	-	-	-	-	-
Leukemias	36	7.7	1.35	4.6	0.78	18	2.9	0.73	2.0	0.49
Other, Ill-defined & Unknown	53	10.4	1.49	6.9	0.97	51	8.5	1.24	5.4	0.85

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,967	267.7	6.23	189.4	4.33	2,169	192.2	4.24	138.1	3.17
Oral Cavity & Pharynx	55	6.9	0.96	5.4	0.73	18	1.6	0.40	1.3	0.31
Digestive System	669	88.3	3.53	64.9	2.54	603	52.2	2.18	37.2	1.62
Esophagus	55	7.1	0.99	5.2	0.71	34	2.9	0.50	2.0	0.37
Stomach	66	9.8	1.23	6.5	0.81	56	5.1	0.71	3.5	0.51
Colon & Rectum	195	26.7	1.97	18.8	1.37	217	18.7	1.31	13.3	0.98
Liver	157	19.1	1.57	15.2	1.23	63	5.2	0.67	4.0	0.52
Pancreas	147	19.0	1.62	14.4	1.20	160	13.9	1.12	9.7	0.80
Respiratory System	525	69.9	3.16	50.7	2.23	454	40.0	1.92	28.5	1.40
Larynx	33	4.5	0.81	3.1	0.55	10	0.8	0.27	0.7	0.22
Lung & bronchus	489	65.0	3.04	47.3	2.16	441	38.9	1.89	27.6	1.38
Skin	10	1.4	0.45	1.0	0.33	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	379	34.6	1.84	25.9	1.42
Female Genital System	-	-	-	-	-	284	26.3	1.61	19.8	1.24
Cervix uteri	-	-	-	-	-	48	4.8	0.72	3.8	0.59
Corpus & uterus, NOS ¹	-	-	-	-	-	112	9.9	0.96	7.5	0.73
Ovary	-	-	-	-	-	102	9.5	0.97	7.0	0.73
Male Genital System	288	43.0	2.59	26.0	1.55	-	-	-	-	-
Prostate	282	42.3	2.57	25.4	1.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	80	11.2	1.29	7.5	0.85	73	6.0	0.72	3.7	0.47
Bladder	42	6.1	0.96	3.9	0.60	46	3.8	0.58	2.2	0.35
Kidney & renal pelvis	37	5.0	0.84	3.6	0.59	27	2.2	0.43	1.4	0.30
Brain & Other Nervous System	24	3.2	0.68	2.5	0.53	14	1.3	0.37	1.1	0.30
Endocrine System	-	-	-	-	-	15	1.2	0.30	0.8	0.22
Thyroid gland	-	-	-	-	-	15	1.2	0.30	0.8	0.22
Lymphomas	49	6.7	0.99	5.2	0.76	46	4.4	0.67	3.3	0.53
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	38	5.5	0.92	3.7	0.60	51	4.5	0.65	2.9	0.44
Leukemias	47	7.2	1.07	4.6	0.69	55	4.6	0.63	3.0	0.44
Other, Ill-defined & Unknown	171	22.7	1.79	16.8	1.30	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	38	137.2	23.41	88.0	14.68	39	88.9	14.56	54.7	8.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	52.1	13.99	36.3	9.38	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	35.1	11.70	25.2	8.14	10	22.3	7.15	11.8	3.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	35.1	11.70	25.2	8.14	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	115,622	185.8	0.55	126.7	0.39	98,219	130.5	0.43	91.1	0.32
Oral Cavity & Pharynx	2,589	4.1	0.08	3.1	0.06	1,012	1.4	0.04	1.0	0.03
Digestive System	30,790	49.3	0.28	34.9	0.21	22,160	28.7	0.20	19.4	0.14
Esophagus	4,219	6.7	0.10	4.8	0.08	1,082	1.4	0.04	1.0	0.03
Stomach	2,249	3.7	0.08	2.6	0.06	1,516	2.0	0.05	1.4	0.04
Colon & Rectum	9,823	15.9	0.16	11.0	0.12	8,568	11.2	0.12	7.5	0.09
Liver	4,867	7.6	0.11	5.9	0.09	1,823	2.4	0.06	1.6	0.04
Pancreas	7,540	12.0	0.14	8.3	0.10	6,945	8.9	0.11	5.9	0.08
Respiratory System	34,446	54.6	0.30	37.8	0.21	26,849	35.0	0.22	24.3	0.16
Larynx	1,308	2.1	0.06	1.5	0.04	281	0.4	0.02	0.3	0.02
Lung & bronchus	32,938	52.1	0.29	36.0	0.20	26,463	34.5	0.22	23.9	0.16
Skin	3,724	6.1	0.10	4.1	0.07	1,579	2.1	0.06	1.5	0.04
Melanomas of the skin	2,618	4.3	0.09	2.9	0.06	1,245	1.7	0.05	1.2	0.04
Breast	179	0.3	0.02	0.2	0.02	14,200	19.8	0.17	14.6	0.13
Female Genital System	-	-	-	-	-	10,287	14.3	0.15	10.6	0.11
Cervix uteri	-	-	-	-	-	1,636	2.7	0.07	2.2	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	3,129	4.2	0.08	3.1	0.06
Ovary	-	-	-	-	-	4,903	6.6	0.10	4.8	0.07
Male Genital System	10,901	17.6	0.17	10.2	0.10	-	-	-	-	-
Prostate	10,653	17.1	0.17	9.8	0.10	-	-	-	-	-
Testis	141	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	7,814	12.6	0.14	8.0	0.09	3,344	4.2	0.07	2.7	0.05
Bladder	4,557	7.3	0.11	4.4	0.07	1,647	2.0	0.05	1.2	0.03
Kidney & renal pelvis	3,082	4.9	0.09	3.4	0.06	1,591	2.1	0.05	1.4	0.04
Brain & Other Nervous System	3,053	5.2	0.10	4.0	0.08	2,355	3.4	0.07	2.6	0.06
Endocrine System	411	0.7	0.03	0.5	0.03	480	0.7	0.03	0.5	0.03
Thyroid gland	260	0.4	0.03	0.3	0.02	333	0.4	0.02	0.3	0.02
Lymphomas	4,483	7.4	0.11	4.9	0.08	3,324	4.3	0.08	2.8	0.05
Hodgkin Lymphoma	217	0.4	0.03	0.3	0.02	148	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	4,266	7.0	0.11	4.6	0.08	3,176	4.1	0.07	2.6	0.05
Multiple Myeloma	2,345	3.8	0.08	2.5	0.05	1,904	2.4	0.06	1.6	0.04
Leukemias	5,135	8.5	0.12	5.6	0.08	3,517	4.7	0.08	3.2	0.06
Other, Ill-defined & Unknown	9,752	15.8	0.16	10.9	0.12	7,208	9.5	0.12	6.5	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	103,058	186.7	0.59	127.4	0.42	86,403	131.1	0.46	91.3	0.35
Oral Cavity & Pharynx	2,309	4.2	0.09	3.2	0.07	892	1.4	0.05	1.0	0.04
Digestive System	26,942	48.8	0.30	34.5	0.22	19,076	28.1	0.21	18.9	0.15
Esophagus	3,908	7.1	0.11	5.1	0.09	964	1.4	0.05	1.0	0.03
Stomach	1,766	3.3	0.08	2.3	0.06	1,183	1.8	0.06	1.2	0.04
Colon & Rectum	8,479	15.5	0.17	10.7	0.12	7,369	10.9	0.13	7.3	0.10
Liver	4,179	7.5	0.12	5.8	0.09	1,542	2.3	0.06	1.6	0.04
Pancreas	6,774	12.1	0.15	8.4	0.11	6,086	8.8	0.12	5.8	0.08
Respiratory System	31,083	55.5	0.32	38.4	0.23	24,745	36.9	0.24	25.7	0.18
Larynx	1,118	2.0	0.06	1.5	0.05	259	0.4	0.03	0.3	0.02
Lung & bronchus	29,789	53.1	0.31	36.7	0.22	24,392	36.4	0.24	25.3	0.18
Skin	3,663	6.8	0.11	4.6	0.08	1,545	2.4	0.07	1.7	0.05
Melanomas of the skin	2,592	4.8	0.10	3.3	0.07	1,221	2.0	0.06	1.4	0.05
Breast	151	0.3	0.02	0.2	0.02	12,006	19.2	0.18	14.0	0.14
Female Genital System	-	-	-	-	-	8,656	14.0	0.16	10.3	0.12
Cervix uteri	-	-	-	-	-	1,259	2.5	0.08	2.1	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	2,465	3.8	0.08	2.8	0.06
Ovary	-	-	-	-	-	4,387	6.8	0.11	4.9	0.08
Male Genital System	9,017	16.1	0.17	9.2	0.10	-	-	-	-	-
Prostate	8,792	15.6	0.17	8.8	0.10	-	-	-	-	-
Testis	132	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	7,303	13.1	0.15	8.3	0.10	3,031	4.3	0.08	2.7	0.06
Bladder	4,314	7.7	0.12	4.6	0.07	1,489	2.0	0.05	1.2	0.04
Kidney & renal pelvis	2,818	5.1	0.10	3.5	0.07	1,448	2.1	0.06	1.4	0.04
Brain & Other Nervous System	2,815	5.6	0.11	4.4	0.09	2,154	3.6	0.08	2.8	0.07
Endocrine System	368	0.7	0.04	0.5	0.03	396	0.6	0.03	0.5	0.03
Thyroid gland	243	0.4	0.03	0.3	0.02	273	0.4	0.03	0.3	0.02
Lymphomas	4,078	7.5	0.12	5.0	0.08	2,948	4.3	0.08	2.8	0.06
Hodgkin Lymphoma	191	0.4	0.03	0.3	0.02	131	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,887	7.1	0.12	4.7	0.08	2,817	4.0	0.08	2.6	0.06
Multiple Myeloma	1,929	3.5	0.08	2.2	0.05	1,506	2.2	0.06	1.4	0.04
Leukemias	4,691	8.7	0.13	5.8	0.09	3,130	4.7	0.09	3.2	0.07
Other, Ill-defined & Unknown	8,709	16.0	0.17	11.0	0.13	6,318	9.4	0.12	6.4	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	11,452	202.3	2.01	137.8	1.29	10,605	134.0	1.33	96.3	0.95
Oral Cavity & Pharynx	255	4.0	0.26	3.0	0.19	99	1.2	0.13	0.9	0.09
Digestive System	3,428	57.7	1.05	40.8	0.70	2,744	35.1	0.68	24.3	0.47
Esophagus	283	4.6	0.29	3.3	0.20	105	1.3	0.13	1.0	0.09
Stomach	438	8.0	0.41	5.3	0.26	287	3.7	0.22	2.5	0.15
Colon & Rectum	1,213	20.5	0.63	14.4	0.42	1,088	13.8	0.43	9.6	0.30
Liver	583	8.7	0.38	6.7	0.28	231	2.9	0.19	2.1	0.14
Pancreas	687	12.0	0.49	8.2	0.32	784	10.1	0.37	6.9	0.25
Respiratory System	3,060	52.0	1.00	36.6	0.66	1,837	23.3	0.55	16.5	0.39
Larynx	179	2.9	0.23	2.1	0.16	21	0.3	0.06	0.2	0.04
Lung & bronchus	2,861	48.8	0.97	34.2	0.64	1,805	22.9	0.55	16.2	0.38
Skin	56	0.9	0.13	0.7	0.09	-	-	-	-	-
Melanomas of the skin	24	0.4	0.09	0.3	0.06	22	0.3	0.06	0.2	0.04
Breast	27	0.5	0.10	0.3	0.07	2,018	24.9	0.56	18.9	0.43
Female Genital System	-	-	-	-	-	1,475	18.3	0.49	13.7	0.36
Cervix uteri	-	-	-	-	-	346	4.2	0.23	3.3	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	625	7.7	0.31	5.8	0.23
Ovary	-	-	-	-	-	442	5.6	0.27	4.0	0.19
Male Genital System	1,819	38.9	0.96	22.6	0.53	-	-	-	-	-
Prostate	1,799	38.6	0.95	22.4	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	461	8.4	0.42	5.6	0.26	288	3.7	0.22	2.5	0.15
Bladder	223	4.5	0.32	2.7	0.18	145	1.9	0.16	1.2	0.10
Kidney & renal pelvis	235	3.9	0.27	2.8	0.18	133	1.7	0.15	1.2	0.10
Brain & Other Nervous System	209	3.2	0.24	2.5	0.17	181	2.2	0.17	1.7	0.13
Endocrine System	37	0.6	0.10	0.4	0.07	73	0.9	0.11	0.7	0.08
Thyroid gland	12	0.2	0.06	0.1	0.04	51	0.7	0.09	0.4	0.06
Lymphomas	354	5.9	0.33	4.3	0.23	327	4.2	0.24	3.0	0.17
Hodgkin Lymphoma	25	0.4	0.08	0.3	0.06	14	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	329	5.6	0.32	4.0	0.22	313	4.0	0.23	2.9	0.16
Multiple Myeloma	394	7.0	0.38	4.8	0.24	374	5.0	0.26	3.3	0.17
Leukemias	401	6.9	0.37	4.9	0.24	344	4.5	0.24	3.2	0.18
Other, Ill-defined & Unknown	951	16.2	0.56	11.4	0.37	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	941	84.1	2.90	57.2	1.87	1,120	74.6	2.31	51.4	1.55
Oral Cavity & Pharynx	23	1.8	0.40	1.4	0.29	20	1.2	0.28	0.9	0.21
Digestive System	365	31.1	1.72	22.0	1.15	321	22.0	1.28	14.6	0.82
Esophagus	24	2.0	0.42	1.4	0.29	13	0.9	0.26	0.6	0.16
Stomach	43	3.3	0.53	2.6	0.39	42	2.5	0.41	1.9	0.30
Colon & Rectum	116	10.3	1.01	7.0	0.66	104	7.1	0.73	4.7	0.46
Liver	90	7.3	0.80	5.4	0.57	50	3.6	0.52	2.3	0.32
Pancreas	66	5.9	0.78	4.0	0.50	69	5.1	0.63	3.2	0.38
Respiratory System	238	21.5	1.48	14.4	0.94	237	16.5	1.11	10.7	0.70
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	227	20.6	1.45	13.8	0.91	236	16.4	1.11	10.7	0.70
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	162	9.9	0.80	7.4	0.58
Female Genital System	-	-	-	-	-	147	9.3	0.80	6.7	0.56
Cervix uteri	-	-	-	-	-	29	1.8	0.34	1.3	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	37	2.2	0.39	1.6	0.27
Ovary	-	-	-	-	-	69	4.5	0.56	3.2	0.39
Male Genital System	56	6.4	0.90	3.5	0.47	-	-	-	-	-
Prostate	54	6.3	0.89	3.4	0.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	44	4.0	0.63	2.7	0.41	24	1.7	0.37	1.1	0.24
Bladder	18	1.8	0.45	1.1	0.26	13	1.0	0.28	0.6	0.16
Kidney & renal pelvis	26	2.1	0.45	1.6	0.31	-	-	-	-	-
Brain & Other Nervous System	26	2.1	0.44	1.6	0.32	18	1.2	0.30	1.0	0.26
Endocrine System	-	-	-	-	-	11	0.8	0.23	0.5	0.15
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	47	4.4	0.67	2.9	0.42	49	3.2	0.47	2.3	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	18	1.6	0.39	1.1	0.26	24	1.6	0.33	1.1	0.22
Leukemias	40	3.7	0.61	2.5	0.39	37	2.4	0.42	1.8	0.30
Other, Ill-defined & Unknown	74	6.7	0.83	4.5	0.53	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	43,555	209.2	1.06	140.5	0.68	38,113	138.9	0.72	96.9	0.51
Oral Cavity & Pharynx	941	4.1	0.14	3.0	0.10	434	1.6	0.08	1.1	0.05
Digestive System	11,891	54.4	0.53	38.1	0.35	8,506	31.0	0.34	21.1	0.23
Esophagus	1,522	6.6	0.18	4.8	0.12	371	1.3	0.07	0.9	0.05
Stomach	983	4.6	0.16	3.2	0.10	653	2.4	0.10	1.6	0.07
Colon & Rectum	4,051	19.3	0.32	13.1	0.21	3,399	12.4	0.22	8.4	0.15
Liver	1,858	7.8	0.19	5.9	0.14	706	2.5	0.10	1.8	0.07
Pancreas	2,661	12.3	0.25	8.5	0.17	2,502	9.1	0.19	6.1	0.12
Respiratory System	13,752	64.2	0.58	43.9	0.38	9,624	35.0	0.36	24.3	0.25
Larynx	408	1.8	0.09	1.3	0.06	99	0.4	0.04	0.3	0.03
Lung & bronchus	13,280	62.2	0.57	42.4	0.37	9,490	34.5	0.36	24.0	0.25
Skin	1,089	5.5	0.17	3.6	0.11	500	1.8	0.08	1.3	0.06
Melanomas of the skin	779	3.8	0.14	2.6	0.09	395	1.5	0.07	1.0	0.05
Breast	66	0.3	0.04	0.2	0.03	6,135	22.1	0.29	16.2	0.21
Female Genital System	-	-	-	-	-	4,218	15.2	0.24	11.1	0.17
Cervix uteri	-	-	-	-	-	670	2.5	0.10	2.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,295	4.6	0.13	3.3	0.09
Ovary	-	-	-	-	-	1,989	7.2	0.16	5.1	0.12
Male Genital System	4,032	23.0	0.38	13.1	0.21	-	-	-	-	-
Prostate	3,925	22.5	0.37	12.7	0.20	-	-	-	-	-
Testis	53	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,679	13.9	0.28	8.7	0.17	1,274	4.7	0.13	3.0	0.09
Bladder	1,454	8.0	0.22	4.7	0.12	621	2.3	0.09	1.4	0.06
Kidney & renal pelvis	1,162	5.5	0.17	3.8	0.11	610	2.2	0.09	1.5	0.06
Brain & Other Nervous System	1,205	5.2	0.16	4.1	0.12	941	3.4	0.11	2.7	0.09
Endocrine System	165	0.7	0.06	0.6	0.05	175	0.6	0.05	0.5	0.04
Thyroid gland	89	0.4	0.05	0.3	0.03	108	0.4	0.04	0.3	0.03
Lymphomas	1,503	7.6	0.21	5.0	0.13	1,181	4.5	0.13	2.9	0.09
Hodgkin Lymphoma	89	0.4	0.05	0.3	0.03	64	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,414	7.1	0.20	4.7	0.12	1,117	4.2	0.13	2.7	0.08
Multiple Myeloma	964	4.8	0.16	3.1	0.10	845	3.1	0.11	2.1	0.07
Leukemias	1,655	8.4	0.22	5.5	0.14	1,236	4.7	0.13	3.1	0.09
Other, Ill-defined & Unknown	3,613	17.1	0.30	11.7	0.20	3,044	11.1	0.21	7.7	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	31,644	203.6	1.19	136.1	0.77	26,859	137.2	0.85	95.1	0.61
Oral Cavity & Pharynx	653	3.9	0.16	2.8	0.11	302	1.5	0.09	1.0	0.06
Digestive System	8,131	50.4	0.58	35.1	0.39	5,657	28.7	0.39	19.3	0.27
Esophagus	1,120	6.6	0.20	4.8	0.14	244	1.3	0.08	0.8	0.06
Stomach	531	3.4	0.15	2.3	0.10	368	1.9	0.10	1.3	0.07
Colon & Rectum	2,736	17.6	0.35	11.9	0.23	2,251	11.5	0.25	7.7	0.17
Liver	1,216	7.1	0.21	5.3	0.15	472	2.4	0.11	1.6	0.08
Pancreas	1,964	12.2	0.29	8.4	0.19	1,720	8.7	0.21	5.8	0.14
Respiratory System	10,358	64.8	0.66	43.9	0.43	7,602	38.4	0.45	26.8	0.31
Larynx	252	1.5	0.10	1.1	0.07	75	0.4	0.04	0.3	0.03
Lung & bronchus	10,056	63.0	0.65	42.7	0.43	7,504	37.9	0.44	26.4	0.31
Skin	1,022	6.8	0.22	4.5	0.14	455	2.4	0.11	1.6	0.08
Melanomas of the skin	757	4.9	0.19	3.4	0.12	368	1.9	0.10	1.4	0.08
Breast	37	0.2	0.04	0.2	0.03	3,854	19.8	0.32	14.2	0.24
Female Genital System	-	-	-	-	-	2,754	14.2	0.28	10.3	0.21
Cervix uteri	-	-	-	-	-	392	2.2	0.11	1.8	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	687	3.4	0.13	2.5	0.10
Ovary	-	-	-	-	-	1,477	7.5	0.20	5.3	0.14
Male Genital System	2,449	18.2	0.38	10.2	0.21	-	-	-	-	-
Prostate	2,373	17.7	0.38	9.8	0.20	-	-	-	-	-
Testis	47	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,177	14.9	0.33	9.2	0.20	932	4.7	0.16	3.0	0.10
Bladder	1,227	8.8	0.26	5.1	0.15	442	2.2	0.11	1.4	0.07
Kidney & renal pelvis	894	5.7	0.20	3.8	0.13	459	2.3	0.11	1.6	0.08
Brain & Other Nervous System	1,004	6.0	0.20	4.7	0.15	769	4.1	0.15	3.2	0.12
Endocrine System	121	0.8	0.07	0.6	0.06	112	0.6	0.06	0.4	0.04
Thyroid gland	69	0.4	0.05	0.3	0.04	73	0.4	0.04	0.2	0.03
Lymphomas	1,194	8.1	0.24	5.2	0.15	944	4.9	0.16	3.1	0.11
Hodgkin Lymphoma	64	0.4	0.06	0.3	0.04	42	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,130	7.6	0.23	4.9	0.15	902	4.6	0.16	2.9	0.10
Multiple Myeloma	602	4.0	0.17	2.5	0.10	450	2.3	0.11	1.5	0.07
Leukemias	1,281	8.8	0.25	5.7	0.16	920	4.8	0.16	3.2	0.11
Other, Ill-defined & Unknown	2,615	16.8	0.34	11.4	0.23	2,108	10.9	0.24	7.5	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	11,280	243.9	2.62	165.5	1.60	10,711	149.3	1.50	105.9	1.03
Oral Cavity & Pharynx	270	4.7	0.32	3.6	0.23	127	1.7	0.16	1.3	0.11
Digestive System	3,489	70.3	1.36	49.5	0.86	2,682	38.2	0.77	26.3	0.51
Esophagus	382	7.0	0.40	5.2	0.27	123	1.6	0.15	1.2	0.11
Stomach	408	9.0	0.50	6.0	0.31	252	3.7	0.24	2.5	0.16
Colon & Rectum	1,246	26.5	0.86	18.0	0.53	1,101	15.5	0.49	10.7	0.33
Liver	563	9.6	0.46	7.5	0.32	214	2.9	0.21	2.1	0.15
Pancreas	665	13.4	0.59	9.5	0.38	740	10.9	0.42	7.3	0.27
Respiratory System	3,246	66.5	1.32	46.8	0.84	1,917	27.1	0.64	19.1	0.44
Larynx	152	2.7	0.25	2.1	0.17	24	0.4	0.07	0.2	0.05
Lung & bronchus	3,080	63.5	1.29	44.5	0.82	1,882	26.6	0.64	18.7	0.44
Skin	63	1.2	0.18	0.9	0.11	45	0.6	0.10	0.4	0.07
Melanomas of the skin	19	0.4	0.11	0.3	0.07	27	0.4	0.08	0.3	0.05
Breast	29	0.7	0.14	0.4	0.08	2,200	28.9	0.64	21.6	0.46
Female Genital System	-	-	-	-	-	1,393	19.1	0.53	13.9	0.38
Cervix uteri	-	-	-	-	-	260	3.4	0.22	2.6	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	593	8.2	0.35	5.9	0.25
Ovary	-	-	-	-	-	479	6.6	0.31	4.7	0.22
Male Genital System	1,547	45.3	1.27	26.0	0.67	-	-	-	-	-
Prostate	1,517	44.7	1.26	25.6	0.67	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	482	10.9	0.56	7.2	0.34	332	5.1	0.29	3.2	0.18
Bladder	216	5.5	0.42	3.4	0.24	177	2.8	0.22	1.7	0.13
Kidney & renal pelvis	261	5.3	0.37	3.7	0.24	145	2.1	0.18	1.4	0.12
Brain & Other Nervous System	180	3.1	0.26	2.4	0.19	158	2.1	0.17	1.6	0.13
Endocrine System	40	0.7	0.13	0.6	0.09	59	0.9	0.12	0.6	0.08
Thyroid gland	16	0.3	0.09	0.2	0.06	33	0.5	0.09	0.3	0.06
Lymphomas	287	5.7	0.38	4.1	0.25	217	3.1	0.22	2.2	0.15
Hodgkin Lymphoma	25	0.4	0.10	0.3	0.07	21	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	262	5.2	0.37	3.7	0.24	196	2.9	0.21	2.0	0.14
Multiple Myeloma	354	8.3	0.50	5.4	0.29	387	5.8	0.31	3.9	0.20
Leukemias	340	7.4	0.45	5.1	0.28	298	4.3	0.26	3.0	0.18
Other, Ill-defined & Unknown	953	19.3	0.71	13.6	0.45	896	12.4	0.43	8.8	0.30

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	602	104.0	4.94	70.7	2.97	510	73.3	3.59	49.4	2.22
Oral Cavity & Pharynx	17	3.1	0.91	2.0	0.51	-	-	-	-	-
Digestive System	267	44.8	3.20	30.9	1.95	161	25.2	2.18	16.0	1.28
Esophagus	20	3.3	0.89	2.3	0.53	-	-	-	-	-
Stomach	44	7.2	1.24	5.1	0.79	33	5.1	0.98	3.2	0.57
Colon & Rectum	69	13.2	1.90	8.4	1.05	43	6.5	1.10	4.2	0.65
Liver	77	11.1	1.45	8.3	0.98	20	3.1	0.75	2.0	0.46
Pancreas	31	5.5	1.09	3.7	0.68	40	6.4	1.11	4.0	0.64
Respiratory System	137	23.6	2.32	16.2	1.42	96	14.2	1.57	9.5	0.98
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	133	23.0	2.30	15.8	1.40	95	14.0	1.57	9.4	0.97
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	76	8.8	1.12	6.7	0.78
Female Genital System	-	-	-	-	-	64	8.3	1.15	6.0	0.77
Cervix uteri	-	-	-	-	-	17	2.3	0.62	1.6	0.40
Corpus & uterus, NOS ¹	-	-	-	-	-	13	1.6	0.46	1.2	0.34
Ovary	-	-	-	-	-	30	3.9	0.79	2.9	0.53
Male Genital System	32	8.6	1.67	4.6	0.83	-	-	-	-	-
Prostate	31	8.5	1.67	4.5	0.83	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	19	3.6	0.90	2.3	0.55	10	1.8	0.62	1.0	0.33
Bladder	11	2.5	0.79	1.5	0.45	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	19	2.2	0.55	1.9	0.44	14	1.7	0.48	1.3	0.36
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	4.0	1.10	2.6	0.58	19	3.1	0.79	1.9	0.44
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	33	5.5	1.13	3.9	0.69	17	2.2	0.59	1.6	0.40
Other, Ill-defined & Unknown	43	6.3	1.09	4.7	0.74	37	5.2	0.96	3.6	0.61

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,433	164.4	2.10	111.1	1.43	5,416	114.6	1.61	80.6	1.20
Oral Cavity & Pharynx	160	4.0	0.33	2.9	0.24	73	1.5	0.19	1.1	0.14
Digestive System	2,164	54.6	1.20	38.2	0.85	1,545	31.8	0.84	21.3	0.59
Esophagus	207	5.2	0.37	3.7	0.26	59	1.2	0.16	0.9	0.12
Stomach	227	5.9	0.40	3.8	0.27	180	3.6	0.28	2.3	0.20
Colon & Rectum	657	16.7	0.67	11.7	0.47	490	10.3	0.48	7.1	0.35
Liver	395	9.7	0.50	7.3	0.37	169	3.5	0.28	2.3	0.19
Pancreas	509	12.8	0.58	8.7	0.39	483	9.9	0.46	6.5	0.32
Respiratory System	1,640	41.8	1.06	28.2	0.71	1,204	25.4	0.75	17.3	0.53
Larynx	58	1.4	0.19	1.0	0.14	-	-	-	-	-
Lung & bronchus	1,561	39.8	1.03	26.8	0.69	1,187	25.0	0.75	17.0	0.53
Skin	150	3.8	0.32	2.6	0.22	63	1.3	0.17	0.9	0.13
Melanomas of the skin	96	2.4	0.25	1.6	0.17	45	0.9	0.14	0.7	0.11
Breast	-	-	-	-	-	721	15.9	0.61	11.9	0.48
Female Genital System	-	-	-	-	-	535	11.9	0.53	9.1	0.42
Cervix uteri	-	-	-	-	-	80	2.0	0.23	1.6	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	198	4.4	0.32	3.4	0.25
Ovary	-	-	-	-	-	220	4.8	0.34	3.5	0.25
Male Genital System	529	13.8	0.61	7.8	0.35	-	-	-	-	-
Prostate	525	13.7	0.61	7.7	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	364	9.2	0.50	5.9	0.32	154	3.1	0.26	2.1	0.18
Bladder	182	4.8	0.36	2.8	0.22	64	1.2	0.15	0.7	0.10
Kidney & renal pelvis	169	4.1	0.33	2.9	0.23	82	1.7	0.20	1.2	0.15
Brain & Other Nervous System	120	2.9	0.27	2.5	0.24	99	2.2	0.23	1.9	0.20
Endocrine System	35	0.9	0.15	0.7	0.12	41	0.9	0.15	0.7	0.13
Thyroid gland	25	0.6	0.13	0.4	0.09	28	0.6	0.11	0.4	0.09
Lymphomas	268	7.0	0.44	4.6	0.30	201	4.0	0.29	2.6	0.20
Hodgkin Lymphoma	12	0.3	0.09	0.2	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	256	6.7	0.43	4.4	0.29	-	-	-	-	-
Multiple Myeloma	139	3.7	0.32	2.5	0.21	95	2.0	0.21	1.3	0.15
Leukemias	235	6.3	0.42	4.3	0.29	172	3.8	0.31	2.8	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	513	10.7	0.49	7.6	0.37

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,148	181.7	4.16	121.7	2.71	1,550	137.7	3.74	95.5	2.67
Oral Cavity & Pharynx	63	4.9	0.66	3.5	0.46	21	2.3	0.52	1.5	0.34
Digestive System	623	50.7	2.17	36.0	1.49	358	31.5	1.76	21.0	1.19
Esophagus	83	7.0	0.82	4.8	0.55	28	2.4	0.48	1.6	0.32
Stomach	40	3.6	0.60	2.4	0.39	21	2.0	0.45	1.2	0.29
Colon & Rectum	174	14.6	1.18	10.0	0.78	134	12.3	1.13	8.3	0.78
Liver	116	8.9	0.88	6.8	0.65	25	1.8	0.39	1.2	0.26
Pancreas	162	13.0	1.09	9.3	0.76	120	10.4	1.00	6.8	0.66
Respiratory System	502	41.0	1.95	28.2	1.29	350	30.9	1.75	20.8	1.17
Larynx	30	2.3	0.44	1.7	0.31	-	-	-	-	-
Lung & bronchus	463	38.0	1.88	26.0	1.24	346	30.6	1.75	20.6	1.16
Skin	112	9.8	0.98	6.3	0.62	-	-	-	-	-
Melanomas of the skin	70	6.0	0.77	4.0	0.50	26	2.2	0.45	1.6	0.34
Breast	-	-	-	-	-	232	20.7	1.45	14.9	1.06
Female Genital System	-	-	-	-	-	168	14.9	1.24	10.8	0.91
Cervix uteri	-	-	-	-	-	20	1.8	0.44	1.5	0.38
Corpus & uterus, NOS ¹	-	-	-	-	-	47	4.1	0.65	2.9	0.46
Ovary	-	-	-	-	-	85	7.7	0.90	5.5	0.65
Male Genital System	193	18.7	1.40	10.3	0.76	-	-	-	-	-
Prostate	192	18.6	1.39	10.3	0.76	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	144	12.4	1.10	7.9	0.68	39	3.2	0.54	2.0	0.35
Bladder	87	7.9	0.89	4.7	0.52	17	1.4	0.36	0.8	0.23
Kidney & renal pelvis	51	3.9	0.59	2.8	0.40	21	1.7	0.40	1.1	0.26
Brain & Other Nervous System	55	4.0	0.58	3.2	0.44	47	4.5	0.76	4.1	0.74
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	94	8.3	0.90	5.6	0.62	53	4.3	0.62	2.7	0.40
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	54	4.9	0.70	3.1	0.44	28	2.6	0.52	1.8	0.35
Leukemias	68	6.1	0.78	4.0	0.50	46	4.8	0.79	3.6	0.69
Other, Ill-defined & Unknown	232	20.2	1.40	13.2	0.89	168	14.5	1.19	9.9	0.81

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	82	178.9	22.92	118.8	13.92	39	107.1	18.55	81.0	13.26
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	31	52.7	10.88	40.2	7.58	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	13	21.0	6.79	16.6	4.93	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	20	57.4	14.30	33.1	7.81	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	19	53.6	13.79	31.5	7.66	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	11	24.0	7.34	20.8	6.37
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	4,191	157.1	2.47	106.4	1.72	3,818	108.0	1.81	76.1	1.37
Oral Cavity & Pharynx	95	3.6	0.38	2.6	0.28	52	1.4	0.20	1.0	0.16
Digestive System	1,509	56.2	1.47	39.2	1.05	1,177	32.0	0.97	21.5	0.70
Esophagus	118	4.4	0.41	3.2	0.30	30	0.8	0.15	0.6	0.12
Stomach	185	6.9	0.52	4.5	0.35	158	4.1	0.34	2.7	0.25
Colon & Rectum	470	17.5	0.82	12.4	0.60	353	9.8	0.54	6.7	0.40
Liver	274	10.2	0.63	7.6	0.47	142	3.9	0.34	2.6	0.24
Pancreas	342	12.5	0.69	8.3	0.47	360	9.7	0.53	6.4	0.37
Respiratory System	1,115	41.9	1.27	28.0	0.87	842	23.7	0.84	16.2	0.61
Larynx	26	0.9	0.19	0.7	0.13	-	-	-	-	-
Lung & bronchus	1,077	40.4	1.25	27.0	0.85	829	23.3	0.83	15.8	0.60
Skin	38	1.4	0.24	1.0	0.17	29	0.8	0.15	0.6	0.12
Melanomas of the skin	26	1.0	0.19	0.6	0.13	19	0.5	0.12	0.4	0.10
Breast	-	-	-	-	-	477	14.3	0.68	10.8	0.54
Female Genital System	-	-	-	-	-	360	11.1	0.60	8.6	0.48
Cervix uteri	-	-	-	-	-	60	2.1	0.27	1.7	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	146	4.5	0.38	3.5	0.31
Ovary	-	-	-	-	-	133	4.0	0.35	2.9	0.27
Male Genital System	324	11.8	0.67	6.7	0.40	-	-	-	-	-
Prostate	321	11.7	0.66	6.6	0.39	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	217	8.1	0.56	5.1	0.36	114	3.1	0.30	2.1	0.22
Bladder	93	3.5	0.37	2.0	0.21	47	1.1	0.17	0.7	0.11
Kidney & renal pelvis	117	4.3	0.41	2.9	0.28	60	1.8	0.23	1.3	0.18
Brain & Other Nervous System	61	2.3	0.30	2.1	0.27	50	1.5	0.22	1.2	0.18
Endocrine System	29	1.1	0.21	0.8	0.16	35	1.1	0.18	0.9	0.17
Thyroid gland	20	0.8	0.17	0.5	0.13	26	0.7	0.15	0.6	0.12
Lymphomas	170	6.4	0.50	4.1	0.34	148	4.0	0.34	2.6	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	83	3.3	0.37	2.2	0.25	67	1.9	0.24	1.2	0.16
Leukemias	162	6.2	0.50	4.3	0.36	124	3.6	0.34	2.6	0.27
Other, Ill-defined & Unknown	-	-	-	-	-	343	9.6	0.54	6.9	0.42

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,337	183.5	2.19	120.1	1.42	6,158	132.5	1.72	90.1	1.20
Oral Cavity & Pharynx	148	3.5	0.29	2.5	0.21	59	1.3	0.17	0.8	0.11
Digestive System	2,011	48.6	1.11	33.4	0.75	1,363	29.2	0.80	19.6	0.56
Esophagus	306	7.3	0.43	5.1	0.30	75	1.6	0.19	1.1	0.13
Stomach	135	3.4	0.30	2.3	0.20	65	1.4	0.18	0.9	0.12
Colon & Rectum	636	15.7	0.64	10.6	0.43	504	10.9	0.50	7.3	0.34
Liver	262	5.8	0.37	4.4	0.27	91	1.9	0.20	1.3	0.15
Pancreas	535	12.9	0.57	8.8	0.39	445	9.5	0.46	6.3	0.31
Respiratory System	1,775	43.6	1.06	28.8	0.69	1,485	31.7	0.84	21.5	0.58
Larynx	51	1.2	0.17	0.8	0.12	-	-	-	-	-
Lung & bronchus	1,708	41.9	1.04	27.7	0.67	1,467	31.3	0.83	21.3	0.57
Skin	280	6.9	0.42	4.7	0.29	137	2.9	0.26	2.0	0.18
Melanomas of the skin	201	4.9	0.35	3.5	0.25	105	2.3	0.23	1.6	0.17
Breast	-	-	-	-	-	941	20.5	0.68	14.5	0.50
Female Genital System	-	-	-	-	-	710	15.2	0.58	10.9	0.42
Cervix uteri	-	-	-	-	-	74	1.7	0.20	1.4	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	216	4.6	0.32	3.3	0.24
Ovary	-	-	-	-	-	377	7.9	0.41	5.6	0.30
Male Genital System	871	23.8	0.82	13.2	0.45	-	-	-	-	-
Prostate	860	23.6	0.82	13.0	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	536	13.7	0.60	8.6	0.38	214	4.5	0.31	2.8	0.20
Bladder	274	7.3	0.45	4.2	0.26	88	1.8	0.20	1.0	0.12
Kidney & renal pelvis	245	5.9	0.39	4.1	0.26	115	2.4	0.23	1.6	0.15
Brain & Other Nervous System	285	6.9	0.42	5.3	0.32	161	3.5	0.28	2.7	0.22
Endocrine System	40	1.0	0.16	0.7	0.11	32	0.7	0.13	0.5	0.09
Thyroid gland	27	0.7	0.13	0.5	0.09	24	0.5	0.11	0.3	0.07
Lymphomas	322	8.3	0.47	5.2	0.29	245	5.3	0.34	3.2	0.22
Hodgkin Lymphoma	12	0.3	0.09	0.2	0.07	15	0.3	0.09	0.3	0.07
Non-Hodgkin Lymphoma	310	8.0	0.46	5.0	0.29	230	5.0	0.33	3.0	0.21
Multiple Myeloma	162	4.1	0.33	2.6	0.21	111	2.5	0.24	1.5	0.15
Leukemias	325	8.4	0.48	5.4	0.31	230	5.0	0.34	3.3	0.23
Other, Ill-defined & Unknown	-	-	-	-	-	470	10.2	0.48	6.8	0.33

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,212	184.8	2.23	121.0	1.45	6,043	133.5	1.75	90.8	1.23
Oral Cavity & Pharynx	144	3.5	0.30	2.5	0.22	58	1.3	0.17	0.8	0.11
Digestive System	1,962	48.6	1.12	33.4	0.76	1,326	29.1	0.82	19.6	0.57
Esophagus	300	7.3	0.44	5.2	0.30	74	1.6	0.19	1.1	0.13
Stomach	130	3.4	0.30	2.2	0.20	64	1.4	0.18	1.0	0.13
Colon & Rectum	620	15.7	0.65	10.6	0.43	496	11.0	0.51	7.4	0.35
Liver	245	5.5	0.36	4.2	0.27	81	1.7	0.19	1.2	0.14
Pancreas	530	13.1	0.58	9.0	0.39	436	9.5	0.46	6.3	0.31
Respiratory System	1,755	44.0	1.08	29.1	0.70	1,462	32.0	0.85	21.7	0.59
Larynx	49	1.2	0.17	0.8	0.12	-	-	-	-	-
Lung & bronchus	1,690	42.4	1.06	28.0	0.69	1,444	31.6	0.84	21.4	0.58
Skin	275	7.0	0.43	4.8	0.29	137	3.0	0.26	2.0	0.19
Melanomas of the skin	198	4.9	0.36	3.5	0.26	105	2.4	0.24	1.7	0.17
Breast	-	-	-	-	-	930	20.9	0.70	14.8	0.51
Female Genital System	-	-	-	-	-	692	15.2	0.59	10.9	0.43
Cervix uteri	-	-	-	-	-	73	1.8	0.21	1.4	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	211	4.6	0.32	3.3	0.24
Ovary	-	-	-	-	-	366	7.9	0.42	5.5	0.30
Male Genital System	860	24.0	0.83	13.3	0.46	-	-	-	-	-
Prostate	849	23.8	0.83	13.1	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	531	13.8	0.61	8.7	0.38	211	4.5	0.32	2.8	0.20
Bladder	272	7.4	0.46	4.3	0.26	86	1.8	0.20	1.0	0.12
Kidney & renal pelvis	242	6.0	0.39	4.1	0.27	114	2.5	0.23	1.6	0.16
Brain & Other Nervous System	278	6.9	0.43	5.3	0.33	159	3.5	0.29	2.8	0.23
Endocrine System	39	1.0	0.16	0.7	0.12	31	0.7	0.13	0.5	0.09
Thyroid gland	26	0.7	0.13	0.5	0.10	24	0.5	0.11	0.3	0.07
Lymphomas	317	8.4	0.48	5.2	0.30	244	5.4	0.35	3.3	0.22
Hodgkin Lymphoma	12	0.3	0.09	0.2	0.07	15	0.4	0.09	0.3	0.07
Non-Hodgkin Lymphoma	305	8.0	0.47	5.0	0.29	229	5.1	0.34	3.0	0.21
Multiple Myeloma	159	4.2	0.34	2.6	0.21	108	2.5	0.24	1.5	0.15
Leukemias	323	8.6	0.49	5.5	0.32	221	5.0	0.34	3.2	0.23
Other, Ill-defined & Unknown	-	-	-	-	-	464	10.3	0.49	6.9	0.34

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	18	93.0	26.42	67.9	17.17	10	84.6	29.84	62.8	20.52
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	51	143.5	21.71	93.3	13.40	50	82.8	12.20	56.9	8.20
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	21	51.4	12.08	36.3	8.09	17	28.0	7.06	19.0	4.70
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	62,621	206.0	0.84	136.5	0.55	59,652	148.5	0.62	102.2	0.44
Oral Cavity & Pharynx	1,270	3.9	0.11	2.8	0.08	573	1.4	0.06	1.0	0.04
Digestive System	17,377	55.7	0.43	38.3	0.29	13,693	33.6	0.29	22.4	0.20
Esophagus	2,483	7.7	0.16	5.5	0.11	651	1.6	0.06	1.1	0.04
Stomach	1,482	4.9	0.13	3.3	0.09	987	2.5	0.08	1.7	0.06
Colon & Rectum	5,767	18.9	0.26	12.6	0.17	5,395	13.1	0.18	8.6	0.13
Liver	2,309	6.9	0.15	5.1	0.11	961	2.4	0.08	1.6	0.06
Pancreas	3,999	12.9	0.21	8.8	0.14	3,906	9.6	0.16	6.4	0.11
Respiratory System	18,415	59.8	0.45	40.3	0.30	15,464	38.9	0.32	26.7	0.22
Larynx	668	2.1	0.08	1.5	0.06	173	0.4	0.03	0.3	0.02
Lung & bronchus	17,657	57.4	0.44	38.6	0.29	15,225	38.3	0.32	26.3	0.22
Skin	1,468	4.9	0.13	3.2	0.09	800	2.0	0.07	1.4	0.05
Melanomas of the skin	1,100	3.6	0.11	2.5	0.08	624	1.6	0.07	1.1	0.05
Breast	91	0.3	0.03	0.2	0.02	8,923	22.4	0.24	16.2	0.18
Female Genital System	-	-	-	-	-	6,429	16.2	0.21	11.7	0.15
Cervix uteri	-	-	-	-	-	901	2.4	0.08	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	2,149	5.3	0.12	3.8	0.09
Ovary	-	-	-	-	-	2,921	7.4	0.14	5.3	0.10
Male Genital System	5,833	20.9	0.28	11.8	0.16	-	-	-	-	-
Prostate	5,712	20.5	0.27	11.5	0.15	-	-	-	-	-
Testis	58	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	4,196	14.2	0.22	8.9	0.14	2,135	5.1	0.11	3.3	0.08
Bladder	2,173	7.6	0.17	4.4	0.10	966	2.3	0.08	1.4	0.05
Kidney & renal pelvis	1,902	6.1	0.14	4.2	0.10	1,083	2.6	0.08	1.8	0.06
Brain & Other Nervous System	1,658	5.1	0.13	4.0	0.10	1,286	3.3	0.10	2.6	0.08
Endocrine System	271	0.9	0.05	0.7	0.04	289	0.8	0.05	0.6	0.04
Thyroid gland	154	0.5	0.04	0.3	0.03	184	0.5	0.03	0.3	0.02
Lymphomas	2,393	8.2	0.17	5.2	0.11	1,948	4.8	0.11	3.0	0.07
Hodgkin Lymphoma	126	0.4	0.04	0.3	0.03	79	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	2,267	7.7	0.17	4.9	0.10	1,869	4.5	0.11	2.8	0.07
Multiple Myeloma	1,242	4.2	0.12	2.7	0.08	1,121	2.8	0.08	1.7	0.06
Leukemias	2,751	9.5	0.18	6.0	0.12	2,139	5.3	0.12	3.5	0.08
Other, Ill-defined & Unknown	5,656	18.6	0.25	12.5	0.17	4,852	11.9	0.18	8.0	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	52,022	202.5	0.91	133.5	0.60	49,078	146.9	0.68	100.7	0.49
Oral Cavity & Pharynx	994	3.6	0.12	2.6	0.08	469	1.4	0.07	0.9	0.05
Digestive System	14,067	53.5	0.46	36.6	0.31	10,907	32.0	0.32	21.3	0.22
Esophagus	2,189	8.1	0.18	5.8	0.12	513	1.5	0.07	1.0	0.05
Stomach	1,069	4.1	0.13	2.8	0.09	707	2.1	0.08	1.4	0.06
Colon & Rectum	4,633	18.0	0.27	11.9	0.18	4,275	12.4	0.20	8.1	0.14
Liver	1,724	6.2	0.15	4.5	0.11	737	2.2	0.08	1.5	0.06
Pancreas	3,334	12.7	0.23	8.7	0.15	3,174	9.3	0.17	6.2	0.12
Respiratory System	15,216	58.6	0.48	39.2	0.32	12,957	39.4	0.35	27.0	0.25
Larynx	510	1.9	0.09	1.3	0.06	121	0.4	0.03	0.3	0.03
Lung & bronchus	14,623	56.3	0.48	37.7	0.32	12,781	38.8	0.35	26.6	0.25
Skin	1,415	5.5	0.15	3.7	0.10	756	2.3	0.09	1.6	0.06
Melanomas of the skin	1,073	4.2	0.13	2.9	0.09	597	1.9	0.08	1.3	0.06
Breast	71	0.3	0.03	0.2	0.02	7,107	21.5	0.26	15.5	0.20
Female Genital System	-	-	-	-	-	5,157	15.7	0.22	11.3	0.17
Cervix uteri	-	-	-	-	-	634	2.1	0.09	1.7	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,636	4.9	0.12	3.5	0.09
Ovary	-	-	-	-	-	2,478	7.6	0.16	5.4	0.12
Male Genital System	4,515	18.8	0.28	10.5	0.16	-	-	-	-	-
Prostate	4,407	18.4	0.28	10.2	0.16	-	-	-	-	-
Testis	51	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,735	14.8	0.25	9.3	0.15	1,831	5.2	0.13	3.3	0.08
Bladder	1,973	8.1	0.18	4.7	0.11	806	2.2	0.08	1.3	0.05
Kidney & renal pelvis	1,650	6.3	0.16	4.3	0.11	947	2.8	0.09	1.9	0.07
Brain & Other Nervous System	1,488	5.5	0.15	4.3	0.12	1,144	3.6	0.11	2.9	0.09
Endocrine System	228	0.9	0.06	0.7	0.05	236	0.7	0.05	0.5	0.04
Thyroid gland	130	0.5	0.04	0.3	0.03	154	0.5	0.04	0.3	0.03
Lymphomas	2,141	8.6	0.19	5.5	0.12	1,735	5.0	0.12	3.1	0.08
Hodgkin Lymphoma	113	0.5	0.04	0.3	0.03	61	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	2,028	8.2	0.18	5.1	0.12	1,674	4.8	0.12	3.0	0.08
Multiple Myeloma	994	4.0	0.13	2.5	0.08	846	2.5	0.09	1.6	0.06
Leukemias	2,396	9.8	0.20	6.2	0.13	1,848	5.4	0.13	3.6	0.09
Other, Ill-defined & Unknown	4,762	18.6	0.27	12.4	0.18	4,085	12.0	0.19	8.0	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,272	270.5	2.96	185.2	1.93	9,312	180.1	1.90	127.5	1.35
Oral Cavity & Pharynx	231	5.7	0.39	4.5	0.30	77	1.4	0.17	1.1	0.13
Digestive System	2,803	78.4	1.56	55.5	1.05	2,425	47.0	0.97	32.2	0.67
Esophagus	261	6.9	0.45	5.1	0.32	120	2.2	0.21	1.7	0.15
Stomach	341	10.3	0.59	6.9	0.37	231	4.6	0.31	3.1	0.21
Colon & Rectum	995	29.0	0.97	19.8	0.63	1,008	19.6	0.63	13.2	0.43
Liver	453	11.0	0.54	8.8	0.41	185	3.5	0.26	2.5	0.19
Pancreas	592	16.5	0.71	11.7	0.48	648	12.6	0.50	8.5	0.34
Respiratory System	2,858	81.2	1.60	56.9	1.07	2,271	43.9	0.94	30.9	0.66
Larynx	154	4.3	0.37	3.0	0.25	50	0.9	0.13	0.7	0.10
Lung & bronchus	2,697	76.7	1.55	53.7	1.04	2,210	42.8	0.92	30.0	0.65
Skin	45	1.2	0.19	0.9	0.14	34	0.6	0.11	0.5	0.08
Melanomas of the skin	21	0.6	0.14	0.4	0.10	18	0.3	0.08	0.2	0.06
Breast	17	0.5	0.13	0.4	0.09	1,615	30.9	0.78	23.0	0.58
Female Genital System	-	-	-	-	-	1,131	21.5	0.65	16.0	0.48
Cervix uteri	-	-	-	-	-	241	4.6	0.30	3.6	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	475	9.0	0.42	6.6	0.31
Ovary	-	-	-	-	-	371	7.1	0.38	5.1	0.27
Male Genital System	1,240	43.2	1.27	25.2	0.72	-	-	-	-	-
Prostate	1,229	43.0	1.27	25.0	0.71	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	402	12.3	0.65	8.1	0.40	270	5.4	0.33	3.5	0.22
Bladder	168	5.6	0.45	3.4	0.26	139	2.8	0.24	1.7	0.15
Kidney & renal pelvis	227	6.6	0.46	4.5	0.30	123	2.4	0.22	1.6	0.15
Brain & Other Nervous System	124	3.1	0.29	2.5	0.23	108	2.1	0.20	1.6	0.16
Endocrine System	33	0.9	0.16	0.7	0.12	41	0.8	0.13	0.6	0.10
Thyroid gland	17	0.5	0.11	0.3	0.08	23	0.5	0.10	0.3	0.07
Lymphomas	203	5.6	0.42	4.1	0.29	163	3.2	0.26	2.3	0.19
Hodgkin Lymphoma	10	0.2	0.07	0.2	0.07	16	0.3	0.08	0.3	0.08
Non-Hodgkin Lymphoma	193	5.4	0.41	3.9	0.28	147	2.9	0.24	2.0	0.17
Multiple Myeloma	234	7.3	0.50	4.7	0.31	263	5.3	0.33	3.4	0.21
Leukemias	297	9.0	0.55	6.0	0.35	245	4.8	0.31	3.4	0.22
Other, Ill-defined & Unknown	785	22.0	0.83	15.8	0.57	669	13.1	0.51	9.1	0.36

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,294	111.9	3.37	71.9	2.01	1,226	80.4	2.38	54.1	1.56
Oral Cavity & Pharynx	45	3.1	0.51	2.3	0.35	27	1.7	0.34	1.1	0.22
Digestive System	493	40.6	1.98	27.0	1.22	352	23.9	1.32	15.5	0.83
Esophagus	28	2.0	0.41	1.5	0.28	17	1.3	0.31	0.8	0.18
Stomach	72	6.2	0.79	4.0	0.47	48	3.4	0.50	2.1	0.30
Colon & Rectum	137	11.9	1.10	7.6	0.65	109	7.2	0.71	4.8	0.46
Liver	128	10.0	0.96	6.9	0.62	38	2.6	0.44	1.7	0.28
Pancreas	70	6.0	0.77	3.9	0.47	81	5.7	0.66	3.6	0.40
Respiratory System	337	30.0	1.77	18.7	1.02	225	15.3	1.06	9.8	0.66
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	333	29.5	1.75	18.4	1.02	223	15.1	1.05	9.7	0.65
Skin	-	-	-	-	-	10	0.7	0.22	0.4	0.14
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	199	11.9	0.87	8.9	0.63
Female Genital System	-	-	-	-	-	140	8.6	0.75	6.2	0.53
Cervix uteri	-	-	-	-	-	25	1.4	0.30	1.1	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	38	2.3	0.39	1.7	0.27
Ovary	-	-	-	-	-	72	4.5	0.55	3.2	0.38
Male Genital System	73	7.9	0.99	4.3	0.50	-	-	-	-	-
Prostate	72	7.9	0.99	4.2	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	58	5.7	0.81	3.3	0.44	31	2.2	0.41	1.3	0.24
Bladder	32	3.2	0.61	1.8	0.33	21	1.5	0.34	0.9	0.20
Kidney & renal pelvis	24	2.3	0.51	1.4	0.28	10	0.7	0.24	0.4	0.13
Brain & Other Nervous System	46	3.4	0.54	2.6	0.39	32	1.9	0.35	1.5	0.28
Endocrine System	10	1.0	0.33	0.6	0.19	12	0.8	0.25	0.5	0.15
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	49	4.7	0.73	2.8	0.40	49	3.3	0.49	2.2	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	14	1.4	0.38	0.8	0.21	12	0.8	0.25	0.5	0.15
Leukemias	57	5.3	0.75	3.4	0.45	46	3.2	0.49	2.1	0.31
Other, Ill-defined & Unknown	101	8.0	0.86	5.5	0.55	91	6.2	0.67	4.0	0.42

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2011-2015, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	35,525	221.5	1.21	149.0	0.80	31,311	152.1	0.88	106.0	0.64
Oral Cavity & Pharynx	644	3.7	0.15	2.7	0.11	280	1.3	0.08	0.9	0.06
Digestive System	9,218	55.8	0.60	38.9	0.41	6,922	33.0	0.40	22.3	0.29
Esophagus	1,507	8.9	0.24	6.4	0.17	340	1.6	0.09	1.1	0.07
Stomach	610	3.8	0.16	2.6	0.11	375	1.8	0.10	1.3	0.07
Colon & Rectum	3,050	19.0	0.35	12.9	0.24	2,834	13.4	0.26	8.9	0.18
Liver	1,190	6.7	0.20	5.0	0.15	458	2.2	0.10	1.5	0.07
Pancreas	2,143	13.1	0.29	9.0	0.20	2,018	9.6	0.22	6.5	0.15
Respiratory System	11,594	71.0	0.68	48.7	0.46	8,758	42.8	0.46	30.1	0.33
Larynx	326	1.9	0.11	1.4	0.08	77	0.4	0.04	0.3	0.03
Lung & bronchus	11,164	68.4	0.66	46.9	0.45	8,630	42.2	0.46	29.7	0.33
Skin	985	6.2	0.20	4.2	0.14	497	2.5	0.11	1.7	0.08
Melanomas of the skin	677	4.1	0.16	2.9	0.12	373	1.9	0.10	1.4	0.08
Breast	45	0.3	0.04	0.2	0.03	4,361	21.4	0.33	15.5	0.25
Female Genital System	-	-	-	-	-	3,247	15.9	0.29	11.6	0.21
Cervix uteri	-	-	-	-	-	447	2.4	0.12	2.0	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	1,028	4.9	0.15	3.5	0.11
Ovary	-	-	-	-	-	1,521	7.4	0.19	5.3	0.14
Male Genital System	3,013	20.9	0.39	11.8	0.22	-	-	-	-	-
Prostate	2,942	20.4	0.38	11.4	0.21	-	-	-	-	-
Testis	40	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,372	15.3	0.32	9.7	0.20	1,159	5.4	0.16	3.4	0.11
Bladder	1,278	8.6	0.24	5.1	0.14	517	2.4	0.11	1.4	0.07
Kidney & renal pelvis	1,041	6.4	0.20	4.4	0.14	596	2.8	0.12	1.9	0.08
Brain & Other Nervous System	962	5.7	0.19	4.5	0.15	733	3.8	0.14	3.0	0.12
Endocrine System	133	0.8	0.07	0.6	0.06	147	0.7	0.06	0.5	0.05
Thyroid gland	85	0.5	0.06	0.4	0.04	93	0.4	0.05	0.3	0.03
Lymphomas	1,370	8.8	0.24	5.7	0.16	1,089	5.3	0.16	3.5	0.11
Hodgkin Lymphoma	70	0.4	0.05	0.3	0.04	47	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,300	8.3	0.24	5.4	0.15	1,042	5.1	0.16	3.3	0.11
Multiple Myeloma	719	4.7	0.18	2.9	0.11	571	2.7	0.12	1.8	0.08
Leukemias	1,534	10.1	0.26	6.5	0.17	1,145	5.6	0.17	3.6	0.12
Other, Ill-defined & Unknown	2,936	18.5	0.35	12.5	0.23	2,402	11.5	0.24	8.0	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,775	220.9	1.25	148.5	0.83	28,515	151.0	0.91	105.1	0.67
Oral Cavity & Pharynx	603	3.7	0.16	2.8	0.11	254	1.3	0.08	0.9	0.06
Digestive System	8,351	54.9	0.62	38.2	0.42	6,187	32.1	0.42	21.6	0.30
Esophagus	1,431	9.2	0.25	6.6	0.18	310	1.6	0.09	1.1	0.07
Stomach	517	3.5	0.16	2.4	0.11	304	1.6	0.10	1.1	0.07
Colon & Rectum	2,782	18.8	0.36	12.7	0.24	2,554	13.2	0.27	8.7	0.19
Liver	1,004	6.2	0.20	4.6	0.15	392	2.0	0.10	1.4	0.07
Pancreas	1,960	12.9	0.30	8.9	0.20	1,813	9.4	0.22	6.3	0.16
Respiratory System	10,753	71.0	0.70	48.8	0.47	8,074	43.0	0.49	30.3	0.35
Larynx	285	1.8	0.11	1.3	0.08	73	0.4	0.05	0.3	0.03
Lung & bronchus	10,373	68.6	0.69	47.0	0.47	7,953	42.4	0.48	29.9	0.35
Skin	973	6.6	0.22	4.5	0.15	491	2.7	0.12	1.9	0.09
Melanomas of the skin	674	4.5	0.18	3.2	0.13	371	2.1	0.11	1.5	0.09
Breast	40	0.3	0.04	0.2	0.03	3,900	20.9	0.34	15.0	0.26
Female Genital System	-	-	-	-	-	2,943	15.9	0.30	11.5	0.23
Cervix uteri	-	-	-	-	-	395	2.4	0.13	2.0	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	891	4.6	0.16	3.3	0.12
Ovary	-	-	-	-	-	1,421	7.5	0.20	5.4	0.15
Male Genital System	2,680	19.9	0.39	11.2	0.22	-	-	-	-	-
Prostate	2,613	19.4	0.39	10.8	0.21	-	-	-	-	-
Testis	38	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,254	15.7	0.34	9.9	0.21	1,070	5.4	0.17	3.4	0.11
Bladder	1,233	8.9	0.26	5.3	0.15	472	2.3	0.11	1.4	0.07
Kidney & renal pelvis	970	6.4	0.21	4.4	0.14	553	2.9	0.12	1.9	0.09
Brain & Other Nervous System	918	6.0	0.20	4.7	0.16	698	4.0	0.16	3.1	0.13
Endocrine System	125	0.8	0.08	0.6	0.06	132	0.7	0.06	0.5	0.05
Thyroid gland	84	0.6	0.06	0.4	0.04	83	0.4	0.05	0.3	0.03
Lymphomas	1,294	8.9	0.25	5.8	0.17	1,023	5.4	0.17	3.5	0.12
Hodgkin Lymphoma	64	0.4	0.06	0.3	0.04	43	0.3	0.04	0.2	0.04
Non-Hodgkin Lymphoma	1,230	8.5	0.25	5.5	0.16	980	5.1	0.17	3.3	0.12
Multiple Myeloma	643	4.5	0.18	2.8	0.11	480	2.5	0.12	1.6	0.08
Leukemias	1,442	10.2	0.27	6.6	0.18	1,066	5.7	0.18	3.7	0.12
Other, Ill-defined & Unknown	2,699	18.4	0.36	12.4	0.24	2,197	11.5	0.25	7.9	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	2,594	259.3	5.45	176.9	3.50	2,601	180.3	3.61	127.3	2.54
Oral Cavity & Pharynx	39	3.4	0.58	2.5	0.40	23	1.6	0.34	1.1	0.24
Digestive System	808	74.6	2.81	54.0	1.92	665	46.5	1.84	31.5	1.24
Esophagus	72	6.5	0.82	4.8	0.57	29	2.0	0.39	1.4	0.26
Stomach	83	8.2	0.97	5.7	0.63	58	4.1	0.55	2.7	0.37
Colon & Rectum	255	24.2	1.62	17.1	1.08	256	18.3	1.17	11.7	0.75
Liver	172	12.9	1.03	10.9	0.83	56	3.7	0.50	2.8	0.38
Pancreas	173	17.2	1.39	11.9	0.91	191	13.4	0.99	9.2	0.68
Respiratory System	813	81.4	3.05	55.7	1.97	649	45.4	1.82	31.9	1.27
Larynx	41	4.0	0.68	2.8	0.43	-	-	-	-	-
Lung & bronchus	763	76.3	2.95	52.4	1.91	642	44.8	1.81	31.5	1.26
Skin	11	0.9	0.29	0.7	0.22	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	434	29.3	1.44	22.0	1.07
Female Genital System	-	-	-	-	-	282	19.2	1.17	13.9	0.84
Cervix uteri	-	-	-	-	-	46	3.0	0.46	2.3	0.35
Corpus & uterus, NOS ¹	-	-	-	-	-	129	8.9	0.81	6.4	0.57
Ovary	-	-	-	-	-	92	6.2	0.66	4.6	0.48
Male Genital System	324	39.7	2.31	23.1	1.29	-	-	-	-	-
Prostate	320	39.3	2.30	22.8	1.28	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	114	11.7	1.18	7.8	0.73	83	5.9	0.66	3.9	0.44
Bladder	44	5.1	0.81	3.1	0.46	41	3.1	0.50	1.9	0.30
Kidney & renal pelvis	69	6.5	0.84	4.6	0.56	41	2.7	0.43	2.0	0.31
Brain & Other Nervous System	35	2.8	0.50	2.3	0.39	33	2.1	0.37	1.8	0.31
Endocrine System	-	-	-	-	-	10	0.6	0.21	0.5	0.17
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	64	6.5	0.88	4.3	0.54	60	4.4	0.58	3.0	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	73	7.8	0.97	5.1	0.60	89	6.7	0.72	4.3	0.46
Leukemias	82	8.1	0.96	5.6	0.62	73	5.2	0.62	3.5	0.42
Other, Ill-defined & Unknown	218	21.2	1.53	15.0	1.02	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	140	100.4	10.17	63.1	5.59	171	81.8	6.76	56.8	4.40
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	57	41.7	6.63	25.8	3.59	62	28.8	3.94	20.2	2.60
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	10	6.0	2.29	4.1	1.34	13	4.8	1.41	3.9	1.09
Colon & Rectum	13	8.9	3.08	5.5	1.64	21	11.0	2.57	7.0	1.54
Liver	13	8.6	2.89	5.7	1.66	10	4.4	1.48	3.3	1.05
Pancreas	10	8.4	3.00	4.9	1.61	10	5.0	1.64	3.5	1.12
Respiratory System	22	17.5	4.43	10.4	2.31	28	16.4	3.28	10.0	1.91
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	22	17.5	4.43	10.4	2.31	28	16.4	3.28	10.0	1.91
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	23	9.6	2.17	7.3	1.53
Female Genital System	-	-	-	-	-	20	9.0	2.14	6.5	1.47
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	8.8	3.26	5.2	1.64	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	10	4.3	1.54	3.5	1.15	-	-	-	-	-
Other, Ill-defined & Unknown	17	11.6	3.30	7.7	1.92	10	3.8	1.30	3.1	1.00

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,228	204.3	1.58	135.2	1.06	15,217	141.8	1.19	97.5	0.87
Oral Cavity & Pharynx	317	3.6	0.21	2.6	0.15	135	1.2	0.11	0.8	0.07
Digestive System	4,441	52.1	0.80	35.6	0.55	3,558	32.1	0.56	21.2	0.39
Esophagus	731	8.5	0.32	6.0	0.23	174	1.6	0.12	1.1	0.09
Stomach	260	3.1	0.19	2.1	0.13	164	1.5	0.12	1.0	0.09
Colon & Rectum	1,510	18.2	0.48	11.9	0.32	1,532	13.6	0.36	8.7	0.25
Liver	525	5.8	0.26	4.3	0.19	169	1.5	0.12	1.0	0.09
Pancreas	1,082	12.7	0.39	8.6	0.27	1,030	9.3	0.30	6.2	0.21
Respiratory System	5,162	60.3	0.85	40.9	0.58	3,853	36.7	0.60	25.5	0.44
Larynx	165	1.8	0.14	1.3	0.10	46	0.5	0.07	0.3	0.05
Lung & bronchus	4,959	58.0	0.84	39.3	0.57	3,787	36.1	0.60	25.1	0.43
Skin	477	5.7	0.26	3.8	0.18	245	2.4	0.16	1.7	0.12
Melanomas of the skin	331	3.9	0.22	2.7	0.16	195	1.9	0.15	1.4	0.11
Breast	17	0.2	0.05	0.1	0.03	1,996	19.2	0.45	13.9	0.34
Female Genital System	-	-	-	-	-	1,704	16.3	0.41	11.6	0.31
Cervix uteri	-	-	-	-	-	171	2.0	0.16	1.6	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	582	5.4	0.23	3.8	0.17
Ovary	-	-	-	-	-	784	7.4	0.27	5.2	0.20
Male Genital System	1,639	20.2	0.50	11.1	0.28	-	-	-	-	-
Prostate	1,591	19.5	0.49	10.7	0.28	-	-	-	-	-
Testis	25	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	1,279	15.2	0.43	9.7	0.28	568	5.0	0.22	3.2	0.15
Bladder	620	7.5	0.31	4.4	0.18	235	2.0	0.13	1.2	0.09
Kidney & renal pelvis	622	7.2	0.30	5.0	0.21	318	2.9	0.17	1.9	0.12
Brain & Other Nervous System	516	6.1	0.28	4.9	0.22	382	3.9	0.20	3.0	0.17
Endocrine System	70	0.8	0.10	0.6	0.08	93	0.9	0.10	0.7	0.08
Thyroid gland	46	0.5	0.08	0.4	0.05	59	0.5	0.07	0.4	0.05
Lymphomas	754	9.1	0.34	5.8	0.22	593	5.3	0.23	3.3	0.16
Hodgkin Lymphoma	35	0.4	0.07	0.3	0.05	20	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	719	8.7	0.33	5.5	0.21	573	5.1	0.22	3.2	0.15
Multiple Myeloma	374	4.6	0.24	2.8	0.15	310	2.9	0.17	1.9	0.11
Leukemias	775	9.5	0.35	6.0	0.22	558	5.0	0.22	3.2	0.16
Other, Ill-defined & Unknown	1,407	16.8	0.45	11.2	0.31	1,222	11.2	0.33	7.6	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,813	204.3	1.60	135.1	1.08	14,841	141.7	1.21	97.5	0.89
Oral Cavity & Pharynx	311	3.7	0.21	2.7	0.15	131	1.2	0.11	0.8	0.08
Digestive System	4,291	51.7	0.80	35.2	0.55	3,441	31.8	0.56	21.0	0.40
Esophagus	717	8.5	0.33	6.0	0.23	172	1.6	0.13	1.1	0.09
Stomach	246	3.0	0.19	2.0	0.13	149	1.4	0.12	0.9	0.09
Colon & Rectum	1,475	18.3	0.48	11.9	0.32	1,492	13.5	0.37	8.7	0.26
Liver	478	5.4	0.25	4.0	0.19	155	1.4	0.12	1.0	0.09
Pancreas	1,053	12.6	0.40	8.6	0.27	1,001	9.2	0.30	6.2	0.21
Respiratory System	5,045	60.4	0.86	41.0	0.59	3,757	36.7	0.61	25.5	0.44
Larynx	163	1.9	0.15	1.3	0.11	45	0.5	0.07	0.3	0.05
Lung & bronchus	4,844	58.1	0.85	39.3	0.58	3,693	36.1	0.61	25.1	0.44
Skin	473	5.8	0.27	3.9	0.19	243	2.4	0.16	1.7	0.13
Melanomas of the skin	328	4.0	0.23	2.8	0.16	193	2.0	0.15	1.5	0.12
Breast	17	0.2	0.05	0.1	0.03	1,949	19.2	0.46	13.9	0.35
Female Genital System	-	-	-	-	-	1,669	16.4	0.42	11.7	0.31
Cervix uteri	-	-	-	-	-	162	1.9	0.16	1.6	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	564	5.4	0.23	3.8	0.18
Ovary	-	-	-	-	-	776	7.5	0.28	5.3	0.20
Male Genital System	1,611	20.2	0.51	11.2	0.29	-	-	-	-	-
Prostate	1,564	19.6	0.50	10.7	0.28	-	-	-	-	-
Testis	25	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	1,256	15.3	0.44	9.7	0.28	562	5.0	0.22	3.2	0.15
Bladder	610	7.6	0.31	4.4	0.19	232	2.0	0.13	1.2	0.09
Kidney & renal pelvis	609	7.3	0.30	5.0	0.21	315	2.9	0.17	1.9	0.12
Brain & Other Nervous System	505	6.2	0.28	4.9	0.23	376	3.9	0.21	3.0	0.17
Endocrine System	66	0.8	0.10	0.6	0.08	87	0.9	0.10	0.7	0.08
Thyroid gland	45	0.5	0.08	0.4	0.06	55	0.5	0.07	0.3	0.05
Lymphomas	739	9.1	0.34	5.8	0.22	584	5.3	0.23	3.4	0.16
Hodgkin Lymphoma	35	0.4	0.07	0.3	0.06	19	0.2	0.04	0.1	0.04
Non-Hodgkin Lymphoma	704	8.7	0.33	5.5	0.22	565	5.1	0.22	3.2	0.15
Multiple Myeloma	366	4.6	0.24	2.8	0.15	295	2.8	0.17	1.8	0.11
Leukemias	760	9.5	0.35	6.0	0.23	554	5.1	0.22	3.3	0.16
Other, Ill-defined & Unknown	1,373	16.8	0.46	11.2	0.32	1,193	11.2	0.34	7.6	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	285	231.2	15.72	157.1	9.70	262	183.8	11.84	131.1	8.25
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	90	68.3	8.28	48.0	5.28	82	56.3	6.45	38.9	4.38
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	10	7.0	2.27	4.7	1.53
Colon & Rectum	22	14.0	3.39	10.6	2.37	32	21.2	3.89	15.4	2.79
Liver	23	18.2	4.34	12.7	2.75	-	-	-	-	-
Pancreas	23	18.9	4.40	13.0	2.82	23	16.4	3.58	11.2	2.37
Respiratory System	90	68.5	8.15	49.4	5.39	67	48.2	6.13	34.4	4.27
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	88	67.0	8.07	48.2	5.33	66	47.3	6.06	33.8	4.23
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	32	21.0	3.92	15.8	2.84
Female Genital System	-	-	-	-	-	23	17.1	3.67	12.7	2.69
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	15	11.7	3.10	8.5	2.21
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	20	24.0	5.75	13.2	3.02	-	-	-	-	-
Prostate	19	23.5	5.73	12.9	3.00	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	14.6	4.05	9.5	2.41	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	9.7	3.40	6.1	1.96	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	13	9.7	2.81	7.1	2.00
Leukemias	10	8.9	3.26	5.7	1.93	-	-	-	-	-
Other, Ill-defined & Unknown	25	19.9	4.64	13.6	2.83	20	15.2	3.50	9.9	2.27

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	101	153.4	18.44	97.9	10.31	89	99.7	11.51	64.9	6.97
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	46	60.8	10.58	42.4	6.54	28	37.3	7.45	21.9	4.19
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	10	14.8	5.27	9.6	3.17	-	-	-	-	-
Liver	20	23.0	6.17	17.3	4.05	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	21	37.7	9.14	22.7	5.11	20	23.8	5.79	14.8	3.35
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	21	37.7	9.14	22.7	5.11	19	22.2	5.57	14.0	3.25
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	10	8.6	2.86	6.7	2.15
Female Genital System	-	-	-	-	-	11	7.7	2.32	6.7	2.04
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,384	198.2	1.68	132.6	1.13	13,055	143.0	1.29	98.8	0.93
Oral Cavity & Pharynx	225	3.0	0.20	2.1	0.14	116	1.2	0.12	0.8	0.08
Digestive System	3,779	51.1	0.85	35.6	0.59	2,908	31.4	0.60	21.1	0.42
Esophagus	556	7.4	0.32	5.3	0.23	122	1.3	0.12	0.9	0.08
Stomach	219	3.0	0.21	2.1	0.15	139	1.5	0.13	1.1	0.10
Colon & Rectum	1,297	17.9	0.51	12.2	0.35	1,186	12.6	0.38	8.3	0.27
Liver	499	6.2	0.28	4.7	0.21	210	2.3	0.16	1.6	0.12
Pancreas	944	12.9	0.43	8.8	0.29	938	10.2	0.34	6.8	0.24
Respiratory System	4,239	57.8	0.90	39.4	0.61	3,481	38.6	0.67	26.8	0.48
Larynx	117	1.6	0.15	1.1	0.10	24	0.3	0.05	0.2	0.04
Lung & bronchus	4,099	55.9	0.89	38.1	0.60	3,447	38.2	0.67	26.6	0.48
Skin	457	6.4	0.30	4.3	0.21	231	2.5	0.17	1.8	0.13
Melanomas of the skin	320	4.5	0.25	3.1	0.18	183	2.1	0.16	1.5	0.12
Breast	23	0.3	0.07	0.2	0.05	1,806	20.0	0.48	14.4	0.37
Female Genital System	-	-	-	-	-	1,305	14.7	0.42	10.6	0.32
Cervix uteri	-	-	-	-	-	167	2.1	0.17	1.7	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	399	4.4	0.22	3.1	0.17
Ovary	-	-	-	-	-	637	7.1	0.29	5.1	0.22
Male Genital System	1,318	19.2	0.54	10.8	0.31	-	-	-	-	-
Prostate	1,287	18.8	0.53	10.5	0.30	-	-	-	-	-
Testis	17	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,035	14.5	0.46	9.2	0.29	467	5.0	0.24	3.3	0.17
Bladder	523	7.6	0.33	4.4	0.20	195	2.0	0.15	1.2	0.10
Kidney & renal pelvis	493	6.7	0.31	4.6	0.21	247	2.8	0.18	1.9	0.13
Brain & Other Nervous System	490	6.5	0.30	5.0	0.23	355	4.1	0.22	3.2	0.19
Endocrine System	49	0.7	0.10	0.5	0.07	59	0.6	0.09	0.5	0.07
Thyroid gland	28	0.4	0.07	0.3	0.05	38	0.4	0.07	0.3	0.05
Lymphomas	556	7.8	0.34	5.1	0.22	476	5.1	0.24	3.2	0.16
Hodgkin Lymphoma	28	0.4	0.08	0.3	0.06	22	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	528	7.4	0.33	4.8	0.21	454	4.8	0.23	3.0	0.16
Multiple Myeloma	327	4.7	0.26	2.9	0.16	276	2.9	0.18	1.8	0.12
Leukemias	709	10.2	0.39	6.5	0.25	526	5.7	0.26	3.8	0.18
Other, Ill-defined & Unknown	1,177	16.1	0.48	11.0	0.33	1,049	11.2	0.36	7.5	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	13,393	197.0	1.73	131.5	1.17	12,072	141.3	1.33	97.5	0.97
Oral Cavity & Pharynx	212	3.0	0.21	2.1	0.15	112	1.3	0.12	0.9	0.09
Digestive System	3,467	50.2	0.87	34.9	0.61	2,657	30.5	0.61	20.4	0.43
Esophagus	522	7.5	0.34	5.4	0.24	115	1.3	0.12	0.8	0.08
Stomach	189	2.8	0.21	2.0	0.15	116	1.3	0.13	1.0	0.10
Colon & Rectum	1,201	17.7	0.52	12.1	0.36	1,094	12.3	0.39	8.1	0.27
Liver	430	5.8	0.29	4.3	0.21	175	2.0	0.16	1.4	0.12
Pancreas	885	12.9	0.44	8.8	0.30	870	10.2	0.35	6.8	0.25
Respiratory System	3,920	57.0	0.93	38.8	0.63	3,224	38.2	0.69	26.6	0.50
Larynx	105	1.5	0.15	1.0	0.10	23	0.3	0.06	0.2	0.04
Lung & bronchus	3,793	55.2	0.91	37.5	0.62	3,191	37.8	0.69	26.4	0.49
Skin	450	6.7	0.32	4.5	0.22	226	2.6	0.18	1.9	0.14
Melanomas of the skin	317	4.7	0.27	3.3	0.19	180	2.2	0.17	1.6	0.13
Breast	20	0.3	0.07	0.2	0.05	1,650	19.5	0.50	14.0	0.38
Female Genital System	-	-	-	-	-	1,203	14.5	0.43	10.5	0.33
Cervix uteri	-	-	-	-	-	146	2.1	0.18	1.6	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	357	4.1	0.23	3.0	0.17
Ovary	-	-	-	-	-	604	7.2	0.30	5.2	0.23
Male Genital System	1,207	18.6	0.54	10.4	0.31	-	-	-	-	-
Prostate	1,177	18.1	0.53	10.1	0.30	-	-	-	-	-
Testis	17	0.3	0.06	0.2	0.06	-	-	-	-	-
Urinary System	994	14.8	0.48	9.4	0.31	437	5.0	0.25	3.3	0.17
Bladder	509	7.8	0.35	4.6	0.21	184	2.0	0.15	1.2	0.10
Kidney & renal pelvis	466	6.7	0.32	4.7	0.22	229	2.8	0.19	1.9	0.13
Brain & Other Nervous System	470	6.7	0.32	5.2	0.25	336	4.2	0.24	3.3	0.20
Endocrine System	46	0.7	0.10	0.5	0.08	53	0.6	0.09	0.4	0.07
Thyroid gland	28	0.4	0.08	0.3	0.05	35	0.4	0.07	0.3	0.05
Lymphomas	531	8.0	0.35	5.2	0.23	453	5.2	0.25	3.3	0.17
Hodgkin Lymphoma	28	0.4	0.08	0.3	0.06	22	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	503	7.5	0.34	4.8	0.22	431	4.9	0.24	3.1	0.16
Multiple Myeloma	296	4.5	0.26	2.8	0.16	245	2.7	0.18	1.7	0.12
Leukemias	675	10.4	0.40	6.6	0.27	504	5.8	0.27	3.9	0.19
Other, Ill-defined & Unknown	1,105	16.2	0.50	11.0	0.34	972	11.1	0.37	7.4	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	721	242.0	9.78	166.6	6.30	711	183.4	7.01	129.9	4.97
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	228	72.6	5.23	51.8	3.48	184	47.4	3.55	33.0	2.49
Esophagus	25	7.9	1.71	5.7	1.16	-	-	-	-	-
Stomach	15	4.9	1.38	3.4	0.89	13	3.3	0.93	2.2	0.64
Colon & Rectum	78	27.2	3.32	18.1	2.08	70	18.5	2.24	12.3	1.52
Liver	50	12.8	1.94	10.6	1.52	27	6.1	1.20	4.9	0.95
Pancreas	47	16.4	2.59	11.1	1.64	53	14.0	1.95	9.4	1.33
Respiratory System	234	76.9	5.44	53.8	3.58	169	45.0	3.52	30.4	2.39
Larynx	10	3.2	1.04	2.5	0.79	-	-	-	-	-
Lung & bronchus	223	73.1	5.31	51.1	3.48	168	44.8	3.52	30.2	2.38
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	121	30.1	2.79	23.0	2.12
Female Genital System	-	-	-	-	-	74	19.8	2.35	14.4	1.70
Cervix uteri	-	-	-	-	-	17	4.6	1.15	3.4	0.83
Corpus & uterus, NOS ¹	-	-	-	-	-	31	8.6	1.57	6.0	1.09
Ovary	-	-	-	-	-	22	5.6	1.21	4.4	0.94
Male Genital System	91	38.5	4.26	22.5	2.38	-	-	-	-	-
Prostate	90	38.3	4.26	22.3	2.37	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	9.2	1.90	6.3	1.23	22	5.8	1.27	3.9	0.85
Bladder	10	3.8	1.27	2.4	0.77	10	2.9	0.92	1.8	0.58
Kidney & renal pelvis	17	5.4	1.41	3.9	0.96	12	2.9	0.88	2.1	0.62
Brain & Other Nervous System	15	3.6	1.04	3.1	0.80	15	3.7	0.98	2.8	0.74
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	14	4.5	1.30	3.2	0.88	14	3.6	0.99	2.5	0.69
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	24	9.2	2.00	5.8	1.20	22	5.9	1.30	3.9	0.84
Leukemias	24	7.9	1.78	5.4	1.12	18	4.4	1.05	3.4	0.81
Other, Ill-defined & Unknown	50	15.3	2.34	11.4	1.64	62	15.0	1.95	10.8	1.40

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	126	122.3	12.68	81.2	7.43	143	108.6	9.71	69.5	5.87
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	51	45.8	7.24	31.5	4.52	39	30.2	5.17	18.5	2.99
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	12	8.7	2.69	5.7	1.67
Liver	14	11.4	3.54	8.5	2.31	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	34	35.2	7.01	22.8	4.00	45	35.9	5.65	22.5	3.38
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	34	35.2	7.01	22.8	4.00	45	35.9	5.65	22.5	3.38
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	18	11.1	2.80	8.2	1.95
Female Genital System	-	-	-	-	-	15	10.6	2.93	7.2	1.88
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	10	6.9	2.44	5.9	1.88	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	27,149	245.8	1.54	167.1	1.02	23,253	165.9	1.11	116.7	0.80
Oral Cavity & Pharynx	568	4.9	0.21	3.5	0.15	225	1.6	0.11	1.1	0.08
Digestive System	6,567	57.5	0.73	40.7	0.51	4,764	33.7	0.50	22.8	0.35
Esophagus	923	7.7	0.26	5.8	0.19	191	1.3	0.10	0.9	0.07
Stomach	474	4.3	0.20	3.0	0.14	282	2.0	0.12	1.4	0.09
Colon & Rectum	2,280	20.7	0.45	14.1	0.30	1,989	14.1	0.32	9.4	0.22
Liver	920	7.6	0.26	5.7	0.19	356	2.5	0.14	1.7	0.10
Pancreas	1,494	13.1	0.35	9.2	0.24	1,378	9.7	0.27	6.5	0.18
Respiratory System	10,206	89.5	0.92	62.3	0.62	7,678	54.4	0.63	39.0	0.46
Larynx	297	2.4	0.15	1.8	0.11	101	0.7	0.07	0.6	0.06
Lung & bronchus	9,861	86.7	0.90	60.1	0.61	7,557	53.5	0.62	38.4	0.45
Skin	741	6.9	0.26	4.6	0.17	358	2.6	0.14	1.9	0.11
Melanomas of the skin	518	4.7	0.22	3.3	0.15	281	2.1	0.13	1.5	0.10
Breast	25	0.2	0.05	0.2	0.03	3,016	21.7	0.40	15.9	0.30
Female Genital System	-	-	-	-	-	2,095	15.1	0.34	11.0	0.25
Cervix uteri	-	-	-	-	-	358	2.9	0.16	2.3	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	570	4.0	0.17	2.9	0.13
Ovary	-	-	-	-	-	981	6.9	0.23	4.9	0.16
Male Genital System	1,910	20.2	0.47	11.2	0.26	-	-	-	-	-
Prostate	1,833	19.5	0.47	10.7	0.25	-	-	-	-	-
Testis	35	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,617	15.3	0.39	9.8	0.25	810	5.7	0.20	3.6	0.13
Bladder	785	7.9	0.29	4.7	0.17	356	2.5	0.13	1.5	0.08
Kidney & renal pelvis	798	7.1	0.26	5.0	0.18	432	3.1	0.15	2.0	0.10
Brain & Other Nervous System	666	5.7	0.23	4.5	0.18	518	3.8	0.17	3.0	0.14
Endocrine System	96	0.8	0.09	0.6	0.07	90	0.7	0.07	0.5	0.06
Thyroid gland	60	0.5	0.07	0.4	0.05	66	0.5	0.06	0.3	0.04
Lymphomas	955	9.0	0.30	5.9	0.19	709	5.1	0.19	3.3	0.13
Hodgkin Lymphoma	33	0.3	0.05	0.2	0.04	28	0.2	0.04	0.2	0.04
Non-Hodgkin Lymphoma	922	8.7	0.30	5.7	0.19	681	4.9	0.19	3.1	0.13
Multiple Myeloma	493	4.6	0.21	3.0	0.14	363	2.6	0.14	1.6	0.09
Leukemias	992	9.6	0.31	6.3	0.20	794	5.8	0.21	4.0	0.15
Other, Ill-defined & Unknown	2,313	21.4	0.46	14.4	0.30	1,833	13.2	0.31	9.0	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,513	246.8	1.59	167.9	1.06	21,605	165.9	1.15	116.8	0.84
Oral Cavity & Pharynx	533	4.9	0.22	3.6	0.16	208	1.6	0.11	1.1	0.08
Digestive System	6,095	57.3	0.76	40.5	0.52	4,361	33.1	0.51	22.4	0.36
Esophagus	883	7.9	0.28	6.0	0.20	174	1.3	0.10	0.9	0.07
Stomach	438	4.3	0.21	2.9	0.14	256	2.0	0.13	1.4	0.09
Colon & Rectum	2,109	20.5	0.46	13.9	0.31	1,824	13.9	0.33	9.3	0.23
Liver	826	7.4	0.27	5.5	0.19	329	2.5	0.14	1.7	0.10
Pancreas	1,397	13.1	0.36	9.2	0.25	1,268	9.6	0.27	6.4	0.19
Respiratory System	9,657	90.5	0.95	63.0	0.64	7,208	54.9	0.66	39.5	0.48
Larynx	274	2.4	0.15	1.8	0.11	90	0.7	0.07	0.5	0.06
Lung & bronchus	9,338	87.6	0.94	60.9	0.63	7,100	54.1	0.65	38.9	0.48
Skin	732	7.3	0.28	4.9	0.18	356	2.8	0.15	2.0	0.12
Melanomas of the skin	516	5.1	0.23	3.5	0.16	281	2.3	0.14	1.7	0.11
Breast	22	0.2	0.05	0.1	0.03	2,750	21.3	0.42	15.5	0.31
Female Genital System	-	-	-	-	-	1,933	15.1	0.35	11.0	0.27
Cervix uteri	-	-	-	-	-	332	2.9	0.17	2.4	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	495	3.7	0.17	2.7	0.13
Ovary	-	-	-	-	-	928	7.1	0.24	5.0	0.17
Male Genital System	1,742	19.5	0.48	10.9	0.26	-	-	-	-	-
Prostate	1,667	18.8	0.47	10.3	0.25	-	-	-	-	-
Testis	34	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	1,523	15.4	0.41	9.9	0.26	751	5.6	0.21	3.6	0.14
Bladder	747	7.9	0.30	4.7	0.17	336	2.5	0.14	1.5	0.09
Kidney & renal pelvis	743	7.1	0.27	5.0	0.18	395	3.0	0.15	2.0	0.11
Brain & Other Nervous System	635	5.9	0.24	4.7	0.19	489	3.9	0.18	3.1	0.15
Endocrine System	87	0.8	0.09	0.6	0.07	82	0.7	0.07	0.5	0.06
Thyroid gland	57	0.5	0.07	0.4	0.05	61	0.5	0.06	0.3	0.04
Lymphomas	909	9.2	0.31	6.0	0.20	676	5.2	0.20	3.4	0.14
Hodgkin Lymphoma	32	0.3	0.06	0.3	0.05	24	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	877	8.9	0.31	5.7	0.20	652	5.0	0.20	3.2	0.13
Multiple Myeloma	450	4.5	0.22	2.9	0.14	319	2.4	0.14	1.5	0.09
Leukemias	939	9.7	0.32	6.3	0.21	747	5.9	0.22	4.0	0.16
Other, Ill-defined & Unknown	2,189	21.6	0.48	14.6	0.32	1,725	13.4	0.33	9.2	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	1,556	256.4	7.09	174.0	4.48	1,529	180.0	4.72	125.9	3.30
Oral Cavity & Pharynx	33	4.7	0.88	3.7	0.65	13	1.5	0.43	1.0	0.29
Digestive System	435	64.2	3.36	46.8	2.28	372	44.1	2.34	29.9	1.59
Esophagus	37	5.6	1.00	4.0	0.67	15	1.6	0.43	1.2	0.31
Stomach	32	4.7	0.91	3.4	0.61	21	2.7	0.59	1.7	0.38
Colon & Rectum	161	25.0	2.16	17.6	1.41	155	18.2	1.50	12.3	1.01
Liver	83	10.6	1.25	8.5	0.95	22	2.3	0.50	1.8	0.39
Pancreas	92	13.9	1.57	10.1	1.07	102	12.4	1.26	8.3	0.84
Respiratory System	527	85.2	4.04	59.0	2.61	442	53.1	2.59	36.5	1.77
Larynx	22	3.6	0.86	2.4	0.52	11	1.3	0.41	1.0	0.29
Lung & bronchus	502	81.1	3.94	56.2	2.55	429	51.5	2.55	35.3	1.74
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	248	28.3	1.84	21.3	1.38
Female Genital System	-	-	-	-	-	148	17.0	1.44	12.2	1.03
Cervix uteri	-	-	-	-	-	24	2.6	0.55	2.2	0.45
Corpus & uterus, NOS ¹	-	-	-	-	-	70	8.2	1.00	5.8	0.71
Ovary	-	-	-	-	-	47	5.4	0.81	3.6	0.55
Male Genital System	166	35.8	2.92	20.1	1.57	-	-	-	-	-
Prostate	164	35.3	2.90	19.8	1.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	93	16.6	1.89	10.2	1.08	56	6.8	0.93	4.5	0.62
Bladder	38	7.6	1.33	4.3	0.71	20	2.5	0.58	1.6	0.36
Kidney & renal pelvis	54	8.9	1.34	5.8	0.80	35	4.2	0.72	2.8	0.49
Brain & Other Nervous System	30	4.3	0.87	3.2	0.59	25	3.1	0.63	2.4	0.49
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	41	6.4	1.10	4.6	0.73	27	3.0	0.59	2.2	0.45
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	43	8.2	1.32	5.1	0.80	44	5.1	0.78	3.4	0.54
Leukemias	48	8.4	1.31	5.6	0.82	42	5.1	0.80	3.6	0.57
Other, Ill-defined & Unknown	122	19.7	1.95	13.6	1.25	102	11.8	1.19	8.1	0.82

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	68	88.6	12.48	61.0	7.65	103	106.2	11.34	68.8	6.85
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	33	43.0	8.54	29.6	5.33	28	35.1	7.03	20.0	3.80
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	15	23.1	6.88	14.7	3.88	22	24.2	5.57	15.1	3.23
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	23.1	6.88	14.7	3.88	22	24.2	5.57	15.1	3.23
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	14	12.8	3.63	9.1	2.46
Female Genital System	-	-	-	-	-	13	10.5	3.23	8.1	2.26
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,422	233.6	1.52	159.6	1.01	21,390	154.6	1.07	108.7	0.78
Oral Cavity & Pharynx	647	5.5	0.22	4.1	0.16	206	1.5	0.10	1.0	0.08
Digestive System	7,279	64.5	0.78	45.9	0.54	5,154	37.1	0.52	25.5	0.37
Esophagus	884	7.7	0.27	5.6	0.19	213	1.5	0.11	1.0	0.07
Stomach	563	5.2	0.23	3.6	0.15	379	2.8	0.14	1.9	0.10
Colon & Rectum	2,342	21.3	0.46	14.8	0.31	2,029	14.6	0.33	10.1	0.24
Liver	1,421	11.6	0.32	8.9	0.24	538	3.9	0.17	2.7	0.12
Pancreas	1,682	15.2	0.38	10.5	0.26	1,581	11.3	0.29	7.6	0.20
Respiratory System	8,176	73.6	0.84	51.0	0.57	5,768	41.3	0.55	29.0	0.39
Larynx	292	2.5	0.15	1.8	0.11	64	0.4	0.06	0.3	0.04
Lung & bronchus	7,830	70.6	0.83	48.9	0.55	5,673	40.7	0.55	28.5	0.39
Skin	507	4.9	0.23	3.2	0.14	235	1.7	0.11	1.2	0.08
Melanomas of the skin	328	3.2	0.18	2.1	0.12	184	1.3	0.10	1.0	0.07
Breast	43	0.4	0.06	0.3	0.04	3,256	23.7	0.42	17.3	0.32
Female Genital System	-	-	-	-	-	1,981	14.6	0.33	10.7	0.25
Cervix uteri	-	-	-	-	-	376	3.0	0.16	2.5	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	577	4.1	0.18	3.0	0.13
Ovary	-	-	-	-	-	892	6.4	0.22	4.6	0.16
Male Genital System	2,116	22.1	0.49	12.8	0.28	-	-	-	-	-
Prostate	2,059	21.6	0.49	12.3	0.27	-	-	-	-	-
Testis	25	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,496	14.1	0.38	9.3	0.24	775	5.5	0.20	3.6	0.14
Bladder	681	6.9	0.27	4.1	0.16	310	2.2	0.13	1.4	0.08
Kidney & renal pelvis	778	6.8	0.25	4.9	0.18	439	3.1	0.15	2.1	0.11
Brain & Other Nervous System	604	5.3	0.22	4.1	0.17	481	3.5	0.16	2.7	0.13
Endocrine System	82	0.7	0.08	0.6	0.06	102	0.7	0.08	0.5	0.06
Thyroid gland	38	0.4	0.06	0.2	0.04	67	0.5	0.06	0.3	0.04
Lymphomas	954	9.1	0.31	6.1	0.20	697	5.1	0.20	3.3	0.14
Hodgkin Lymphoma	50	0.5	0.07	0.3	0.05	49	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	904	8.7	0.30	5.8	0.19	648	4.7	0.19	3.0	0.13
Multiple Myeloma	507	4.9	0.22	3.2	0.14	428	3.1	0.15	2.0	0.10
Leukemias	929	9.2	0.31	5.9	0.20	689	5.0	0.19	3.4	0.14
Other, Ill-defined & Unknown	2,082	19.2	0.43	13.2	0.29	1,618	11.7	0.30	8.3	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,479	218.1	1.69	146.8	1.13	14,654	147.1	1.24	102.4	0.90
Oral Cavity & Pharynx	421	5.0	0.25	3.6	0.18	141	1.4	0.12	1.0	0.09
Digestive System	4,784	58.2	0.86	40.5	0.59	3,342	33.3	0.59	22.6	0.42
Esophagus	647	7.7	0.31	5.6	0.22	135	1.3	0.12	0.9	0.08
Stomach	270	3.5	0.22	2.3	0.14	176	1.8	0.14	1.2	0.10
Colon & Rectum	1,547	19.2	0.50	13.1	0.34	1,339	13.4	0.37	9.1	0.27
Liver	824	9.5	0.34	7.0	0.25	340	3.4	0.19	2.3	0.13
Pancreas	1,209	14.9	0.44	10.1	0.29	1,068	10.5	0.33	7.1	0.23
Respiratory System	5,567	67.9	0.93	46.5	0.63	4,300	42.9	0.66	30.1	0.48
Larynx	165	1.9	0.15	1.4	0.11	46	0.5	0.07	0.3	0.05
Lung & bronchus	5,366	65.6	0.92	44.8	0.62	4,234	42.3	0.66	29.6	0.47
Skin	459	6.0	0.29	3.9	0.19	206	2.1	0.15	1.5	0.11
Melanomas of the skin	314	4.1	0.23	2.7	0.16	160	1.6	0.13	1.2	0.10
Breast	30	0.4	0.07	0.3	0.05	1,965	19.9	0.46	14.2	0.34
Female Genital System	-	-	-	-	-	1,270	13.1	0.38	9.6	0.29
Cervix uteri	-	-	-	-	-	209	2.5	0.18	2.0	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	303	3.1	0.18	2.2	0.13
Ovary	-	-	-	-	-	657	6.6	0.26	4.7	0.20
Male Genital System	1,280	17.6	0.50	10.0	0.28	-	-	-	-	-
Prostate	1,240	17.1	0.49	9.6	0.27	-	-	-	-	-
Testis	18	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,162	14.7	0.44	9.6	0.28	554	5.4	0.23	3.5	0.16
Bladder	549	7.3	0.32	4.4	0.19	209	2.0	0.14	1.2	0.09
Kidney & renal pelvis	581	6.9	0.29	4.9	0.21	325	3.2	0.18	2.2	0.13
Brain & Other Nervous System	493	6.1	0.28	4.6	0.22	378	3.9	0.21	3.0	0.17
Endocrine System	62	0.8	0.10	0.6	0.08	66	0.7	0.08	0.5	0.07
Thyroid gland	29	0.4	0.07	0.2	0.04	45	0.4	0.07	0.3	0.04
Lymphomas	733	9.5	0.36	6.2	0.23	556	5.6	0.24	3.6	0.16
Hodgkin Lymphoma	38	0.5	0.08	0.4	0.06	41	0.5	0.07	0.4	0.06
Non-Hodgkin Lymphoma	695	9.0	0.35	5.8	0.22	515	5.1	0.23	3.2	0.15
Multiple Myeloma	298	3.9	0.23	2.4	0.14	246	2.5	0.16	1.6	0.11
Leukemias	724	9.6	0.36	6.1	0.23	517	5.2	0.23	3.4	0.17
Other, Ill-defined & Unknown	1,466	18.5	0.50	12.4	0.33	1,113	11.2	0.34	7.8	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	7,692	287.3	3.55	201.6	2.32	6,538	176.5	2.24	126.8	1.60
Oral Cavity & Pharynx	219	6.8	0.49	5.4	0.37	63	1.6	0.21	1.2	0.16
Digestive System	2,400	83.7	1.85	61.6	1.27	1,743	47.6	1.17	33.1	0.81
Esophagus	233	7.9	0.55	5.9	0.39	76	2.0	0.24	1.4	0.17
Stomach	282	10.7	0.69	7.5	0.45	189	5.3	0.39	3.5	0.26
Colon & Rectum	771	28.5	1.11	20.2	0.74	672	18.2	0.72	13.0	0.51
Liver	559	16.7	0.75	13.6	0.58	190	5.2	0.38	3.6	0.27
Pancreas	459	16.5	0.83	11.9	0.56	493	13.6	0.63	9.1	0.42
Respiratory System	2,538	93.7	2.01	66.3	1.33	1,418	38.1	1.04	27.2	0.73
Larynx	125	4.3	0.42	3.2	0.29	18	0.4	0.10	0.3	0.08
Lung & bronchus	2,396	88.7	1.96	62.7	1.29	1,390	37.4	1.03	26.7	0.72
Skin	46	1.6	0.25	1.2	0.18	-	-	-	-	-
Melanomas of the skin	13	0.5	0.15	0.3	0.10	22	0.6	0.14	0.4	0.09
Breast	13	0.5	0.14	0.3	0.10	1,265	33.4	0.96	25.1	0.72
Female Genital System	-	-	-	-	-	693	18.6	0.73	13.8	0.53
Cervix uteri	-	-	-	-	-	162	4.4	0.36	3.5	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	269	7.2	0.45	5.2	0.32
Ovary	-	-	-	-	-	228	6.1	0.41	4.4	0.30
Male Genital System	822	39.4	1.46	23.0	0.81	-	-	-	-	-
Prostate	806	38.9	1.45	22.5	0.80	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	325	12.8	0.77	8.7	0.49	217	6.2	0.43	3.9	0.27
Bladder	128	5.6	0.53	3.5	0.31	100	2.8	0.29	1.8	0.18
Kidney & renal pelvis	192	6.9	0.54	5.1	0.37	111	3.2	0.31	2.1	0.20
Brain & Other Nervous System	104	3.4	0.37	2.7	0.26	98	2.6	0.27	2.1	0.21
Endocrine System	18	0.5	0.13	0.5	0.11	34	0.9	0.16	0.7	0.12
Thyroid gland	-	-	-	-	-	20	0.5	0.12	0.4	0.08
Lymphomas	212	7.6	0.56	5.6	0.39	138	3.8	0.33	2.8	0.24
Hodgkin Lymphoma	12	0.4	0.11	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	200	7.3	0.55	5.3	0.38	-	-	-	-	-
Multiple Myeloma	205	8.3	0.62	5.6	0.39	182	5.2	0.39	3.4	0.25
Leukemias	195	7.9	0.61	5.3	0.38	168	4.6	0.36	3.3	0.26
Other, Ill-defined & Unknown	595	21.1	0.93	15.5	0.64	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	178	122.1	10.20	85.5	6.54	143	86.5	7.71	58.8	4.96
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	69	44.2	5.93	32.1	3.93	50	32.6	4.88	20.9	2.97
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	12	8.0	2.45	4.8	1.40
Colon & Rectum	12	9.6	3.04	6.1	1.80	11	6.7	2.13	4.6	1.39
Liver	34	20.3	3.89	15.2	2.65	-	-	-	-	-
Pancreas	-	-	-	-	-	14	9.0	2.55	6.1	1.64
Respiratory System	49	34.8	5.53	24.1	3.52	35	24.1	4.27	14.9	2.54
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	47	33.1	5.36	23.0	3.43	34	23.7	4.25	14.5	2.51
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	20	10.9	2.59	8.1	1.84
Female Genital System	-	-	-	-	-	13	5.2	1.46	4.9	1.36
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	10	10.0	3.43	5.4	1.73	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	13	7.4	2.21	5.9	1.65	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,606	211.8	2.34	139.6	1.54	7,655	150.1	1.76	102.1	1.26
Oral Cavity & Pharynx	196	4.6	0.34	3.3	0.25	73	1.4	0.16	0.9	0.11
Digestive System	2,031	48.9	1.11	33.3	0.76	1,661	32.2	0.81	21.3	0.57
Esophagus	421	9.7	0.49	6.9	0.34	96	1.9	0.20	1.3	0.14
Stomach	108	2.6	0.26	1.8	0.17	89	1.7	0.19	1.1	0.13
Colon & Rectum	613	15.4	0.64	10.1	0.42	609	11.7	0.49	7.6	0.34
Liver	240	5.5	0.37	4.0	0.26	77	1.6	0.18	1.1	0.13
Pancreas	495	11.9	0.55	8.0	0.36	566	10.8	0.46	7.2	0.32
Respiratory System	2,759	66.1	1.29	44.8	0.87	2,195	43.0	0.94	29.6	0.66
Larynx	104	2.3	0.24	1.7	0.17	22	0.4	0.09	0.3	0.07
Lung & bronchus	2,637	63.3	1.26	42.7	0.84	2,161	42.4	0.93	29.1	0.66
Skin	241	6.0	0.39	3.9	0.26	135	2.7	0.24	1.8	0.17
Melanomas of the skin	170	4.1	0.33	2.8	0.23	93	1.9	0.21	1.4	0.16
Breast	13	0.3	0.09	0.2	0.06	900	18.0	0.62	12.9	0.47
Female Genital System	-	-	-	-	-	710	14.1	0.55	10.1	0.41
Cervix uteri	-	-	-	-	-	69	1.7	0.21	1.3	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	250	4.8	0.31	3.4	0.23
Ovary	-	-	-	-	-	320	6.3	0.36	4.6	0.27
Male Genital System	753	20.1	0.74	11.0	0.41	-	-	-	-	-
Prostate	735	19.6	0.73	10.7	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	657	16.4	0.66	10.2	0.41	296	5.6	0.33	3.4	0.21
Bladder	386	9.9	0.51	5.8	0.30	150	2.8	0.24	1.6	0.14
Kidney & renal pelvis	256	6.2	0.40	4.2	0.27	138	2.6	0.23	1.7	0.15
Brain & Other Nervous System	264	6.4	0.41	5.0	0.33	175	3.7	0.30	2.9	0.25
Endocrine System	31	0.8	0.14	0.7	0.13	36	0.8	0.14	0.6	0.11
Thyroid gland	17	0.4	0.10	0.3	0.08	26	0.5	0.10	0.3	0.07
Lymphomas	320	8.2	0.47	5.2	0.30	289	5.5	0.33	3.5	0.23
Hodgkin Lymphoma	18	0.5	0.11	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	302	7.8	0.46	4.9	0.29	-	-	-	-	-
Multiple Myeloma	151	3.7	0.31	2.4	0.20	135	2.5	0.22	1.6	0.15
Leukemias	344	8.7	0.48	5.6	0.32	271	5.3	0.33	3.4	0.24
Other, Ill-defined & Unknown	846	21.5	0.75	13.8	0.50	779	15.3	0.57	10.0	0.40

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,513	212.7	2.36	140.2	1.56	7,571	150.6	1.78	102.3	1.28
Oral Cavity & Pharynx	192	4.5	0.34	3.3	0.25	73	1.4	0.17	0.9	0.12
Digestive System	1,996	48.8	1.12	33.2	0.76	1,641	32.2	0.82	21.4	0.57
Esophagus	415	9.7	0.49	6.9	0.34	91	1.8	0.19	1.2	0.14
Stomach	107	2.6	0.26	1.8	0.18	87	1.7	0.19	1.1	0.13
Colon & Rectum	605	15.5	0.65	10.2	0.43	602	11.7	0.50	7.6	0.34
Liver	228	5.3	0.36	3.8	0.26	76	1.6	0.19	1.1	0.13
Pancreas	489	12.0	0.55	8.0	0.37	564	11.0	0.47	7.3	0.33
Respiratory System	2,733	66.6	1.30	45.1	0.88	2,172	43.2	0.95	29.7	0.67
Larynx	104	2.4	0.24	1.7	0.17	21	0.4	0.09	0.3	0.07
Lung & bronchus	2,612	63.8	1.28	43.0	0.85	2,139	42.5	0.94	29.3	0.67
Skin	240	6.1	0.40	4.0	0.27	133	2.7	0.24	1.8	0.18
Melanomas of the skin	170	4.2	0.33	2.9	0.23	92	2.0	0.21	1.4	0.16
Breast	12	0.3	0.09	0.2	0.05	887	18.0	0.63	12.8	0.47
Female Genital System	-	-	-	-	-	702	14.2	0.55	10.2	0.41
Cervix uteri	-	-	-	-	-	67	1.6	0.21	1.3	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	246	4.8	0.31	3.3	0.23
Ovary	-	-	-	-	-	318	6.4	0.37	4.6	0.27
Male Genital System	745	20.1	0.75	11.1	0.41	-	-	-	-	-
Prostate	728	19.7	0.74	10.7	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	655	16.6	0.66	10.4	0.41	294	5.7	0.34	3.5	0.21
Bladder	385	10.0	0.52	5.9	0.30	150	2.9	0.24	1.7	0.15
Kidney & renal pelvis	255	6.3	0.40	4.3	0.27	136	2.6	0.23	1.7	0.15
Brain & Other Nervous System	262	6.5	0.42	5.1	0.34	174	3.7	0.30	2.9	0.25
Endocrine System	30	0.7	0.14	0.6	0.12	34	0.7	0.13	0.5	0.11
Thyroid gland	17	0.4	0.10	0.3	0.08	26	0.5	0.10	0.3	0.07
Lymphomas	315	8.2	0.47	5.2	0.30	286	5.5	0.34	3.5	0.23
Hodgkin Lymphoma	17	0.5	0.11	0.3	0.08	-	-	-	-	-
Non-Hodgkin Lymphoma	298	7.7	0.46	4.9	0.29	-	-	-	-	-
Multiple Myeloma	151	3.8	0.32	2.4	0.20	133	2.5	0.22	1.6	0.15
Leukemias	340	8.8	0.49	5.7	0.32	271	5.4	0.34	3.5	0.24
Other, Ill-defined & Unknown	842	21.7	0.76	14.0	0.51	771	15.3	0.57	10.0	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32	130.3	27.30	88.5	16.67	24	100.2	21.54	79.2	16.52
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	42.5	14.41	30.8	9.44	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	36.2	13.05	26.4	8.63	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	18	72.9	19.35	53.1	12.82	30	95.2	18.93	65.3	12.12
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,777	193.9	1.22	128.5	0.79	25,930	141.0	0.89	97.2	0.63
Oral Cavity & Pharynx	530	3.6	0.16	2.6	0.11	230	1.2	0.08	0.9	0.06
Digestive System	7,780	54.2	0.63	37.5	0.43	5,921	32.0	0.42	21.5	0.29
Esophagus	985	6.8	0.22	4.8	0.15	278	1.5	0.09	1.0	0.06
Stomach	619	4.4	0.18	3.0	0.12	422	2.3	0.11	1.5	0.08
Colon & Rectum	2,387	17.1	0.36	11.5	0.24	2,234	11.9	0.26	8.0	0.18
Liver	1,296	8.2	0.24	6.3	0.18	461	2.5	0.12	1.7	0.08
Pancreas	1,954	13.8	0.32	9.4	0.21	1,834	10.0	0.24	6.7	0.16
Respiratory System	7,340	52.6	0.63	35.3	0.41	6,553	35.9	0.45	24.4	0.31
Larynx	297	2.1	0.12	1.4	0.08	73	0.4	0.05	0.3	0.03
Lung & bronchus	6,984	50.0	0.62	33.5	0.40	6,451	35.4	0.45	24.0	0.31
Skin	700	5.2	0.20	3.4	0.13	343	1.9	0.10	1.3	0.07
Melanomas of the skin	489	3.6	0.17	2.4	0.11	260	1.4	0.09	1.0	0.07
Breast	55	0.4	0.05	0.3	0.04	4,112	22.4	0.36	16.3	0.27
Female Genital System	-	-	-	-	-	2,851	15.4	0.29	11.2	0.22
Cervix uteri	-	-	-	-	-	344	2.0	0.11	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	1,045	5.5	0.17	4.1	0.13
Ovary	-	-	-	-	-	1,278	6.9	0.20	4.9	0.14
Male Genital System	2,568	20.4	0.41	11.6	0.23	-	-	-	-	-
Prostate	2,520	20.1	0.41	11.3	0.23	-	-	-	-	-
Testis	26	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,905	14.4	0.34	8.8	0.20	850	4.6	0.16	2.9	0.10
Bladder	1,095	8.6	0.26	5.0	0.15	444	2.4	0.12	1.4	0.07
Kidney & renal pelvis	761	5.4	0.20	3.6	0.13	368	2.0	0.11	1.3	0.07
Brain & Other Nervous System	747	5.1	0.19	4.0	0.15	588	3.3	0.14	2.6	0.11
Endocrine System	110	0.7	0.07	0.6	0.06	144	0.8	0.07	0.6	0.05
Thyroid gland	58	0.4	0.05	0.3	0.04	102	0.6	0.06	0.4	0.04
Lymphomas	1,006	7.5	0.24	4.9	0.16	823	4.5	0.16	2.9	0.11
Hodgkin Lymphoma	49	0.4	0.05	0.3	0.04	47	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	957	7.1	0.24	4.6	0.15	776	4.2	0.15	2.7	0.10
Multiple Myeloma	605	4.5	0.19	2.9	0.12	621	3.4	0.14	2.2	0.09
Leukemias	1,158	8.8	0.27	5.7	0.17	868	4.8	0.17	3.2	0.12
Other, Ill-defined & Unknown	2,273	16.6	0.36	11.1	0.24	2,026	11.0	0.25	7.3	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,842	189.8	1.41	124.8	0.93	17,698	139.2	1.08	95.1	0.77
Oral Cavity & Pharynx	361	3.5	0.19	2.5	0.13	156	1.2	0.10	0.8	0.07
Digestive System	5,126	50.2	0.72	34.4	0.49	3,859	29.9	0.49	19.8	0.34
Esophagus	799	7.7	0.28	5.4	0.19	207	1.6	0.12	1.1	0.08
Stomach	331	3.3	0.19	2.3	0.13	228	1.8	0.12	1.2	0.09
Colon & Rectum	1,571	15.6	0.40	10.5	0.27	1,462	11.1	0.30	7.3	0.21
Liver	706	6.5	0.25	4.8	0.18	275	2.1	0.13	1.4	0.09
Pancreas	1,351	13.3	0.37	8.9	0.25	1,221	9.6	0.28	6.4	0.19
Respiratory System	5,229	52.2	0.74	34.8	0.49	4,770	37.9	0.56	25.7	0.39
Larynx	188	1.8	0.14	1.3	0.09	44	0.3	0.05	0.2	0.04
Lung & bronchus	4,997	49.9	0.72	33.2	0.48	4,709	37.4	0.56	25.4	0.39
Skin	653	6.7	0.27	4.3	0.17	311	2.5	0.15	1.7	0.11
Melanomas of the skin	468	4.8	0.23	3.2	0.15	241	2.0	0.13	1.4	0.10
Breast	30	0.3	0.06	0.2	0.04	2,610	20.8	0.42	14.8	0.31
Female Genital System	-	-	-	-	-	1,800	14.4	0.35	10.4	0.26
Cervix uteri	-	-	-	-	-	182	1.6	0.13	1.3	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	554	4.3	0.19	3.1	0.14
Ovary	-	-	-	-	-	918	7.3	0.25	5.2	0.18
Male Genital System	1,594	17.1	0.43	9.4	0.24	-	-	-	-	-
Prostate	1,558	16.7	0.43	9.1	0.24	-	-	-	-	-
Testis	21	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,521	15.6	0.41	9.6	0.25	620	4.7	0.19	2.9	0.13
Bladder	902	9.5	0.32	5.5	0.19	329	2.5	0.14	1.5	0.09
Kidney & renal pelvis	574	5.6	0.24	3.8	0.16	264	2.0	0.13	1.4	0.09
Brain & Other Nervous System	602	5.9	0.25	4.7	0.20	480	4.0	0.19	3.2	0.16
Endocrine System	74	0.7	0.08	0.6	0.07	95	0.8	0.08	0.6	0.06
Thyroid gland	46	0.4	0.06	0.3	0.05	72	0.6	0.07	0.4	0.05
Lymphomas	782	8.0	0.29	5.2	0.19	610	4.7	0.19	3.0	0.13
Hodgkin Lymphoma	33	0.3	0.06	0.2	0.04	34	0.3	0.05	0.2	0.05
Non-Hodgkin Lymphoma	749	7.6	0.28	4.9	0.18	576	4.4	0.19	2.7	0.13
Multiple Myeloma	370	3.9	0.20	2.4	0.13	318	2.4	0.14	1.5	0.09
Leukemias	874	9.2	0.32	6.0	0.21	658	5.1	0.21	3.4	0.15
Other, Ill-defined & Unknown	1,626	16.6	0.42	10.8	0.28	1,411	10.9	0.30	7.2	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,173	229.0	2.94	154.2	1.84	7,511	156.3	1.86	110.2	1.29
Oral Cavity & Pharynx	151	4.3	0.37	3.2	0.26	69	1.4	0.17	1.0	0.12
Digestive System	2,347	70.3	1.58	49.3	1.03	1,868	39.5	0.94	26.9	0.63
Esophagus	169	4.8	0.40	3.5	0.27	69	1.4	0.17	1.0	0.12
Stomach	238	7.9	0.56	5.2	0.34	163	3.6	0.29	2.3	0.19
Colon & Rectum	742	24.1	0.96	16.0	0.59	709	15.0	0.58	10.1	0.39
Liver	512	12.8	0.61	10.1	0.45	158	3.1	0.26	2.3	0.18
Pancreas	538	16.4	0.77	11.3	0.49	562	12.1	0.53	8.1	0.35
Respiratory System	1,936	60.8	1.49	41.4	0.95	1,642	34.6	0.88	23.9	0.60
Larynx	103	3.3	0.35	2.2	0.22	29	0.6	0.11	0.4	0.08
Lung & bronchus	1,820	57.1	1.45	38.9	0.92	1,603	33.8	0.87	23.3	0.59
Skin	45	1.2	0.20	0.9	0.14	27	0.6	0.11	0.4	0.08
Melanomas of the skin	20	0.6	0.14	0.4	0.10	16	0.3	0.09	0.2	0.06
Breast	23	0.6	0.14	0.5	0.10	1,400	27.8	0.76	20.9	0.57
Female Genital System	-	-	-	-	-	951	19.3	0.65	14.1	0.46
Cervix uteri	-	-	-	-	-	146	2.9	0.25	2.2	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	461	9.2	0.44	6.8	0.32
Ovary	-	-	-	-	-	309	6.4	0.38	4.6	0.26
Male Genital System	936	36.6	1.28	21.3	0.70	-	-	-	-	-
Prostate	924	36.3	1.27	21.0	0.70	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	340	11.6	0.68	7.4	0.40	213	4.7	0.33	3.0	0.21
Bladder	163	5.9	0.50	3.6	0.28	108	2.4	0.24	1.5	0.15
Kidney & renal pelvis	176	5.7	0.47	3.8	0.29	95	2.1	0.22	1.4	0.15
Brain & Other Nervous System	123	3.3	0.32	2.6	0.24	95	1.9	0.20	1.6	0.17
Endocrine System	29	0.8	0.17	0.6	0.12	38	0.8	0.13	0.6	0.09
Thyroid gland	10	0.4	0.13	0.2	0.07	22	0.4	0.09	0.3	0.07
Lymphomas	180	5.7	0.46	3.9	0.30	182	3.9	0.29	2.7	0.21
Hodgkin Lymphoma	14	0.3	0.09	0.3	0.08	12	0.3	0.08	0.2	0.05
Non-Hodgkin Lymphoma	166	5.4	0.45	3.6	0.28	170	3.6	0.28	2.6	0.20
Multiple Myeloma	217	7.4	0.55	4.7	0.32	284	6.1	0.37	4.1	0.24
Leukemias	250	8.3	0.57	5.5	0.35	186	3.9	0.30	2.8	0.21
Other, Ill-defined & Unknown	596	18.1	0.81	12.8	0.53	556	11.8	0.51	8.2	0.36

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	724	102.1	4.01	67.5	2.51	689	77.5	3.06	52.4	2.00
Oral Cavity & Pharynx	18	2.1	0.53	1.6	0.39	-	-	-	-	-
Digestive System	297	40.1	2.46	27.4	1.59	186	21.8	1.65	14.1	1.04
Esophagus	16	2.2	0.59	1.5	0.37	-	-	-	-	-
Stomach	49	6.9	1.03	4.5	0.65	31	3.4	0.63	2.4	0.42
Colon & Rectum	70	10.2	1.29	6.5	0.78	58	6.4	0.87	4.4	0.57
Liver	78	9.9	1.17	7.1	0.81	28	3.6	0.70	2.1	0.40
Pancreas	61	7.7	1.02	5.6	0.72	49	6.1	0.89	3.8	0.54
Respiratory System	159	23.0	1.93	14.8	1.17	136	15.6	1.39	10.4	0.89
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	153	21.8	1.87	14.2	1.15	134	15.5	1.38	10.2	0.88
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	98	9.3	0.97	7.5	0.76
Female Genital System	-	-	-	-	-	95	9.7	1.03	7.2	0.74
Cervix uteri	-	-	-	-	-	15	1.5	0.39	1.1	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	29	2.9	0.56	2.2	0.41
Ovary	-	-	-	-	-	48	5.0	0.75	3.7	0.53
Male Genital System	36	5.8	1.01	3.4	0.57	-	-	-	-	-
Prostate	36	5.8	1.01	3.4	0.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	44	7.4	1.16	4.2	0.63	14	1.7	0.48	1.0	0.28
Bladder	30	5.2	0.99	2.9	0.52	-	-	-	-	-
Kidney & renal pelvis	11	1.6	0.53	1.0	0.31	-	-	-	-	-
Brain & Other Nervous System	21	2.5	0.57	2.0	0.45	13	1.3	0.37	1.1	0.30
Endocrine System	-	-	-	-	-	11	1.3	0.41	0.9	0.27
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	41	6.2	1.02	3.9	0.61	31	4.0	0.74	2.3	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	2.4	0.65	1.4	0.37	14	1.7	0.47	1.1	0.29
Leukemias	33	4.7	0.86	3.1	0.55	24	3.0	0.62	1.9	0.38
Other, Ill-defined & Unknown	50	6.7	0.99	4.7	0.67	57	6.9	0.94	4.3	0.57

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,429	191.3	1.08	125.2	0.71	31,725	138.1	0.80	93.4	0.57
Oral Cavity & Pharynx	664	3.7	0.15	2.7	0.11	300	1.3	0.07	0.8	0.05
Digestive System	9,149	52.6	0.56	35.8	0.38	7,160	30.5	0.37	19.8	0.26
Esophagus	1,546	8.7	0.23	6.1	0.16	383	1.6	0.09	1.1	0.06
Stomach	706	4.2	0.16	2.8	0.11	533	2.3	0.10	1.5	0.07
Colon & Rectum	2,551	15.1	0.30	9.8	0.20	2,589	10.9	0.22	6.9	0.15
Liver	1,410	7.7	0.21	5.7	0.15	434	1.9	0.09	1.3	0.07
Pancreas	2,187	12.7	0.28	8.5	0.18	2,346	10.0	0.21	6.5	0.14
Respiratory System	8,747	51.4	0.56	34.1	0.37	8,456	37.5	0.42	25.4	0.29
Larynx	263	1.5	0.09	1.0	0.06	92	0.4	0.04	0.3	0.03
Lung & bronchus	8,412	49.5	0.55	32.7	0.36	8,332	36.9	0.41	25.0	0.29
Skin	909	5.4	0.18	3.5	0.12	553	2.4	0.11	1.6	0.08
Melanomas of the skin	670	4.0	0.16	2.6	0.10	424	1.9	0.09	1.3	0.07
Breast	58	0.3	0.05	0.2	0.03	4,183	18.5	0.30	13.2	0.22
Female Genital System	-	-	-	-	-	3,352	14.8	0.26	10.5	0.19
Cervix uteri	-	-	-	-	-	253	1.2	0.08	1.0	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,079	4.7	0.15	3.3	0.11
Ovary	-	-	-	-	-	1,689	7.5	0.19	5.3	0.14
Male Genital System	3,079	19.2	0.35	10.7	0.20	-	-	-	-	-
Prostate	3,014	18.8	0.35	10.4	0.19	-	-	-	-	-
Testis	24	0.1	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,250	13.5	0.29	8.3	0.18	1,160	4.8	0.15	3.0	0.10
Bladder	1,318	8.1	0.23	4.7	0.13	613	2.5	0.10	1.5	0.07
Kidney & renal pelvis	879	5.0	0.17	3.5	0.12	514	2.2	0.10	1.4	0.07
Brain & Other Nervous System	949	5.4	0.18	4.2	0.14	759	3.6	0.13	2.8	0.11
Endocrine System	185	1.1	0.08	0.8	0.06	153	0.7	0.06	0.5	0.05
Thyroid gland	114	0.7	0.06	0.4	0.04	105	0.4	0.04	0.3	0.03
Lymphomas	1,178	7.2	0.21	4.5	0.14	1,061	4.5	0.14	2.8	0.09
Hodgkin Lymphoma	48	0.3	0.04	0.2	0.03	45	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	1,130	6.9	0.21	4.3	0.13	1,016	4.3	0.14	2.6	0.09
Multiple Myeloma	658	4.0	0.16	2.5	0.10	632	2.6	0.11	1.7	0.07
Leukemias	1,415	8.7	0.24	5.5	0.15	1,120	4.9	0.15	3.2	0.11
Other, Ill-defined & Unknown	3,188	18.8	0.34	12.3	0.22	2,836	12.2	0.24	8.1	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,140	195.2	1.15	127.8	0.76	29,544	141.6	0.85	95.8	0.61
Oral Cavity & Pharynx	605	3.7	0.15	2.7	0.11	281	1.3	0.08	0.9	0.06
Digestive System	8,352	53.0	0.59	35.9	0.40	6,544	30.5	0.39	19.9	0.27
Esophagus	1,470	9.1	0.24	6.4	0.17	364	1.7	0.09	1.2	0.06
Stomach	613	4.0	0.17	2.7	0.11	455	2.2	0.11	1.4	0.07
Colon & Rectum	2,357	15.4	0.32	9.9	0.21	2,369	10.9	0.23	6.9	0.16
Liver	1,175	7.1	0.21	5.2	0.15	382	1.8	0.10	1.2	0.07
Pancreas	2,053	13.1	0.29	8.8	0.20	2,183	10.2	0.23	6.6	0.15
Respiratory System	8,152	52.5	0.59	34.8	0.39	7,998	39.0	0.45	26.5	0.31
Larynx	244	1.5	0.10	1.1	0.07	89	0.4	0.05	0.3	0.03
Lung & bronchus	7,846	50.6	0.58	33.5	0.38	7,879	38.4	0.44	26.1	0.31
Skin	892	5.8	0.20	3.8	0.13	546	2.6	0.12	1.8	0.09
Melanomas of the skin	661	4.3	0.17	2.9	0.12	420	2.1	0.11	1.5	0.08
Breast	56	0.4	0.05	0.2	0.03	3,876	19.0	0.32	13.6	0.24
Female Genital System	-	-	-	-	-	3,079	15.0	0.28	10.7	0.21
Cervix uteri	-	-	-	-	-	218	1.2	0.08	1.0	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	957	4.6	0.15	3.2	0.11
Ovary	-	-	-	-	-	1,590	7.8	0.20	5.5	0.15
Male Genital System	2,815	19.1	0.36	10.6	0.21	-	-	-	-	-
Prostate	2,753	18.6	0.36	10.3	0.20	-	-	-	-	-
Testis	24	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	2,163	14.1	0.31	8.8	0.19	1,113	5.0	0.16	3.1	0.10
Bladder	1,279	8.5	0.24	5.0	0.14	588	2.6	0.11	1.5	0.07
Kidney & renal pelvis	832	5.2	0.19	3.6	0.13	493	2.3	0.11	1.5	0.07
Brain & Other Nervous System	907	5.8	0.20	4.4	0.15	719	3.8	0.15	2.9	0.12
Endocrine System	170	1.1	0.09	0.8	0.07	139	0.7	0.06	0.5	0.05
Thyroid gland	109	0.7	0.07	0.5	0.05	96	0.4	0.05	0.3	0.03
Lymphomas	1,112	7.4	0.23	4.7	0.15	1,000	4.6	0.15	2.9	0.10
Hodgkin Lymphoma	43	0.3	0.05	0.2	0.04	44	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,069	7.1	0.22	4.5	0.14	956	4.4	0.15	2.7	0.10
Multiple Myeloma	594	3.9	0.16	2.5	0.10	564	2.5	0.11	1.6	0.07
Leukemias	1,337	9.0	0.25	5.8	0.16	1,048	5.0	0.16	3.3	0.12
Other, Ill-defined & Unknown	2,985	19.4	0.36	12.7	0.24	2,637	12.5	0.25	8.2	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,497	176.9	4.94	117.4	3.07	1,520	122.6	3.21	84.5	2.20
Oral Cavity & Pharynx	35	3.8	0.70	2.7	0.46	10	0.8	0.25	0.6	0.18
Digestive System	481	51.9	2.56	36.8	1.70	385	31.3	1.63	20.6	1.07
Esophagus	50	5.6	0.86	3.9	0.56	12	1.0	0.29	0.7	0.19
Stomach	52	6.3	0.94	4.1	0.57	43	3.6	0.56	2.2	0.35
Colon & Rectum	128	13.9	1.33	9.7	0.87	150	11.9	0.99	8.0	0.67
Liver	124	10.9	1.04	9.0	0.81	28	2.2	0.42	1.6	0.30
Pancreas	95	11.3	1.25	7.5	0.78	101	8.3	0.84	5.2	0.53
Respiratory System	365	42.6	2.40	28.9	1.53	312	25.5	1.48	17.6	1.01
Larynx	13	1.5	0.44	1.0	0.29	-	-	-	-	-
Lung & bronchus	345	40.5	2.34	27.4	1.49	309	25.2	1.46	17.4	1.00
Skin	11	1.1	0.35	0.9	0.26	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	232	18.3	1.22	13.1	0.87
Female Genital System	-	-	-	-	-	211	16.5	1.16	12.0	0.83
Cervix uteri	-	-	-	-	-	27	2.0	0.40	1.5	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	97	7.6	0.79	5.6	0.57
Ovary	-	-	-	-	-	72	5.6	0.67	4.0	0.48
Male Genital System	221	32.7	2.30	18.4	1.25	-	-	-	-	-
Prostate	220	32.6	2.29	18.3	1.24	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	66	8.7	1.15	5.2	0.65	38	3.0	0.50	2.0	0.33
Bladder	28	4.2	0.83	2.2	0.42	20	1.7	0.40	1.0	0.22
Kidney & renal pelvis	37	4.3	0.77	2.9	0.48	18	1.3	0.31	1.0	0.24
Brain & Other Nervous System	28	2.4	0.49	2.0	0.38	22	1.8	0.38	1.4	0.29
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	42	4.7	0.78	3.2	0.50	36	2.9	0.50	1.9	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	51	6.3	0.95	4.0	0.57	64	5.3	0.68	3.5	0.44
Leukemias	52	6.4	0.96	4.1	0.57	55	4.6	0.64	3.3	0.45
Other, Ill-defined & Unknown	135	15.5	1.45	10.4	0.91	142	11.6	0.99	8.0	0.68

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	756	122.2	4.71	78.7	2.88	625	80.2	3.33	53.5	2.16
Oral Cavity & Pharynx	22	3.1	0.69	2.2	0.47	-	-	-	-	-
Digestive System	302	46.1	2.83	31.0	1.79	220	29.1	2.03	18.8	1.28
Esophagus	24	4.4	0.96	2.5	0.51	-	-	-	-	-
Stomach	39	5.6	0.95	4.0	0.65	34	4.1	0.73	2.9	0.50
Colon & Rectum	61	9.3	1.27	6.2	0.80	67	9.2	1.16	5.6	0.69
Liver	108	15.9	1.63	11.0	1.07	24	3.3	0.69	2.1	0.43
Pancreas	37	5.7	1.01	3.8	0.63	58	8.1	1.09	5.0	0.66
Respiratory System	221	37.6	2.66	23.3	1.57	140	18.8	1.64	12.0	1.02
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	213	36.2	2.61	22.5	1.55	138	18.5	1.63	11.9	1.02
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	66	7.3	0.94	5.5	0.68
Female Genital System	-	-	-	-	-	58	7.0	0.96	4.9	0.65
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	23	2.7	0.59	2.0	0.43
Ovary	-	-	-	-	-	26	3.1	0.64	2.1	0.42
Male Genital System	38	7.9	1.31	4.1	0.67	-	-	-	-	-
Prostate	36	7.6	1.30	3.9	0.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	20	3.6	0.85	2.1	0.46	-	-	-	-	-
Bladder	11	2.0	0.63	1.2	0.35	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	1.4	0.42	1.3	0.36	18	2.0	0.50	1.5	0.37
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	23	3.5	0.77	2.4	0.50	23	3.2	0.68	2.0	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	2.2	0.61	1.4	0.39	-	-	-	-	-
Leukemias	26	4.1	0.85	2.8	0.54	17	2.0	0.51	1.5	0.37
Other, Ill-defined & Unknown	66	11.0	1.43	7.0	0.86	55	7.2	1.00	4.7	0.64

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2011-2015, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	53,726	205.4	0.91	137.4	0.60	49,458	149.5	0.69	103.7	0.50
Oral Cavity & Pharynx	1,137	4.1	0.13	3.0	0.09	449	1.3	0.06	0.9	0.05
Digestive System	14,429	53.8	0.46	37.3	0.32	10,996	32.6	0.32	21.9	0.22
Esophagus	2,339	8.6	0.18	6.1	0.13	583	1.7	0.07	1.2	0.05
Stomach	1,023	3.9	0.13	2.7	0.09	702	2.1	0.08	1.4	0.06
Colon & Rectum	4,500	17.3	0.26	11.6	0.18	4,165	12.3	0.20	8.2	0.14
Liver	1,950	6.7	0.16	5.1	0.12	820	2.4	0.09	1.7	0.06
Pancreas	3,585	13.3	0.23	9.2	0.16	3,493	10.3	0.18	6.9	0.12
Respiratory System	16,289	61.0	0.49	41.6	0.33	13,734	41.6	0.36	28.9	0.26
Larynx	563	2.0	0.09	1.5	0.06	172	0.5	0.04	0.4	0.03
Lung & bronchus	15,635	58.6	0.48	39.9	0.32	13,503	40.9	0.36	28.4	0.25
Skin	1,344	5.2	0.15	3.5	0.10	661	2.0	0.08	1.4	0.06
Melanomas of the skin	934	3.6	0.12	2.5	0.09	493	1.5	0.07	1.1	0.06
Breast	97	0.4	0.04	0.2	0.03	7,086	21.7	0.27	15.8	0.20
Female Genital System	-	-	-	-	-	5,231	16.0	0.23	11.6	0.17
Cervix uteri	-	-	-	-	-	580	2.0	0.09	1.6	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,698	5.0	0.13	3.6	0.09
Ovary	-	-	-	-	-	2,551	7.8	0.16	5.5	0.12
Male Genital System	4,689	19.5	0.29	11.0	0.16	-	-	-	-	-
Prostate	4,579	19.0	0.29	10.6	0.16	-	-	-	-	-
Testis	62	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	3,641	14.3	0.24	9.0	0.15	1,813	5.3	0.13	3.4	0.09
Bladder	1,992	8.1	0.18	4.7	0.11	873	2.5	0.09	1.5	0.06
Kidney & renal pelvis	1,549	5.8	0.15	4.0	0.10	873	2.6	0.09	1.8	0.06
Brain & Other Nervous System	1,516	5.6	0.15	4.4	0.12	1,178	3.8	0.11	3.0	0.09
Endocrine System	221	0.9	0.06	0.7	0.05	243	0.8	0.05	0.6	0.04
Thyroid gland	141	0.6	0.05	0.4	0.03	157	0.5	0.04	0.3	0.03
Lymphomas	2,303	9.1	0.19	5.9	0.13	1,763	5.3	0.13	3.4	0.09
Hodgkin Lymphoma	115	0.5	0.04	0.4	0.04	77	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,188	8.7	0.19	5.6	0.12	1,686	5.0	0.13	3.2	0.08
Multiple Myeloma	1,188	4.7	0.14	3.0	0.09	970	2.9	0.09	1.9	0.06
Leukemias	2,351	9.5	0.20	6.1	0.13	1,676	5.1	0.13	3.4	0.09
Other, Ill-defined & Unknown	4,521	17.4	0.27	11.6	0.18	3,658	11.0	0.19	7.5	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	46,309	201.9	0.96	134.3	0.64	42,070	147.1	0.74	101.6	0.54
Oral Cavity & Pharynx	959	4.0	0.13	2.9	0.10	385	1.3	0.07	0.9	0.05
Digestive System	12,091	51.7	0.48	35.5	0.33	9,090	31.1	0.33	20.7	0.24
Esophagus	2,143	9.0	0.20	6.3	0.14	510	1.7	0.08	1.2	0.06
Stomach	793	3.5	0.13	2.3	0.08	516	1.8	0.08	1.2	0.06
Colon & Rectum	3,736	16.5	0.28	11.0	0.19	3,460	11.8	0.21	7.7	0.14
Liver	1,431	5.7	0.16	4.2	0.11	638	2.2	0.09	1.5	0.07
Pancreas	3,108	13.2	0.24	9.0	0.16	2,913	9.9	0.19	6.6	0.13
Respiratory System	14,010	59.7	0.52	40.6	0.35	11,896	41.8	0.39	29.0	0.28
Larynx	430	1.8	0.09	1.3	0.06	134	0.5	0.04	0.3	0.03
Lung & bronchus	13,497	57.6	0.51	39.1	0.34	11,710	41.1	0.39	28.5	0.28
Skin	1,303	5.8	0.16	3.9	0.11	628	2.3	0.09	1.6	0.07
Melanomas of the skin	922	4.1	0.14	2.9	0.10	475	1.8	0.08	1.3	0.07
Breast	78	0.3	0.04	0.2	0.03	5,852	20.9	0.28	15.1	0.21
Female Genital System	-	-	-	-	-	4,406	15.7	0.24	11.3	0.18
Cervix uteri	-	-	-	-	-	440	1.8	0.09	1.5	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,344	4.6	0.13	3.3	0.10
Ovary	-	-	-	-	-	2,260	8.0	0.17	5.7	0.13
Male Genital System	3,824	18.0	0.29	10.0	0.17	-	-	-	-	-
Prostate	3,730	17.5	0.29	9.7	0.16	-	-	-	-	-
Testis	58	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	3,313	14.7	0.26	9.2	0.16	1,580	5.3	0.14	3.4	0.09
Bladder	1,855	8.5	0.20	4.9	0.12	764	2.5	0.09	1.5	0.06
Kidney & renal pelvis	1,367	5.8	0.16	4.0	0.11	760	2.6	0.10	1.8	0.07
Brain & Other Nervous System	1,390	6.0	0.16	4.6	0.13	1,065	4.0	0.13	3.1	0.10
Endocrine System	193	0.9	0.06	0.7	0.05	198	0.7	0.05	0.5	0.04
Thyroid gland	127	0.6	0.05	0.4	0.04	128	0.4	0.04	0.3	0.03
Lymphomas	2,083	9.4	0.21	6.0	0.14	1,607	5.5	0.14	3.5	0.10
Hodgkin Lymphoma	96	0.4	0.05	0.4	0.04	71	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,987	8.9	0.20	5.7	0.13	1,536	5.2	0.14	3.3	0.09
Multiple Myeloma	980	4.4	0.14	2.8	0.09	734	2.5	0.09	1.6	0.06
Leukemias	2,131	9.7	0.21	6.2	0.14	1,496	5.3	0.14	3.5	0.10
Other, Ill-defined & Unknown	3,954	17.4	0.28	11.5	0.19	3,133	10.8	0.20	7.3	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,729	251.4	3.24	174.9	2.15	6,696	174.0	2.18	124.3	1.56
Oral Cavity & Pharynx	163	5.3	0.44	4.2	0.33	58	1.5	0.20	1.1	0.15
Digestive System	2,086	73.6	1.70	53.8	1.19	1,720	44.4	1.09	31.0	0.77
Esophagus	170	5.8	0.47	4.4	0.34	69	1.7	0.21	1.3	0.16
Stomach	200	7.5	0.55	5.3	0.38	164	4.3	0.34	2.8	0.23
Colon & Rectum	692	25.9	1.04	18.1	0.70	648	16.7	0.67	11.7	0.47
Liver	460	14.0	0.69	11.4	0.53	150	3.7	0.31	2.7	0.23
Pancreas	436	15.8	0.80	11.3	0.55	537	13.9	0.61	9.6	0.43
Respiratory System	2,099	77.8	1.80	54.6	1.20	1,645	42.9	1.08	30.0	0.76
Larynx	131	4.5	0.41	3.3	0.29	38	1.0	0.17	0.7	0.12
Lung & bronchus	1,961	73.1	1.74	51.1	1.16	1,600	41.7	1.07	29.2	0.75
Skin	32	1.0	0.19	0.8	0.15	27	0.7	0.14	0.5	0.10
Melanomas of the skin	10	0.4	0.12	0.2	0.08	13	0.4	0.10	0.3	0.07
Breast	18	0.7	0.16	0.5	0.12	1,158	29.8	0.90	22.2	0.67
Female Genital System	-	-	-	-	-	748	19.3	0.72	14.3	0.54
Cervix uteri	-	-	-	-	-	124	3.2	0.30	2.6	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	339	8.7	0.48	6.4	0.35
Ovary	-	-	-	-	-	247	6.4	0.42	4.7	0.31
Male Genital System	824	36.2	1.31	21.3	0.75	-	-	-	-	-
Prostate	811	35.7	1.30	21.0	0.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	302	11.8	0.72	7.9	0.46	214	5.8	0.40	3.7	0.26
Bladder	132	5.6	0.51	3.4	0.30	106	2.9	0.29	1.8	0.18
Kidney & renal pelvis	162	5.9	0.49	4.2	0.34	99	2.6	0.27	1.8	0.18
Brain & Other Nervous System	105	3.5	0.36	2.8	0.28	91	2.4	0.25	1.9	0.21
Endocrine System	20	0.7	0.17	0.6	0.13	37	1.0	0.16	0.7	0.13
Thyroid gland	10	0.4	0.13	0.3	0.09	23	0.6	0.13	0.4	0.09
Lymphomas	185	6.7	0.52	4.9	0.37	135	3.6	0.32	2.5	0.23
Hodgkin Lymphoma	18	0.6	0.14	0.5	0.12	-	-	-	-	-
Non-Hodgkin Lymphoma	167	6.2	0.50	4.4	0.35	-	-	-	-	-
Multiple Myeloma	190	7.7	0.59	5.0	0.37	219	5.7	0.40	3.8	0.27
Leukemias	188	7.5	0.57	5.1	0.38	163	4.5	0.36	3.2	0.26
Other, Ill-defined & Unknown	517	18.8	0.87	13.4	0.59	481	12.5	0.58	9.1	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	413	100.3	5.45	65.3	3.25	428	84.1	4.31	55.8	2.71
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	150	36.4	3.29	23.5	1.95	127	26.1	2.45	16.6	1.48
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	23	5.0	1.12	3.5	0.73	20	4.1	0.97	2.5	0.57
Colon & Rectum	44	11.2	1.88	7.0	1.07	37	6.8	1.19	4.6	0.76
Liver	32	6.6	1.30	4.7	0.84	19	4.3	1.03	2.6	0.60
Pancreas	24	6.8	1.50	4.0	0.83	31	6.8	1.28	4.1	0.74
Respiratory System	83	20.3	2.43	13.3	1.47	86	18.1	2.04	11.5	1.25
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	82	20.2	2.43	13.1	1.46	86	18.1	2.04	11.5	1.25
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	56	9.3	1.30	6.9	0.93
Female Genital System	-	-	-	-	-	62	11.2	1.51	8.0	1.02
Cervix uteri	-	-	-	-	-	13	2.3	0.66	1.7	0.47
Corpus & uterus, NOS ¹	-	-	-	-	-	12	1.7	0.51	1.5	0.43
Ovary	-	-	-	-	-	35	6.9	1.24	4.6	0.78
Male Genital System	29	9.8	1.95	5.1	0.96	-	-	-	-	-
Prostate	27	9.5	1.94	4.9	0.94	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	3.2	0.95	2.0	0.57	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	10	2.2	0.74	1.5	0.49	-	-	-	-	-
Brain & Other Nervous System	16	3.2	0.86	2.5	0.62	14	2.3	0.67	1.8	0.49
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	26	5.7	1.25	3.9	0.78	16	3.5	0.91	2.2	0.54
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	14	2.9	0.85	2.1	0.57	11	2.5	0.78	1.5	0.44
Leukemias	25	6.2	1.35	4.0	0.81	12	2.1	0.64	1.5	0.45
Other, Ill-defined & Unknown	35	7.5	1.38	5.4	0.92	22	4.8	1.08	2.9	0.61

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,072	209.2	1.52	140.2	1.01	19,743	153.6	1.12	106.5	0.81
Oral Cavity & Pharynx	406	4.0	0.20	2.9	0.15	189	1.5	0.11	1.0	0.08
Digestive System	5,603	56.5	0.78	39.5	0.54	4,445	33.8	0.52	22.9	0.37
Esophagus	770	7.7	0.29	5.4	0.20	220	1.6	0.11	1.2	0.08
Stomach	464	4.8	0.23	3.3	0.16	351	2.7	0.15	1.7	0.10
Colon & Rectum	1,735	18.0	0.45	12.2	0.30	1,698	12.9	0.32	8.7	0.23
Liver	865	8.0	0.28	6.1	0.21	321	2.4	0.14	1.7	0.10
Pancreas	1,375	13.9	0.39	9.7	0.26	1,426	10.9	0.30	7.3	0.20
Respiratory System	5,968	61.7	0.82	41.8	0.55	5,376	42.2	0.59	29.0	0.41
Larynx	224	2.3	0.16	1.6	0.11	70	0.6	0.07	0.4	0.05
Lung & bronchus	5,710	59.1	0.81	40.0	0.54	5,281	41.5	0.58	28.4	0.41
Skin	460	4.8	0.23	3.3	0.16	218	1.7	0.12	1.3	0.09
Melanomas of the skin	303	3.2	0.19	2.2	0.13	168	1.3	0.11	1.0	0.08
Breast	39	0.4	0.07	0.3	0.05	2,996	23.4	0.44	17.0	0.33
Female Genital System	-	-	-	-	-	2,172	17.1	0.38	12.5	0.28
Cervix uteri	-	-	-	-	-	272	2.3	0.15	1.9	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	705	5.4	0.21	3.9	0.15
Ovary	-	-	-	-	-	1,035	8.1	0.26	5.8	0.19
Male Genital System	1,850	20.8	0.49	12.0	0.28	-	-	-	-	-
Prostate	1,807	20.3	0.49	11.5	0.28	-	-	-	-	-
Testis	27	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	1,329	14.2	0.40	8.9	0.25	686	5.2	0.20	3.3	0.14
Bladder	734	8.1	0.30	4.7	0.18	337	2.5	0.14	1.5	0.09
Kidney & renal pelvis	559	5.7	0.25	4.0	0.17	325	2.5	0.14	1.7	0.10
Brain & Other Nervous System	530	5.3	0.24	4.1	0.18	439	3.6	0.18	2.8	0.15
Endocrine System	89	0.9	0.10	0.7	0.08	105	0.8	0.08	0.6	0.07
Thyroid gland	55	0.6	0.08	0.4	0.05	66	0.5	0.06	0.3	0.04
Lymphomas	836	9.1	0.32	6.0	0.21	680	5.3	0.21	3.4	0.14
Hodgkin Lymphoma	42	0.5	0.07	0.4	0.06	32	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	794	8.6	0.31	5.6	0.20	648	5.0	0.20	3.2	0.14
Multiple Myeloma	487	5.2	0.24	3.4	0.15	391	3.0	0.15	1.9	0.10
Leukemias	849	9.3	0.33	6.0	0.21	633	5.0	0.21	3.3	0.15
Other, Ill-defined & Unknown	1,626	17.0	0.43	11.5	0.29	1,413	10.9	0.30	7.5	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,967	202.2	1.69	133.9	1.12	14,445	149.6	1.28	102.7	0.93
Oral Cavity & Pharynx	283	3.7	0.22	2.6	0.16	139	1.4	0.12	1.0	0.09
Digestive System	4,016	52.9	0.86	36.3	0.59	3,100	31.1	0.58	20.7	0.41
Esophagus	653	8.5	0.34	5.9	0.24	169	1.7	0.13	1.2	0.10
Stomach	299	4.0	0.24	2.7	0.16	207	2.1	0.15	1.4	0.10
Colon & Rectum	1,208	16.3	0.48	10.9	0.32	1,185	11.8	0.35	7.8	0.25
Liver	522	6.5	0.29	4.7	0.21	213	2.2	0.15	1.5	0.11
Pancreas	1,044	13.7	0.44	9.4	0.30	1,014	10.3	0.33	6.8	0.23
Respiratory System	4,414	59.2	0.91	39.7	0.61	4,105	43.0	0.69	29.4	0.48
Larynx	134	1.8	0.16	1.2	0.11	40	0.5	0.07	0.3	0.05
Lung & bronchus	4,252	57.0	0.90	38.2	0.59	4,047	42.4	0.68	28.9	0.48
Skin	433	5.9	0.29	4.0	0.20	192	2.1	0.16	1.5	0.12
Melanomas of the skin	294	4.0	0.24	2.8	0.17	154	1.7	0.14	1.3	0.12
Breast	26	0.4	0.07	0.2	0.04	2,094	22.0	0.50	15.8	0.37
Female Genital System	-	-	-	-	-	1,564	16.6	0.43	12.0	0.33
Cervix uteri	-	-	-	-	-	159	1.9	0.16	1.6	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	449	4.6	0.22	3.3	0.17
Ovary	-	-	-	-	-	827	8.7	0.31	6.2	0.23
Male Genital System	1,210	17.3	0.50	9.8	0.29	-	-	-	-	-
Prostate	1,180	16.8	0.50	9.4	0.28	-	-	-	-	-
Testis	23	0.4	0.08	0.4	0.08	-	-	-	-	-
Urinary System	1,097	14.9	0.46	9.4	0.29	520	5.1	0.23	3.3	0.16
Bladder	629	8.8	0.36	5.1	0.21	255	2.5	0.16	1.5	0.11
Kidney & renal pelvis	440	5.8	0.28	4.0	0.19	247	2.5	0.16	1.7	0.12
Brain & Other Nervous System	448	5.9	0.29	4.5	0.22	360	4.0	0.22	3.1	0.18
Endocrine System	69	0.9	0.12	0.7	0.09	69	0.7	0.09	0.5	0.07
Thyroid gland	45	0.6	0.09	0.4	0.06	44	0.4	0.07	0.3	0.05
Lymphomas	690	9.7	0.38	6.2	0.25	567	5.8	0.25	3.7	0.18
Hodgkin Lymphoma	29	0.4	0.08	0.3	0.06	28	0.4	0.07	0.3	0.06
Non-Hodgkin Lymphoma	661	9.3	0.37	5.9	0.24	539	5.4	0.24	3.4	0.16
Multiple Myeloma	348	4.8	0.26	3.0	0.17	217	2.2	0.15	1.3	0.10
Leukemias	699	9.8	0.38	6.3	0.25	497	5.1	0.24	3.4	0.18
Other, Ill-defined & Unknown	1,234	16.8	0.49	11.1	0.33	1,021	10.4	0.34	7.0	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,781	251.5	3.82	175.2	2.56	4,998	174.5	2.53	124.8	1.82
Oral Cavity & Pharynx	117	5.3	0.51	4.2	0.40	47	1.7	0.25	1.3	0.19
Digestive System	1,471	72.9	2.00	53.7	1.41	1,256	43.5	1.26	30.5	0.89
Esophagus	111	5.2	0.52	4.0	0.39	50	1.6	0.24	1.3	0.18
Stomach	147	7.7	0.66	5.5	0.46	128	4.5	0.41	2.9	0.27
Colon & Rectum	498	26.3	1.23	18.5	0.84	483	16.8	0.78	11.8	0.56
Liver	314	13.3	0.79	11.0	0.62	98	3.3	0.34	2.4	0.25
Pancreas	312	15.6	0.93	11.4	0.65	390	13.4	0.69	9.3	0.49
Respiratory System	1,477	77.4	2.12	54.2	1.42	1,214	42.5	1.25	29.9	0.88
Larynx	90	4.5	0.50	3.3	0.35	30	1.0	0.20	0.8	0.14
Lung & bronchus	1,382	72.6	2.05	50.7	1.38	1,177	41.2	1.23	29.0	0.87
Skin	21	1.0	0.23	0.8	0.17	22	0.8	0.17	0.5	0.12
Melanomas of the skin	-	-	-	-	-	11	0.4	0.12	0.3	0.09
Breast	13	0.6	0.18	0.5	0.14	861	29.7	1.04	22.1	0.78
Female Genital System	-	-	-	-	-	568	19.7	0.85	14.8	0.64
Cervix uteri	-	-	-	-	-	104	3.7	0.37	3.0	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	252	8.6	0.56	6.4	0.41
Ovary	-	-	-	-	-	182	6.4	0.48	4.7	0.36
Male Genital System	617	37.4	1.56	22.1	0.90	-	-	-	-	-
Prostate	605	36.7	1.54	21.7	0.89	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	223	12.4	0.87	8.2	0.55	158	5.5	0.45	3.6	0.30
Bladder	102	6.0	0.62	3.7	0.37	81	2.9	0.33	1.7	0.20
Kidney & renal pelvis	113	6.0	0.59	4.2	0.40	72	2.5	0.30	1.7	0.21
Brain & Other Nervous System	70	3.5	0.44	2.7	0.33	71	2.5	0.30	2.1	0.26
Endocrine System	16	0.9	0.22	0.6	0.16	32	1.1	0.21	0.9	0.17
Thyroid gland	-	-	-	-	-	20	0.7	0.16	0.5	0.11
Lymphomas	128	6.5	0.60	4.8	0.43	102	3.7	0.38	2.6	0.26
Hodgkin Lymphoma	12	0.6	0.17	0.5	0.14	-	-	-	-	-
Non-Hodgkin Lymphoma	116	6.0	0.58	4.4	0.41	-	-	-	-	-
Multiple Myeloma	128	7.1	0.66	4.7	0.42	164	5.8	0.46	3.8	0.31
Leukemias	128	7.3	0.67	4.9	0.44	127	4.7	0.43	3.3	0.30
Other, Ill-defined & Unknown	372	19.1	1.04	13.7	0.72	376	13.2	0.70	9.5	0.51

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	285	105.9	6.95	70.5	4.24	261	81.6	5.35	55.0	3.43
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	100	37.2	4.12	24.5	2.49	79	25.9	3.09	16.5	1.87
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	14	4.4	1.26	3.2	0.87	15	5.1	1.38	3.0	0.77
Colon & Rectum	27	10.9	2.33	6.8	1.32	28	7.9	1.56	5.6	1.07
Liver	23	7.8	1.78	5.4	1.15	-	-	-	-	-
Pancreas	17	7.2	1.94	4.3	1.06	19	7.3	1.75	4.2	0.98
Respiratory System	62	23.8	3.32	15.6	2.01	43	14.8	2.34	9.5	1.45
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	61	23.5	3.31	15.4	2.00	43	14.8	2.34	9.5	1.45
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	38	10.0	1.69	7.5	1.23
Female Genital System	-	-	-	-	-	38	11.3	1.93	8.0	1.31
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	24	7.8	1.67	5.1	1.06
Male Genital System	22	11.8	2.70	6.1	1.32	-	-	-	-	-
Prostate	21	11.6	2.69	5.9	1.30	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	4.1	1.31	3.0	0.87	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	16	4.5	1.17	3.6	0.91	11	3.5	1.14	2.4	0.73
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	3.4	1.15	2.6	0.78	-	-	-	-	-
Leukemias	20	7.1	1.75	5.1	1.15	-	-	-	-	-
Other, Ill-defined & Unknown	20	6.5	1.58	4.7	1.07	13	4.5	1.31	2.8	0.79

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,100	184.8	1.19	120.5	0.78	22,988	134.3	0.91	91.3	0.65
Oral Cavity & Pharynx	483	3.4	0.16	2.4	0.11	230	1.3	0.09	0.9	0.06
Digestive System	6,674	47.8	0.60	32.6	0.41	5,231	30.0	0.43	19.9	0.30
Esophagus	1,045	7.3	0.23	5.1	0.16	307	1.8	0.11	1.2	0.07
Stomach	475	3.5	0.16	2.3	0.11	293	1.7	0.10	1.2	0.07
Colon & Rectum	2,002	14.8	0.34	9.7	0.22	1,996	11.3	0.26	7.3	0.18
Liver	813	5.3	0.19	4.0	0.14	269	1.5	0.10	1.1	0.07
Pancreas	1,727	12.4	0.30	8.4	0.21	1,572	9.0	0.23	5.9	0.16
Respiratory System	6,534	47.5	0.60	31.6	0.40	5,689	34.0	0.46	23.2	0.32
Larynx	180	1.3	0.10	0.9	0.07	42	0.2	0.04	0.2	0.03
Lung & bronchus	6,303	45.8	0.59	30.4	0.39	5,620	33.6	0.46	22.9	0.32
Skin	658	4.9	0.19	3.2	0.13	358	2.1	0.12	1.5	0.08
Melanomas of the skin	500	3.7	0.17	2.5	0.11	277	1.7	0.10	1.2	0.08
Breast	27	0.2	0.04	0.1	0.03	3,179	18.7	0.34	13.3	0.25
Female Genital System	-	-	-	-	-	2,369	14.0	0.29	9.9	0.22
Cervix uteri	-	-	-	-	-	216	1.4	0.10	1.2	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	729	4.3	0.16	3.0	0.12
Ovary	-	-	-	-	-	1,176	6.9	0.21	4.8	0.15
Male Genital System	2,561	20.3	0.40	11.0	0.22	-	-	-	-	-
Prostate	2,515	19.9	0.40	10.8	0.22	-	-	-	-	-
Testis	22	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,799	13.5	0.32	8.3	0.20	816	4.6	0.17	2.9	0.11
Bladder	915	7.1	0.24	4.0	0.14	329	1.8	0.10	1.1	0.07
Kidney & renal pelvis	838	6.0	0.21	4.1	0.14	458	2.6	0.12	1.7	0.08
Brain & Other Nervous System	832	5.8	0.21	4.6	0.16	566	3.6	0.15	2.8	0.13
Endocrine System	120	0.9	0.08	0.6	0.06	109	0.7	0.07	0.5	0.05
Thyroid gland	75	0.6	0.07	0.4	0.04	78	0.5	0.05	0.3	0.04
Lymphomas	1,149	8.8	0.26	5.5	0.17	914	5.2	0.18	3.2	0.12
Hodgkin Lymphoma	52	0.4	0.05	0.3	0.04	42	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,097	8.4	0.26	5.3	0.16	872	5.0	0.17	3.0	0.11
Multiple Myeloma	577	4.4	0.19	2.7	0.12	470	2.7	0.13	1.7	0.08
Leukemias	1,294	9.8	0.28	6.2	0.18	906	5.2	0.18	3.4	0.13
Other, Ill-defined & Unknown	2,392	17.8	0.37	11.5	0.24	2,151	12.3	0.27	8.2	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	23,796	184.4	1.22	119.9	0.80	21,782	133.9	0.93	90.8	0.67
Oral Cavity & Pharynx	440	3.2	0.16	2.3	0.11	211	1.2	0.09	0.9	0.07
Digestive System	6,205	47.0	0.61	31.9	0.41	4,855	29.2	0.43	19.2	0.30
Esophagus	1,011	7.5	0.24	5.2	0.17	283	1.7	0.11	1.2	0.07
Stomach	438	3.4	0.17	2.3	0.11	250	1.5	0.10	1.0	0.07
Colon & Rectum	1,895	14.7	0.35	9.6	0.23	1,885	11.2	0.27	7.2	0.19
Liver	644	4.5	0.18	3.3	0.13	213	1.3	0.09	0.9	0.06
Pancreas	1,642	12.4	0.31	8.4	0.21	1,489	9.0	0.24	5.9	0.16
Respiratory System	6,206	47.3	0.61	31.4	0.40	5,432	34.1	0.47	23.2	0.33
Larynx	175	1.3	0.10	0.9	0.07	38	0.2	0.04	0.2	0.03
Lung & bronchus	5,981	45.6	0.60	30.3	0.40	5,370	33.7	0.47	23.0	0.33
Skin	648	5.1	0.20	3.3	0.14	353	2.2	0.12	1.5	0.09
Melanomas of the skin	498	3.9	0.18	2.7	0.12	275	1.8	0.11	1.3	0.09
Breast	24	0.2	0.04	0.1	0.03	3,026	18.7	0.35	13.4	0.26
Female Genital System	-	-	-	-	-	2,235	13.9	0.30	9.8	0.22
Cervix uteri	-	-	-	-	-	174	1.2	0.10	1.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	686	4.2	0.17	2.9	0.12
Ovary	-	-	-	-	-	1,138	7.0	0.21	4.9	0.16
Male Genital System	2,449	20.2	0.41	10.9	0.23	-	-	-	-	-
Prostate	2,404	19.8	0.41	10.7	0.22	-	-	-	-	-
Testis	21	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,738	13.6	0.33	8.4	0.21	780	4.6	0.17	2.9	0.11
Bladder	887	7.2	0.24	4.1	0.14	311	1.8	0.11	1.1	0.07
Kidney & renal pelvis	807	6.1	0.22	4.2	0.15	441	2.6	0.13	1.7	0.09
Brain & Other Nervous System	793	6.0	0.22	4.7	0.18	543	3.7	0.16	2.9	0.14
Endocrine System	111	0.9	0.08	0.6	0.07	101	0.7	0.07	0.5	0.05
Thyroid gland	72	0.6	0.07	0.4	0.04	71	0.4	0.05	0.3	0.04
Lymphomas	1,097	8.8	0.27	5.5	0.17	881	5.3	0.18	3.2	0.12
Hodgkin Lymphoma	50	0.4	0.06	0.3	0.04	42	0.3	0.04	0.2	0.04
Non-Hodgkin Lymphoma	1,047	8.4	0.26	5.3	0.17	839	5.0	0.18	3.0	0.11
Multiple Myeloma	553	4.4	0.19	2.7	0.12	446	2.7	0.13	1.7	0.09
Leukemias	1,244	9.9	0.28	6.3	0.19	874	5.3	0.19	3.4	0.13
Other, Ill-defined & Unknown	2,288	17.9	0.38	11.6	0.25	2,045	12.3	0.28	8.1	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	709	213.5	9.53	145.7	5.83	627	156.7	6.88	108.6	4.44
Oral Cavity & Pharynx	22	6.0	1.54	4.3	0.99	-	-	-	-	-
Digestive System	238	60.6	4.63	45.5	3.13	181	45.8	3.72	31.6	2.40
Esophagus	18	5.0	1.33	3.8	0.93	20	5.7	1.37	3.7	0.84
Stomach	16	4.6	1.33	3.2	0.87	20	4.8	1.18	3.4	0.78
Colon & Rectum	50	11.5	1.96	8.7	1.32	45	11.9	1.95	7.7	1.17
Liver	92	22.7	2.76	17.5	1.92	26	5.7	1.24	4.3	0.87
Pancreas	49	14.1	2.37	10.1	1.53	49	12.4	1.93	8.6	1.25
Respiratory System	176	56.1	4.95	37.6	3.00	120	31.3	3.12	21.4	1.99
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	174	55.3	4.91	37.2	2.98	116	30.2	3.05	20.6	1.96
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	100	22.6	2.50	16.5	1.69
Female Genital System	-	-	-	-	-	73	17.4	2.23	12.7	1.53
Cervix uteri	-	-	-	-	-	18	3.1	0.79	2.7	0.64
Corpus & uterus, NOS ¹	-	-	-	-	-	26	7.3	1.52	4.9	0.98
Ovary	-	-	-	-	-	23	5.3	1.22	3.9	0.84
Male Genital System	82	37.0	4.50	21.0	2.39	-	-	-	-	-
Prostate	82	37.0	4.50	21.0	2.39	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	12.1	2.37	7.8	1.37	22	6.5	1.50	3.9	0.85
Bladder	14	5.5	1.68	3.2	0.91	13	3.6	1.09	2.3	0.66
Kidney & renal pelvis	20	5.8	1.55	4.0	0.95	-	-	-	-	-
Brain & Other Nervous System	25	4.7	1.18	3.7	0.81	13	2.1	0.71	1.7	0.47
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	24	5.8	1.43	4.3	0.93	16	4.5	1.21	2.9	0.74
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	4.4	1.46	2.7	0.83	20	6.8	1.58	4.0	0.90
Leukemias	24	6.2	1.56	4.4	0.98	14	3.7	1.08	2.5	0.67
Other, Ill-defined & Unknown	57	18.0	2.79	12.2	1.71	58	14.1	2.05	9.9	1.33

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	335	120.5	7.32	82.1	4.60	357	95.2	5.35	67.1	3.61
Oral Cavity & Pharynx	13	3.6	1.08	2.9	0.83	-	-	-	-	-
Digestive System	143	48.0	4.43	34.5	2.95	137	38.2	3.44	26.4	2.29
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	14	5.4	1.62	3.5	0.96	16	4.0	1.10	2.9	0.75
Colon & Rectum	27	8.5	1.80	6.3	1.25	44	11.9	1.90	8.0	1.22
Liver	58	17.9	2.61	13.5	1.81	21	6.2	1.40	4.2	0.92
Pancreas	22	8.1	1.90	5.6	1.22	25	7.4	1.54	5.1	1.03
Respiratory System	68	27.1	3.61	17.2	2.14	55	16.9	2.37	11.0	1.50
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	67	26.5	3.56	16.9	2.12	54	16.7	2.36	10.8	1.49
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	32	7.4	1.41	5.6	1.01
Female Genital System	-	-	-	-	-	49	11.7	1.78	8.9	1.29
Cervix uteri	-	-	-	-	-	21	4.9	1.11	3.8	0.84
Corpus & uterus, NOS ¹	-	-	-	-	-	14	2.9	0.81	2.5	0.68
Ovary	-	-	-	-	-	10	2.5	0.86	1.8	0.58
Male Genital System	12	6.4	1.92	3.4	0.99	-	-	-	-	-
Prostate	12	6.4	1.92	3.4	0.99	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	5.7	1.59	3.9	1.03	-	-	-	-	-
Bladder	10	3.8	1.32	2.6	0.83	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	18	7.9	2.06	4.6	1.11	13	3.7	1.08	2.6	0.74
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	16	5.1	1.47	3.6	0.96	13	3.1	0.95	2.3	0.64
Other, Ill-defined & Unknown	28	10.6	2.25	7.0	1.35	31	7.3	1.40	5.4	0.98

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,862	249.8	1.93	171.5	1.29	14,458	156.1	1.32	111.4	0.97
Oral Cavity & Pharynx	481	6.1	0.29	4.7	0.22	150	1.6	0.13	1.1	0.10
Digestive System	4,733	64.1	0.96	46.0	0.67	3,520	37.7	0.64	26.1	0.46
Esophagus	556	7.1	0.31	5.4	0.23	148	1.6	0.13	1.2	0.10
Stomach	362	5.0	0.27	3.6	0.19	273	2.9	0.18	2.0	0.13
Colon & Rectum	1,682	23.3	0.59	16.4	0.41	1,440	15.5	0.42	10.9	0.30
Liver	798	10.2	0.37	7.7	0.28	354	3.7	0.20	2.5	0.14
Pancreas	1,091	15.1	0.47	10.5	0.32	1,046	11.2	0.35	7.5	0.24
Respiratory System	6,077	83.0	1.10	57.7	0.74	3,853	41.1	0.67	29.5	0.49
Larynx	174	2.3	0.18	1.7	0.13	40	0.4	0.07	0.3	0.05
Lung & bronchus	5,871	80.3	1.08	55.7	0.73	3,793	40.5	0.66	29.0	0.49
Skin	383	5.6	0.30	3.7	0.19	163	1.8	0.14	1.3	0.11
Melanomas of the skin	253	3.7	0.24	2.5	0.16	126	1.4	0.13	1.0	0.10
Breast	24	0.3	0.07	0.2	0.05	2,137	23.3	0.51	17.4	0.40
Female Genital System	-	-	-	-	-	1,390	15.3	0.42	11.3	0.32
Cervix uteri	-	-	-	-	-	293	3.4	0.21	2.8	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	381	4.1	0.21	3.0	0.16
Ovary	-	-	-	-	-	598	6.4	0.27	4.6	0.20
Male Genital System	1,609	25.5	0.66	14.8	0.37	-	-	-	-	-
Prostate	1,588	25.2	0.65	14.5	0.37	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	941	13.6	0.46	9.0	0.29	464	4.9	0.23	3.2	0.16
Bladder	431	6.6	0.33	4.0	0.19	187	2.0	0.15	1.2	0.10
Kidney & renal pelvis	488	6.7	0.31	4.8	0.22	255	2.7	0.17	1.9	0.12
Brain & Other Nervous System	461	6.3	0.30	4.7	0.23	403	4.5	0.23	3.4	0.18
Endocrine System	49	0.7	0.10	0.5	0.08	66	0.8	0.09	0.6	0.08
Thyroid gland	29	0.4	0.08	0.3	0.05	44	0.5	0.07	0.3	0.05
Lymphomas	522	7.8	0.35	5.0	0.22	390	4.2	0.22	2.8	0.15
Hodgkin Lymphoma	35	0.5	0.09	0.4	0.06	23	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	487	7.3	0.34	4.7	0.21	367	4.0	0.21	2.6	0.14
Multiple Myeloma	343	5.0	0.28	3.2	0.18	295	3.1	0.18	2.1	0.12
Leukemias	670	9.9	0.39	6.7	0.26	452	5.0	0.24	3.4	0.17
Other, Ill-defined & Unknown	1,569	21.8	0.57	15.3	0.39	1,175	12.7	0.38	9.2	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,144	234.4	2.18	159.5	1.48	9,643	149.7	1.56	106.2	1.17
Oral Cavity & Pharynx	282	5.1	0.31	3.9	0.24	105	1.6	0.16	1.1	0.11
Digestive System	3,085	58.4	1.08	41.5	0.76	2,222	34.0	0.74	23.4	0.54
Esophagus	385	7.0	0.37	5.3	0.27	96	1.5	0.16	1.1	0.12
Stomach	164	3.2	0.25	2.2	0.17	140	2.2	0.19	1.5	0.14
Colon & Rectum	1,046	20.4	0.65	14.2	0.45	881	13.5	0.47	9.4	0.34
Liver	567	10.3	0.44	7.7	0.33	250	3.8	0.24	2.6	0.17
Pancreas	750	14.3	0.53	9.9	0.37	680	10.4	0.41	7.0	0.29
Respiratory System	4,193	78.8	1.24	54.1	0.84	2,884	44.1	0.83	31.9	0.62
Larynx	94	1.8	0.19	1.3	0.13	28	0.4	0.09	0.3	0.07
Lung & bronchus	4,074	76.6	1.23	52.5	0.83	2,840	43.4	0.83	31.3	0.62
Skin	343	7.0	0.39	4.6	0.25	145	2.4	0.20	1.7	0.16
Melanomas of the skin	236	4.7	0.32	3.2	0.22	111	1.8	0.18	1.4	0.15
Breast	11	0.2	0.06	0.1	0.04	1,225	19.4	0.57	14.1	0.44
Female Genital System	-	-	-	-	-	847	13.6	0.48	10.0	0.37
Cervix uteri	-	-	-	-	-	134	2.5	0.22	2.0	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	194	3.0	0.22	2.2	0.17
Ovary	-	-	-	-	-	427	6.7	0.33	4.8	0.25
Male Genital System	845	18.0	0.63	10.2	0.35	-	-	-	-	-
Prostate	827	17.6	0.62	9.9	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	719	14.4	0.55	9.3	0.35	318	4.8	0.28	3.1	0.19
Bladder	359	7.4	0.40	4.4	0.23	129	1.9	0.17	1.2	0.11
Kidney & renal pelvis	342	6.5	0.36	4.6	0.26	172	2.6	0.21	1.8	0.15
Brain & Other Nervous System	390	7.6	0.39	5.7	0.30	315	5.2	0.30	4.1	0.26
Endocrine System	36	0.7	0.12	0.5	0.10	41	0.7	0.11	0.6	0.11
Thyroid gland	23	0.5	0.10	0.3	0.07	27	0.4	0.08	0.2	0.05
Lymphomas	416	8.4	0.42	5.3	0.26	295	4.5	0.27	3.0	0.19
Hodgkin Lymphoma	24	0.5	0.10	0.3	0.07	18	0.3	0.08	0.3	0.07
Non-Hodgkin Lymphoma	392	7.9	0.41	5.0	0.26	277	4.2	0.26	2.7	0.18
Multiple Myeloma	206	4.1	0.29	2.6	0.18	148	2.2	0.18	1.4	0.12
Leukemias	515	10.4	0.47	6.9	0.32	321	4.9	0.28	3.3	0.21
Other, Ill-defined & Unknown	1,103	21.4	0.66	14.7	0.46	777	12.1	0.45	8.6	0.34

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	5,623	296.0	4.30	205.1	2.77	4,696	170.8	2.55	122.9	1.83
Oral Cavity & Pharynx	196	8.8	0.68	6.7	0.49	45	1.5	0.23	1.2	0.18
Digestive System	1,609	79.5	2.16	57.5	1.45	1,252	46.1	1.34	32.0	0.92
Esophagus	166	7.3	0.62	5.7	0.44	49	1.7	0.24	1.3	0.19
Stomach	192	9.7	0.77	7.0	0.51	128	4.7	0.43	3.2	0.29
Colon & Rectum	625	32.0	1.39	22.6	0.92	548	20.1	0.88	14.2	0.62
Liver	221	9.7	0.70	7.6	0.52	91	3.4	0.37	2.3	0.25
Pancreas	337	17.4	1.03	12.2	0.67	357	13.3	0.72	8.9	0.48
Respiratory System	1,855	95.1	2.40	67.2	1.58	945	34.7	1.16	24.8	0.82
Larynx	78	3.7	0.45	2.8	0.32	12	0.4	0.11	0.3	0.09
Lung & bronchus	1,771	91.1	2.35	64.2	1.55	929	34.2	1.15	24.4	0.81
Skin	40	1.8	0.31	1.4	0.23	-	-	-	-	-
Melanomas of the skin	17	0.9	0.25	0.6	0.16	15	0.5	0.14	0.4	0.11
Breast	13	0.8	0.23	0.5	0.14	903	31.4	1.07	23.8	0.81
Female Genital System	-	-	-	-	-	529	19.3	0.86	14.2	0.63
Cervix uteri	-	-	-	-	-	153	5.5	0.46	4.3	0.35
Corpus & uterus, NOS ¹	-	-	-	-	-	184	6.7	0.51	4.9	0.37
Ovary	-	-	-	-	-	166	6.1	0.49	4.4	0.35
Male Genital System	758	51.2	1.98	29.6	1.08	-	-	-	-	-
Prostate	755	51.1	1.98	29.4	1.08	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	218	11.3	0.83	7.9	0.55	144	5.3	0.45	3.6	0.31
Bladder	70	3.9	0.50	2.6	0.31	58	2.2	0.30	1.5	0.20
Kidney & renal pelvis	144	7.2	0.66	5.2	0.44	81	2.9	0.33	2.0	0.23
Brain & Other Nervous System	71	3.4	0.45	2.6	0.31	88	3.0	0.33	2.3	0.25
Endocrine System	13	0.7	0.20	0.5	0.14	25	0.9	0.19	0.7	0.15
Thyroid gland	-	-	-	-	-	17	0.7	0.17	0.4	0.11
Lymphomas	102	5.3	0.57	3.8	0.38	90	3.4	0.37	2.4	0.25
Hodgkin Lymphoma	11	0.4	0.14	0.4	0.13	-	-	-	-	-
Non-Hodgkin Lymphoma	91	4.9	0.55	3.4	0.36	-	-	-	-	-
Multiple Myeloma	137	7.5	0.68	5.1	0.44	144	5.5	0.47	3.6	0.31
Leukemias	154	8.1	0.71	5.8	0.47	129	5.0	0.45	3.5	0.32
Other, Ill-defined & Unknown	457	22.5	1.14	16.5	0.78	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	62	136.7	19.69	94.1	12.21	78	139.1	16.96	84.9	9.69
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	22	53.3	12.97	34.1	7.47	28	51.0	10.35	30.4	5.77
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	22	42.4	9.52	32.7	7.05	19	37.3	9.07	21.2	4.88
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	22	42.4	9.52	32.7	7.05	19	37.3	9.07	21.2	4.88
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	10	18.6	6.39	10.8	3.44
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	33,809	213.9	1.19	144.5	0.80	30,570	152.4	0.89	106.4	0.65
Oral Cavity & Pharynx	686	4.1	0.16	3.0	0.12	271	1.3	0.08	0.9	0.06
Digestive System	8,842	54.7	0.59	38.3	0.41	6,539	32.2	0.41	21.6	0.29
Esophagus	1,330	8.1	0.23	5.8	0.16	348	1.7	0.09	1.2	0.07
Stomach	586	3.7	0.16	2.6	0.11	328	1.6	0.09	1.1	0.07
Colon & Rectum	2,911	18.7	0.35	12.5	0.24	2,620	12.9	0.26	8.5	0.18
Liver	1,321	7.6	0.21	5.8	0.16	457	2.2	0.11	1.5	0.08
Pancreas	2,078	12.9	0.29	8.9	0.20	1,994	9.8	0.22	6.5	0.16
Respiratory System	11,212	69.6	0.67	47.8	0.46	8,967	44.7	0.48	31.4	0.35
Larynx	326	1.9	0.11	1.4	0.08	89	0.4	0.05	0.3	0.04
Lung & bronchus	10,839	67.3	0.66	46.2	0.45	8,840	44.0	0.48	31.0	0.34
Skin	952	6.1	0.20	4.1	0.14	440	2.3	0.11	1.6	0.08
Melanomas of the skin	696	4.4	0.17	3.1	0.12	334	1.8	0.10	1.3	0.08
Breast	43	0.3	0.04	0.2	0.03	4,366	22.2	0.34	16.2	0.26
Female Genital System	-	-	-	-	-	2,946	14.9	0.28	11.0	0.22
Cervix uteri	-	-	-	-	-	475	2.7	0.13	2.2	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	887	4.4	0.15	3.2	0.11
Ovary	-	-	-	-	-	1,340	6.7	0.19	4.8	0.14
Male Genital System	2,680	18.4	0.36	10.4	0.20	-	-	-	-	-
Prostate	2,607	18.0	0.36	10.1	0.20	-	-	-	-	-
Testis	46	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,160	14.0	0.31	8.9	0.19	1,117	5.4	0.16	3.4	0.11
Bladder	1,077	7.3	0.23	4.3	0.13	457	2.1	0.10	1.3	0.06
Kidney & renal pelvis	1,029	6.4	0.20	4.4	0.14	611	3.0	0.12	2.0	0.09
Brain & Other Nervous System	846	5.3	0.18	4.1	0.15	669	3.5	0.14	2.7	0.11
Endocrine System	131	0.8	0.07	0.6	0.06	147	0.8	0.07	0.6	0.06
Thyroid gland	84	0.5	0.06	0.4	0.04	94	0.5	0.05	0.3	0.03
Lymphomas	1,175	7.7	0.23	5.0	0.15	933	4.6	0.15	2.9	0.10
Hodgkin Lymphoma	62	0.4	0.06	0.3	0.04	42	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,113	7.3	0.22	4.7	0.14	891	4.4	0.15	2.8	0.10
Multiple Myeloma	689	4.4	0.17	2.9	0.11	573	2.8	0.12	1.8	0.08
Leukemias	1,464	9.7	0.26	6.3	0.17	1,090	5.4	0.17	3.6	0.12
Other, Ill-defined & Unknown	2,929	18.8	0.35	12.7	0.24	2,512	12.5	0.25	8.6	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,296	211.2	1.24	142.3	0.84	27,012	150.4	0.94	104.7	0.69
Oral Cavity & Pharynx	619	4.1	0.17	3.0	0.12	239	1.3	0.09	0.9	0.06
Digestive System	7,724	52.9	0.61	36.8	0.43	5,673	31.1	0.42	20.8	0.30
Esophagus	1,239	8.3	0.24	6.0	0.17	303	1.7	0.10	1.2	0.07
Stomach	483	3.4	0.16	2.3	0.11	273	1.5	0.10	1.1	0.07
Colon & Rectum	2,573	18.2	0.37	12.2	0.25	2,301	12.6	0.27	8.2	0.19
Liver	1,045	6.7	0.21	5.1	0.16	375	2.0	0.11	1.4	0.08
Pancreas	1,852	12.7	0.30	8.7	0.21	1,727	9.4	0.23	6.3	0.16
Respiratory System	10,063	68.7	0.70	47.1	0.48	8,071	45.0	0.51	31.6	0.37
Larynx	283	1.9	0.11	1.3	0.08	71	0.4	0.05	0.3	0.04
Lung & bronchus	9,738	66.6	0.69	45.6	0.47	7,963	44.4	0.51	31.2	0.37
Skin	936	6.6	0.22	4.5	0.15	432	2.5	0.12	1.8	0.09
Melanomas of the skin	692	4.9	0.19	3.4	0.13	331	2.0	0.11	1.4	0.09
Breast	37	0.3	0.04	0.2	0.03	3,720	21.1	0.36	15.3	0.27
Female Genital System	-	-	-	-	-	2,547	14.5	0.30	10.6	0.23
Cervix uteri	-	-	-	-	-	380	2.5	0.13	2.1	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	712	3.9	0.15	2.8	0.11
Ovary	-	-	-	-	-	1,236	6.9	0.20	4.9	0.15
Male Genital System	2,295	17.2	0.36	9.7	0.21	-	-	-	-	-
Prostate	2,228	16.7	0.36	9.3	0.20	-	-	-	-	-
Testis	44	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	2,034	14.5	0.33	9.2	0.21	1,004	5.3	0.17	3.4	0.12
Bladder	1,036	7.6	0.24	4.5	0.14	418	2.1	0.11	1.2	0.07
Kidney & renal pelvis	947	6.5	0.21	4.5	0.15	546	3.0	0.13	2.0	0.09
Brain & Other Nervous System	799	5.6	0.20	4.4	0.16	636	3.7	0.15	3.0	0.13
Endocrine System	118	0.8	0.08	0.6	0.06	129	0.8	0.07	0.6	0.06
Thyroid gland	80	0.6	0.06	0.4	0.04	82	0.4	0.05	0.3	0.04
Lymphomas	1,086	7.8	0.24	5.1	0.16	862	4.7	0.16	3.0	0.11
Hodgkin Lymphoma	56	0.4	0.06	0.3	0.05	38	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,030	7.4	0.23	4.7	0.15	824	4.5	0.16	2.8	0.11
Multiple Myeloma	590	4.2	0.17	2.7	0.11	467	2.5	0.12	1.6	0.08
Leukemias	1,349	9.8	0.27	6.4	0.18	996	5.5	0.18	3.7	0.13
Other, Ill-defined & Unknown	2,646	18.7	0.37	12.6	0.25	2,236	12.4	0.27	8.4	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	3,272	269.9	5.05	185.1	3.26	3,295	181.7	3.23	129.6	2.30
Oral Cavity & Pharynx	60	4.5	0.63	3.3	0.43	30	1.7	0.32	1.2	0.22
Digestive System	1,023	78.7	2.64	56.8	1.79	793	44.4	1.61	30.2	1.10
Esophagus	88	6.5	0.75	4.8	0.52	44	2.4	0.37	1.7	0.26
Stomach	94	7.4	0.82	5.3	0.55	52	2.9	0.41	1.9	0.27
Colon & Rectum	309	25.8	1.56	17.6	1.01	292	16.3	0.98	11.1	0.66
Liver	251	16.5	1.10	13.3	0.85	67	3.6	0.45	2.6	0.32
Pancreas	212	16.7	1.22	11.9	0.82	248	14.0	0.91	9.4	0.61
Respiratory System	1,085	86.8	2.81	61.3	1.88	836	45.5	1.61	32.9	1.15
Larynx	41	3.2	0.53	2.3	0.36	18	1.0	0.24	0.8	0.18
Lung & bronchus	1,039	83.3	2.76	58.7	1.84	817	44.5	1.59	32.1	1.14
Skin	16	1.2	0.32	0.9	0.22	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	599	32.4	1.35	24.2	1.01
Female Genital System	-	-	-	-	-	372	20.4	1.08	15.0	0.79
Cervix uteri	-	-	-	-	-	85	4.6	0.50	3.7	0.41
Corpus & uterus, NOS ¹	-	-	-	-	-	169	9.3	0.73	6.8	0.53
Ovary	-	-	-	-	-	94	5.2	0.55	3.7	0.39
Male Genital System	375	38.8	2.10	22.0	1.14	-	-	-	-	-
Prostate	369	38.4	2.09	21.7	1.14	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	112	9.6	0.96	6.4	0.61	105	5.9	0.58	3.9	0.39
Bladder	36	3.4	0.60	2.1	0.35	34	1.8	0.32	1.2	0.21
Kidney & renal pelvis	73	5.9	0.74	4.1	0.49	62	3.6	0.46	2.4	0.31
Brain & Other Nervous System	38	2.7	0.46	2.1	0.34	28	1.5	0.29	1.2	0.24
Endocrine System	-	-	-	-	-	16	0.9	0.24	0.7	0.18
Thyroid gland	-	-	-	-	-	11	0.7	0.20	0.5	0.15
Lymphomas	83	6.7	0.79	4.7	0.52	63	3.6	0.46	2.4	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	97	8.7	0.94	5.6	0.57	105	6.0	0.59	4.0	0.40
Leukemias	106	9.6	0.98	6.3	0.62	90	5.1	0.54	3.5	0.38
Other, Ill-defined & Unknown	262	21.8	1.44	14.8	0.92	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	181	108.4	8.91	73.1	5.52	208	94.2	6.95	62.7	4.37
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	81	45.0	5.49	32.0	3.61	64	30.9	4.11	19.4	2.44
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	24	14.4	3.21	9.9	2.03	22	11.1	2.49	6.7	1.44
Liver	22	11.3	2.73	8.3	1.80	15	7.6	2.10	4.5	1.17
Pancreas	13	7.4	2.21	5.2	1.46	16	7.7	2.03	4.9	1.22
Respiratory System	44	30.1	4.94	18.9	2.87	39	19.4	3.24	12.1	1.95
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	43	29.0	4.83	18.3	2.82	39	19.4	3.24	12.1	1.95
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	37	14.5	2.54	10.8	1.79
Female Genital System	-	-	-	-	-	23	9.8	2.18	6.8	1.42
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	15	9.8	2.74	6.2	1.63	21	9.0	2.08	6.3	1.38

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,409	181.0	2.52	119.6	1.67	4,760	138.3	2.06	94.3	1.46
Oral Cavity & Pharynx	109	3.4	0.34	2.5	0.25	41	1.2	0.20	0.9	0.14
Digestive System	1,396	45.2	1.24	31.5	0.87	1,047	30.0	0.95	19.8	0.65
Esophagus	218	7.0	0.49	5.0	0.35	65	1.9	0.24	1.2	0.16
Stomach	73	2.4	0.29	1.7	0.21	63	1.8	0.24	1.3	0.17
Colon & Rectum	491	16.3	0.75	11.0	0.51	391	11.1	0.58	7.3	0.40
Liver	185	5.6	0.42	4.2	0.32	63	1.8	0.23	1.3	0.17
Pancreas	334	10.8	0.61	7.4	0.41	330	9.5	0.53	6.2	0.36
Respiratory System	1,443	47.7	1.29	31.4	0.84	1,301	38.0	1.07	25.6	0.74
Larynx	46	1.5	0.23	1.0	0.15	12	0.3	0.10	0.3	0.07
Lung & bronchus	1,384	45.7	1.26	30.1	0.82	1,283	37.4	1.07	25.2	0.73
Skin	174	5.8	0.45	4.0	0.31	68	2.0	0.26	1.3	0.18
Melanomas of the skin	127	4.2	0.39	3.0	0.27	53	1.6	0.23	1.1	0.17
Breast	-	-	-	-	-	684	20.2	0.80	14.6	0.60
Female Genital System	-	-	-	-	-	485	14.1	0.66	10.2	0.49
Cervix uteri	-	-	-	-	-	52	1.7	0.25	1.4	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	151	4.3	0.36	3.0	0.26
Ovary	-	-	-	-	-	259	7.4	0.47	5.3	0.35
Male Genital System	578	20.8	0.88	11.7	0.50	-	-	-	-	-
Prostate	562	20.2	0.87	11.2	0.48	-	-	-	-	-
Testis	11	0.4	0.14	0.4	0.13	-	-	-	-	-
Urinary System	413	13.9	0.70	8.7	0.44	145	4.1	0.35	2.7	0.24
Bladder	238	8.4	0.55	4.9	0.32	77	2.1	0.25	1.4	0.17
Kidney & renal pelvis	162	5.1	0.41	3.6	0.29	61	1.8	0.24	1.2	0.17
Brain & Other Nervous System	175	5.9	0.46	4.7	0.38	135	4.0	0.36	3.2	0.30
Endocrine System	24	0.8	0.17	0.6	0.13	19	0.6	0.13	0.4	0.11
Thyroid gland	19	0.6	0.15	0.5	0.11	11	0.3	0.09	0.2	0.06
Lymphomas	208	7.3	0.52	4.5	0.32	151	4.4	0.37	2.8	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	124	4.2	0.39	2.7	0.24	88	2.5	0.27	1.6	0.18
Leukemias	233	8.0	0.54	5.3	0.36	154	4.4	0.37	2.8	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	442	12.8	0.63	8.5	0.44

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,149	179.1	2.56	118.2	1.70	4,527	137.2	2.10	93.4	1.50
Oral Cavity & Pharynx	102	3.3	0.34	2.5	0.25	39	1.2	0.20	0.8	0.15
Digestive System	1,302	43.9	1.25	30.5	0.87	991	29.5	0.96	19.4	0.66
Esophagus	211	7.0	0.50	5.1	0.36	61	1.8	0.24	1.2	0.16
Stomach	63	2.2	0.28	1.5	0.20	57	1.8	0.24	1.2	0.17
Colon & Rectum	454	15.6	0.75	10.5	0.51	367	10.9	0.59	7.1	0.40
Liver	167	5.3	0.42	4.0	0.31	59	1.7	0.23	1.2	0.17
Pancreas	319	10.7	0.62	7.3	0.42	319	9.5	0.55	6.2	0.37
Respiratory System	1,373	47.1	1.30	31.0	0.85	1,229	37.4	1.09	25.2	0.75
Larynx	43	1.5	0.23	1.0	0.15	11	0.3	0.10	0.2	0.08
Lung & bronchus	1,317	45.2	1.27	29.7	0.83	1,212	36.8	1.08	24.8	0.75
Skin	171	5.9	0.47	4.1	0.33	67	2.1	0.27	1.4	0.19
Melanomas of the skin	126	4.4	0.41	3.1	0.29	52	1.6	0.24	1.1	0.18
Breast	-	-	-	-	-	659	20.4	0.83	14.7	0.62
Female Genital System	-	-	-	-	-	457	13.9	0.67	10.0	0.50
Cervix uteri	-	-	-	-	-	45	1.6	0.25	1.3	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	146	4.3	0.37	3.0	0.27
Ovary	-	-	-	-	-	244	7.3	0.48	5.3	0.36
Male Genital System	562	20.9	0.89	11.8	0.51	-	-	-	-	-
Prostate	546	20.3	0.88	11.2	0.49	-	-	-	-	-
Testis	11	0.5	0.15	0.5	0.15	-	-	-	-	-
Urinary System	395	13.8	0.71	8.6	0.44	137	4.0	0.35	2.6	0.25
Bladder	236	8.6	0.57	5.0	0.33	76	2.2	0.26	1.4	0.17
Kidney & renal pelvis	146	4.8	0.41	3.3	0.28	54	1.6	0.23	1.1	0.17
Brain & Other Nervous System	169	5.9	0.48	4.7	0.39	130	4.0	0.36	3.2	0.30
Endocrine System	23	0.8	0.17	0.6	0.14	19	0.6	0.14	0.4	0.12
Thyroid gland	19	0.6	0.15	0.5	0.11	11	0.3	0.10	0.2	0.06
Lymphomas	201	7.3	0.52	4.5	0.33	148	4.5	0.38	2.8	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	121	4.3	0.40	2.7	0.25	86	2.5	0.28	1.6	0.18
Leukemias	226	8.1	0.55	5.3	0.37	151	4.5	0.38	2.9	0.26
Other, Ill-defined & Unknown	-	-	-	-	-	414	12.6	0.64	8.3	0.45

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	12	152.9	47.70	104.7	31.19	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	17	147.3	38.50	99.0	24.52	19	92.5	22.13	62.0	14.40
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2011-2015, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	9,172	194.9	2.07	128.4	1.37	8,149	137.0	1.56	94.1	1.13
Oral Cavity & Pharynx	166	3.3	0.27	2.4	0.19	81	1.3	0.15	0.9	0.11
Digestive System	2,452	51.1	1.05	34.9	0.72	1,862	31.1	0.74	20.5	0.52
Esophagus	396	8.1	0.42	5.6	0.29	86	1.5	0.16	1.0	0.12
Stomach	135	2.8	0.25	2.0	0.17	80	1.4	0.16	0.9	0.12
Colon & Rectum	867	18.4	0.63	12.2	0.43	835	13.6	0.49	8.7	0.33
Liver	270	5.3	0.33	3.9	0.24	81	1.4	0.16	1.0	0.12
Pancreas	592	12.4	0.52	8.4	0.35	526	8.8	0.40	5.8	0.27
Respiratory System	2,579	54.8	1.10	36.6	0.73	2,048	35.0	0.79	24.3	0.57
Larynx	97	2.0	0.21	1.4	0.14	21	0.4	0.08	0.3	0.06
Lung & bronchus	2,470	52.5	1.07	35.0	0.71	2,013	34.4	0.78	23.9	0.56
Skin	284	6.0	0.36	4.0	0.25	136	2.4	0.21	1.7	0.16
Melanomas of the skin	204	4.3	0.31	3.0	0.22	109	1.9	0.19	1.4	0.15
Breast	-	-	-	-	-	1,180	20.0	0.60	14.3	0.45
Female Genital System	-	-	-	-	-	814	14.0	0.51	10.1	0.38
Cervix uteri	-	-	-	-	-	111	2.1	0.21	1.8	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	255	4.3	0.28	3.0	0.20
Ovary	-	-	-	-	-	389	6.6	0.34	4.7	0.25
Male Genital System	929	20.7	0.69	11.4	0.38	-	-	-	-	-
Prostate	907	20.3	0.68	11.1	0.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	650	13.8	0.55	8.8	0.36	308	5.0	0.29	3.2	0.20
Bladder	310	6.8	0.39	4.0	0.23	129	2.0	0.18	1.2	0.12
Kidney & renal pelvis	324	6.6	0.37	4.7	0.27	161	2.7	0.21	1.8	0.15
Brain & Other Nervous System	300	6.3	0.37	4.8	0.29	236	4.3	0.29	3.3	0.23
Endocrine System	40	0.8	0.13	0.6	0.10	44	0.7	0.11	0.5	0.08
Thyroid gland	32	0.6	0.12	0.5	0.08	34	0.5	0.09	0.3	0.06
Lymphomas	359	7.8	0.42	5.0	0.28	310	5.0	0.29	3.2	0.20
Hodgkin Lymphoma	17	0.4	0.09	0.3	0.07	15	0.2	0.07	0.2	0.05
Non-Hodgkin Lymphoma	342	7.4	0.41	4.8	0.27	295	4.7	0.28	3.0	0.19
Multiple Myeloma	212	4.5	0.31	2.9	0.20	150	2.4	0.20	1.5	0.14
Leukemias	431	9.4	0.46	6.1	0.30	326	5.2	0.30	3.4	0.22
Other, Ill-defined & Unknown	-	-	-	-	-	654	10.8	0.43	7.2	0.31

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,760	194.2	2.11	127.9	1.41	7,765	136.6	1.60	93.7	1.17
Oral Cavity & Pharynx	154	3.2	0.26	2.3	0.19	77	1.3	0.15	0.9	0.11
Digestive System	2,314	50.5	1.07	34.4	0.73	1,760	30.6	0.76	20.1	0.53
Esophagus	385	8.2	0.43	5.7	0.30	79	1.4	0.17	1.0	0.12
Stomach	122	2.7	0.25	1.9	0.17	73	1.3	0.16	0.9	0.11
Colon & Rectum	814	18.1	0.64	12.0	0.43	798	13.6	0.50	8.7	0.34
Liver	239	5.0	0.33	3.6	0.24	72	1.3	0.16	1.0	0.12
Pancreas	571	12.5	0.53	8.5	0.36	500	8.7	0.40	5.7	0.28
Respiratory System	2,454	54.3	1.11	36.2	0.74	1,943	34.7	0.81	24.1	0.58
Larynx	87	1.9	0.21	1.3	0.14	19	0.4	0.08	0.2	0.06
Lung & bronchus	2,355	52.1	1.09	34.8	0.73	1,910	34.1	0.80	23.6	0.57
Skin	281	6.2	0.38	4.2	0.26	136	2.5	0.23	1.9	0.18
Melanomas of the skin	202	4.5	0.32	3.2	0.23	109	2.1	0.20	1.5	0.16
Breast	-	-	-	-	-	1,122	19.9	0.62	14.2	0.47
Female Genital System	-	-	-	-	-	777	14.0	0.52	10.1	0.39
Cervix uteri	-	-	-	-	-	104	2.1	0.22	1.8	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	243	4.3	0.28	3.0	0.21
Ovary	-	-	-	-	-	373	6.6	0.36	4.7	0.26
Male Genital System	889	20.5	0.69	11.3	0.39	-	-	-	-	-
Prostate	867	20.0	0.69	10.9	0.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	632	13.9	0.56	9.0	0.37	296	5.0	0.30	3.2	0.21
Bladder	304	6.9	0.40	4.1	0.24	122	2.0	0.19	1.2	0.12
Kidney & renal pelvis	312	6.6	0.38	4.7	0.27	156	2.7	0.22	1.8	0.16
Brain & Other Nervous System	291	6.4	0.39	4.9	0.30	230	4.4	0.30	3.4	0.25
Endocrine System	40	0.9	0.14	0.7	0.11	39	0.7	0.11	0.4	0.08
Thyroid gland	32	0.7	0.12	0.5	0.09	30	0.5	0.09	0.3	0.05
Lymphomas	348	7.9	0.43	5.1	0.29	304	5.1	0.30	3.3	0.21
Hodgkin Lymphoma	17	0.4	0.09	0.3	0.08	15	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	331	7.5	0.42	4.8	0.28	289	4.8	0.29	3.1	0.20
Multiple Myeloma	199	4.4	0.32	2.8	0.20	139	2.3	0.20	1.5	0.14
Leukemias	417	9.5	0.47	6.1	0.31	317	5.3	0.31	3.5	0.23
Other, Ill-defined & Unknown	-	-	-	-	-	625	10.8	0.45	7.2	0.33

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	299	247.7	15.73	160.6	9.47	270	161.6	10.15	115.6	7.08
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	95	77.0	8.81	50.0	5.24	73	44.8	5.39	31.1	3.67
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	9.6	3.16	5.9	1.83	-	-	-	-	-
Colon & Rectum	40	37.1	6.44	22.5	3.62	27	17.0	3.36	11.4	2.21
Liver	15	7.8	2.12	6.7	1.77	-	-	-	-	-
Pancreas	15	12.4	3.51	8.0	2.10	23	14.1	3.03	9.9	2.08
Respiratory System	96	80.6	8.82	52.8	5.47	77	45.6	5.38	33.5	3.83
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	89	76.1	8.64	49.2	5.30	76	45.2	5.36	33.1	3.81
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	44	26.9	4.15	18.6	2.84
Female Genital System	-	-	-	-	-	21	11.5	2.61	8.9	1.96
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	34	35.3	6.43	20.5	3.53	-	-	-	-	-
Prostate	34	35.3	6.43	20.5	3.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	14.2	4.05	8.0	2.16	10	6.0	1.97	4.0	1.27
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	10	8.9	3.04	5.4	1.74	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	6.3	2.33	4.6	1.50	11	7.3	2.26	5.0	1.51
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	18	12.6	3.25	9.0	2.17	16	9.3	2.42	6.8	1.71

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	69	130.4	17.61	92.0	11.42	62	98.1	13.43	65.1	8.34
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	28	48.4	10.01	37.1	7.17	16	24.9	6.63	17.0	4.30
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	12	19.6	5.93	16.0	4.71	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	15	30.5	8.72	20.6	5.48	12	17.7	5.57	12.3	3.58
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	13	25.5	7.82	17.5	5.02	12	17.7	5.57	12.3	3.58
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	12	23.9	7.31	12.9	3.76

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,913	188.8	1.73	124.5	1.10	11,147	143.9	1.39	97.8	0.95
Oral Cavity & Pharynx	280	3.8	0.24	2.7	0.16	101	1.3	0.13	0.9	0.09
Digestive System	3,654	51.5	0.88	35.4	0.59	2,456	31.7	0.65	21.2	0.44
Esophagus	521	7.1	0.32	5.0	0.22	123	1.6	0.14	1.1	0.10
Stomach	235	3.5	0.24	2.3	0.15	162	2.1	0.17	1.5	0.12
Colon & Rectum	1,352	19.6	0.55	13.2	0.36	1,037	13.6	0.43	8.9	0.28
Liver	522	6.8	0.31	5.1	0.22	242	3.0	0.20	2.1	0.14
Pancreas	853	12.1	0.43	8.2	0.28	698	8.8	0.34	6.0	0.23
Respiratory System	3,669	52.8	0.91	34.7	0.58	3,202	41.0	0.74	27.3	0.49
Larynx	116	1.6	0.15	1.1	0.10	23	0.3	0.06	0.2	0.04
Lung & bronchus	3,542	51.1	0.89	33.5	0.56	3,171	40.6	0.73	27.0	0.49
Skin	407	6.0	0.31	4.0	0.20	155	2.0	0.17	1.4	0.12
Melanomas of the skin	306	4.4	0.26	3.0	0.17	124	1.6	0.15	1.1	0.11
Breast	21	0.3	0.08	0.2	0.04	1,735	22.2	0.54	15.8	0.39
Female Genital System	-	-	-	-	-	1,101	14.0	0.43	10.2	0.32
Cervix uteri	-	-	-	-	-	180	2.4	0.18	2.0	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	280	3.5	0.21	2.5	0.15
Ovary	-	-	-	-	-	578	7.4	0.31	5.2	0.22
Male Genital System	1,248	20.9	0.61	11.7	0.33	-	-	-	-	-
Prostate	1,220	20.5	0.61	11.4	0.33	-	-	-	-	-
Testis	16	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	865	13.2	0.47	8.3	0.28	385	5.1	0.26	3.2	0.16
Bladder	515	8.3	0.38	4.9	0.21	193	2.6	0.19	1.5	0.11
Kidney & renal pelvis	336	4.7	0.27	3.3	0.18	182	2.4	0.18	1.5	0.12
Brain & Other Nervous System	375	5.0	0.27	3.9	0.21	274	3.6	0.22	2.7	0.17
Endocrine System	64	0.9	0.11	0.7	0.09	57	0.7	0.10	0.5	0.07
Thyroid gland	37	0.5	0.08	0.4	0.06	42	0.5	0.08	0.3	0.05
Lymphomas	462	6.9	0.33	4.5	0.21	303	4.0	0.24	2.6	0.15
Hodgkin Lymphoma	26	0.4	0.08	0.3	0.05	16	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	436	6.5	0.32	4.3	0.21	287	3.8	0.23	2.4	0.15
Multiple Myeloma	262	3.9	0.25	2.5	0.16	171	2.3	0.18	1.4	0.11
Leukemias	571	8.8	0.38	5.7	0.24	357	4.8	0.26	3.2	0.18
Other, Ill-defined & Unknown	1,035	14.7	0.48	10.2	0.32	850	11.1	0.39	7.4	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	11,313	194.9	1.90	128.5	1.22	9,533	150.1	1.56	101.8	1.08
Oral Cavity & Pharynx	245	4.0	0.26	2.8	0.18	88	1.4	0.15	0.9	0.10
Digestive System	3,120	51.8	0.96	35.8	0.65	2,037	32.0	0.72	21.4	0.49
Esophagus	481	7.7	0.36	5.5	0.25	106	1.6	0.16	1.1	0.12
Stomach	180	3.1	0.24	2.1	0.16	119	2.0	0.18	1.4	0.13
Colon & Rectum	1,144	19.6	0.60	13.2	0.39	874	14.0	0.48	9.1	0.32
Liver	420	6.4	0.32	4.9	0.24	188	2.8	0.21	1.9	0.15
Pancreas	755	12.6	0.47	8.5	0.31	581	9.0	0.38	6.1	0.26
Respiratory System	3,217	54.5	0.99	35.8	0.63	2,840	44.2	0.84	29.4	0.56
Larynx	100	1.6	0.16	1.1	0.11	22	0.4	0.08	0.2	0.05
Lung & bronchus	3,106	52.7	0.98	34.5	0.62	2,812	43.7	0.84	29.1	0.56
Skin	397	6.8	0.36	4.6	0.23	150	2.4	0.20	1.7	0.14
Melanomas of the skin	300	5.1	0.30	3.5	0.20	120	1.9	0.18	1.4	0.13
Breast	17	0.3	0.08	0.2	0.04	1,444	22.7	0.61	16.1	0.44
Female Genital System	-	-	-	-	-	921	14.5	0.49	10.5	0.36
Cervix uteri	-	-	-	-	-	151	2.6	0.21	2.1	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	216	3.3	0.23	2.3	0.16
Ovary	-	-	-	-	-	498	7.8	0.36	5.5	0.25
Male Genital System	1,076	21.0	0.66	11.7	0.36	-	-	-	-	-
Prostate	1,052	20.6	0.65	11.4	0.35	-	-	-	-	-
Testis	13	0.2	0.06	0.2	0.06	-	-	-	-	-
Urinary System	778	14.1	0.52	8.7	0.31	338	5.5	0.30	3.4	0.19
Bladder	466	8.8	0.42	5.1	0.24	174	2.8	0.22	1.7	0.13
Kidney & renal pelvis	299	5.0	0.30	3.4	0.20	156	2.5	0.20	1.6	0.13
Brain & Other Nervous System	342	5.5	0.31	4.2	0.24	241	3.8	0.25	2.9	0.20
Endocrine System	48	0.8	0.11	0.6	0.09	48	0.7	0.11	0.5	0.07
Thyroid gland	27	0.4	0.08	0.3	0.06	36	0.6	0.09	0.4	0.06
Lymphomas	422	7.5	0.37	4.9	0.24	257	4.2	0.26	2.6	0.17
Hodgkin Lymphoma	25	0.4	0.09	0.3	0.06	16	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	397	7.0	0.36	4.5	0.23	241	3.9	0.25	2.4	0.16
Multiple Myeloma	223	3.9	0.27	2.5	0.17	138	2.2	0.19	1.3	0.12
Leukemias	505	9.2	0.42	6.0	0.27	307	5.0	0.29	3.4	0.21
Other, Ill-defined & Unknown	923	15.6	0.53	10.7	0.36	724	11.5	0.44	7.7	0.30

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	899	196.2	7.07	131.6	4.41	828	146.4	5.26	103.0	3.59
Oral Cavity & Pharynx	14	2.5	0.69	2.0	0.53	-	-	-	-	-
Digestive System	279	60.3	3.91	40.8	2.45	201	35.7	2.60	24.8	1.75
Esophagus	18	3.8	0.97	2.6	0.62	-	-	-	-	-
Stomach	23	5.3	1.20	3.4	0.72	14	2.4	0.68	1.7	0.46
Colon & Rectum	112	25.3	2.57	16.6	1.57	83	14.7	1.67	10.3	1.14
Liver	51	9.9	1.51	7.3	1.03	23	3.8	0.82	2.8	0.59
Pancreas	59	12.5	1.74	8.5	1.12	60	10.7	1.42	7.3	0.94
Respiratory System	256	54.3	3.64	37.3	2.34	199	36.4	2.67	24.5	1.74
Larynx	11	2.0	0.60	1.5	0.46	-	-	-	-	-
Lung & bronchus	245	52.4	3.59	35.8	2.29	199	36.4	2.67	24.5	1.74
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	166	28.5	2.29	20.8	1.62
Female Genital System	-	-	-	-	-	83	13.4	1.51	10.5	1.16
Cervix uteri	-	-	-	-	-	15	2.2	0.59	2.0	0.51
Corpus & uterus, NOS ¹	-	-	-	-	-	29	4.6	0.87	3.6	0.68
Ovary	-	-	-	-	-	35	5.9	1.03	4.4	0.74
Male Genital System	117	30.5	3.02	17.9	1.66	-	-	-	-	-
Prostate	115	30.2	3.01	17.6	1.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	10.1	1.60	6.8	1.00	27	5.3	1.05	3.2	0.62
Bladder	29	6.6	1.32	4.3	0.80	11	2.0	0.64	1.3	0.40
Kidney & renal pelvis	16	3.2	0.88	2.3	0.59	15	3.0	0.79	1.8	0.46
Brain & Other Nervous System	16	2.7	0.72	2.2	0.56	11	2.0	0.60	1.4	0.44
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	25	5.1	1.11	3.6	0.72	21	3.9	0.88	2.6	0.58
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	29	7.2	1.43	4.3	0.81	19	3.3	0.78	2.4	0.56
Leukemias	32	6.7	1.27	4.7	0.83	29	5.5	1.06	3.6	0.67
Other, Ill-defined & Unknown	70	13.7	1.76	10.0	1.20	60	10.4	1.38	7.5	0.98

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	619	121.0	5.26	80.3	3.25	710	93.8	3.70	65.0	2.46
Oral Cavity & Pharynx	18	3.3	0.83	2.3	0.54	-	-	-	-	-
Digestive System	224	43.1	3.12	29.0	1.95	193	26.8	2.04	17.5	1.26
Esophagus	19	3.4	0.81	2.4	0.55	-	-	-	-	-
Stomach	28	6.2	1.30	3.8	0.72	29	4.1	0.79	2.6	0.49
Colon & Rectum	86	16.3	1.91	11.2	1.22	72	10.5	1.31	6.7	0.79
Liver	44	8.0	1.30	5.7	0.86	27	3.6	0.72	2.4	0.47
Pancreas	33	6.8	1.27	4.3	0.75	48	6.4	0.98	4.2	0.61
Respiratory System	180	36.2	2.91	23.2	1.74	145	19.0	1.65	13.1	1.09
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	176	35.4	2.87	22.6	1.72	142	18.6	1.63	12.8	1.08
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	118	14.5	1.39	10.9	1.01
Female Genital System	-	-	-	-	-	86	10.5	1.17	7.9	0.86
Cervix uteri	-	-	-	-	-	10	1.2	0.40	1.0	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	32	3.9	0.72	3.0	0.53
Ovary	-	-	-	-	-	42	5.0	0.80	3.8	0.59
Male Genital System	45	9.9	1.59	5.9	0.88	-	-	-	-	-
Prostate	44	9.8	1.58	5.7	0.87	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	7.1	1.31	4.7	0.78	17	2.2	0.57	1.5	0.36
Bladder	17	4.0	1.07	2.3	0.56	-	-	-	-	-
Kidney & renal pelvis	19	3.1	0.75	2.4	0.54	10	1.2	0.40	0.9	0.27
Brain & Other Nervous System	14	2.3	0.65	1.9	0.54	19	2.6	0.63	2.2	0.53
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	14	2.7	0.77	1.8	0.48	25	3.3	0.69	2.2	0.44
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	13	1.8	0.52	1.2	0.33
Leukemias	29	6.1	1.21	3.9	0.74	19	2.4	0.59	1.7	0.39
Other, Ill-defined & Unknown	37	6.6	1.16	4.9	0.82	62	8.8	1.17	5.7	0.73

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,094	196.3	2.41	128.4	1.55	6,361	142.1	1.83	96.7	1.29
Oral Cavity & Pharynx	149	3.6	0.31	2.7	0.22	51	1.2	0.17	0.8	0.12
Digestive System	1,875	49.9	1.19	34.3	0.80	1,358	29.9	0.83	19.5	0.56
Esophagus	365	9.5	0.51	6.6	0.35	89	1.9	0.20	1.3	0.14
Stomach	111	3.1	0.30	2.0	0.20	57	1.3	0.18	0.9	0.12
Colon & Rectum	489	13.6	0.63	8.9	0.41	571	12.5	0.54	7.9	0.36
Liver	248	6.1	0.40	4.6	0.30	63	1.4	0.18	1.0	0.13
Pancreas	492	13.1	0.61	9.0	0.41	419	9.2	0.46	6.0	0.31
Respiratory System	2,003	54.3	1.25	36.1	0.81	1,817	40.9	0.98	28.0	0.68
Larynx	50	1.4	0.21	0.9	0.13	11	0.3	0.08	0.2	0.05
Lung & bronchus	1,941	52.6	1.23	34.9	0.80	1,800	40.5	0.98	27.8	0.68
Skin	202	5.9	0.43	3.8	0.27	110	2.6	0.25	1.8	0.19
Melanomas of the skin	142	4.1	0.36	2.7	0.24	85	2.0	0.23	1.5	0.18
Breast	-	-	-	-	-	881	19.6	0.68	14.2	0.51
Female Genital System	-	-	-	-	-	653	14.7	0.59	10.4	0.43
Cervix uteri	-	-	-	-	-	59	1.4	0.19	1.1	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	214	4.8	0.33	3.3	0.23
Ovary	-	-	-	-	-	318	7.2	0.41	5.1	0.30
Male Genital System	658	20.2	0.80	11.2	0.44	-	-	-	-	-
Prostate	645	19.8	0.79	10.9	0.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	523	14.7	0.66	9.2	0.41	216	4.7	0.33	2.9	0.21
Bladder	295	8.7	0.52	5.1	0.30	99	2.2	0.22	1.2	0.13
Kidney & renal pelvis	219	5.7	0.40	4.0	0.27	109	2.4	0.23	1.6	0.16
Brain & Other Nervous System	221	5.8	0.41	4.5	0.32	157	3.7	0.31	2.9	0.25
Endocrine System	28	0.8	0.17	0.6	0.13	22	0.5	0.11	0.3	0.08
Thyroid gland	16	0.5	0.12	0.3	0.08	13	0.3	0.08	0.2	0.05
Lymphomas	258	7.4	0.48	4.8	0.31	202	4.6	0.33	2.9	0.22
Hodgkin Lymphoma	14	0.4	0.12	0.3	0.09	11	0.3	0.09	0.2	0.08
Non-Hodgkin Lymphoma	244	7.0	0.46	4.4	0.29	191	4.3	0.32	2.7	0.21
Multiple Myeloma	156	4.5	0.37	2.8	0.23	110	2.5	0.24	1.6	0.16
Leukemias	306	8.8	0.52	5.6	0.33	202	4.5	0.33	2.9	0.23
Other, Ill-defined & Unknown	-	-	-	-	-	582	12.8	0.55	8.4	0.39

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,005	198.0	2.44	129.5	1.58	6,314	144.1	1.87	98.2	1.33
Oral Cavity & Pharynx	148	3.6	0.31	2.7	0.23	51	1.2	0.17	0.8	0.12
Digestive System	1,850	50.2	1.21	34.6	0.82	1,342	30.1	0.85	19.6	0.58
Esophagus	360	9.5	0.52	6.7	0.35	87	1.9	0.21	1.3	0.15
Stomach	110	3.1	0.31	2.1	0.20	57	1.4	0.18	0.9	0.13
Colon & Rectum	486	13.8	0.65	9.0	0.42	567	12.7	0.55	8.0	0.37
Liver	241	6.0	0.40	4.5	0.30	56	1.3	0.18	0.9	0.13
Pancreas	486	13.2	0.62	9.1	0.42	417	9.4	0.47	6.1	0.32
Respiratory System	1,981	54.9	1.27	36.4	0.83	1,807	41.5	1.00	28.4	0.69
Larynx	49	1.4	0.21	0.9	0.13	11	0.3	0.08	0.2	0.05
Lung & bronchus	1,920	53.1	1.25	35.3	0.81	1,790	41.1	0.99	28.2	0.69
Skin	202	6.0	0.44	3.9	0.28	110	2.6	0.26	1.9	0.20
Melanomas of the skin	142	4.3	0.37	2.8	0.24	85	2.1	0.24	1.5	0.18
Breast	-	-	-	-	-	876	20.0	0.70	14.4	0.52
Female Genital System	-	-	-	-	-	648	14.9	0.60	10.6	0.44
Cervix uteri	-	-	-	-	-	58	1.4	0.20	1.1	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	214	4.9	0.34	3.4	0.24
Ovary	-	-	-	-	-	314	7.2	0.42	5.2	0.31
Male Genital System	646	20.1	0.81	11.2	0.45	-	-	-	-	-
Prostate	633	19.7	0.80	10.9	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	516	14.8	0.67	9.3	0.41	214	4.8	0.34	2.9	0.22
Bladder	290	8.7	0.52	5.1	0.30	99	2.2	0.23	1.3	0.14
Kidney & renal pelvis	217	5.8	0.41	4.0	0.28	107	2.4	0.24	1.6	0.16
Brain & Other Nervous System	216	5.8	0.41	4.5	0.33	156	3.8	0.31	3.0	0.26
Endocrine System	28	0.9	0.17	0.7	0.14	22	0.5	0.11	0.3	0.09
Thyroid gland	16	0.5	0.13	0.3	0.08	13	0.3	0.08	0.2	0.05
Lymphomas	256	7.5	0.48	4.8	0.31	201	4.6	0.34	3.0	0.23
Hodgkin Lymphoma	14	0.5	0.13	0.3	0.10	11	0.3	0.10	0.3	0.09
Non-Hodgkin Lymphoma	242	7.1	0.47	4.5	0.30	190	4.3	0.32	2.7	0.21
Multiple Myeloma	151	4.4	0.37	2.8	0.23	107	2.4	0.24	1.6	0.16
Leukemias	304	8.9	0.53	5.7	0.33	202	4.6	0.34	3.0	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	578	13.0	0.56	8.6	0.40

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate		Adj. Rate		Deaths	Adj. Rate		Adj. Rate	
		2000 U.S.	S.E.	World	S.E.		2000 U.S.	S.E.	World	S.E.
All Sites	42	135.7	23.23	95.6	15.24	18	59.4	14.58	42.3	10.14
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	30.7	9.71	24.1	7.21	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	31.1	10.74	22.6	7.38	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	31.1	10.74	22.6	7.38	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	42	127.8	22.33	74.4	11.89	25	47.0	10.37	30.6	6.24
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	41.1	13.28	22.0	6.60	12	24.5	7.79	14.9	4.40
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	20.8	7.38	15.3	4.97	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	20.8	7.38	15.3	4.97	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	40,856	186.2	0.94	121.8	0.61	41,510	139.0	0.70	94.8	0.50
Oral Cavity & Pharynx	751	3.2	0.12	2.3	0.09	304	1.0	0.06	0.7	0.04
Digestive System	12,058	53.6	0.50	36.3	0.34	9,784	32.1	0.33	21.1	0.23
Esophagus	1,532	6.7	0.17	4.7	0.12	439	1.4	0.07	1.0	0.05
Stomach	1,071	4.9	0.15	3.2	0.10	730	2.4	0.09	1.6	0.07
Colon & Rectum	3,959	17.9	0.29	11.8	0.19	3,840	12.4	0.20	7.9	0.14
Liver	1,596	6.7	0.17	4.9	0.12	589	2.0	0.08	1.3	0.06
Pancreas	2,950	13.1	0.25	8.8	0.16	3,084	10.2	0.19	6.7	0.13
Respiratory System	10,646	48.2	0.48	32.0	0.31	9,931	33.5	0.34	22.7	0.24
Larynx	422	1.9	0.09	1.3	0.06	124	0.4	0.04	0.3	0.03
Lung & bronchus	10,138	45.9	0.47	30.4	0.31	9,763	32.9	0.34	22.3	0.24
Skin	1,068	4.9	0.15	3.1	0.10	575	1.9	0.08	1.2	0.06
Melanomas of the skin	777	3.6	0.13	2.3	0.09	447	1.5	0.07	1.0	0.05
Breast	69	0.3	0.04	0.2	0.03	6,616	22.5	0.28	16.1	0.21
Female Genital System	-	-	-	-	-	4,706	16.0	0.24	11.6	0.18
Cervix uteri	-	-	-	-	-	591	2.1	0.09	1.7	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,669	5.6	0.14	4.0	0.10
Ovary	-	-	-	-	-	2,141	7.3	0.16	5.2	0.12
Male Genital System	3,914	19.0	0.31	10.6	0.17	-	-	-	-	-
Prostate	3,819	18.5	0.30	10.3	0.17	-	-	-	-	-
Testis	55	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,873	13.4	0.25	8.3	0.16	1,453	4.7	0.13	2.9	0.08
Bladder	1,737	8.3	0.20	4.8	0.12	777	2.5	0.09	1.5	0.06
Kidney & renal pelvis	1,071	4.7	0.15	3.3	0.10	626	2.1	0.08	1.4	0.06
Brain & Other Nervous System	1,129	4.9	0.15	3.8	0.12	878	3.2	0.11	2.5	0.09
Endocrine System	196	0.9	0.06	0.6	0.05	202	0.7	0.05	0.5	0.04
Thyroid gland	120	0.5	0.05	0.4	0.03	138	0.5	0.04	0.3	0.03
Lymphomas	1,627	7.6	0.19	4.8	0.12	1,375	4.6	0.13	2.9	0.09
Hodgkin Lymphoma	83	0.4	0.04	0.3	0.03	68	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,544	7.3	0.19	4.6	0.12	1,307	4.3	0.12	2.7	0.08
Multiple Myeloma	859	4.0	0.14	2.5	0.09	777	2.6	0.09	1.7	0.06
Leukemias	1,810	8.5	0.20	5.5	0.13	1,456	4.9	0.13	3.3	0.10
Other, Ill-defined & Unknown	3,856	17.8	0.29	11.7	0.19	3,453	11.4	0.20	7.7	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	34,678	190.5	1.04	124.6	0.69	34,801	142.0	0.79	96.7	0.57
Oral Cavity & Pharynx	602	3.1	0.13	2.3	0.09	248	1.0	0.06	0.7	0.05
Digestive System	10,040	54.1	0.55	36.5	0.37	8,108	32.2	0.37	21.0	0.26
Esophagus	1,377	7.3	0.20	5.1	0.14	367	1.5	0.08	1.0	0.06
Stomach	832	4.6	0.16	3.0	0.11	565	2.3	0.10	1.5	0.07
Colon & Rectum	3,266	17.8	0.32	11.7	0.21	3,223	12.5	0.23	8.0	0.16
Liver	1,251	6.5	0.19	4.7	0.13	460	1.9	0.09	1.3	0.06
Pancreas	2,494	13.4	0.27	9.1	0.18	2,583	10.3	0.21	6.8	0.14
Respiratory System	9,030	49.3	0.53	32.6	0.35	8,603	35.5	0.39	24.1	0.28
Larynx	348	1.9	0.10	1.3	0.07	97	0.4	0.04	0.3	0.03
Lung & bronchus	8,613	47.1	0.52	31.1	0.34	8,466	34.9	0.39	23.7	0.27
Skin	1,045	5.8	0.18	3.7	0.12	555	2.2	0.10	1.5	0.07
Melanomas of the skin	766	4.2	0.16	2.8	0.10	437	1.8	0.09	1.2	0.07
Breast	56	0.3	0.04	0.2	0.03	5,299	22.1	0.31	15.7	0.24
Female Genital System	-	-	-	-	-	3,801	16.0	0.27	11.5	0.20
Cervix uteri	-	-	-	-	-	430	2.0	0.10	1.6	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,285	5.3	0.15	3.8	0.11
Ovary	-	-	-	-	-	1,822	7.6	0.18	5.5	0.14
Male Genital System	3,060	17.4	0.32	9.7	0.18	-	-	-	-	-
Prostate	2,973	16.9	0.31	9.2	0.17	-	-	-	-	-
Testis	51	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	2,603	14.5	0.29	8.9	0.18	1,272	4.9	0.14	3.1	0.10
Bladder	1,599	9.1	0.23	5.2	0.13	693	2.6	0.10	1.6	0.07
Kidney & renal pelvis	943	5.1	0.17	3.5	0.12	534	2.1	0.09	1.4	0.07
Brain & Other Nervous System	1,008	5.5	0.18	4.3	0.14	783	3.5	0.13	2.8	0.11
Endocrine System	161	0.9	0.07	0.7	0.05	166	0.7	0.06	0.5	0.05
Thyroid gland	100	0.5	0.05	0.4	0.04	116	0.5	0.04	0.3	0.03
Lymphomas	1,458	8.2	0.22	5.2	0.14	1,218	4.9	0.15	3.1	0.10
Hodgkin Lymphoma	73	0.4	0.05	0.3	0.04	60	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,385	7.8	0.21	4.9	0.14	1,158	4.6	0.14	2.9	0.10
Multiple Myeloma	690	3.9	0.15	2.4	0.09	586	2.3	0.10	1.5	0.07
Leukemias	1,618	9.1	0.23	6.0	0.16	1,264	5.1	0.15	3.4	0.11
Other, Ill-defined & Unknown	3,307	18.4	0.33	12.1	0.22	2,898	11.6	0.22	7.8	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,907	217.0	3.30	145.9	2.09	5,476	155.1	2.13	109.8	1.51
Oral Cavity & Pharynx	100	3.8	0.40	2.9	0.29	43	1.2	0.18	0.9	0.14
Digestive System	1,539	63.7	1.73	45.1	1.16	1,335	38.2	1.06	25.9	0.72
Esophagus	122	4.7	0.46	3.5	0.32	64	1.7	0.22	1.2	0.16
Stomach	169	7.5	0.61	5.1	0.39	121	3.6	0.33	2.3	0.22
Colon & Rectum	574	24.6	1.09	16.9	0.71	515	14.7	0.66	9.9	0.45
Liver	241	8.5	0.57	6.8	0.44	88	2.4	0.26	1.7	0.19
Pancreas	354	14.9	0.84	10.4	0.56	418	12.2	0.60	8.1	0.40
Respiratory System	1,315	56.2	1.64	39.0	1.08	1,110	31.4	0.96	22.1	0.67
Larynx	65	2.7	0.36	1.9	0.24	24	0.7	0.14	0.5	0.10
Lung & bronchus	1,239	53.0	1.60	36.8	1.05	1,084	30.7	0.95	21.6	0.66
Skin	17	0.7	0.18	0.5	0.12	14	0.4	0.10	0.3	0.08
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	12	0.5	0.15	0.4	0.10	1,087	30.1	0.93	22.4	0.69
Female Genital System	-	-	-	-	-	746	20.7	0.77	15.3	0.57
Cervix uteri	-	-	-	-	-	144	3.9	0.33	3.1	0.27
Corpus & uterus, NOS ¹	-	-	-	-	-	324	9.1	0.51	6.5	0.37
Ovary	-	-	-	-	-	244	6.9	0.45	4.9	0.32
Male Genital System	784	41.9	1.56	24.2	0.87	-	-	-	-	-
Prostate	776	41.5	1.56	24.0	0.86	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	213	9.8	0.72	6.3	0.43	153	4.5	0.37	2.9	0.24
Bladder	115	5.8	0.57	3.5	0.33	71	2.1	0.25	1.3	0.16
Kidney & renal pelvis	96	3.9	0.43	2.8	0.28	78	2.2	0.26	1.6	0.18
Brain & Other Nervous System	79	3.2	0.39	2.4	0.27	68	1.9	0.23	1.5	0.19
Endocrine System	20	0.9	0.22	0.6	0.14	25	0.7	0.15	0.5	0.11
Thyroid gland	11	0.5	0.17	0.3	0.10	15	0.4	0.12	0.3	0.08
Lymphomas	115	5.0	0.50	3.4	0.32	109	3.2	0.31	2.2	0.22
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	141	6.3	0.56	4.2	0.35	175	5.2	0.40	3.3	0.25
Leukemias	131	5.8	0.54	3.9	0.35	148	4.4	0.36	3.0	0.25
Other, Ill-defined & Unknown	441	19.2	0.98	13.1	0.63	463	13.2	0.62	9.3	0.44

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,245	88.2	2.75	57.0	1.63	1,192	68.7	2.10	45.5	1.32
Oral Cavity & Pharynx	49	3.2	0.50	2.2	0.31	13	0.7	0.21	0.5	0.14
Digestive System	471	32.3	1.65	21.3	0.99	329	19.4	1.12	12.5	0.69
Esophagus	33	2.1	0.40	1.5	0.25	-	-	-	-	-
Stomach	69	4.7	0.62	3.1	0.38	43	2.4	0.39	1.6	0.25
Colon & Rectum	115	7.3	0.76	5.1	0.48	100	5.9	0.63	3.7	0.37
Liver	104	6.4	0.69	4.5	0.45	41	2.4	0.39	1.6	0.25
Pancreas	101	8.0	0.87	4.8	0.48	77	4.5	0.54	3.0	0.34
Respiratory System	297	21.6	1.36	13.7	0.80	208	13.3	0.97	8.0	0.56
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	283	20.6	1.33	13.0	0.78	203	12.9	0.95	7.8	0.55
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	222	11.3	0.80	8.3	0.56
Female Genital System	-	-	-	-	-	155	8.0	0.68	5.8	0.47
Cervix uteri	-	-	-	-	-	17	0.8	0.22	0.7	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	58	3.1	0.42	2.2	0.29
Ovary	-	-	-	-	-	73	3.7	0.45	2.7	0.32
Male Genital System	68	6.4	0.83	3.4	0.42	-	-	-	-	-
Prostate	68	6.4	0.83	3.4	0.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	52	3.8	0.59	2.4	0.34	25	1.6	0.34	1.0	0.20
Bladder	20	1.9	0.46	1.0	0.23	11	0.7	0.22	0.4	0.13
Kidney & renal pelvis	30	1.8	0.36	1.3	0.24	13	0.9	0.25	0.5	0.14
Brain & Other Nervous System	41	2.1	0.36	1.8	0.28	27	1.5	0.31	1.1	0.21
Endocrine System	15	1.0	0.29	0.7	0.18	11	0.7	0.23	0.4	0.13
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	53	4.1	0.62	2.5	0.35	47	2.7	0.41	1.8	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	27	1.7	0.35	1.2	0.23	16	1.0	0.26	0.6	0.15
Leukemias	60	4.0	0.56	2.8	0.36	44	2.7	0.43	1.8	0.28
Other, Ill-defined & Unknown	106	7.5	0.81	4.9	0.48	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,306	173.1	1.83	114.8	1.21	8,032	123.6	1.41	85.3	1.01
Oral Cavity & Pharynx	214	3.7	0.26	2.7	0.19	89	1.4	0.15	1.0	0.11
Digestive System	2,884	51.6	0.99	36.3	0.69	2,000	30.6	0.70	20.7	0.49
Esophagus	335	6.0	0.33	4.2	0.23	64	1.0	0.13	0.7	0.09
Stomach	241	4.5	0.30	3.1	0.20	188	2.9	0.22	2.0	0.16
Colon & Rectum	909	16.8	0.57	11.3	0.38	745	11.5	0.43	7.7	0.30
Liver	582	9.8	0.42	7.6	0.32	202	3.1	0.22	2.1	0.15
Pancreas	611	10.9	0.45	7.6	0.31	560	8.4	0.36	5.7	0.25
Respiratory System	2,072	38.3	0.86	25.1	0.56	1,758	26.7	0.65	17.9	0.44
Larynx	87	1.5	0.17	1.1	0.12	20	0.3	0.07	0.2	0.05
Lung & bronchus	1,959	36.3	0.84	23.7	0.54	1,724	26.2	0.64	17.6	0.44
Skin	290	5.4	0.33	3.6	0.21	124	2.0	0.18	1.4	0.13
Melanomas of the skin	196	3.7	0.27	2.4	0.18	99	1.6	0.16	1.1	0.12
Breast	12	0.2	0.06	0.1	0.04	1,214	18.9	0.56	13.6	0.42
Female Genital System	-	-	-	-	-	946	14.7	0.49	10.8	0.37
Cervix uteri	-	-	-	-	-	114	2.0	0.20	1.7	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	256	3.9	0.25	2.9	0.19
Ovary	-	-	-	-	-	517	7.9	0.35	5.7	0.26
Male Genital System	1,023	20.9	0.66	11.6	0.37	-	-	-	-	-
Prostate	992	20.3	0.65	11.1	0.35	-	-	-	-	-
Testis	15	0.3	0.08	0.3	0.08	-	-	-	-	-
Urinary System	671	12.8	0.50	8.1	0.32	317	4.8	0.27	3.1	0.18
Bladder	341	6.8	0.37	3.9	0.21	136	2.1	0.18	1.3	0.12
Kidney & renal pelvis	314	5.7	0.33	4.0	0.23	171	2.6	0.20	1.7	0.14
Brain & Other Nervous System	243	4.4	0.29	3.4	0.23	190	3.0	0.23	2.3	0.18
Endocrine System	48	0.9	0.13	0.7	0.10	51	0.8	0.12	0.6	0.09
Thyroid gland	27	0.5	0.10	0.3	0.07	34	0.5	0.09	0.4	0.07
Lymphomas	358	6.7	0.36	4.5	0.24	280	4.3	0.26	2.8	0.18
Hodgkin Lymphoma	29	0.5	0.10	0.4	0.08	13	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	329	6.1	0.35	4.0	0.23	267	4.1	0.26	2.7	0.18
Multiple Myeloma	193	3.7	0.27	2.4	0.17	151	2.3	0.19	1.5	0.13
Leukemias	388	7.5	0.39	5.0	0.27	258	4.0	0.26	2.7	0.19
Other, Ill-defined & Unknown	910	17.0	0.58	11.3	0.38	654	10.0	0.40	6.9	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,613	176.3	1.94	117.1	1.29	7,360	126.1	1.51	87.2	1.08
Oral Cavity & Pharynx	204	3.9	0.28	2.8	0.20	83	1.4	0.16	1.0	0.11
Digestive System	2,599	51.4	1.03	36.3	0.73	1,788	30.4	0.73	20.6	0.52
Esophagus	319	6.2	0.36	4.4	0.25	59	1.0	0.14	0.7	0.09
Stomach	191	3.9	0.29	2.7	0.20	150	2.6	0.22	1.8	0.16
Colon & Rectum	823	16.7	0.60	11.3	0.40	677	11.5	0.45	7.7	0.32
Liver	532	10.0	0.45	7.7	0.34	175	2.9	0.23	2.0	0.16
Pancreas	556	10.9	0.47	7.6	0.33	521	8.7	0.39	5.9	0.27
Respiratory System	1,971	40.0	0.92	26.3	0.60	1,685	28.4	0.70	19.1	0.48
Larynx	81	1.6	0.18	1.1	0.13	20	0.3	0.08	0.2	0.06
Lung & bronchus	1,867	37.9	0.89	24.8	0.58	1,652	27.9	0.70	18.7	0.48
Skin	284	5.9	0.36	3.9	0.24	115	2.0	0.19	1.5	0.15
Melanomas of the skin	193	4.0	0.29	2.7	0.20	92	1.6	0.17	1.2	0.14
Breast	12	0.2	0.07	0.2	0.05	1,125	19.7	0.61	14.2	0.46
Female Genital System	-	-	-	-	-	829	14.4	0.52	10.6	0.39
Cervix uteri	-	-	-	-	-	95	1.9	0.21	1.6	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	220	3.7	0.26	2.7	0.19
Ovary	-	-	-	-	-	459	7.9	0.38	5.7	0.28
Male Genital System	941	20.9	0.69	11.6	0.38	-	-	-	-	-
Prostate	916	20.3	0.68	11.1	0.37	-	-	-	-	-
Testis	11	0.3	0.08	0.3	0.08	-	-	-	-	-
Urinary System	606	12.7	0.53	8.0	0.33	287	4.8	0.29	3.0	0.19
Bladder	325	7.0	0.40	4.1	0.23	128	2.2	0.20	1.3	0.12
Kidney & renal pelvis	265	5.4	0.34	3.8	0.24	149	2.4	0.20	1.6	0.14
Brain & Other Nervous System	231	4.6	0.31	3.6	0.25	176	3.2	0.25	2.4	0.20
Endocrine System	47	1.0	0.15	0.8	0.12	50	0.9	0.13	0.7	0.11
Thyroid gland	27	0.5	0.11	0.4	0.07	33	0.6	0.11	0.4	0.08
Lymphomas	329	6.8	0.38	4.5	0.26	250	4.2	0.27	2.8	0.19
Hodgkin Lymphoma	27	0.6	0.11	0.4	0.09	12	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	302	6.2	0.36	4.1	0.24	238	4.1	0.27	2.7	0.19
Multiple Myeloma	177	3.7	0.28	2.4	0.18	132	2.3	0.20	1.5	0.13
Leukemias	368	7.9	0.42	5.3	0.29	243	4.2	0.28	2.9	0.21
Other, Ill-defined & Unknown	844	17.4	0.61	11.6	0.41	597	10.2	0.43	7.0	0.31

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	177	187.4	15.09	119.6	9.06	134	123.9	10.93	86.4	7.66
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	50	51.9	7.93	33.1	4.72	37	33.8	5.62	22.6	3.85
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	14	18.0	5.01	9.9	2.65	17	15.8	3.87	10.6	2.67
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	15	14.4	4.05	9.7	2.52	-	-	-	-	-
Respiratory System	46	48.3	7.55	31.3	4.65	24	22.3	4.65	15.4	3.20
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	44	46.5	7.44	29.9	4.55	24	22.3	4.65	15.4	3.20
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	29	27.4	5.19	19.8	3.76
Female Genital System	-	-	-	-	-	12	10.8	3.21	8.4	2.46
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	24	31.7	6.68	17.4	3.57	-	-	-	-	-
Prostate	23	30.2	6.50	16.6	3.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	14.4	3.93	10.0	2.62	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	15	13.2	3.82	9.3	2.42	13	12.0	3.41	8.4	2.39

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	72	107.1	13.55	74.4	8.82	84	85.5	9.62	57.2	6.29
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	38	52.9	9.26	38.2	6.23	28	27.2	5.29	19.7	3.76
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	14	18.2	5.23	13.7	3.69	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	14	19.1	5.49	14.2	3.82	22	22.4	4.95	14.6	3.13
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	12	17.1	5.29	12.3	3.59	21	21.0	4.75	13.8	3.03
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	11	10.2	3.18	7.9	2.40
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	88,634	183.5	0.63	121.5	0.42	88,927	135.9	0.47	93.4	0.34
Oral Cavity & Pharynx	1,719	3.4	0.08	2.5	0.06	774	1.2	0.04	0.8	0.03
Digestive System	26,052	52.7	0.33	36.2	0.23	21,416	32.1	0.22	21.2	0.16
Esophagus	3,338	6.7	0.12	4.7	0.08	1,036	1.6	0.05	1.0	0.03
Stomach	2,506	5.2	0.11	3.5	0.07	1,758	2.7	0.07	1.8	0.05
Colon & Rectum	7,917	16.4	0.19	10.9	0.12	8,001	11.8	0.14	7.7	0.09
Liver	3,814	7.2	0.12	5.4	0.09	1,443	2.2	0.06	1.5	0.04
Pancreas	6,342	12.9	0.17	8.7	0.11	6,563	9.9	0.12	6.5	0.08
Respiratory System	24,251	49.7	0.33	33.4	0.22	21,679	33.4	0.23	22.9	0.16
Larynx	964	1.9	0.06	1.3	0.04	259	0.4	0.03	0.3	0.02
Lung & bronchus	23,124	47.5	0.32	31.9	0.21	21,329	32.9	0.23	22.5	0.16
Skin	2,107	4.4	0.10	2.9	0.06	1,148	1.7	0.05	1.2	0.04
Melanomas of the skin	1,503	3.1	0.08	2.1	0.06	873	1.3	0.05	0.9	0.03
Breast	154	0.3	0.03	0.2	0.02	12,987	20.2	0.18	14.6	0.14
Female Genital System	-	-	-	-	-	10,551	16.4	0.16	11.9	0.12
Cervix uteri	-	-	-	-	-	1,403	2.4	0.06	1.9	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	3,735	5.7	0.10	4.1	0.07
Ovary	-	-	-	-	-	4,766	7.4	0.11	5.3	0.08
Male Genital System	8,675	19.2	0.21	10.8	0.12	-	-	-	-	-
Prostate	8,457	18.7	0.21	10.4	0.12	-	-	-	-	-
Testis	96	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,917	12.6	0.17	7.7	0.10	2,990	4.4	0.08	2.7	0.05
Bladder	3,450	7.5	0.13	4.3	0.08	1,580	2.3	0.06	1.3	0.04
Kidney & renal pelvis	2,315	4.7	0.10	3.2	0.07	1,311	1.9	0.06	1.3	0.04
Brain & Other Nervous System	2,268	4.5	0.10	3.5	0.08	1,974	3.2	0.07	2.5	0.06
Endocrine System	408	0.8	0.04	0.6	0.03	509	0.8	0.04	0.6	0.03
Thyroid gland	252	0.5	0.03	0.3	0.02	360	0.5	0.03	0.4	0.02
Lymphomas	3,584	7.6	0.13	5.0	0.09	2,999	4.5	0.08	2.9	0.06
Hodgkin Lymphoma	190	0.4	0.03	0.3	0.02	170	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,394	7.2	0.13	4.7	0.08	2,829	4.3	0.08	2.7	0.06
Multiple Myeloma	1,825	3.8	0.09	2.5	0.06	1,691	2.5	0.06	1.7	0.04
Leukemias	4,082	8.7	0.14	5.7	0.09	3,109	4.8	0.09	3.2	0.06
Other, Ill-defined & Unknown	7,592	15.8	0.18	10.5	0.12	7,100	10.7	0.13	7.1	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	72,725	188.1	0.71	124.3	0.47	72,021	140.8	0.54	96.4	0.39
Oral Cavity & Pharynx	1,317	3.3	0.09	2.4	0.07	590	1.1	0.05	0.8	0.03
Digestive System	20,641	52.6	0.37	35.9	0.26	16,752	31.8	0.25	21.0	0.18
Esophagus	2,921	7.4	0.14	5.2	0.10	860	1.6	0.06	1.1	0.04
Stomach	1,713	4.4	0.11	3.0	0.07	1,216	2.4	0.07	1.6	0.05
Colon & Rectum	6,351	16.5	0.21	10.9	0.14	6,329	11.8	0.15	7.6	0.11
Liver	2,673	6.5	0.13	4.8	0.09	1,034	2.0	0.06	1.3	0.05
Pancreas	5,293	13.5	0.19	9.1	0.13	5,249	10.0	0.14	6.5	0.10
Respiratory System	20,098	51.5	0.37	34.6	0.25	18,396	36.5	0.28	25.0	0.20
Larynx	745	1.9	0.07	1.3	0.05	204	0.4	0.03	0.3	0.02
Lung & bronchus	19,209	49.3	0.36	33.0	0.24	18,118	35.9	0.27	24.6	0.19
Skin	2,027	5.3	0.12	3.5	0.08	1,072	2.1	0.07	1.4	0.05
Melanomas of the skin	1,470	3.8	0.10	2.6	0.07	826	1.7	0.06	1.2	0.04
Breast	131	0.3	0.03	0.2	0.02	10,086	20.2	0.21	14.5	0.16
Female Genital System	-	-	-	-	-	8,135	16.4	0.19	11.8	0.14
Cervix uteri	-	-	-	-	-	956	2.2	0.07	1.7	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,651	5.2	0.10	3.7	0.08
Ovary	-	-	-	-	-	3,963	7.9	0.13	5.7	0.10
Male Genital System	6,602	17.8	0.22	9.9	0.13	-	-	-	-	-
Prostate	6,418	17.3	0.22	9.5	0.12	-	-	-	-	-
Testis	86	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	5,225	13.7	0.19	8.4	0.12	2,560	4.7	0.10	2.9	0.06
Bladder	3,101	8.2	0.15	4.8	0.09	1,358	2.4	0.07	1.4	0.04
Kidney & renal pelvis	1,984	5.1	0.12	3.4	0.08	1,122	2.1	0.07	1.4	0.05
Brain & Other Nervous System	2,011	5.2	0.12	4.0	0.09	1,731	3.7	0.09	2.9	0.08
Endocrine System	336	0.9	0.05	0.7	0.04	388	0.8	0.04	0.6	0.03
Thyroid gland	219	0.6	0.04	0.4	0.03	272	0.5	0.03	0.3	0.02
Lymphomas	3,063	8.1	0.15	5.3	0.10	2,558	4.9	0.10	3.1	0.07
Hodgkin Lymphoma	155	0.4	0.03	0.3	0.03	149	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,908	7.7	0.14	5.0	0.10	2,409	4.6	0.10	2.9	0.07
Multiple Myeloma	1,402	3.6	0.10	2.3	0.06	1,236	2.3	0.07	1.5	0.05
Leukemias	3,522	9.4	0.16	6.1	0.11	2,650	5.2	0.10	3.5	0.08
Other, Ill-defined & Unknown	6,350	16.5	0.21	11.0	0.14	5,867	11.3	0.15	7.5	0.11

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,013	191.2	1.84	130.4	1.19	13,649	135.9	1.18	96.7	0.85
Oral Cavity & Pharynx	273	3.8	0.24	2.9	0.18	133	1.3	0.12	1.0	0.09
Digestive System	3,813	57.5	0.98	41.0	0.67	3,607	36.2	0.61	24.6	0.42
Esophagus	297	4.5	0.27	3.2	0.19	150	1.5	0.12	1.0	0.09
Stomach	489	7.9	0.38	5.3	0.24	375	3.8	0.20	2.5	0.13
Colon & Rectum	1,181	18.4	0.57	12.8	0.37	1,356	13.6	0.37	9.1	0.26
Liver	725	9.5	0.37	7.6	0.28	288	2.8	0.17	2.0	0.12
Pancreas	812	12.3	0.46	8.7	0.31	1,035	10.5	0.33	7.1	0.23
Respiratory System	3,081	47.6	0.90	33.3	0.60	2,643	26.3	0.52	18.6	0.37
Larynx	185	2.9	0.22	2.0	0.15	51	0.5	0.07	0.4	0.05
Lung & bronchus	2,882	44.6	0.87	31.2	0.58	2,578	25.6	0.51	18.1	0.36
Skin	68	1.0	0.13	0.7	0.09	54	0.5	0.07	0.4	0.05
Melanomas of the skin	26	0.4	0.08	0.3	0.06	34	0.3	0.06	0.2	0.04
Breast	23	0.4	0.08	0.3	0.05	2,466	24.4	0.50	18.2	0.38
Female Genital System	-	-	-	-	-	2,045	20.2	0.45	14.9	0.34
Cervix uteri	-	-	-	-	-	375	3.7	0.20	2.9	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	990	9.7	0.31	7.1	0.23
Ovary	-	-	-	-	-	610	6.0	0.25	4.4	0.18
Male Genital System	1,883	36.1	0.86	20.8	0.48	-	-	-	-	-
Prostate	1,857	35.7	0.86	20.5	0.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	535	9.0	0.41	5.8	0.25	340	3.4	0.19	2.2	0.12
Bladder	268	4.8	0.31	2.9	0.18	187	1.9	0.14	1.1	0.09
Kidney & renal pelvis	258	4.0	0.26	2.8	0.17	142	1.4	0.12	1.0	0.09
Brain & Other Nervous System	186	2.6	0.20	2.1	0.15	167	1.7	0.13	1.4	0.11
Endocrine System	52	0.7	0.11	0.6	0.08	86	0.9	0.10	0.6	0.07
Thyroid gland	22	0.4	0.08	0.2	0.05	67	0.7	0.08	0.5	0.06
Lymphomas	373	5.7	0.31	4.1	0.21	335	3.3	0.18	2.4	0.14
Hodgkin Lymphoma	27	0.4	0.08	0.3	0.06	19	0.2	0.04	0.2	0.04
Non-Hodgkin Lymphoma	346	5.3	0.30	3.8	0.20	316	3.1	0.18	2.3	0.13
Multiple Myeloma	372	5.9	0.32	4.0	0.21	404	4.1	0.21	2.8	0.14
Leukemias	402	6.2	0.33	4.5	0.22	352	3.6	0.19	2.6	0.14
Other, Ill-defined & Unknown	952	14.7	0.51	10.3	0.34	1,017	10.1	0.32	7.0	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	3,767	118.3	2.04	77.8	1.27	3,115	78.7	1.45	53.4	0.97
Oral Cavity & Pharynx	126	3.3	0.32	2.5	0.23	50	1.2	0.18	0.9	0.12
Digestive System	1,556	47.9	1.29	31.9	0.81	1,026	26.9	0.86	17.3	0.55
Esophagus	113	3.2	0.32	2.3	0.22	24	0.6	0.13	0.4	0.09
Stomach	300	9.4	0.57	6.2	0.36	166	4.2	0.33	2.8	0.22
Colon & Rectum	375	12.1	0.66	7.7	0.40	307	7.9	0.46	5.1	0.29
Liver	403	11.4	0.60	8.2	0.41	117	3.2	0.30	2.0	0.19
Pancreas	234	7.5	0.52	4.8	0.32	267	7.3	0.46	4.5	0.28
Respiratory System	1,029	33.1	1.09	21.3	0.67	594	15.3	0.65	9.9	0.41
Larynx	32	1.0	0.19	0.7	0.12	-	-	-	-	-
Lung & bronchus	993	32.0	1.07	20.5	0.65	587	15.2	0.64	9.8	0.41
Skin	11	0.3	0.10	0.2	0.07	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	13	0.3	0.10	0.2	0.06
Breast	-	-	-	-	-	421	9.7	0.48	7.3	0.36
Female Genital System	-	-	-	-	-	357	8.4	0.46	6.2	0.33
Cervix uteri	-	-	-	-	-	71	1.7	0.20	1.2	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	90	2.2	0.24	1.6	0.17
Ovary	-	-	-	-	-	185	4.3	0.33	3.2	0.24
Male Genital System	178	6.8	0.54	3.7	0.28	-	-	-	-	-
Prostate	170	6.6	0.53	3.5	0.27	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	154	5.1	0.44	3.2	0.25	86	2.3	0.26	1.5	0.16
Bladder	79	2.9	0.34	1.6	0.18	34	1.0	0.17	0.6	0.10
Kidney & renal pelvis	72	2.1	0.27	1.4	0.17	45	1.1	0.18	0.8	0.12
Brain & Other Nervous System	70	1.8	0.23	1.5	0.18	72	1.7	0.20	1.4	0.16
Endocrine System	20	0.6	0.13	0.4	0.09	34	0.9	0.16	0.6	0.11
Thyroid gland	11	0.3	0.11	0.2	0.07	21	0.6	0.13	0.3	0.07
Lymphomas	144	4.5	0.40	3.0	0.25	101	2.7	0.27	1.7	0.17
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	49	1.5	0.23	1.0	0.14	43	1.1	0.18	0.8	0.12
Leukemias	152	4.6	0.40	3.3	0.27	103	2.5	0.26	1.8	0.19
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	50,183	210.6	0.97	141.6	0.64	43,758	140.3	0.68	97.5	0.49
Oral Cavity & Pharynx	1,043	4.1	0.13	3.0	0.09	438	1.4	0.07	1.0	0.05
Digestive System	12,977	52.5	0.48	37.0	0.33	9,626	30.7	0.32	20.8	0.22
Esophagus	1,732	6.8	0.17	4.9	0.12	410	1.3	0.06	0.9	0.05
Stomach	956	4.0	0.13	2.7	0.09	693	2.2	0.09	1.5	0.06
Colon & Rectum	4,057	17.0	0.28	11.6	0.18	3,658	11.7	0.20	7.8	0.14
Liver	2,068	7.7	0.17	5.9	0.13	636	2.0	0.08	1.4	0.06
Pancreas	3,121	12.7	0.23	8.8	0.16	2,944	9.4	0.17	6.2	0.12
Respiratory System	16,562	67.5	0.54	46.3	0.36	11,856	37.8	0.35	26.4	0.25
Larynx	511	2.0	0.09	1.4	0.06	147	0.5	0.04	0.3	0.03
Lung & bronchus	15,931	65.0	0.53	44.5	0.35	11,648	37.1	0.35	25.9	0.25
Skin	1,405	6.1	0.17	4.0	0.11	663	2.1	0.08	1.5	0.06
Melanomas of the skin	961	4.1	0.14	2.8	0.09	507	1.6	0.07	1.2	0.06
Breast	80	0.3	0.04	0.2	0.03	6,564	21.3	0.27	15.6	0.20
Female Genital System	-	-	-	-	-	4,483	14.4	0.22	10.4	0.16
Cervix uteri	-	-	-	-	-	591	2.1	0.09	1.6	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,429	4.5	0.12	3.2	0.09
Ovary	-	-	-	-	-	2,136	6.9	0.15	4.8	0.11
Male Genital System	4,432	21.1	0.33	11.9	0.18	-	-	-	-	-
Prostate	4,332	20.7	0.32	11.6	0.18	-	-	-	-	-
Testis	50	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,130	13.7	0.25	8.7	0.16	1,443	4.6	0.12	2.9	0.08
Bladder	1,618	7.4	0.19	4.4	0.11	674	2.1	0.08	1.3	0.05
Kidney & renal pelvis	1,433	5.9	0.16	4.1	0.11	700	2.2	0.08	1.5	0.06
Brain & Other Nervous System	1,352	5.5	0.15	4.2	0.12	1,084	3.6	0.11	2.7	0.09
Endocrine System	200	0.8	0.06	0.6	0.05	221	0.7	0.05	0.6	0.04
Thyroid gland	121	0.5	0.05	0.3	0.03	152	0.5	0.04	0.3	0.03
Lymphomas	1,756	7.7	0.19	5.0	0.12	1,444	4.6	0.12	3.0	0.08
Hodgkin Lymphoma	98	0.4	0.04	0.3	0.03	64	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,658	7.3	0.18	4.7	0.12	1,380	4.4	0.12	2.8	0.08
Multiple Myeloma	1,030	4.5	0.14	2.8	0.09	1,035	3.3	0.10	2.1	0.07
Leukemias	2,012	9.0	0.21	5.8	0.13	1,486	4.9	0.13	3.2	0.09
Other, Ill-defined & Unknown	4,204	17.8	0.28	12.0	0.19	3,415	10.9	0.19	7.5	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	39,281	203.4	1.05	136.0	0.70	33,783	137.2	0.76	94.8	0.55
Oral Cavity & Pharynx	761	3.7	0.14	2.7	0.10	358	1.4	0.08	1.0	0.06
Digestive System	9,743	49.1	0.51	34.3	0.35	7,028	28.3	0.34	19.1	0.24
Esophagus	1,442	7.0	0.19	5.1	0.14	295	1.2	0.07	0.8	0.05
Stomach	614	3.2	0.13	2.2	0.09	437	1.8	0.09	1.2	0.06
Colon & Rectum	3,015	15.7	0.29	10.6	0.20	2,677	10.8	0.21	7.2	0.15
Liver	1,485	7.1	0.19	5.3	0.14	469	1.9	0.09	1.3	0.06
Pancreas	2,403	12.1	0.25	8.3	0.17	2,185	8.8	0.19	5.8	0.13
Respiratory System	13,078	65.8	0.59	44.8	0.39	9,820	39.6	0.40	27.6	0.29
Larynx	334	1.6	0.09	1.2	0.06	124	0.5	0.05	0.4	0.03
Lung & bronchus	12,645	63.7	0.58	43.3	0.39	9,645	38.9	0.40	27.1	0.29
Skin	1,336	7.1	0.20	4.7	0.13	618	2.5	0.10	1.8	0.08
Melanomas of the skin	937	4.9	0.17	3.3	0.11	486	2.0	0.09	1.5	0.07
Breast	59	0.3	0.04	0.2	0.03	4,711	19.4	0.29	14.0	0.22
Female Genital System	-	-	-	-	-	3,313	13.6	0.24	9.8	0.18
Cervix uteri	-	-	-	-	-	392	1.8	0.10	1.5	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	926	3.7	0.12	2.6	0.09
Ovary	-	-	-	-	-	1,721	7.0	0.17	4.9	0.13
Male Genital System	3,092	17.9	0.33	9.9	0.18	-	-	-	-	-
Prostate	3,016	17.4	0.32	9.6	0.18	-	-	-	-	-
Testis	40	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,651	14.2	0.28	8.9	0.18	1,097	4.4	0.13	2.8	0.09
Bladder	1,417	7.8	0.21	4.6	0.12	509	2.0	0.09	1.2	0.06
Kidney & renal pelvis	1,164	6.0	0.18	4.1	0.12	529	2.1	0.09	1.4	0.07
Brain & Other Nervous System	1,196	6.1	0.18	4.7	0.14	932	3.9	0.13	3.0	0.11
Endocrine System	158	0.8	0.07	0.6	0.05	165	0.7	0.06	0.5	0.05
Thyroid gland	99	0.5	0.05	0.3	0.04	114	0.5	0.04	0.3	0.03
Lymphomas	1,513	8.1	0.21	5.2	0.14	1,211	4.8	0.14	3.0	0.09
Hodgkin Lymphoma	83	0.4	0.05	0.4	0.04	50	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	1,430	7.6	0.21	4.9	0.13	1,161	4.6	0.14	2.9	0.09
Multiple Myeloma	720	3.9	0.15	2.4	0.09	657	2.6	0.10	1.6	0.07
Leukemias	1,681	9.2	0.23	5.9	0.15	1,202	5.0	0.15	3.3	0.11
Other, Ill-defined & Unknown	3,293	17.2	0.31	11.6	0.21	2,671	10.8	0.21	7.3	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2011-2015, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,104	257.1	2.78	176.0	1.77	9,221	156.2	1.66	110.9	1.18
Oral Cavity & Pharynx	259	5.6	0.38	4.3	0.27	70	1.1	0.14	0.8	0.10
Digestive System	2,986	71.2	1.42	50.9	0.94	2,382	40.6	0.85	27.9	0.58
Esophagus	272	6.1	0.40	4.5	0.28	105	1.7	0.17	1.3	0.12
Stomach	310	7.8	0.48	5.4	0.31	226	4.0	0.27	2.6	0.18
Colon & Rectum	984	25.1	0.87	17.1	0.55	924	15.8	0.53	10.8	0.36
Liver	524	10.1	0.47	8.3	0.36	143	2.3	0.19	1.7	0.15
Pancreas	661	16.0	0.67	11.3	0.44	705	12.2	0.47	8.2	0.31
Respiratory System	3,227	78.6	1.50	55.5	0.99	1,848	31.4	0.75	22.3	0.53
Larynx	170	4.0	0.33	2.9	0.22	20	0.3	0.07	0.2	0.06
Lung & bronchus	3,037	74.2	1.46	52.3	0.96	1,818	30.9	0.74	21.9	0.52
Skin	62	1.6	0.21	1.1	0.14	44	0.7	0.11	0.5	0.08
Melanomas of the skin	21	0.6	0.14	0.4	0.08	20	0.4	0.08	0.2	0.05
Breast	20	0.5	0.13	0.3	0.08	1,743	28.7	0.70	21.8	0.53
Female Genital System	-	-	-	-	-	1,095	18.7	0.58	13.5	0.41
Cervix uteri	-	-	-	-	-	192	3.2	0.24	2.5	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	479	8.3	0.39	5.9	0.27
Ovary	-	-	-	-	-	374	6.4	0.34	4.5	0.24
Male Genital System	1,279	41.4	1.23	23.8	0.67	-	-	-	-	-
Prostate	1,257	40.8	1.22	23.5	0.67	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	444	12.0	0.62	7.9	0.38	317	5.4	0.31	3.6	0.21
Bladder	187	5.7	0.44	3.4	0.25	151	2.6	0.22	1.6	0.14
Kidney & renal pelvis	250	6.1	0.42	4.3	0.28	158	2.6	0.21	1.9	0.15
Brain & Other Nervous System	135	2.9	0.27	2.3	0.20	136	2.3	0.20	1.8	0.16
Endocrine System	38	0.8	0.15	0.7	0.11	50	0.9	0.13	0.6	0.09
Thyroid gland	20	0.5	0.11	0.3	0.08	35	0.6	0.11	0.4	0.07
Lymphomas	223	5.8	0.42	4.0	0.27	208	3.6	0.25	2.6	0.18
Hodgkin Lymphoma	14	0.3	0.08	0.3	0.07	14	0.2	0.06	0.2	0.06
Non-Hodgkin Lymphoma	209	5.5	0.41	3.7	0.26	194	3.3	0.24	2.4	0.18
Multiple Myeloma	291	7.7	0.49	5.1	0.30	369	6.4	0.34	4.2	0.22
Leukemias	295	7.8	0.49	5.3	0.31	261	4.6	0.29	3.1	0.20
Other, Ill-defined & Unknown	845	21.2	0.80	14.7	0.51	698	11.8	0.46	8.3	0.32

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	335	101.5	6.36	66.8	3.77	387	92.3	5.11	60.0	3.08
Oral Cavity & Pharynx	13	3.3	1.02	2.4	0.68	-	-	-	-	-
Digestive System	128	35.7	3.68	24.5	2.24	117	29.1	2.90	18.6	1.73
Esophagus	10	2.9	1.02	2.0	0.64	-	-	-	-	-
Stomach	20	7.4	1.88	4.4	1.01	17	3.9	1.05	2.6	0.63
Colon & Rectum	19	4.8	1.32	3.4	0.82	28	6.5	1.35	4.3	0.82
Liver	37	9.2	1.78	6.7	1.13	13	3.1	0.89	2.1	0.59
Pancreas	26	6.6	1.48	4.9	0.98	28	8.1	1.62	4.7	0.89
Respiratory System	83	25.7	3.13	17.1	1.92	85	21.0	2.45	13.5	1.48
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	79	24.6	3.06	16.3	1.88	84	20.6	2.42	13.3	1.47
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	59	12.2	1.74	8.7	1.14
Female Genital System	-	-	-	-	-	35	6.6	1.20	5.0	0.85
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	11	1.9	0.61	1.6	0.47
Ovary	-	-	-	-	-	20	3.7	0.90	2.8	0.64
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	6.4	1.88	3.5	0.93	14	4.2	1.18	2.3	0.62
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	3.4	1.14	2.2	0.65	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	3.1	1.01	2.1	0.66	17	4.4	1.15	2.7	0.66
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	12	4.0	1.23	2.5	0.73	-	-	-	-	-
Leukemias	18	6.1	1.70	3.7	0.92	13	2.8	0.85	2.0	0.55
Other, Ill-defined & Unknown	28	9.0	1.94	5.8	1.12	26	6.2	1.34	4.0	0.80

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,495	186.7	3.22	121.9	2.12	2,989	128.7	2.45	88.8	1.79
Oral Cavity & Pharynx	56	2.9	0.40	2.0	0.28	30	1.4	0.26	1.0	0.19
Digestive System	894	47.3	1.62	32.2	1.11	715	29.4	1.14	19.4	0.81
Esophagus	136	7.3	0.64	5.1	0.45	34	1.5	0.26	1.1	0.20
Stomach	57	3.1	0.41	2.0	0.28	48	2.1	0.31	1.4	0.22
Colon & Rectum	317	17.0	0.97	11.2	0.65	296	12.0	0.73	7.8	0.51
Liver	76	3.8	0.44	2.8	0.33	26	1.1	0.22	0.7	0.16
Pancreas	235	12.3	0.82	8.3	0.56	212	8.7	0.62	5.7	0.43
Respiratory System	978	52.5	1.71	34.4	1.12	716	31.9	1.23	22.3	0.89
Larynx	32	1.6	0.29	1.2	0.21	10	0.4	0.13	0.3	0.10
Lung & bronchus	940	50.6	1.68	33.0	1.10	700	31.3	1.21	21.9	0.88
Skin	86	4.5	0.50	3.2	0.35	41	1.8	0.30	1.4	0.24
Melanomas of the skin	67	3.5	0.44	2.5	0.31	28	1.4	0.26	1.1	0.22
Breast	-	-	-	-	-	398	17.5	0.92	12.5	0.70
Female Genital System	-	-	-	-	-	260	11.7	0.75	8.4	0.57
Cervix uteri	-	-	-	-	-	26	1.3	0.26	1.1	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	82	3.7	0.42	2.7	0.32
Ovary	-	-	-	-	-	123	5.6	0.52	3.9	0.38
Male Genital System	366	19.8	1.05	11.1	0.60	-	-	-	-	-
Prostate	358	19.4	1.04	10.7	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	245	13.2	0.86	8.3	0.55	111	4.6	0.46	3.0	0.32
Bladder	125	6.7	0.61	4.0	0.37	45	1.8	0.27	1.0	0.17
Kidney & renal pelvis	113	6.1	0.59	4.1	0.40	61	2.6	0.35	1.8	0.26
Brain & Other Nervous System	105	5.5	0.54	4.2	0.42	76	3.6	0.43	3.0	0.36
Endocrine System	15	0.7	0.20	0.5	0.14	19	0.9	0.21	0.7	0.17
Thyroid gland	-	-	-	-	-	13	0.5	0.15	0.3	0.11
Lymphomas	129	6.9	0.62	4.3	0.39	123	4.9	0.46	3.0	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	90	5.0	0.53	3.0	0.33	61	2.6	0.34	1.6	0.23
Leukemias	164	9.0	0.71	5.8	0.47	112	4.7	0.46	3.2	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	327	13.7	0.79	9.3	0.58

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,360	185.5	3.26	121.0	2.16	2,875	128.1	2.49	88.4	1.83
Oral Cavity & Pharynx	53	2.9	0.41	2.0	0.28	29	1.4	0.27	1.0	0.19
Digestive System	862	47.4	1.65	32.2	1.13	691	29.3	1.16	19.3	0.83
Esophagus	130	7.2	0.65	5.1	0.46	30	1.4	0.25	1.0	0.19
Stomach	54	3.0	0.42	2.0	0.28	47	2.1	0.31	1.3	0.22
Colon & Rectum	310	17.2	1.00	11.4	0.67	286	11.9	0.74	7.7	0.52
Liver	69	3.6	0.44	2.6	0.32	26	1.1	0.23	0.8	0.17
Pancreas	228	12.4	0.84	8.4	0.57	208	8.8	0.64	5.7	0.44
Respiratory System	935	51.8	1.72	33.8	1.13	678	31.4	1.24	21.9	0.90
Larynx	31	1.6	0.29	1.1	0.21	-	-	-	-	-
Lung & bronchus	898	49.9	1.69	32.5	1.11	663	30.7	1.23	21.5	0.89
Skin	86	4.7	0.51	3.3	0.36	41	1.9	0.31	1.4	0.26
Melanomas of the skin	67	3.7	0.46	2.6	0.33	28	1.4	0.28	1.1	0.24
Breast	-	-	-	-	-	385	17.5	0.94	12.5	0.72
Female Genital System	-	-	-	-	-	254	11.9	0.78	8.6	0.59
Cervix uteri	-	-	-	-	-	25	1.3	0.27	1.1	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	79	3.7	0.43	2.7	0.33
Ovary	-	-	-	-	-	122	5.7	0.54	4.1	0.40
Male Genital System	356	19.7	1.06	11.1	0.61	-	-	-	-	-
Prostate	348	19.3	1.04	10.6	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	232	12.9	0.86	8.1	0.55	102	4.3	0.45	2.8	0.31
Bladder	122	6.7	0.62	4.0	0.38	44	1.7	0.28	1.0	0.18
Kidney & renal pelvis	103	5.8	0.58	3.8	0.39	53	2.3	0.33	1.6	0.25
Brain & Other Nervous System	101	5.5	0.56	4.3	0.45	74	3.7	0.44	3.0	0.37
Endocrine System	15	0.8	0.21	0.6	0.16	19	0.9	0.22	0.7	0.18
Thyroid gland	-	-	-	-	-	13	0.5	0.16	0.4	0.11
Lymphomas	126	7.0	0.63	4.3	0.40	122	5.0	0.47	3.0	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	89	5.1	0.55	3.1	0.34	61	2.6	0.35	1.7	0.24
Leukemias	155	8.8	0.72	5.7	0.47	111	4.8	0.48	3.3	0.35
Other, Ill-defined & Unknown	-	-	-	-	-	308	13.4	0.80	9.1	0.59

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	13	103.2	40.31	67.8	21.27	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	11	145.5	51.62	88.0	28.89	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	65,758	216.0	0.86	145.0	0.58	60,458	153.5	0.64	106.8	0.47
Oral Cavity & Pharynx	1,340	4.1	0.12	3.1	0.09	523	1.3	0.06	0.9	0.04
Digestive System	17,366	55.9	0.43	38.7	0.30	13,331	33.2	0.29	22.3	0.21
Esophagus	2,859	9.0	0.17	6.5	0.12	683	1.7	0.07	1.2	0.05
Stomach	1,106	3.7	0.11	2.5	0.08	787	2.0	0.07	1.3	0.05
Colon & Rectum	5,791	19.2	0.26	12.8	0.17	5,383	13.4	0.19	8.8	0.13
Liver	2,190	6.6	0.14	4.9	0.11	807	2.0	0.07	1.4	0.05
Pancreas	4,136	13.3	0.21	9.2	0.14	4,099	10.2	0.16	6.9	0.11
Respiratory System	20,883	67.1	0.48	46.1	0.32	16,752	42.8	0.34	30.0	0.24
Larynx	698	2.2	0.08	1.6	0.06	219	0.6	0.04	0.4	0.03
Lung & bronchus	20,067	64.6	0.47	44.3	0.32	16,467	42.1	0.33	29.4	0.24
Skin	1,692	5.7	0.14	3.8	0.10	873	2.2	0.08	1.6	0.06
Melanomas of the skin	1,244	4.1	0.12	2.9	0.08	687	1.8	0.07	1.3	0.06
Breast	87	0.3	0.03	0.2	0.02	8,883	22.9	0.25	16.6	0.19
Female Genital System	-	-	-	-	-	6,104	15.8	0.21	11.6	0.16
Cervix uteri	-	-	-	-	-	815	2.4	0.09	2.0	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,986	5.0	0.11	3.6	0.08
Ovary	-	-	-	-	-	2,853	7.3	0.14	5.2	0.10
Male Genital System	5,628	20.0	0.27	11.4	0.15	-	-	-	-	-
Prostate	5,471	19.5	0.27	10.9	0.15	-	-	-	-	-
Testis	77	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,455	14.9	0.23	9.5	0.14	2,128	5.2	0.12	3.4	0.08
Bladder	2,554	8.8	0.18	5.2	0.11	1,005	2.4	0.08	1.5	0.05
Kidney & renal pelvis	1,798	5.7	0.14	4.0	0.10	1,053	2.7	0.08	1.8	0.06
Brain & Other Nervous System	1,738	5.6	0.14	4.4	0.11	1,304	3.5	0.10	2.8	0.08
Endocrine System	237	0.8	0.05	0.6	0.04	277	0.7	0.05	0.5	0.04
Thyroid gland	153	0.5	0.04	0.3	0.03	192	0.5	0.03	0.3	0.02
Lymphomas	2,597	8.8	0.18	5.7	0.11	2,086	5.2	0.12	3.3	0.08
Hodgkin Lymphoma	132	0.4	0.04	0.3	0.03	96	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,465	8.3	0.17	5.4	0.11	1,990	4.9	0.11	3.1	0.08
Multiple Myeloma	1,360	4.6	0.13	2.9	0.08	1,194	3.0	0.09	1.9	0.06
Leukemias	2,738	9.5	0.18	6.1	0.12	2,114	5.4	0.12	3.6	0.09
Other, Ill-defined & Unknown	5,637	18.8	0.26	12.6	0.17	4,889	12.3	0.18	8.4	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	58,610	214.6	0.90	143.8	0.61	53,264	152.4	0.68	105.8	0.50
Oral Cavity & Pharynx	1,189	4.1	0.12	3.1	0.09	481	1.4	0.06	0.9	0.05
Digestive System	15,252	55.0	0.45	37.9	0.31	11,561	32.3	0.31	21.6	0.22
Esophagus	2,671	9.4	0.19	6.8	0.13	600	1.7	0.07	1.1	0.05
Stomach	891	3.3	0.11	2.2	0.08	616	1.7	0.07	1.1	0.05
Colon & Rectum	5,117	18.9	0.27	12.6	0.18	4,739	13.2	0.20	8.7	0.14
Liver	1,750	6.0	0.15	4.4	0.11	662	1.9	0.07	1.3	0.05
Pancreas	3,683	13.3	0.22	9.1	0.15	3,547	9.9	0.17	6.7	0.12
Respiratory System	18,622	66.7	0.50	45.7	0.34	14,832	42.8	0.36	30.0	0.26
Larynx	602	2.1	0.09	1.5	0.06	186	0.5	0.04	0.4	0.03
Lung & bronchus	17,909	64.2	0.49	44.0	0.33	14,588	42.1	0.36	29.4	0.26
Skin	1,658	6.2	0.16	4.2	0.11	855	2.5	0.09	1.8	0.07
Melanomas of the skin	1,231	4.6	0.13	3.2	0.10	676	2.0	0.08	1.5	0.06
Breast	77	0.3	0.03	0.2	0.02	7,614	22.1	0.26	15.9	0.20
Female Genital System	-	-	-	-	-	5,415	15.9	0.22	11.6	0.17
Cervix uteri	-	-	-	-	-	687	2.4	0.09	2.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,695	4.8	0.12	3.4	0.09
Ovary	-	-	-	-	-	2,618	7.6	0.15	5.4	0.11
Male Genital System	4,706	18.5	0.27	10.4	0.16	-	-	-	-	-
Prostate	4,566	17.9	0.27	10.0	0.15	-	-	-	-	-
Testis	71	0.3	0.04	0.3	0.03	-	-	-	-	-
Urinary System	4,111	15.3	0.24	9.7	0.15	1,912	5.3	0.12	3.4	0.08
Bladder	2,384	9.1	0.19	5.4	0.11	908	2.4	0.08	1.5	0.05
Kidney & renal pelvis	1,629	5.8	0.15	4.0	0.10	938	2.6	0.09	1.8	0.06
Brain & Other Nervous System	1,633	5.9	0.15	4.6	0.12	1,207	3.7	0.11	3.0	0.09
Endocrine System	204	0.7	0.05	0.5	0.04	247	0.7	0.05	0.5	0.04
Thyroid gland	136	0.5	0.04	0.3	0.03	174	0.5	0.04	0.3	0.02
Lymphomas	2,430	9.1	0.19	5.9	0.12	1,939	5.4	0.13	3.4	0.09
Hodgkin Lymphoma	123	0.5	0.04	0.4	0.03	88	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	2,307	8.7	0.18	5.6	0.12	1,851	5.1	0.12	3.2	0.08
Multiple Myeloma	1,147	4.3	0.13	2.7	0.08	984	2.7	0.09	1.8	0.06
Leukemias	2,533	9.7	0.20	6.3	0.13	1,918	5.4	0.13	3.6	0.09
Other, Ill-defined & Unknown	5,048	18.8	0.27	12.5	0.18	4,299	12.1	0.19	8.3	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,772	248.9	3.17	170.5	2.09	6,797	174.1	2.15	123.1	1.54
Oral Cavity & Pharynx	142	4.7	0.41	3.5	0.30	38	0.9	0.16	0.7	0.12
Digestive System	1,988	69.4	1.64	49.5	1.12	1,653	42.5	1.06	29.1	0.74
Esophagus	178	6.2	0.49	4.4	0.33	79	2.0	0.23	1.4	0.16
Stomach	201	7.6	0.56	5.1	0.37	150	4.0	0.33	2.6	0.22
Colon & Rectum	644	23.6	0.98	16.1	0.64	604	15.6	0.64	10.9	0.46
Liver	401	11.8	0.62	9.7	0.49	139	3.4	0.30	2.5	0.22
Pancreas	432	15.5	0.78	10.8	0.53	520	13.4	0.60	8.8	0.40
Respiratory System	2,152	77.6	1.75	54.4	1.18	1,821	46.6	1.11	32.6	0.78
Larynx	90	3.1	0.34	2.3	0.24	31	0.8	0.15	0.6	0.11
Lung & bronchus	2,055	74.4	1.72	51.9	1.15	1,784	45.7	1.10	32.0	0.77
Skin	32	1.1	0.20	0.8	0.14	15	0.4	0.10	0.3	0.07
Melanomas of the skin	11	0.4	0.13	0.3	0.08	-	-	-	-	-
Breast	10	0.4	0.13	0.3	0.08	1,214	30.8	0.90	22.9	0.68
Female Genital System	-	-	-	-	-	644	16.4	0.66	12.2	0.49
Cervix uteri	-	-	-	-	-	120	3.2	0.29	2.6	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	278	7.0	0.43	5.2	0.32
Ovary	-	-	-	-	-	215	5.5	0.38	3.9	0.27
Male Genital System	896	38.9	1.34	22.6	0.76	-	-	-	-	-
Prostate	879	38.3	1.33	22.2	0.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	330	12.1	0.70	8.4	0.46	210	5.5	0.39	3.7	0.26
Bladder	160	6.4	0.52	4.1	0.32	94	2.5	0.26	1.6	0.17
Kidney & renal pelvis	165	5.5	0.45	4.2	0.33	112	3.0	0.29	2.0	0.20
Brain & Other Nervous System	93	2.9	0.32	2.4	0.25	87	2.2	0.24	1.8	0.19
Endocrine System	26	0.9	0.19	0.7	0.13	30	0.8	0.14	0.5	0.10
Thyroid gland	17	0.6	0.16	0.4	0.11	18	0.5	0.11	0.3	0.07
Lymphomas	152	5.3	0.45	3.9	0.32	135	3.4	0.30	2.4	0.22
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	208	8.1	0.59	5.2	0.36	202	5.2	0.37	3.4	0.25
Leukemias	186	7.0	0.54	4.8	0.36	184	4.8	0.36	3.5	0.27
Other, Ill-defined & Unknown	557	20.3	0.90	14.1	0.60	564	14.4	0.62	10.0	0.44

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
	All Sites	329	96.7	5.88	63.7	3.55	358	80.0	4.46	54.8
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	116	28.7	2.88	21.3	1.99	103	23.3	2.42	15.8	1.56
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	14	3.2	0.90	2.5	0.66	19	4.3	1.05	2.8	0.65
Colon & Rectum	27	7.4	1.58	5.1	0.99	34	7.7	1.39	5.2	0.89
Liver	36	8.5	1.52	6.5	1.10	-	-	-	-	-
Pancreas	19	4.9	1.21	3.6	0.82	28	6.0	1.19	4.3	0.81
Respiratory System	91	29.2	3.34	18.3	1.93	85	19.7	2.25	13.2	1.43
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	87	28.0	3.29	17.5	1.89	82	19.0	2.21	12.7	1.41
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	50	11.0	1.65	7.5	1.06
Female Genital System	-	-	-	-	-	44	8.5	1.34	6.7	1.01
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	13	2.8	0.81	2.0	0.56
Ovary	-	-	-	-	-	20	3.7	0.85	3.0	0.68
Male Genital System	22	8.7	1.98	4.7	1.01	-	-	-	-	-
Prostate	22	8.7	1.98	4.7	1.01	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	4.4	1.41	2.4	0.73	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	2.6	0.92	1.8	0.58	10	1.9	0.63	1.4	0.46
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	13	4.7	1.44	2.7	0.76	11	3.0	0.93	1.6	0.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	18	4.9	1.23	3.4	0.81	12	2.1	0.63	1.9	0.56
Other, Ill-defined & Unknown	27	8.5	1.83	5.3	1.03	25	6.1	1.29	3.8	0.77

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	21,706	225.3	1.56	153.4	1.05	18,584	156.5	1.17	110.0	0.85
Oral Cavity & Pharynx	468	4.6	0.22	3.4	0.16	162	1.3	0.10	0.9	0.07
Digestive System	5,563	56.3	0.77	40.0	0.54	3,987	33.0	0.53	22.7	0.38
Esophagus	755	7.4	0.27	5.5	0.20	161	1.3	0.11	0.9	0.08
Stomach	374	3.9	0.21	2.7	0.14	215	1.8	0.13	1.3	0.09
Colon & Rectum	2,012	20.9	0.48	14.5	0.33	1,697	14.1	0.35	9.7	0.25
Liver	905	8.6	0.29	6.6	0.22	376	3.0	0.16	2.1	0.11
Pancreas	1,201	12.3	0.36	8.5	0.25	1,177	9.7	0.29	6.6	0.20
Respiratory System	7,093	72.3	0.88	49.7	0.59	5,410	45.2	0.62	31.9	0.45
Larynx	190	1.9	0.14	1.3	0.10	45	0.4	0.06	0.3	0.04
Lung & bronchus	6,863	70.0	0.86	48.1	0.58	5,340	44.6	0.62	31.5	0.44
Skin	639	6.7	0.27	4.6	0.18	277	2.4	0.15	1.6	0.11
Melanomas of the skin	430	4.5	0.22	3.2	0.16	206	1.8	0.13	1.3	0.10
Breast	26	0.3	0.05	0.2	0.04	2,682	23.0	0.45	16.7	0.34
Female Genital System	-	-	-	-	-	1,842	15.9	0.38	11.8	0.29
Cervix uteri	-	-	-	-	-	300	3.0	0.18	2.5	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	484	4.0	0.19	3.0	0.14
Ovary	-	-	-	-	-	942	7.9	0.26	5.7	0.19
Male Genital System	1,858	21.2	0.50	12.2	0.29	-	-	-	-	-
Prostate	1,798	20.5	0.49	11.7	0.28	-	-	-	-	-
Testis	39	0.4	0.07	0.4	0.06	-	-	-	-	-
Urinary System	1,496	15.9	0.42	10.4	0.27	669	5.5	0.22	3.7	0.15
Bladder	737	8.2	0.31	4.9	0.18	265	2.2	0.14	1.4	0.09
Kidney & renal pelvis	730	7.4	0.28	5.2	0.19	380	3.1	0.16	2.2	0.12
Brain & Other Nervous System	571	5.8	0.25	4.5	0.20	435	3.8	0.19	2.9	0.15
Endocrine System	79	0.8	0.09	0.6	0.07	78	0.7	0.08	0.5	0.06
Thyroid gland	49	0.5	0.07	0.3	0.05	52	0.4	0.06	0.3	0.04
Lymphomas	800	8.6	0.31	5.6	0.20	611	5.1	0.21	3.3	0.14
Hodgkin Lymphoma	37	0.4	0.07	0.3	0.05	35	0.3	0.05	0.3	0.05
Non-Hodgkin Lymphoma	763	8.2	0.30	5.4	0.20	576	4.8	0.20	3.1	0.14
Multiple Myeloma	391	4.2	0.22	2.7	0.14	326	2.7	0.15	1.7	0.10
Leukemias	942	10.2	0.34	6.7	0.22	693	5.9	0.23	3.9	0.16
Other, Ill-defined & Unknown	1,780	18.5	0.45	12.8	0.31	1,412	12.0	0.33	8.4	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,819	223.8	1.66	152.5	1.13	15,996	155.6	1.26	109.3	0.93
Oral Cavity & Pharynx	401	4.5	0.23	3.4	0.17	143	1.3	0.11	0.9	0.08
Digestive System	4,667	54.5	0.81	38.6	0.58	3,309	31.6	0.56	21.6	0.40
Esophagus	674	7.6	0.30	5.7	0.22	135	1.3	0.11	0.9	0.08
Stomach	285	3.4	0.21	2.3	0.14	166	1.6	0.13	1.1	0.09
Colon & Rectum	1,688	20.2	0.50	13.9	0.35	1,410	13.5	0.37	9.2	0.26
Liver	721	8.0	0.30	6.2	0.23	296	2.7	0.16	1.9	0.12
Pancreas	1,039	12.2	0.39	8.4	0.26	996	9.5	0.30	6.4	0.21
Respiratory System	6,209	72.3	0.93	49.7	0.64	4,741	45.7	0.67	32.3	0.49
Larynx	160	1.8	0.15	1.3	0.10	41	0.4	0.06	0.3	0.05
Lung & bronchus	6,014	70.1	0.92	48.1	0.63	4,677	45.1	0.67	31.9	0.49
Skin	601	7.2	0.30	5.0	0.21	259	2.6	0.16	1.8	0.12
Melanomas of the skin	410	5.0	0.25	3.5	0.18	195	2.0	0.15	1.4	0.11
Breast	22	0.3	0.06	0.2	0.04	2,287	22.7	0.49	16.5	0.37
Female Genital System	-	-	-	-	-	1,576	15.9	0.41	11.8	0.32
Cervix uteri	-	-	-	-	-	239	2.9	0.20	2.4	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	397	3.8	0.20	2.8	0.15
Ovary	-	-	-	-	-	832	8.1	0.29	5.8	0.21
Male Genital System	1,557	19.9	0.51	11.5	0.30	-	-	-	-	-
Prostate	1,503	19.2	0.50	10.9	0.28	-	-	-	-	-
Testis	35	0.5	0.08	0.4	0.07	-	-	-	-	-
Urinary System	1,329	16.1	0.45	10.5	0.29	567	5.3	0.23	3.6	0.16
Bladder	680	8.5	0.33	5.1	0.20	232	2.2	0.15	1.4	0.10
Kidney & renal pelvis	621	7.2	0.30	5.1	0.21	312	2.9	0.17	2.1	0.13
Brain & Other Nervous System	514	6.1	0.28	4.8	0.22	392	4.0	0.21	3.1	0.17
Endocrine System	65	0.8	0.10	0.6	0.08	66	0.7	0.09	0.5	0.06
Thyroid gland	40	0.5	0.08	0.3	0.05	45	0.4	0.07	0.3	0.04
Lymphomas	724	8.8	0.33	5.8	0.22	551	5.3	0.23	3.4	0.16
Hodgkin Lymphoma	31	0.4	0.07	0.2	0.05	33	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	693	8.5	0.33	5.6	0.22	518	4.9	0.22	3.1	0.15
Multiple Myeloma	333	4.1	0.23	2.6	0.14	270	2.5	0.15	1.6	0.10
Leukemias	842	10.5	0.37	6.9	0.25	615	6.0	0.25	4.0	0.18
Other, Ill-defined & Unknown	1,555	18.6	0.48	12.9	0.34	1,220	12.1	0.35	8.4	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,332	271.6	8.17	183.4	5.10	1,155	175.8	5.32	123.9	3.69
Oral Cavity & Pharynx	33	5.7	1.09	4.3	0.76	11	1.7	0.53	1.1	0.32
Digestive System	388	73.6	4.10	52.1	2.68	282	42.0	2.58	29.5	1.78
Esophagus	31	6.1	1.20	4.2	0.76	12	1.7	0.51	1.2	0.36
Stomach	47	9.7	1.53	6.5	0.96	17	2.7	0.67	1.7	0.43
Colon & Rectum	147	27.8	2.50	19.8	1.66	119	17.4	1.64	12.5	1.16
Liver	63	10.7	1.50	8.1	1.03	21	2.8	0.62	2.2	0.48
Pancreas	74	12.9	1.65	9.6	1.14	88	13.3	1.46	9.1	0.98
Respiratory System	425	82.3	4.35	58.0	2.85	264	40.9	2.59	28.2	1.75
Larynx	17	3.5	0.92	2.4	0.60	-	-	-	-	-
Lung & bronchus	406	78.4	4.24	55.3	2.78	261	40.5	2.58	27.9	1.74
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	225	33.1	2.26	24.8	1.68
Female Genital System	-	-	-	-	-	121	18.7	1.74	13.3	1.23
Cervix uteri	-	-	-	-	-	24	3.6	0.76	2.9	0.60
Corpus & uterus, NOS ¹	-	-	-	-	-	47	7.1	1.06	5.0	0.74
Ovary	-	-	-	-	-	45	7.2	1.10	4.9	0.74
Male Genital System	175	47.8	3.82	26.6	2.03	-	-	-	-	-
Prostate	171	46.8	3.78	26.0	2.00	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	13.8	1.98	8.3	1.11	40	6.5	1.06	4.3	0.69
Bladder	26	7.4	1.53	4.0	0.79	15	2.6	0.69	1.5	0.40
Kidney & renal pelvis	29	6.1	1.22	4.1	0.77	24	3.7	0.77	2.6	0.54
Brain & Other Nervous System	20	3.0	0.75	2.5	0.57	16	2.5	0.66	1.9	0.47
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	26	4.7	1.01	3.4	0.68	26	4.1	0.82	2.7	0.53
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	36	7.5	1.38	5.0	0.84	38	5.7	0.96	4.0	0.66
Leukemias	45	9.1	1.53	6.1	0.93	39	6.2	1.02	4.3	0.70
Other, Ill-defined & Unknown	109	21.2	2.24	14.7	1.43	86	13.2	1.46	9.1	1.00

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	116	102.8	10.82	69.3	6.58	184	114.8	9.05	77.9	5.77
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	51	45.0	7.07	30.5	4.38	60	39.6	5.49	25.5	3.31
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	11	6.6	2.15	4.5	1.37
Colon & Rectum	14	11.2	3.53	7.9	2.15	18	11.8	2.95	7.7	1.83
Liver	14	12.1	3.59	8.4	2.28	13	8.9	2.67	5.5	1.52
Pancreas	-	-	-	-	-	11	8.1	2.59	4.9	1.49
Respiratory System	26	22.5	4.94	15.4	3.10	48	33.4	5.05	21.4	3.10
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	26	22.5	4.94	15.4	3.10	48	33.4	5.05	21.4	3.10
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	24	12.4	2.69	9.6	1.98
Female Genital System	-	-	-	-	-	18	9.2	2.26	7.2	1.70
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,651	193.1	1.38	127.3	0.91	18,738	143.9	1.08	98.4	0.77
Oral Cavity & Pharynx	429	3.7	0.19	2.7	0.13	219	1.7	0.11	1.1	0.08
Digestive System	5,773	52.3	0.71	36.4	0.49	4,209	31.9	0.51	21.5	0.35
Esophagus	866	7.8	0.27	5.5	0.19	222	1.7	0.12	1.1	0.08
Stomach	365	3.4	0.18	2.4	0.13	226	1.8	0.12	1.3	0.09
Colon & Rectum	1,698	16.1	0.40	10.6	0.27	1,583	12.0	0.31	7.8	0.21
Liver	934	7.6	0.26	6.0	0.20	301	2.2	0.13	1.6	0.09
Pancreas	1,423	13.0	0.35	8.8	0.24	1,274	9.7	0.28	6.5	0.19
Respiratory System	5,395	49.9	0.70	33.1	0.46	4,964	38.3	0.56	25.7	0.38
Larynx	129	1.1	0.10	0.8	0.07	31	0.2	0.04	0.2	0.03
Lung & bronchus	5,213	48.3	0.69	31.9	0.45	4,900	37.8	0.55	25.3	0.38
Skin	625	5.9	0.24	4.0	0.16	318	2.5	0.15	1.8	0.11
Melanomas of the skin	452	4.2	0.20	2.9	0.14	247	2.0	0.13	1.5	0.10
Breast	30	0.3	0.05	0.2	0.03	2,618	20.2	0.41	14.7	0.30
Female Genital System	-	-	-	-	-	2,141	16.8	0.37	12.0	0.28
Cervix uteri	-	-	-	-	-	224	2.0	0.14	1.6	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	608	4.7	0.19	3.3	0.14
Ovary	-	-	-	-	-	1,138	8.8	0.27	6.2	0.19
Male Genital System	2,133	21.4	0.47	11.9	0.26	-	-	-	-	-
Prostate	2,102	21.1	0.47	11.6	0.26	-	-	-	-	-
Testis	14	0.1	0.04	0.1	0.04	-	-	-	-	-
Urinary System	1,456	14.0	0.37	8.6	0.23	635	4.7	0.19	3.0	0.13
Bladder	804	8.0	0.29	4.6	0.16	295	2.2	0.13	1.3	0.08
Kidney & renal pelvis	609	5.6	0.23	3.7	0.15	316	2.4	0.14	1.6	0.10
Brain & Other Nervous System	696	6.3	0.25	5.0	0.20	511	4.2	0.19	3.2	0.15
Endocrine System	108	1.0	0.10	0.8	0.08	86	0.7	0.08	0.5	0.06
Thyroid gland	74	0.7	0.08	0.5	0.05	60	0.5	0.06	0.3	0.04
Lymphomas	851	8.2	0.29	5.2	0.18	661	4.9	0.20	3.1	0.13
Hodgkin Lymphoma	53	0.5	0.07	0.4	0.05	27	0.2	0.04	0.2	0.04
Non-Hodgkin Lymphoma	798	7.7	0.28	4.9	0.18	634	4.7	0.19	2.9	0.12
Multiple Myeloma	477	4.6	0.21	2.9	0.13	363	2.7	0.15	1.7	0.10
Leukemias	904	8.9	0.30	5.7	0.20	577	4.5	0.19	3.0	0.14
Other, Ill-defined & Unknown	1,774	16.7	0.41	11.1	0.27	1,436	10.9	0.30	7.2	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,754	194.8	1.42	128.5	0.94	17,926	145.7	1.12	99.7	0.80
Oral Cavity & Pharynx	415	3.8	0.19	2.8	0.14	208	1.7	0.12	1.1	0.08
Digestive System	5,432	52.1	0.73	36.2	0.50	3,961	31.8	0.52	21.3	0.36
Esophagus	845	8.1	0.29	5.7	0.20	212	1.7	0.12	1.1	0.08
Stomach	318	3.2	0.18	2.2	0.13	200	1.7	0.12	1.2	0.09
Colon & Rectum	1,610	16.1	0.41	10.7	0.27	1,503	12.1	0.32	7.9	0.22
Liver	833	7.2	0.26	5.7	0.20	256	2.0	0.13	1.4	0.09
Pancreas	1,371	13.2	0.36	9.0	0.25	1,217	9.8	0.29	6.6	0.20
Respiratory System	5,173	50.4	0.72	33.4	0.47	4,775	38.9	0.58	26.1	0.39
Larynx	122	1.1	0.11	0.8	0.07	31	0.3	0.05	0.2	0.03
Lung & bronchus	4,999	48.7	0.71	32.2	0.46	4,711	38.3	0.57	25.8	0.39
Skin	619	6.1	0.25	4.2	0.17	312	2.6	0.15	1.9	0.12
Melanomas of the skin	449	4.4	0.21	3.1	0.15	243	2.1	0.14	1.6	0.11
Breast	30	0.3	0.06	0.2	0.04	2,502	20.5	0.42	14.9	0.32
Female Genital System	-	-	-	-	-	2,044	17.0	0.39	12.2	0.29
Cervix uteri	-	-	-	-	-	205	2.0	0.14	1.6	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	579	4.7	0.20	3.3	0.15
Ovary	-	-	-	-	-	1,092	8.9	0.28	6.3	0.20
Male Genital System	2,059	21.6	0.48	12.0	0.27	-	-	-	-	-
Prostate	2,029	21.3	0.48	11.7	0.27	-	-	-	-	-
Testis	13	0.1	0.04	0.1	0.04	-	-	-	-	-
Urinary System	1,418	14.3	0.39	8.8	0.24	620	4.8	0.20	3.1	0.14
Bladder	794	8.2	0.30	4.8	0.17	292	2.2	0.13	1.3	0.08
Kidney & renal pelvis	584	5.6	0.24	3.8	0.16	304	2.4	0.14	1.7	0.10
Brain & Other Nervous System	674	6.6	0.26	5.2	0.21	500	4.4	0.20	3.4	0.17
Endocrine System	103	1.1	0.11	0.8	0.08	79	0.7	0.08	0.5	0.06
Thyroid gland	71	0.7	0.09	0.5	0.06	55	0.4	0.06	0.3	0.04
Lymphomas	813	8.3	0.30	5.2	0.19	644	5.1	0.21	3.1	0.14
Hodgkin Lymphoma	50	0.5	0.07	0.4	0.06	27	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	763	7.8	0.29	4.9	0.18	617	4.8	0.20	3.0	0.13
Multiple Myeloma	452	4.5	0.22	2.8	0.14	350	2.8	0.15	1.7	0.10
Leukemias	871	9.0	0.31	5.8	0.20	547	4.5	0.20	3.0	0.15
Other, Ill-defined & Unknown	1,695	16.8	0.42	11.2	0.28	1,384	11.1	0.31	7.3	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	341	236.1	14.48	163.1	9.14	245	156.5	10.34	110.0	7.11
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	121	79.8	8.20	57.4	5.40	65	42.4	5.44	28.9	3.63
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	18	11.1	2.98	8.2	1.98	-	-	-	-	-
Colon & Rectum	40	28.2	5.00	19.7	3.22	24	16.6	3.50	10.4	2.15
Liver	33	20.4	4.07	15.0	2.71	-	-	-	-	-
Pancreas	22	15.6	3.61	11.1	2.42	20	12.8	2.97	9.4	2.11
Respiratory System	80	54.7	6.95	38.6	4.48	62	41.2	5.41	28.1	3.61
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	75	51.2	6.76	36.0	4.33	62	41.2	5.41	28.1	3.61
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	48	28.8	4.28	21.1	3.09
Female Genital System	-	-	-	-	-	20	12.9	2.96	9.7	2.18
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	10	6.3	2.03	4.8	1.53
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	47	41.3	6.66	24.9	3.74	-	-	-	-	-
Prostate	47	41.3	6.66	24.9	3.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	18	12.7	3.40	8.5	2.07	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	13	8.4	2.68	5.8	1.64	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	5.8	1.91	4.6	1.42	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	9.8	2.93	6.6	1.86	-	-	-	-	-
Leukemias	-	-	-	-	-	10	6.2	2.03	4.2	1.34
Other, Ill-defined & Unknown	26	19.6	4.32	12.2	2.45	17	11.1	2.79	7.5	1.84

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	383	130.8	7.07	85.4	4.39	412	95.3	4.86	66.2	3.30
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	168	55.8	4.55	37.5	2.91	139	32.1	2.82	22.2	1.90
Esophagus	10	2.6	0.86	2.1	0.68	-	-	-	-	-
Stomach	26	9.5	1.95	5.9	1.17	19	4.1	0.98	3.2	0.74
Colon & Rectum	34	12.3	2.22	7.6	1.32	35	7.8	1.36	5.6	0.95
Liver	57	16.9	2.35	12.5	1.67	30	7.3	1.37	4.6	0.85
Pancreas	17	6.1	1.57	3.9	0.94	32	8.2	1.49	5.1	0.92
Respiratory System	92	33.8	3.68	20.8	2.19	86	21.8	2.41	13.8	1.52
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	89	32.6	3.61	20.1	2.14	86	21.8	2.41	13.8	1.52
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	46	9.9	1.52	7.6	1.13
Female Genital System	-	-	-	-	-	57	11.9	1.63	9.3	1.24
Cervix uteri	-	-	-	-	-	10	1.9	0.60	1.6	0.50
Corpus & uterus, NOS ¹	-	-	-	-	-	18	3.5	0.85	3.0	0.70
Ovary	-	-	-	-	-	27	6.2	1.23	4.4	0.85
Male Genital System	13	5.2	1.51	2.9	0.81	-	-	-	-	-
Prostate	13	5.2	1.51	2.9	0.81	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	4.0	1.30	2.4	0.75	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	2.7	0.78	2.5	0.73	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	18	6.1	1.52	4.0	0.94	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	16	6.1	1.61	3.6	0.91	13	2.9	0.84	2.1	0.58
Other, Ill-defined & Unknown	33	10.3	1.93	7.0	1.22	28	6.6	1.30	4.3	0.83

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	74,229	207.1	0.77	137.7	0.52	69,466	147.1	0.58	101.5	0.42
Oral Cavity & Pharynx	1,276	3.4	0.10	2.5	0.07	566	1.2	0.05	0.8	0.04
Digestive System	20,343	55.8	0.40	38.5	0.28	15,927	32.8	0.27	21.8	0.19
Esophagus	3,205	8.6	0.16	6.2	0.11	784	1.6	0.06	1.1	0.04
Stomach	1,372	3.9	0.11	2.6	0.07	904	1.9	0.07	1.2	0.05
Colon & Rectum	6,524	18.4	0.23	12.2	0.16	6,493	13.2	0.17	8.6	0.12
Liver	2,727	7.0	0.14	5.3	0.10	956	2.0	0.07	1.4	0.05
Pancreas	4,999	13.7	0.20	9.4	0.14	4,902	10.1	0.15	6.7	0.10
Respiratory System	21,554	59.4	0.41	40.1	0.28	17,364	37.1	0.29	25.8	0.21
Larynx	727	1.9	0.07	1.4	0.05	207	0.4	0.03	0.3	0.02
Lung & bronchus	20,699	57.1	0.40	38.5	0.27	17,073	36.5	0.29	25.4	0.21
Skin	1,933	5.5	0.13	3.6	0.09	1,061	2.3	0.07	1.6	0.05
Melanomas of the skin	1,410	4.0	0.11	2.7	0.08	826	1.8	0.07	1.3	0.05
Breast	106	0.3	0.03	0.2	0.02	10,054	21.9	0.23	15.8	0.17
Female Genital System	-	-	-	-	-	7,544	16.5	0.20	12.0	0.15
Cervix uteri	-	-	-	-	-	855	2.2	0.08	1.8	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	2,565	5.4	0.11	3.9	0.08
Ovary	-	-	-	-	-	3,541	7.7	0.13	5.5	0.10
Male Genital System	6,772	19.7	0.24	11.1	0.14	-	-	-	-	-
Prostate	6,609	19.2	0.24	10.7	0.14	-	-	-	-	-
Testis	77	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	5,033	14.3	0.20	8.9	0.13	2,552	5.1	0.10	3.2	0.07
Bladder	2,953	8.5	0.16	5.0	0.09	1,248	2.4	0.07	1.4	0.05
Kidney & renal pelvis	1,946	5.4	0.12	3.7	0.09	1,207	2.5	0.07	1.7	0.05
Brain & Other Nervous System	1,869	5.2	0.12	4.1	0.10	1,500	3.5	0.09	2.8	0.08
Endocrine System	290	0.8	0.05	0.6	0.04	334	0.7	0.04	0.5	0.03
Thyroid gland	188	0.5	0.04	0.4	0.03	231	0.5	0.03	0.3	0.02
Lymphomas	2,990	8.5	0.16	5.5	0.10	2,457	5.0	0.10	3.2	0.07
Hodgkin Lymphoma	133	0.4	0.03	0.3	0.03	124	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,857	8.1	0.15	5.2	0.10	2,333	4.7	0.10	3.0	0.07
Multiple Myeloma	1,494	4.3	0.11	2.7	0.07	1,295	2.7	0.08	1.7	0.05
Leukemias	3,248	9.3	0.17	6.0	0.11	2,519	5.4	0.11	3.6	0.08
Other, Ill-defined & Unknown	7,321	20.5	0.24	13.7	0.17	6,293	13.0	0.17	8.8	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	66,838	205.0	0.81	136.0	0.55	61,521	144.7	0.61	99.5	0.45
Oral Cavity & Pharynx	1,142	3.4	0.10	2.5	0.08	509	1.2	0.05	0.8	0.04
Digestive System	17,961	54.4	0.41	37.4	0.29	13,939	31.7	0.28	21.0	0.20
Esophagus	3,026	9.0	0.17	6.4	0.12	683	1.6	0.06	1.1	0.04
Stomach	1,122	3.5	0.11	2.3	0.07	733	1.7	0.07	1.1	0.05
Colon & Rectum	5,817	18.0	0.24	11.9	0.16	5,787	13.0	0.18	8.4	0.13
Liver	2,121	6.1	0.13	4.5	0.10	774	1.8	0.07	1.2	0.05
Pancreas	4,533	13.7	0.21	9.4	0.14	4,282	9.8	0.15	6.5	0.11
Respiratory System	19,421	58.8	0.43	39.7	0.29	15,448	36.7	0.30	25.5	0.22
Larynx	633	1.9	0.08	1.3	0.05	176	0.4	0.03	0.3	0.02
Lung & bronchus	18,670	56.6	0.42	38.1	0.28	15,194	36.1	0.30	25.1	0.22
Skin	1,894	5.9	0.14	4.0	0.10	1,030	2.5	0.08	1.7	0.06
Melanomas of the skin	1,392	4.4	0.12	3.0	0.08	806	2.0	0.08	1.5	0.06
Breast	90	0.3	0.03	0.2	0.02	8,727	21.1	0.24	15.2	0.18
Female Genital System	-	-	-	-	-	6,575	16.1	0.21	11.6	0.16
Cervix uteri	-	-	-	-	-	686	2.0	0.08	1.7	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	2,134	5.0	0.11	3.6	0.08
Ovary	-	-	-	-	-	3,222	7.8	0.14	5.6	0.11
Male Genital System	5,777	18.3	0.24	10.2	0.14	-	-	-	-	-
Prostate	5,631	17.8	0.24	9.8	0.13	-	-	-	-	-
Testis	71	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	4,691	14.5	0.21	9.1	0.14	2,297	5.0	0.11	3.2	0.07
Bladder	2,780	8.7	0.17	5.1	0.10	1,108	2.3	0.07	1.4	0.05
Kidney & renal pelvis	1,784	5.4	0.13	3.7	0.09	1,099	2.5	0.08	1.7	0.06
Brain & Other Nervous System	1,748	5.4	0.13	4.3	0.11	1,410	3.7	0.10	3.0	0.09
Endocrine System	266	0.9	0.05	0.6	0.04	287	0.7	0.04	0.5	0.04
Thyroid gland	173	0.5	0.04	0.4	0.03	202	0.5	0.03	0.3	0.02
Lymphomas	2,799	8.8	0.17	5.6	0.11	2,298	5.2	0.11	3.3	0.08
Hodgkin Lymphoma	128	0.4	0.04	0.3	0.03	112	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,671	8.3	0.16	5.3	0.11	2,186	4.9	0.11	3.0	0.07
Multiple Myeloma	1,306	4.1	0.11	2.6	0.07	1,051	2.4	0.08	1.5	0.05
Leukemias	3,047	9.6	0.18	6.2	0.12	2,309	5.4	0.12	3.6	0.09
Other, Ill-defined & Unknown	6,696	20.7	0.26	13.7	0.18	5,641	12.9	0.18	8.6	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,631	260.5	3.38	177.1	2.19	7,204	185.1	2.22	131.2	1.59
Oral Cavity & Pharynx	116	4.3	0.43	3.1	0.29	45	1.1	0.16	0.8	0.13
Digestive System	2,086	76.5	1.77	55.1	1.21	1,751	45.0	1.09	30.9	0.76
Esophagus	156	5.7	0.48	4.2	0.34	98	2.5	0.25	1.8	0.19
Stomach	207	8.0	0.59	5.6	0.39	138	3.6	0.31	2.4	0.21
Colon & Rectum	637	24.9	1.04	17.0	0.68	637	16.4	0.66	11.1	0.46
Liver	512	16.0	0.75	13.0	0.58	147	3.7	0.31	2.7	0.23
Pancreas	424	15.9	0.81	11.3	0.55	560	14.5	0.62	9.8	0.43
Respiratory System	1,923	75.1	1.80	51.8	1.19	1,783	46.1	1.11	32.7	0.79
Larynx	89	3.7	0.41	2.4	0.26	31	0.7	0.14	0.6	0.10
Lung & bronchus	1,826	71.1	1.75	49.2	1.16	1,746	45.2	1.10	32.0	0.78
Skin	31	1.2	0.23	0.8	0.15	24	0.6	0.13	0.5	0.10
Melanomas of the skin	13	0.5	0.15	0.3	0.10	13	0.3	0.10	0.3	0.08
Breast	16	0.6	0.15	0.4	0.10	1,219	31.2	0.91	22.9	0.68
Female Genital System	-	-	-	-	-	883	22.6	0.77	16.6	0.57
Cervix uteri	-	-	-	-	-	151	3.9	0.32	3.1	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	403	10.2	0.52	7.5	0.38
Ovary	-	-	-	-	-	284	7.3	0.44	5.2	0.32
Male Genital System	958	44.5	1.49	25.9	0.84	-	-	-	-	-
Prostate	946	44.0	1.48	25.6	0.84	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	314	12.6	0.75	8.3	0.47	239	6.2	0.41	4.1	0.27
Bladder	164	7.1	0.58	4.4	0.34	132	3.4	0.30	2.2	0.20
Kidney & renal pelvis	144	5.3	0.46	3.8	0.32	101	2.7	0.27	1.8	0.18
Brain & Other Nervous System	99	3.3	0.35	2.6	0.27	79	2.0	0.23	1.6	0.19
Endocrine System	22	0.8	0.18	0.6	0.13	43	1.1	0.17	0.8	0.13
Thyroid gland	15	0.5	0.14	0.4	0.10	26	0.7	0.13	0.5	0.09
Lymphomas	160	6.0	0.50	4.3	0.34	139	3.6	0.31	2.4	0.22
Hodgkin Lymphoma	-	-	-	-	-	12	0.3	0.08	0.2	0.07
Non-Hodgkin Lymphoma	-	-	-	-	-	127	3.3	0.30	2.2	0.20
Multiple Myeloma	174	7.5	0.59	4.7	0.36	234	6.1	0.41	4.1	0.28
Leukemias	177	6.6	0.53	4.7	0.35	182	4.7	0.35	3.4	0.26
Other, Ill-defined & Unknown	555	21.6	0.97	14.8	0.63	583	14.9	0.63	10.4	0.45

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	704	113.6	4.69	74.0	2.82	702	93.0	3.72	60.8	2.30
Oral Cavity & Pharynx	16	2.4	0.65	1.6	0.41	12	1.6	0.48	1.0	0.30
Digestive System	281	42.4	2.78	28.8	1.74	225	32.4	2.27	19.7	1.32
Esophagus	22	3.4	0.80	2.3	0.49	-	-	-	-	-
Stomach	41	6.1	1.01	4.2	0.66	33	4.4	0.81	2.9	0.50
Colon & Rectum	66	10.8	1.47	6.9	0.86	66	9.8	1.27	5.8	0.71
Liver	91	12.5	1.43	9.1	0.96	32	4.8	0.87	2.9	0.51
Pancreas	38	6.2	1.10	4.0	0.66	56	8.5	1.18	5.0	0.67
Respiratory System	189	31.9	2.51	20.2	1.49	122	17.2	1.63	10.8	0.98
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	182	31.0	2.48	19.5	1.46	122	17.2	1.63	10.8	0.98
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	103	11.2	1.17	8.5	0.84
Female Genital System	-	-	-	-	-	80	9.4	1.11	6.8	0.76
Cervix uteri	-	-	-	-	-	17	1.9	0.49	1.4	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	25	2.6	0.54	2.1	0.42
Ovary	-	-	-	-	-	34	4.4	0.79	2.9	0.50
Male Genital System	34	6.7	1.23	3.8	0.66	-	-	-	-	-
Prostate	29	6.2	1.21	3.4	0.63	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	25	4.5	0.98	2.7	0.54	16	2.3	0.62	1.4	0.34
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	15	2.2	0.60	1.5	0.40	-	-	-	-	-
Brain & Other Nervous System	21	2.6	0.62	2.2	0.47	11	1.1	0.34	0.9	0.28
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	29	4.5	0.90	3.0	0.57	20	2.7	0.63	1.8	0.40
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	12	2.5	0.78	1.4	0.40	10	1.4	0.47	0.9	0.28
Leukemias	23	3.6	0.82	2.4	0.51	26	3.4	0.72	2.2	0.44
Other, Ill-defined & Unknown	65	11.1	1.54	6.9	0.87	66	8.7	1.14	5.8	0.72

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,751	206.6	2.78	135.4	1.84	5,361	140.4	2.00	95.8	1.44
Oral Cavity & Pharynx	74	2.5	0.30	1.8	0.21	42	1.0	0.16	0.7	0.12
Digestive System	1,578	55.6	1.43	37.9	0.98	1,212	30.9	0.93	20.3	0.65
Esophagus	236	8.2	0.55	5.9	0.39	60	1.5	0.20	1.0	0.14
Stomach	141	5.0	0.43	3.2	0.28	107	2.7	0.27	1.7	0.19
Colon & Rectum	447	16.2	0.78	10.6	0.52	481	11.8	0.57	7.6	0.39
Liver	246	8.1	0.53	6.1	0.40	64	1.7	0.22	1.2	0.17
Pancreas	362	12.9	0.69	8.6	0.46	347	9.1	0.51	5.9	0.35
Respiratory System	1,704	61.1	1.51	40.7	1.01	1,541	41.5	1.09	28.6	0.77
Larynx	55	2.0	0.27	1.3	0.18	12	0.3	0.10	0.2	0.07
Lung & bronchus	1,637	58.7	1.48	39.1	0.99	1,526	41.1	1.08	28.3	0.77
Skin	138	4.9	0.43	3.2	0.28	96	2.3	0.25	1.6	0.18
Melanomas of the skin	96	3.4	0.36	2.2	0.24	70	1.8	0.22	1.3	0.16
Breast	14	0.5	0.14	0.3	0.08	688	18.5	0.74	13.4	0.56
Female Genital System	-	-	-	-	-	518	13.8	0.63	9.9	0.47
Cervix uteri	-	-	-	-	-	39	1.2	0.19	0.9	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	186	4.8	0.37	3.3	0.26
Ovary	-	-	-	-	-	252	6.7	0.43	4.8	0.32
Male Genital System	527	19.5	0.86	10.8	0.49	-	-	-	-	-
Prostate	519	19.1	0.85	10.5	0.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	427	15.4	0.76	9.5	0.47	189	4.7	0.36	3.0	0.24
Bladder	257	9.4	0.60	5.6	0.36	103	2.5	0.25	1.4	0.16
Kidney & renal pelvis	160	5.6	0.45	3.7	0.30	78	2.0	0.24	1.4	0.17
Brain & Other Nervous System	153	5.4	0.45	4.2	0.36	118	3.4	0.33	2.6	0.26
Endocrine System	25	0.9	0.18	0.6	0.12	21	0.6	0.13	0.4	0.10
Thyroid gland	18	0.6	0.15	0.4	0.10	12	0.3	0.10	0.2	0.07
Lymphomas	189	6.9	0.51	4.5	0.34	199	4.9	0.36	3.0	0.24
Hodgkin Lymphoma	-	-	-	-	-	10	0.3	0.11	0.3	0.10
Non-Hodgkin Lymphoma	-	-	-	-	-	189	4.5	0.34	2.7	0.22
Multiple Myeloma	87	3.3	0.36	2.1	0.23	96	2.4	0.26	1.6	0.18
Leukemias	245	9.2	0.60	6.0	0.40	184	4.7	0.36	3.1	0.27
Other, Ill-defined & Unknown	590	21.4	0.90	13.8	0.59	457	11.6	0.57	7.8	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,494	210.9	2.90	138.3	1.93	5,136	143.8	2.10	98.2	1.52
Oral Cavity & Pharynx	69	2.5	0.31	1.8	0.22	39	1.0	0.16	0.6	0.11
Digestive System	1,465	55.4	1.48	37.7	1.01	1,149	31.2	0.97	20.5	0.68
Esophagus	232	8.7	0.58	6.2	0.42	58	1.5	0.21	1.0	0.14
Stomach	132	5.0	0.44	3.2	0.29	99	2.6	0.28	1.7	0.19
Colon & Rectum	417	16.1	0.80	10.5	0.53	463	12.2	0.60	7.8	0.42
Liver	211	7.6	0.54	5.6	0.39	57	1.6	0.22	1.2	0.17
Pancreas	342	13.1	0.72	8.7	0.48	332	9.3	0.53	6.1	0.37
Respiratory System	1,636	62.7	1.58	41.8	1.06	1,493	43.0	1.15	29.6	0.82
Larynx	53	2.0	0.28	1.3	0.19	12	0.4	0.10	0.3	0.08
Lung & bronchus	1,571	60.2	1.55	40.1	1.04	1,478	42.6	1.14	29.3	0.82
Skin	137	5.2	0.46	3.4	0.31	93	2.4	0.26	1.7	0.19
Melanomas of the skin	96	3.7	0.38	2.4	0.26	68	1.9	0.24	1.4	0.18
Breast	13	0.5	0.14	0.3	0.09	640	18.4	0.77	13.3	0.59
Female Genital System	-	-	-	-	-	495	14.2	0.66	10.1	0.49
Cervix uteri	-	-	-	-	-	38	1.3	0.22	1.0	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	177	4.9	0.38	3.3	0.27
Ovary	-	-	-	-	-	241	6.9	0.46	5.0	0.34
Male Genital System	510	19.9	0.89	11.0	0.51	-	-	-	-	-
Prostate	502	19.5	0.88	10.8	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	421	16.1	0.80	9.9	0.50	180	4.8	0.37	3.0	0.26
Bladder	253	9.8	0.63	5.8	0.38	101	2.6	0.27	1.5	0.17
Kidney & renal pelvis	158	5.9	0.48	3.9	0.32	72	2.0	0.25	1.4	0.19
Brain & Other Nervous System	153	5.9	0.49	4.7	0.40	117	3.7	0.36	2.9	0.29
Endocrine System	25	1.0	0.20	0.6	0.13	20	0.6	0.14	0.4	0.12
Thyroid gland	18	0.7	0.16	0.4	0.11	12	0.4	0.11	0.2	0.08
Lymphomas	180	7.1	0.54	4.6	0.36	197	5.1	0.38	3.2	0.26
Hodgkin Lymphoma	-	-	-	-	-	10	0.4	0.12	0.3	0.11
Non-Hodgkin Lymphoma	-	-	-	-	-	187	4.7	0.36	2.8	0.23
Multiple Myeloma	82	3.3	0.37	2.1	0.24	93	2.5	0.27	1.6	0.19
Leukemias	236	9.5	0.63	6.2	0.43	176	4.8	0.38	3.1	0.29
Other, Ill-defined & Unknown	567	21.9	0.94	14.2	0.62	444	12.1	0.61	8.1	0.44

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	166	139.8	11.84	93.0	7.37	144	84.3	7.23	61.4	5.22
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	71	52.4	6.84	37.9	4.60	39	22.6	3.70	16.2	2.66
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	21	16.5	3.91	11.7	2.60	11	6.4	1.96	4.6	1.41
Liver	20	11.8	2.90	9.6	2.17	-	-	-	-	-
Pancreas	13	8.6	2.63	6.8	1.92	10	6.0	1.93	3.9	1.28
Respiratory System	42	36.4	6.10	23.4	3.69	28	17.0	3.31	11.9	2.29
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	40	34.6	5.94	22.4	3.62	28	17.0	3.31	11.9	2.29
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	38	22.0	3.67	16.6	2.74
Female Genital System	-	-	-	-	-	15	8.8	2.33	6.7	1.75
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	15	16.3	4.40	9.2	2.40	-	-	-	-	-
Prostate	15	16.3	4.40	9.2	2.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	17	16.6	4.29	10.3	2.54	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	70	129.3	16.86	91.3	11.08	58	94.9	13.19	61.2	8.10
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	33	62.7	12.04	43.7	7.74	18	29.4	7.37	19.8	4.69
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	14	22.1	6.44	17.2	4.68	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	20	34.7	8.30	25.6	5.78	13	21.0	6.19	13.5	3.77
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	34.7	8.30	25.6	5.78	13	21.0	6.19	13.5	3.77
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2011-2015, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	26,652	218.6	1.39	147.5	0.91	22,244	143.2	0.98	100.0	0.70
Oral Cavity & Pharynx	608	4.6	0.19	3.5	0.14	220	1.4	0.10	1.0	0.07
Digestive System	6,923	54.9	0.69	38.8	0.47	5,002	32.0	0.46	21.7	0.32
Esophagus	909	6.9	0.24	5.1	0.17	237	1.5	0.10	1.0	0.07
Stomach	654	5.3	0.21	3.7	0.15	365	2.4	0.13	1.6	0.09
Colon & Rectum	2,207	18.0	0.40	12.5	0.27	1,952	12.6	0.29	8.5	0.20
Liver	1,034	7.6	0.25	5.8	0.18	345	2.2	0.12	1.5	0.08
Pancreas	1,630	13.1	0.34	9.0	0.22	1,531	9.7	0.25	6.4	0.17
Respiratory System	8,591	67.6	0.76	46.8	0.51	5,869	37.0	0.49	26.0	0.35
Larynx	313	2.3	0.14	1.7	0.10	49	0.3	0.05	0.2	0.03
Lung & bronchus	8,232	64.9	0.74	44.8	0.50	5,797	36.6	0.49	25.7	0.35
Skin	726	6.2	0.24	4.1	0.15	335	2.2	0.12	1.5	0.09
Melanomas of the skin	473	4.0	0.19	2.7	0.13	261	1.7	0.11	1.2	0.08
Breast	37	0.3	0.05	0.2	0.03	3,404	22.2	0.39	16.5	0.30
Female Genital System	-	-	-	-	-	2,310	15.1	0.32	10.9	0.24
Cervix uteri	-	-	-	-	-	343	2.5	0.14	2.0	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	749	4.7	0.17	3.4	0.13
Ovary	-	-	-	-	-	1,058	6.8	0.21	4.8	0.15
Male Genital System	2,425	22.8	0.48	12.8	0.26	-	-	-	-	-
Prostate	2,384	22.5	0.48	12.6	0.26	-	-	-	-	-
Testis	24	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,600	13.9	0.36	8.7	0.22	754	4.8	0.18	3.1	0.12
Bladder	798	7.3	0.27	4.3	0.15	346	2.2	0.12	1.3	0.08
Kidney & renal pelvis	772	6.3	0.24	4.3	0.16	376	2.4	0.13	1.6	0.09
Brain & Other Nervous System	710	5.6	0.22	4.2	0.16	521	3.4	0.15	2.6	0.12
Endocrine System	106	0.9	0.09	0.6	0.06	108	0.7	0.07	0.5	0.05
Thyroid gland	64	0.5	0.07	0.4	0.05	68	0.4	0.05	0.3	0.04
Lymphomas	873	7.6	0.27	5.0	0.17	692	4.5	0.18	2.9	0.12
Hodgkin Lymphoma	60	0.5	0.07	0.4	0.06	32	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	813	7.0	0.26	4.6	0.16	660	4.3	0.17	2.7	0.11
Multiple Myeloma	602	5.1	0.22	3.2	0.13	546	3.5	0.15	2.2	0.10
Leukemias	1,039	9.2	0.29	5.9	0.19	753	5.0	0.19	3.4	0.13
Other, Ill-defined & Unknown	2,412	19.9	0.42	13.5	0.28	1,730	11.1	0.27	7.7	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,767	207.4	1.52	139.1	1.01	16,290	139.2	1.12	96.7	0.81
Oral Cavity & Pharynx	421	4.2	0.21	3.1	0.15	165	1.5	0.12	1.0	0.09
Digestive System	4,855	49.8	0.74	34.9	0.51	3,418	28.9	0.50	19.4	0.35
Esophagus	659	6.6	0.26	4.7	0.19	162	1.3	0.11	0.9	0.07
Stomach	370	3.8	0.21	2.7	0.15	184	1.6	0.12	1.1	0.08
Colon & Rectum	1,529	16.2	0.43	11.1	0.29	1,369	11.8	0.33	7.9	0.23
Liver	750	7.3	0.27	5.5	0.20	236	2.0	0.13	1.3	0.09
Pancreas	1,182	12.1	0.36	8.3	0.24	1,064	8.9	0.28	5.9	0.19
Respiratory System	6,519	65.8	0.84	45.2	0.57	4,743	39.7	0.59	27.8	0.42
Larynx	188	1.8	0.14	1.4	0.10	40	0.3	0.05	0.2	0.04
Lung & bronchus	6,299	63.6	0.83	43.6	0.56	4,691	39.3	0.58	27.5	0.42
Skin	680	7.4	0.29	4.9	0.19	306	2.7	0.16	1.8	0.12
Melanomas of the skin	463	4.9	0.24	3.4	0.16	248	2.2	0.14	1.6	0.11
Breast	23	0.2	0.05	0.2	0.03	2,309	20.2	0.43	14.8	0.33
Female Genital System	-	-	-	-	-	1,553	13.7	0.36	9.9	0.27
Cervix uteri	-	-	-	-	-	206	2.1	0.15	1.7	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	419	3.5	0.18	2.5	0.13
Ovary	-	-	-	-	-	808	7.0	0.25	4.9	0.19
Male Genital System	1,478	17.5	0.47	9.7	0.25	-	-	-	-	-
Prostate	1,445	17.1	0.46	9.4	0.25	-	-	-	-	-
Testis	23	0.3	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,313	14.4	0.41	9.0	0.25	584	4.9	0.21	3.2	0.14
Bladder	680	7.8	0.31	4.6	0.18	263	2.2	0.14	1.3	0.09
Kidney & renal pelvis	608	6.3	0.27	4.3	0.18	298	2.5	0.15	1.7	0.11
Brain & Other Nervous System	615	6.3	0.26	4.8	0.20	434	3.8	0.19	2.9	0.15
Endocrine System	83	0.9	0.10	0.6	0.07	70	0.6	0.08	0.5	0.06
Thyroid gland	55	0.6	0.08	0.4	0.06	49	0.4	0.06	0.3	0.04
Lymphomas	728	8.0	0.30	5.2	0.20	555	4.8	0.21	2.9	0.13
Hodgkin Lymphoma	46	0.5	0.08	0.4	0.07	23	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	682	7.4	0.29	4.7	0.19	532	4.5	0.20	2.8	0.13
Multiple Myeloma	402	4.4	0.23	2.7	0.14	312	2.6	0.15	1.6	0.09
Leukemias	859	9.6	0.34	6.1	0.22	577	5.0	0.22	3.4	0.16
Other, Ill-defined & Unknown	1,791	19.0	0.46	12.7	0.31	1,264	10.8	0.31	7.4	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,725	268.8	3.56	183.4	2.26	5,789	158.3	2.13	112.2	1.51
Oral Cavity & Pharynx	183	6.0	0.48	4.7	0.35	53	1.4	0.20	1.1	0.15
Digestive System	2,014	75.8	1.83	54.1	1.22	1,535	42.3	1.11	29.1	0.76
Esophagus	249	8.5	0.58	6.5	0.42	75	2.0	0.23	1.5	0.17
Stomach	276	11.2	0.72	7.7	0.47	174	5.0	0.39	3.4	0.27
Colon & Rectum	663	25.9	1.09	18.0	0.71	571	15.4	0.66	10.8	0.46
Liver	269	8.3	0.54	6.8	0.42	94	2.5	0.27	1.8	0.19
Pancreas	439	17.2	0.89	12.0	0.58	460	13.0	0.62	8.6	0.41
Respiratory System	2,023	76.4	1.84	54.1	1.21	1,079	28.9	0.90	20.7	0.64
Larynx	123	4.4	0.43	3.2	0.29	-	-	-	-	-
Lung & bronchus	1,886	71.5	1.78	50.5	1.17	1,059	28.4	0.89	20.2	0.63
Skin	44	1.6	0.26	1.2	0.18	28	0.8	0.15	0.5	0.10
Melanomas of the skin	-	-	-	-	-	13	0.4	0.11	0.2	0.07
Breast	14	0.6	0.17	0.4	0.11	1,077	28.8	0.90	21.7	0.68
Female Genital System	-	-	-	-	-	740	20.4	0.77	14.6	0.55
Cervix uteri	-	-	-	-	-	134	3.8	0.33	2.9	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	324	8.8	0.50	6.2	0.35
Ovary	-	-	-	-	-	242	6.7	0.44	4.7	0.31
Male Genital System	937	47.8	1.66	26.9	0.89	-	-	-	-	-
Prostate	929	47.5	1.66	26.7	0.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	282	12.0	0.77	7.9	0.47	168	4.6	0.36	3.1	0.24
Bladder	116	5.3	0.53	3.3	0.31	83	2.3	0.26	1.5	0.17
Kidney & renal pelvis	162	6.4	0.55	4.5	0.36	77	2.1	0.25	1.5	0.17
Brain & Other Nervous System	91	3.4	0.38	2.6	0.27	82	2.2	0.25	1.7	0.20
Endocrine System	21	0.8	0.18	0.6	0.13	37	1.0	0.17	0.7	0.12
Thyroid gland	-	-	-	-	-	18	0.5	0.12	0.3	0.07
Lymphomas	140	5.5	0.50	4.0	0.34	132	3.7	0.33	2.5	0.23
Hodgkin Lymphoma	14	0.5	0.14	0.4	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	126	5.0	0.48	3.6	0.33	-	-	-	-	-
Multiple Myeloma	199	8.3	0.64	5.5	0.39	232	6.6	0.44	4.4	0.29
Leukemias	174	7.4	0.60	5.0	0.38	170	4.9	0.39	3.4	0.27
Other, Ill-defined & Unknown	603	23.3	1.03	16.4	0.67	456	12.7	0.61	8.7	0.42

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	107	91.4	10.10	62.6	6.20	132	83.4	7.91	55.7	4.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	35	27.0	5.17	19.6	3.39	44	29.0	4.77	18.8	2.87
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	10	8.4	2.76	4.7	1.50
Liver	-	-	-	-	-	14	7.9	2.27	5.7	1.55
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	33	27.9	5.61	19.3	3.45	29	19.7	3.90	12.7	2.37
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	32	27.3	5.58	18.8	3.41	29	19.7	3.90	12.7	2.37
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	14	7.5	2.17	5.7	1.52
Female Genital System	-	-	-	-	-	15	7.8	2.19	6.0	1.56
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	13	9.2	2.69	7.2	2.02	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2011-2015, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	4,394	192.4	2.95	126.7	1.97	3,816	136.6	2.30	92.8	1.66
Oral Cavity & Pharynx	76	3.3	0.39	2.4	0.28	32	1.2	0.23	0.9	0.18
Digestive System	1,188	51.2	1.51	35.2	1.05	902	31.2	1.08	20.0	0.74
Esophagus	198	8.3	0.60	5.8	0.42	42	1.5	0.23	1.0	0.16
Stomach	67	2.8	0.36	2.0	0.25	51	1.8	0.26	1.2	0.18
Colon & Rectum	437	19.3	0.94	12.7	0.63	386	13.0	0.69	8.2	0.47
Liver	120	5.1	0.48	3.8	0.35	43	1.5	0.24	1.0	0.16
Pancreas	272	11.6	0.72	8.2	0.51	265	9.1	0.58	5.9	0.40
Respiratory System	1,249	54.3	1.56	35.8	1.03	974	35.9	1.18	24.8	0.84
Larynx	27	1.2	0.23	0.8	0.15	-	-	-	-	-
Lung & bronchus	1,214	52.8	1.54	34.8	1.02	966	35.6	1.17	24.5	0.84
Skin	115	5.1	0.49	3.4	0.33	60	2.2	0.30	1.5	0.23
Melanomas of the skin	71	3.2	0.39	2.2	0.28	50	1.9	0.29	1.4	0.22
Breast	-	-	-	-	-	548	20.0	0.89	14.2	0.67
Female Genital System	-	-	-	-	-	364	13.2	0.72	9.2	0.53
Cervix uteri	-	-	-	-	-	36	1.5	0.26	1.3	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	123	4.4	0.41	3.0	0.30
Ovary	-	-	-	-	-	180	6.5	0.50	4.4	0.36
Male Genital System	414	19.0	0.94	10.8	0.54	-	-	-	-	-
Prostate	408	18.7	0.94	10.6	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	309	13.6	0.78	8.5	0.50	136	4.7	0.42	3.0	0.29
Bladder	154	6.9	0.56	3.9	0.33	48	1.6	0.24	1.0	0.17
Kidney & renal pelvis	145	6.2	0.52	4.2	0.36	79	2.8	0.33	1.8	0.22
Brain & Other Nervous System	154	6.5	0.54	4.9	0.41	110	4.3	0.43	3.3	0.35
Endocrine System	16	0.7	0.17	0.5	0.13	22	0.9	0.19	0.7	0.16
Thyroid gland	-	-	-	-	-	13	0.5	0.14	0.3	0.10
Lymphomas	179	7.8	0.59	5.1	0.39	126	4.1	0.38	2.6	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	95	4.2	0.43	2.6	0.27	77	2.5	0.29	1.5	0.19
Leukemias	229	10.4	0.70	6.9	0.48	161	5.7	0.47	3.8	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	304	10.7	0.64	7.2	0.47

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,123	189.5	3.00	124.4	2.01	3,570	134.6	2.35	91.3	1.71
Oral Cavity & Pharynx	68	3.1	0.39	2.3	0.29	30	1.2	0.24	0.9	0.19
Digestive System	1,095	49.7	1.53	33.9	1.06	833	30.0	1.08	19.0	0.74
Esophagus	189	8.3	0.62	5.8	0.43	37	1.3	0.22	0.8	0.15
Stomach	62	2.7	0.36	1.9	0.26	46	1.7	0.26	1.1	0.18
Colon & Rectum	401	18.7	0.95	12.1	0.63	360	12.7	0.71	8.0	0.48
Liver	94	4.3	0.45	3.1	0.33	37	1.3	0.22	0.8	0.15
Pancreas	261	11.8	0.74	8.3	0.53	248	8.8	0.58	5.6	0.39
Respiratory System	1,166	53.1	1.58	34.9	1.04	901	35.1	1.20	24.3	0.86
Larynx	23	1.1	0.22	0.7	0.14	-	-	-	-	-
Lung & bronchus	1,136	51.7	1.56	34.0	1.03	893	34.8	1.20	24.0	0.86
Skin	112	5.3	0.51	3.5	0.35	59	2.3	0.32	1.6	0.24
Melanomas of the skin	71	3.4	0.41	2.4	0.30	49	2.0	0.30	1.4	0.24
Breast	-	-	-	-	-	521	20.1	0.93	14.3	0.71
Female Genital System	-	-	-	-	-	338	12.9	0.73	8.9	0.54
Cervix uteri	-	-	-	-	-	25	1.1	0.23	0.9	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	119	4.5	0.43	3.1	0.32
Ovary	-	-	-	-	-	170	6.4	0.51	4.4	0.37
Male Genital System	391	18.6	0.95	10.5	0.55	-	-	-	-	-
Prostate	386	18.4	0.95	10.3	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	295	13.5	0.80	8.4	0.51	132	4.8	0.44	3.1	0.30
Bladder	150	7.0	0.58	4.0	0.34	47	1.7	0.26	1.1	0.18
Kidney & renal pelvis	135	6.1	0.53	4.1	0.37	76	2.9	0.34	1.8	0.23
Brain & Other Nervous System	152	6.9	0.57	5.2	0.44	106	4.5	0.46	3.5	0.37
Endocrine System	15	0.7	0.18	0.5	0.15	19	0.8	0.20	0.7	0.18
Thyroid gland	-	-	-	-	-	10	0.4	0.13	0.3	0.09
Lymphomas	173	7.9	0.61	5.2	0.41	119	4.1	0.39	2.5	0.27
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	90	4.1	0.44	2.5	0.27	75	2.5	0.30	1.5	0.19
Leukemias	222	10.7	0.73	7.1	0.51	155	5.9	0.50	3.9	0.37
Other, Ill-defined & Unknown	-	-	-	-	-	282	10.4	0.65	7.1	0.49

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	18	81.6	20.82	64.8	15.75	15	76.6	19.95	59.8	15.93
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	11	97.2	36.45	64.9	21.29	20	124.4	30.33	83.3	19.07
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	37,799	230.7	1.23	157.4	0.82	31,867	152.7	0.87	107.4	0.63
Oral Cavity & Pharynx	847	4.8	0.17	3.6	0.13	309	1.5	0.09	1.0	0.06
Digestive System	9,562	56.4	0.60	40.2	0.41	6,891	32.9	0.40	22.5	0.28
Esophagus	1,332	7.6	0.22	5.6	0.16	280	1.3	0.08	0.9	0.06
Stomach	687	4.2	0.17	2.9	0.11	422	2.1	0.10	1.4	0.07
Colon & Rectum	3,187	19.7	0.36	13.4	0.24	2,836	13.6	0.26	9.2	0.18
Liver	1,559	8.5	0.22	6.6	0.17	536	2.6	0.11	1.8	0.08
Pancreas	2,156	12.6	0.28	8.9	0.19	2,072	9.8	0.22	6.7	0.15
Respiratory System	13,131	77.8	0.70	54.1	0.47	9,274	43.9	0.46	31.2	0.33
Larynx	409	2.3	0.12	1.7	0.09	102	0.5	0.05	0.4	0.04
Lung & bronchus	12,653	75.1	0.69	52.1	0.47	9,131	43.2	0.46	30.7	0.33
Skin	1,177	7.4	0.22	5.0	0.15	469	2.3	0.11	1.6	0.08
Melanomas of the skin	798	4.9	0.18	3.4	0.12	344	1.7	0.09	1.2	0.07
Breast	52	0.3	0.05	0.2	0.03	4,565	22.1	0.33	16.1	0.25
Female Genital System	-	-	-	-	-	3,229	15.7	0.28	11.4	0.21
Cervix uteri	-	-	-	-	-	530	2.8	0.12	2.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	884	4.2	0.14	3.0	0.10
Ovary	-	-	-	-	-	1,583	7.6	0.19	5.4	0.14
Male Genital System	2,923	20.4	0.39	11.7	0.22	-	-	-	-	-
Prostate	2,842	19.9	0.38	11.3	0.21	-	-	-	-	-
Testis	36	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,242	14.3	0.31	9.2	0.20	993	4.7	0.15	3.1	0.10
Bladder	1,139	7.6	0.23	4.6	0.14	410	1.9	0.10	1.2	0.06
Kidney & renal pelvis	1,055	6.3	0.20	4.4	0.14	548	2.6	0.11	1.8	0.08
Brain & Other Nervous System	972	5.8	0.19	4.5	0.15	770	3.8	0.14	2.9	0.11
Endocrine System	120	0.7	0.07	0.6	0.05	114	0.6	0.05	0.4	0.04
Thyroid gland	71	0.4	0.05	0.3	0.04	67	0.3	0.04	0.2	0.03
Lymphomas	1,366	8.7	0.24	5.7	0.16	1,060	5.1	0.16	3.3	0.11
Hodgkin Lymphoma	93	0.6	0.06	0.4	0.05	52	0.3	0.04	0.2	0.04
Non-Hodgkin Lymphoma	1,273	8.2	0.24	5.3	0.15	1,008	4.8	0.15	3.1	0.10
Multiple Myeloma	768	4.9	0.18	3.1	0.11	621	2.9	0.12	1.9	0.08
Leukemias	1,479	9.6	0.26	6.3	0.17	1,053	5.1	0.16	3.4	0.12
Other, Ill-defined & Unknown	3,160	19.5	0.36	13.3	0.24	2,519	12.1	0.25	8.4	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,469	226.1	1.29	154.0	0.87	26,922	150.0	0.93	105.4	0.68
Oral Cavity & Pharynx	717	4.7	0.18	3.5	0.13	267	1.5	0.09	1.0	0.07
Digestive System	7,926	53.8	0.62	38.1	0.43	5,646	31.2	0.42	21.3	0.30
Esophagus	1,181	7.8	0.23	5.7	0.17	232	1.3	0.08	0.9	0.06
Stomach	512	3.6	0.16	2.5	0.11	322	1.8	0.10	1.2	0.07
Colon & Rectum	2,638	18.6	0.37	12.7	0.25	2,332	13.0	0.27	8.8	0.20
Liver	1,200	7.7	0.23	5.8	0.17	424	2.3	0.12	1.6	0.08
Pancreas	1,846	12.3	0.30	8.7	0.21	1,722	9.4	0.23	6.4	0.16
Respiratory System	11,422	77.1	0.74	53.5	0.50	8,119	44.7	0.50	31.8	0.37
Larynx	338	2.2	0.12	1.6	0.09	78	0.4	0.05	0.3	0.04
Lung & bronchus	11,025	74.4	0.73	51.6	0.50	8,007	44.0	0.50	31.4	0.36
Skin	1,139	8.1	0.25	5.5	0.17	453	2.6	0.13	1.8	0.09
Melanomas of the skin	784	5.5	0.20	3.9	0.14	335	2.0	0.11	1.5	0.09
Breast	40	0.3	0.05	0.2	0.03	3,654	20.6	0.35	14.9	0.26
Female Genital System	-	-	-	-	-	2,659	15.2	0.30	11.1	0.23
Cervix uteri	-	-	-	-	-	388	2.5	0.13	2.1	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	687	3.8	0.15	2.7	0.11
Ovary	-	-	-	-	-	1,380	7.8	0.21	5.5	0.16
Male Genital System	2,279	18.0	0.39	10.1	0.21	-	-	-	-	-
Prostate	2,210	17.5	0.38	9.7	0.21	-	-	-	-	-
Testis	32	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	2,065	14.9	0.34	9.6	0.21	853	4.7	0.16	3.0	0.11
Bladder	1,061	8.0	0.25	4.8	0.15	351	1.9	0.10	1.2	0.07
Kidney & renal pelvis	959	6.6	0.22	4.6	0.15	474	2.6	0.12	1.8	0.09
Brain & Other Nervous System	880	6.1	0.21	4.8	0.17	703	4.1	0.16	3.2	0.13
Endocrine System	99	0.7	0.07	0.6	0.06	88	0.5	0.06	0.4	0.05
Thyroid gland	60	0.4	0.06	0.3	0.04	50	0.3	0.04	0.2	0.03
Lymphomas	1,231	8.9	0.26	5.8	0.17	951	5.3	0.17	3.4	0.12
Hodgkin Lymphoma	78	0.5	0.06	0.4	0.05	38	0.2	0.04	0.2	0.04
Non-Hodgkin Lymphoma	1,153	8.4	0.25	5.4	0.16	913	5.0	0.17	3.2	0.11
Multiple Myeloma	612	4.4	0.18	2.8	0.11	471	2.6	0.12	1.6	0.08
Leukemias	1,334	9.8	0.28	6.4	0.18	918	5.2	0.17	3.5	0.13
Other, Ill-defined & Unknown	2,725	19.2	0.38	13.1	0.26	2,140	11.9	0.26	8.3	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,139	286.5	4.43	196.5	2.80	4,748	177.9	2.66	125.9	1.86
Oral Cavity & Pharynx	124	5.6	0.55	4.3	0.40	42	1.5	0.24	1.1	0.17
Digestive System	1,567	81.2	2.28	58.1	1.50	1,180	45.0	1.35	30.9	0.92
Esophagus	143	6.7	0.62	5.2	0.44	47	1.7	0.26	1.3	0.19
Stomach	168	9.0	0.77	6.4	0.50	91	3.5	0.38	2.4	0.26
Colon & Rectum	534	30.5	1.46	20.5	0.91	484	18.8	0.88	12.7	0.59
Liver	338	14.5	0.87	11.6	0.64	101	3.6	0.38	2.6	0.26
Pancreas	302	15.9	1.01	11.3	0.66	332	12.7	0.72	8.6	0.48
Respiratory System	1,654	90.6	2.46	63.3	1.59	1,102	41.9	1.30	29.4	0.90
Larynx	71	3.2	0.41	2.5	0.30	22	0.7	0.16	0.6	0.12
Lung & bronchus	1,573	86.9	2.42	60.4	1.55	1,073	40.9	1.29	28.7	0.89
Skin	36	1.5	0.27	1.3	0.21	16	0.6	0.14	0.4	0.10
Melanomas of the skin	12	0.5	0.14	0.4	0.12	-	-	-	-	-
Breast	12	0.7	0.21	0.5	0.13	882	31.4	1.09	23.6	0.81
Female Genital System	-	-	-	-	-	555	20.6	0.90	15.0	0.64
Cervix uteri	-	-	-	-	-	134	4.8	0.43	3.8	0.33
Corpus & uterus, NOS ¹	-	-	-	-	-	197	7.5	0.55	5.2	0.38
Ovary	-	-	-	-	-	197	7.3	0.54	5.3	0.38
Male Genital System	633	45.4	1.95	26.4	1.06	-	-	-	-	-
Prostate	621	44.6	1.93	25.9	1.05	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	169	9.9	0.84	6.6	0.52	135	5.5	0.48	3.5	0.31
Bladder	73	4.7	0.60	3.0	0.35	58	2.4	0.33	1.5	0.20
Kidney & renal pelvis	93	5.0	0.58	3.6	0.38	71	2.8	0.34	1.9	0.23
Brain & Other Nervous System	86	3.8	0.45	3.1	0.34	63	2.2	0.29	1.8	0.23
Endocrine System	18	0.9	0.24	0.6	0.16	23	0.8	0.17	0.6	0.13
Thyroid gland	-	-	-	-	-	15	0.5	0.14	0.4	0.10
Lymphomas	129	6.8	0.66	4.9	0.44	105	3.9	0.39	2.7	0.27
Hodgkin Lymphoma	15	0.8	0.23	0.6	0.15	14	0.5	0.14	0.4	0.11
Non-Hodgkin Lymphoma	114	6.0	0.62	4.4	0.42	91	3.4	0.37	2.3	0.25
Multiple Myeloma	153	9.3	0.83	6.1	0.50	149	5.8	0.49	4.0	0.33
Leukemias	139	8.0	0.75	5.5	0.47	126	4.8	0.44	3.2	0.29
Other, Ill-defined & Unknown	419	22.8	1.24	15.9	0.79	370	14.0	0.75	9.7	0.52

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	160	97.7	9.03	67.9	5.53	173	85.7	7.14	56.6	4.35
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	63	37.1	5.60	26.4	3.44	58	28.2	4.12	18.7	2.48
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	13	8.5	2.72	5.8	1.64	17	8.2	2.19	5.5	1.34
Liver	20	10.6	2.80	8.1	1.85	11	7.4	2.35	4.0	1.20
Pancreas	-	-	-	-	-	15	6.6	1.86	4.7	1.23
Respiratory System	44	27.0	4.69	18.6	2.89	44	23.0	3.78	14.6	2.22
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	44	27.0	4.69	18.6	2.89	43	22.1	3.66	14.2	2.19
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	25	11.6	2.51	8.1	1.64
Female Genital System	-	-	-	-	-	13	4.8	1.42	3.9	1.09
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	13	7.8	2.38	5.5	1.56	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	102,924	190.5	0.62	128.0	0.40	88,948	131.2	0.45	91.0	0.31
Oral Cavity & Pharynx	2,413	4.1	0.09	3.0	0.06	926	1.4	0.04	0.9	0.03
Digestive System	30,781	54.2	0.32	38.2	0.22	21,366	31.4	0.22	21.3	0.15
Esophagus	3,357	5.9	0.10	4.2	0.07	804	1.2	0.04	0.8	0.03
Stomach	2,627	4.8	0.10	3.3	0.06	1,788	2.7	0.06	1.9	0.05
Colon & Rectum	9,897	17.9	0.19	12.3	0.12	7,958	11.6	0.13	7.9	0.09
Liver	6,271	10.1	0.13	7.7	0.10	2,337	3.4	0.07	2.3	0.05
Pancreas	6,432	11.6	0.15	8.0	0.10	6,032	8.9	0.12	5.9	0.08
Respiratory System	28,240	52.1	0.32	35.1	0.21	20,953	31.1	0.22	21.3	0.15
Larynx	1,090	1.9	0.06	1.3	0.04	228	0.3	0.02	0.2	0.02
Lung & bronchus	26,917	49.8	0.31	33.4	0.20	20,605	30.6	0.22	20.9	0.15
Skin	2,839	5.4	0.10	3.5	0.07	1,199	1.8	0.05	1.2	0.04
Melanomas of the skin	1,790	3.3	0.08	2.2	0.05	865	1.3	0.04	0.9	0.03
Breast	136	0.3	0.02	0.2	0.01	13,837	20.2	0.17	14.7	0.13
Female Genital System	-	-	-	-	-	9,745	14.3	0.15	10.5	0.11
Cervix uteri	-	-	-	-	-	1,896	2.8	0.07	2.3	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,781	4.0	0.08	2.9	0.06
Ovary	-	-	-	-	-	4,406	6.5	0.10	4.6	0.07
Male Genital System	8,852	18.7	0.20	10.7	0.11	-	-	-	-	-
Prostate	8,519	18.1	0.20	10.2	0.11	-	-	-	-	-
Testis	181	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	6,820	13.2	0.17	8.4	0.10	3,224	4.8	0.09	3.1	0.06
Bladder	3,105	6.4	0.12	3.8	0.07	1,180	1.8	0.05	1.1	0.03
Kidney & renal pelvis	3,558	6.4	0.11	4.4	0.07	1,947	2.9	0.07	1.9	0.05
Brain & Other Nervous System	2,920	4.9	0.09	3.8	0.07	2,363	3.5	0.07	2.7	0.06
Endocrine System	526	0.9	0.04	0.7	0.03	543	0.8	0.03	0.6	0.03
Thyroid gland	316	0.6	0.03	0.4	0.02	355	0.5	0.03	0.3	0.02
Lymphomas	3,942	7.6	0.12	4.9	0.08	3,026	4.6	0.08	2.9	0.06
Hodgkin Lymphoma	279	0.5	0.03	0.4	0.02	180	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,663	7.1	0.12	4.6	0.08	2,846	4.3	0.08	2.7	0.05
Multiple Myeloma	2,079	4.0	0.09	2.6	0.06	1,710	2.6	0.06	1.6	0.04
Leukemias	4,579	8.9	0.14	5.8	0.09	3,266	4.9	0.09	3.3	0.06
Other, Ill-defined & Unknown	8,797	16.2	0.18	11.0	0.12	6,790	10.0	0.12	6.9	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	88,587	189.6	0.66	127.1	0.43	75,459	130.5	0.48	90.3	0.34
Oral Cavity & Pharynx	2,067	4.1	0.09	3.0	0.07	810	1.4	0.05	1.0	0.04
Digestive System	25,887	53.1	0.34	37.4	0.23	17,785	30.6	0.23	20.6	0.16
Esophagus	3,030	6.1	0.11	4.4	0.08	678	1.2	0.05	0.8	0.03
Stomach	2,119	4.5	0.10	3.1	0.07	1,419	2.5	0.07	1.7	0.05
Colon & Rectum	8,294	17.5	0.20	12.0	0.13	6,565	11.2	0.14	7.6	0.10
Liver	5,047	9.6	0.14	7.3	0.10	1,927	3.3	0.08	2.2	0.05
Pancreas	5,542	11.6	0.16	8.0	0.11	5,096	8.8	0.12	5.8	0.08
Respiratory System	24,075	51.3	0.34	34.4	0.22	18,144	31.5	0.24	21.5	0.16
Larynx	871	1.8	0.06	1.2	0.04	188	0.3	0.02	0.2	0.02
Lung & bronchus	22,994	49.1	0.33	32.8	0.22	17,856	31.0	0.23	21.1	0.16
Skin	2,746	6.0	0.12	3.9	0.08	1,135	2.0	0.06	1.4	0.04
Melanomas of the skin	1,757	3.8	0.09	2.6	0.06	831	1.4	0.05	1.0	0.04
Breast	109	0.2	0.02	0.2	0.01	11,273	19.4	0.19	14.1	0.14
Female Genital System	-	-	-	-	-	8,168	14.2	0.16	10.5	0.12
Cervix uteri	-	-	-	-	-	1,539	2.8	0.07	2.3	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,146	3.7	0.08	2.7	0.06
Ovary	-	-	-	-	-	3,901	6.7	0.11	4.8	0.08
Male Genital System	7,342	17.7	0.21	10.1	0.12	-	-	-	-	-
Prostate	7,037	17.1	0.21	9.5	0.11	-	-	-	-	-
Testis	173	0.3	0.03	0.3	0.02	-	-	-	-	-
Urinary System	6,184	13.7	0.18	8.7	0.11	2,828	4.9	0.09	3.1	0.06
Bladder	2,854	6.7	0.13	3.9	0.07	1,026	1.8	0.06	1.0	0.03
Kidney & renal pelvis	3,185	6.6	0.12	4.6	0.08	1,716	2.9	0.07	2.0	0.05
Brain & Other Nervous System	2,656	5.2	0.10	4.1	0.08	2,129	3.7	0.08	2.9	0.06
Endocrine System	463	0.9	0.05	0.7	0.03	461	0.8	0.04	0.6	0.03
Thyroid gland	289	0.6	0.04	0.4	0.02	307	0.5	0.03	0.4	0.02
Lymphomas	3,580	7.9	0.14	5.1	0.09	2,693	4.7	0.09	3.0	0.06
Hodgkin Lymphoma	254	0.5	0.03	0.4	0.02	151	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,326	7.4	0.13	4.8	0.08	2,542	4.4	0.09	2.8	0.06
Multiple Myeloma	1,694	3.7	0.09	2.4	0.06	1,310	2.3	0.06	1.4	0.04
Leukemias	4,076	9.2	0.15	6.0	0.09	2,874	5.0	0.09	3.4	0.07
Other, Ill-defined & Unknown	7,708	16.5	0.19	11.2	0.13	5,849	10.1	0.13	6.9	0.10

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,236	244.0	2.45	166.3	1.53	11,471	159.2	1.54	113.0	1.07
Oral Cavity & Pharynx	289	5.2	0.34	3.8	0.23	91	1.2	0.13	0.9	0.09
Digestive System	4,046	73.5	1.29	52.6	0.85	2,936	41.3	0.79	28.5	0.53
Esophagus	273	5.0	0.34	3.6	0.22	113	1.5	0.15	1.1	0.10
Stomach	388	7.8	0.44	5.2	0.27	264	3.8	0.24	2.6	0.16
Colon & Rectum	1,405	26.7	0.80	18.6	0.51	1,196	16.7	0.50	11.6	0.34
Liver	961	14.5	0.52	11.7	0.38	294	3.9	0.24	2.8	0.17
Pancreas	757	14.4	0.58	10.1	0.37	803	11.8	0.43	7.8	0.28
Respiratory System	3,657	73.2	1.33	50.2	0.85	2,411	34.3	0.72	23.9	0.49
Larynx	206	3.8	0.29	2.7	0.19	40	0.5	0.09	0.4	0.06
Lung & bronchus	3,433	69.1	1.30	47.2	0.82	2,354	33.5	0.72	23.4	0.49
Skin	76	1.4	0.18	1.0	0.12	51	0.7	0.10	0.5	0.07
Melanomas of the skin	24	0.5	0.10	0.3	0.07	25	0.4	0.08	0.2	0.05
Breast	26	0.5	0.10	0.4	0.07	2,270	29.8	0.64	22.3	0.47
Female Genital System	-	-	-	-	-	1,344	18.3	0.52	13.5	0.37
Cervix uteri	-	-	-	-	-	312	4.0	0.23	3.2	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	560	7.6	0.33	5.6	0.24
Ovary	-	-	-	-	-	399	5.6	0.29	4.0	0.20
Male Genital System	1,398	35.6	1.03	20.9	0.57	-	-	-	-	-
Prostate	1,374	35.2	1.02	20.6	0.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	547	11.9	0.56	7.6	0.33	353	5.2	0.29	3.5	0.19
Bladder	209	5.1	0.38	3.0	0.21	138	2.1	0.18	1.3	0.12
Kidney & renal pelvis	326	6.6	0.40	4.4	0.25	204	3.0	0.21	2.0	0.14
Brain & Other Nervous System	199	3.1	0.24	2.5	0.18	181	2.4	0.18	1.9	0.14
Endocrine System	50	0.8	0.13	0.6	0.09	66	0.9	0.11	0.7	0.08
Thyroid gland	19	0.4	0.11	0.3	0.06	40	0.6	0.09	0.4	0.06
Lymphomas	273	5.2	0.35	3.7	0.23	268	3.7	0.23	2.7	0.17
Hodgkin Lymphoma	21	0.3	0.08	0.3	0.06	26	0.3	0.07	0.3	0.06
Non-Hodgkin Lymphoma	252	4.9	0.34	3.4	0.22	242	3.4	0.22	2.4	0.16
Multiple Myeloma	339	7.7	0.45	4.9	0.27	373	5.6	0.30	3.7	0.19
Leukemias	410	8.3	0.45	5.7	0.29	318	4.5	0.26	3.2	0.18
Other, Ill-defined & Unknown	926	17.7	0.65	12.4	0.42	809	11.3	0.41	7.9	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,973	105.3	2.68	70.3	1.61	1,883	81.9	2.03	55.1	1.28
Oral Cavity & Pharynx	54	2.4	0.38	1.8	0.25	22	1.0	0.22	0.6	0.14
Digestive System	813	40.9	1.62	28.2	1.01	607	28.0	1.21	18.0	0.74
Esophagus	51	2.5	0.40	1.7	0.25	12	0.6	0.19	0.4	0.10
Stomach	117	5.8	0.62	4.0	0.38	102	4.6	0.48	3.0	0.30
Colon & Rectum	183	9.5	0.80	6.4	0.48	187	8.3	0.66	5.4	0.40
Liver	254	12.0	0.85	8.6	0.55	109	5.2	0.53	3.3	0.32
Pancreas	129	7.0	0.68	4.7	0.42	123	5.8	0.56	3.7	0.33
Respiratory System	463	26.4	1.38	16.9	0.80	367	16.8	0.93	10.9	0.57
Larynx	13	0.7	0.20	0.5	0.13	-	-	-	-	-
Lung & bronchus	445	25.6	1.36	16.3	0.79	364	16.6	0.93	10.8	0.57
Skin	16	0.8	0.24	0.6	0.14	12	0.5	0.16	0.3	0.10
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	271	10.0	0.65	7.5	0.46
Female Genital System	-	-	-	-	-	215	8.2	0.60	6.0	0.41
Cervix uteri	-	-	-	-	-	41	1.6	0.27	1.1	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	70	2.7	0.35	2.0	0.23
Ovary	-	-	-	-	-	97	3.6	0.39	2.7	0.28
Male Genital System	100	7.9	0.86	4.2	0.42	-	-	-	-	-
Prostate	97	7.8	0.86	4.1	0.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	79	4.6	0.57	2.9	0.33	41	1.9	0.32	1.2	0.20
Bladder	38	2.6	0.46	1.5	0.25	16	0.8	0.22	0.5	0.12
Kidney & renal pelvis	41	2.0	0.34	1.4	0.22	25	1.1	0.23	0.8	0.15
Brain & Other Nervous System	63	2.4	0.33	2.1	0.27	49	1.8	0.27	1.4	0.20
Endocrine System	13	0.5	0.16	0.4	0.12	16	0.7	0.19	0.5	0.12
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	86	5.0	0.61	3.2	0.35	61	3.0	0.40	1.9	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	44	2.6	0.43	1.6	0.25	27	1.3	0.26	0.8	0.15
Leukemias	91	4.0	0.46	3.1	0.33	69	3.0	0.39	2.0	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	126	5.9	0.57	3.8	0.34

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,837	148.9	1.72	97.2	1.11	6,889	110.3	1.35	75.1	0.93
Oral Cavity & Pharynx	137	2.5	0.22	1.8	0.15	72	1.2	0.14	0.8	0.09
Digestive System	2,194	40.1	0.88	27.7	0.60	1,606	25.9	0.65	17.2	0.44
Esophagus	307	5.4	0.32	3.9	0.23	57	0.9	0.12	0.7	0.09
Stomach	131	2.5	0.22	1.7	0.15	93	1.5	0.16	1.0	0.11
Colon & Rectum	693	13.0	0.50	8.7	0.33	598	9.7	0.40	6.4	0.27
Liver	294	5.0	0.30	3.8	0.22	119	1.9	0.18	1.3	0.12
Pancreas	608	11.2	0.47	7.6	0.31	536	8.6	0.38	5.7	0.25
Respiratory System	1,320	24.7	0.70	16.5	0.46	995	16.1	0.52	11.0	0.36
Larynx	30	0.5	0.09	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,275	23.9	0.69	16.0	0.45	978	15.9	0.51	10.8	0.35
Skin	373	7.0	0.37	4.7	0.24	126	2.0	0.18	1.4	0.13
Melanomas of the skin	293	5.4	0.32	3.7	0.22	112	1.8	0.17	1.3	0.12
Breast	11	0.2	0.06	0.1	0.04	1,279	20.3	0.58	14.4	0.41
Female Genital System	-	-	-	-	-	862	13.7	0.47	9.7	0.34
Cervix uteri	-	-	-	-	-	88	1.4	0.15	1.1	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	257	4.1	0.26	2.8	0.18
Ovary	-	-	-	-	-	479	7.7	0.35	5.4	0.25
Male Genital System	980	20.7	0.67	11.4	0.37	-	-	-	-	-
Prostate	962	20.4	0.67	11.1	0.36	-	-	-	-	-
Testis	11	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	596	11.8	0.49	7.2	0.30	246	3.9	0.25	2.4	0.16
Bladder	305	6.4	0.37	3.6	0.21	100	1.6	0.16	0.9	0.10
Kidney & renal pelvis	277	5.1	0.31	3.5	0.21	137	2.2	0.19	1.4	0.13
Brain & Other Nervous System	346	5.9	0.32	4.5	0.24	239	3.6	0.24	2.9	0.19
Endocrine System	51	1.0	0.14	0.6	0.09	48	0.8	0.11	0.5	0.08
Thyroid gland	37	0.7	0.12	0.5	0.07	30	0.5	0.09	0.3	0.06
Lymphomas	357	7.0	0.38	4.4	0.23	296	4.8	0.28	2.9	0.18
Hodgkin Lymphoma	17	0.3	0.08	0.2	0.05	13	0.2	0.06	0.2	0.04
Non-Hodgkin Lymphoma	340	6.7	0.37	4.2	0.23	283	4.6	0.28	2.8	0.17
Multiple Myeloma	214	4.3	0.30	2.6	0.18	171	2.8	0.22	1.7	0.13
Leukemias	446	8.6	0.42	5.5	0.26	323	5.2	0.29	3.4	0.20
Other, Ill-defined & Unknown	812	15.3	0.55	10.1	0.36	626	10.0	0.40	6.6	0.27

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,530	149.0	1.76	97.1	1.13	6,611	110.5	1.38	75.2	0.96
Oral Cavity & Pharynx	129	2.4	0.22	1.7	0.15	71	1.2	0.14	0.8	0.10
Digestive System	2,062	39.4	0.89	27.1	0.60	1,518	25.5	0.66	17.0	0.45
Esophagus	303	5.6	0.33	4.1	0.23	56	0.9	0.13	0.7	0.09
Stomach	118	2.4	0.22	1.6	0.14	83	1.4	0.16	1.0	0.11
Colon & Rectum	645	12.6	0.51	8.5	0.34	569	9.6	0.41	6.3	0.28
Liver	254	4.6	0.29	3.4	0.21	105	1.8	0.17	1.2	0.12
Pancreas	587	11.3	0.48	7.7	0.32	516	8.6	0.38	5.8	0.26
Respiratory System	1,272	24.7	0.71	16.6	0.47	959	16.2	0.53	11.1	0.37
Larynx	29	0.5	0.09	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,228	23.9	0.70	16.0	0.46	942	15.9	0.53	10.9	0.36
Skin	371	7.2	0.38	4.9	0.25	125	2.1	0.19	1.5	0.14
Melanomas of the skin	292	5.6	0.33	3.9	0.23	112	1.9	0.18	1.4	0.13
Breast	11	0.2	0.07	0.1	0.04	1,226	20.4	0.59	14.4	0.42
Female Genital System	-	-	-	-	-	823	13.7	0.48	9.6	0.34
Cervix uteri	-	-	-	-	-	80	1.3	0.15	1.1	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	240	4.0	0.26	2.7	0.18
Ovary	-	-	-	-	-	467	7.8	0.37	5.4	0.26
Male Genital System	960	21.0	0.69	11.5	0.38	-	-	-	-	-
Prostate	942	20.7	0.68	11.3	0.37	-	-	-	-	-
Testis	11	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	579	11.8	0.50	7.3	0.31	239	4.0	0.26	2.5	0.17
Bladder	299	6.5	0.38	3.6	0.21	98	1.7	0.17	1.0	0.10
Kidney & renal pelvis	267	5.1	0.32	3.5	0.21	133	2.2	0.19	1.4	0.13
Brain & Other Nervous System	337	6.0	0.34	4.7	0.26	235	3.7	0.25	3.0	0.20
Endocrine System	49	1.0	0.15	0.6	0.09	46	0.8	0.11	0.5	0.08
Thyroid gland	36	0.7	0.12	0.5	0.08	30	0.5	0.09	0.3	0.06
Lymphomas	351	7.2	0.39	4.5	0.24	290	4.9	0.29	3.0	0.18
Hodgkin Lymphoma	16	0.3	0.08	0.2	0.05	13	0.2	0.06	0.2	0.05
Non-Hodgkin Lymphoma	335	6.9	0.38	4.3	0.23	277	4.7	0.29	2.8	0.18
Multiple Myeloma	200	4.1	0.30	2.6	0.18	161	2.7	0.22	1.7	0.14
Leukemias	431	8.7	0.43	5.5	0.27	320	5.4	0.30	3.6	0.21
Other, Ill-defined & Unknown	778	15.3	0.56	10.0	0.36	598	10.0	0.41	6.6	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	74	157.0	22.63	113.0	14.50	51	136.8	20.51	96.1	13.85
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	35	59.6	12.43	46.2	8.60	15	42.1	11.64	28.2	7.51
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	17	31.2	9.18	23.4	6.25	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	12	27.7	9.94	19.8	6.26	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	11	24.0	9.24	17.3	5.73	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	10	24.5	8.21	17.9	5.85
Female Genital System	-	-	-	-	-	10	24.7	8.37	17.7	5.81
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	179	133.2	10.98	92.4	7.08	169	97.3	7.87	68.8	5.37
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	77	55.8	6.95	39.3	4.58	51	32.9	4.82	21.6	3.07
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	21	17.3	4.08	11.2	2.49	13	8.4	2.42	5.5	1.56
Liver	27	17.6	3.68	13.4	2.65	11	7.3	2.32	4.5	1.37
Pancreas	15	12.4	3.43	8.2	2.16	13	8.7	2.52	5.8	1.63
Respiratory System	26	21.5	4.58	14.1	2.83	25	14.9	3.11	10.3	2.09
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	26	21.5	4.58	14.1	2.83	25	14.9	3.11	10.3	2.09
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	37	19.2	3.32	14.8	2.46
Female Genital System	-	-	-	-	-	20	10.0	2.33	8.0	1.81
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	10	5.2	1.71	3.9	1.24
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	12.6	3.64	7.4	2.03	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	11	6.2	2.24	5.1	1.60	-	-	-	-	-
Other, Ill-defined & Unknown	18	11.3	2.96	8.7	2.12	19	11.6	2.79	7.5	1.75

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,550	197.8	3.43	131.1	2.26	3,218	144.8	2.63	98.6	1.86
Oral Cavity & Pharynx	85	4.4	0.50	3.3	0.37	45	2.0	0.30	1.3	0.21
Digestive System	942	51.1	1.72	34.8	1.16	700	31.2	1.22	20.2	0.82
Esophagus	164	8.7	0.70	6.0	0.48	41	1.9	0.31	1.2	0.21
Stomach	76	4.3	0.51	2.7	0.32	30	1.2	0.23	0.8	0.16
Colon & Rectum	281	15.6	0.96	10.5	0.65	280	12.4	0.76	7.7	0.50
Liver	97	4.9	0.51	3.6	0.36	22	1.0	0.21	0.7	0.15
Pancreas	236	12.9	0.87	8.7	0.58	216	9.8	0.69	6.5	0.47
Respiratory System	992	53.6	1.76	36.4	1.17	887	40.4	1.39	27.9	0.98
Larynx	34	1.8	0.33	1.3	0.22	11	0.5	0.17	0.4	0.11
Lung & bronchus	949	51.3	1.72	34.8	1.14	872	39.6	1.38	27.4	0.97
Skin	105	5.8	0.59	3.9	0.39	-	-	-	-	-
Melanomas of the skin	63	3.4	0.45	2.4	0.32	42	1.8	0.29	1.4	0.23
Breast	-	-	-	-	-	420	19.0	0.97	13.6	0.72
Female Genital System	-	-	-	-	-	347	15.6	0.86	11.1	0.64
Cervix uteri	-	-	-	-	-	21	1.0	0.24	0.9	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	123	5.4	0.50	4.0	0.37
Ovary	-	-	-	-	-	167	7.6	0.61	5.3	0.44
Male Genital System	333	20.2	1.13	11.4	0.64	-	-	-	-	-
Prostate	320	19.4	1.11	10.8	0.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	249	14.4	0.94	8.9	0.57	122	5.5	0.52	3.4	0.33
Bladder	155	9.3	0.76	5.4	0.44	72	3.4	0.41	2.1	0.26
Kidney & renal pelvis	89	4.8	0.53	3.3	0.36	46	2.0	0.30	1.2	0.19
Brain & Other Nervous System	126	6.7	0.62	5.2	0.49	94	4.6	0.49	3.6	0.40
Endocrine System	14	0.8	0.22	0.6	0.19	18	0.8	0.19	0.6	0.16
Thyroid gland	-	-	-	-	-	10	0.4	0.12	0.3	0.10
Lymphomas	156	9.1	0.75	5.8	0.48	97	4.3	0.46	2.9	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	75	4.1	0.49	2.7	0.32	53	2.3	0.32	1.5	0.22
Leukemias	150	9.0	0.76	5.8	0.49	107	4.6	0.46	3.0	0.32
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,508	198.3	3.46	131.5	2.28	3,187	145.4	2.66	99.0	1.89
Oral Cavity & Pharynx	85	4.5	0.51	3.3	0.37	45	2.0	0.31	1.4	0.21
Digestive System	927	51.1	1.74	34.9	1.17	693	31.3	1.23	20.2	0.83
Esophagus	162	8.7	0.71	6.1	0.48	41	1.9	0.31	1.3	0.22
Stomach	73	4.2	0.51	2.7	0.32	28	1.2	0.23	0.7	0.15
Colon & Rectum	277	15.7	0.98	10.6	0.66	280	12.6	0.77	7.8	0.51
Liver	95	4.9	0.52	3.6	0.37	20	0.9	0.20	0.6	0.15
Pancreas	233	12.9	0.88	8.8	0.59	215	9.9	0.69	6.6	0.48
Respiratory System	982	53.8	1.77	36.5	1.18	879	40.6	1.41	28.1	0.99
Larynx	33	1.8	0.33	1.2	0.22	11	0.6	0.17	0.4	0.11
Lung & bronchus	940	51.5	1.73	34.9	1.15	864	39.8	1.39	27.5	0.98
Skin	105	5.9	0.60	4.0	0.40	-	-	-	-	-
Melanomas of the skin	63	3.5	0.46	2.5	0.33	42	1.8	0.30	1.4	0.24
Breast	-	-	-	-	-	415	19.0	0.97	13.6	0.72
Female Genital System	-	-	-	-	-	340	15.5	0.87	11.1	0.64
Cervix uteri	-	-	-	-	-	21	1.1	0.24	0.9	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	122	5.4	0.50	4.0	0.38
Ovary	-	-	-	-	-	162	7.5	0.61	5.2	0.45
Male Genital System	330	20.3	1.14	11.4	0.64	-	-	-	-	-
Prostate	317	19.5	1.11	10.8	0.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	248	14.6	0.95	9.0	0.58	122	5.6	0.52	3.4	0.34
Bladder	154	9.4	0.77	5.4	0.45	72	3.4	0.42	2.1	0.27
Kidney & renal pelvis	89	4.9	0.54	3.3	0.36	46	2.0	0.30	1.2	0.19
Brain & Other Nervous System	125	6.8	0.63	5.3	0.50	93	4.7	0.50	3.7	0.41
Endocrine System	14	0.8	0.23	0.6	0.19	18	0.8	0.20	0.6	0.17
Thyroid gland	-	-	-	-	-	10	0.4	0.12	0.3	0.10
Lymphomas	153	9.0	0.75	5.7	0.47	97	4.4	0.46	2.9	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	72	4.0	0.49	2.6	0.32	52	2.3	0.33	1.5	0.23
Leukemias	145	8.8	0.75	5.5	0.48	106	4.6	0.46	3.0	0.32
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	17	149.9	40.80	103.9	26.52	13	150.2	44.36	107.2	30.26
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	16	156.9	43.58	104.7	26.99	16	92.4	25.86	66.1	17.14
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	38,086	197.9	1.05	131.1	0.68	34,692	139.7	0.76	96.0	0.54
Oral Cavity & Pharynx	777	3.7	0.14	2.7	0.10	316	1.3	0.07	0.9	0.05
Digestive System	10,292	51.5	0.53	35.6	0.35	7,731	31.0	0.36	20.7	0.25
Esophagus	1,455	7.1	0.19	5.0	0.13	378	1.5	0.08	1.0	0.05
Stomach	793	4.1	0.15	2.8	0.10	527	2.2	0.10	1.4	0.07
Colon & Rectum	3,248	16.7	0.30	11.3	0.20	2,938	11.8	0.22	7.7	0.15
Liver	1,507	6.9	0.18	5.2	0.13	513	2.0	0.09	1.4	0.07
Pancreas	2,522	12.9	0.26	8.7	0.17	2,385	9.5	0.20	6.3	0.13
Respiratory System	11,351	57.6	0.56	38.9	0.37	8,924	35.9	0.39	24.6	0.27
Larynx	384	1.9	0.10	1.3	0.07	80	0.3	0.04	0.2	0.03
Lung & bronchus	10,902	55.3	0.55	37.4	0.36	8,790	35.4	0.38	24.2	0.26
Skin	1,067	5.6	0.18	3.7	0.11	505	2.0	0.09	1.4	0.07
Melanomas of the skin	787	4.1	0.15	2.8	0.10	397	1.6	0.08	1.1	0.06
Breast	71	0.4	0.05	0.2	0.03	5,427	21.8	0.30	15.8	0.22
Female Genital System	-	-	-	-	-	3,647	14.7	0.25	10.6	0.18
Cervix uteri	-	-	-	-	-	428	1.8	0.09	1.5	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,175	4.7	0.14	3.4	0.10
Ovary	-	-	-	-	-	1,825	7.3	0.17	5.1	0.12
Male Genital System	3,471	20.6	0.36	11.4	0.20	-	-	-	-	-
Prostate	3,405	20.2	0.35	11.2	0.19	-	-	-	-	-
Testis	34	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,448	13.2	0.28	8.3	0.17	1,145	4.6	0.14	2.9	0.09
Bladder	1,321	7.6	0.21	4.4	0.12	534	2.1	0.09	1.3	0.06
Kidney & renal pelvis	1,054	5.2	0.17	3.6	0.11	565	2.3	0.10	1.5	0.07
Brain & Other Nervous System	958	4.6	0.15	3.6	0.12	864	3.5	0.12	2.8	0.10
Endocrine System	173	0.9	0.07	0.7	0.05	174	0.7	0.06	0.5	0.04
Thyroid gland	91	0.5	0.05	0.3	0.03	117	0.5	0.04	0.3	0.03
Lymphomas	1,432	7.7	0.21	5.0	0.13	1,131	4.6	0.14	3.0	0.09
Hodgkin Lymphoma	84	0.4	0.05	0.3	0.03	52	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,348	7.3	0.20	4.7	0.13	1,079	4.4	0.13	2.8	0.09
Multiple Myeloma	846	4.5	0.16	2.9	0.10	687	2.8	0.11	1.8	0.07
Leukemias	1,566	8.5	0.22	5.6	0.14	1,094	4.5	0.14	3.0	0.10
Other, Ill-defined & Unknown	3,634	19.0	0.33	12.6	0.21	3,047	12.2	0.23	8.2	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,743	193.4	1.15	127.8	0.75	26,788	138.5	0.86	94.8	0.61
Oral Cavity & Pharynx	597	3.6	0.15	2.6	0.11	247	1.3	0.08	0.8	0.06
Digestive System	7,676	48.5	0.57	33.4	0.39	5,612	28.7	0.39	19.1	0.27
Esophagus	1,229	7.5	0.22	5.3	0.15	277	1.4	0.09	1.0	0.06
Stomach	509	3.3	0.15	2.2	0.10	344	1.8	0.10	1.2	0.07
Colon & Rectum	2,411	15.6	0.33	10.5	0.22	2,158	11.0	0.24	7.2	0.17
Liver	1,024	6.1	0.20	4.5	0.14	351	1.8	0.10	1.2	0.07
Pancreas	1,922	12.3	0.29	8.3	0.19	1,736	8.9	0.22	5.9	0.15
Respiratory System	8,955	56.8	0.62	38.2	0.41	7,233	37.3	0.45	25.5	0.31
Larynx	277	1.7	0.11	1.2	0.07	56	0.3	0.04	0.2	0.03
Lung & bronchus	8,626	54.7	0.61	36.8	0.40	7,137	36.8	0.44	25.2	0.31
Skin	1,025	6.8	0.22	4.5	0.14	475	2.5	0.12	1.7	0.09
Melanomas of the skin	769	5.0	0.19	3.4	0.13	376	2.0	0.11	1.4	0.08
Breast	50	0.3	0.05	0.2	0.03	3,985	20.7	0.34	14.9	0.25
Female Genital System	-	-	-	-	-	2,770	14.5	0.28	10.3	0.20
Cervix uteri	-	-	-	-	-	287	1.6	0.10	1.3	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	804	4.1	0.15	2.9	0.11
Ovary	-	-	-	-	-	1,503	7.8	0.20	5.4	0.15
Male Genital System	2,419	17.6	0.36	9.7	0.20	-	-	-	-	-
Prostate	2,362	17.2	0.36	9.4	0.19	-	-	-	-	-
Testis	29	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,046	13.8	0.31	8.5	0.19	904	4.6	0.16	2.9	0.10
Bladder	1,142	8.1	0.24	4.7	0.14	428	2.2	0.11	1.3	0.07
Kidney & renal pelvis	837	5.2	0.19	3.6	0.13	439	2.3	0.11	1.5	0.07
Brain & Other Nervous System	843	5.2	0.18	4.0	0.14	758	4.1	0.15	3.2	0.13
Endocrine System	134	0.9	0.08	0.7	0.06	132	0.7	0.06	0.6	0.05
Thyroid gland	77	0.5	0.06	0.3	0.04	89	0.5	0.05	0.3	0.04
Lymphomas	1,204	8.1	0.24	5.2	0.15	950	4.9	0.16	3.1	0.11
Hodgkin Lymphoma	65	0.4	0.05	0.3	0.04	42	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,139	7.7	0.23	4.9	0.15	908	4.6	0.16	2.9	0.10
Multiple Myeloma	596	4.0	0.17	2.5	0.10	441	2.3	0.11	1.4	0.07
Leukemias	1,299	8.9	0.25	5.8	0.16	890	4.7	0.16	3.1	0.12
Other, Ill-defined & Unknown	2,899	19.0	0.36	12.6	0.24	2,391	12.3	0.26	8.2	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,437	249.7	3.11	167.9	1.96	6,968	161.0	1.97	112.8	1.38
Oral Cavity & Pharynx	163	4.8	0.40	3.6	0.28	64	1.4	0.18	1.1	0.14
Digestive System	2,267	71.5	1.62	50.2	1.06	1,825	42.3	1.01	28.8	0.69
Esophagus	204	6.3	0.47	4.5	0.32	94	2.2	0.23	1.5	0.16
Stomach	236	8.2	0.57	5.3	0.35	140	3.4	0.29	2.2	0.19
Colon & Rectum	753	24.4	0.96	16.8	0.62	706	16.5	0.63	11.1	0.43
Liver	385	10.0	0.54	8.1	0.41	119	2.6	0.24	1.9	0.18
Pancreas	537	17.7	0.82	12.0	0.52	575	13.3	0.56	9.0	0.38
Respiratory System	2,149	69.9	1.62	48.3	1.05	1,510	35.3	0.93	24.3	0.63
Larynx	105	3.5	0.36	2.4	0.23	24	0.6	0.12	0.4	0.08
Lung & bronchus	2,032	66.1	1.57	45.7	1.02	1,473	34.4	0.91	23.7	0.63
Skin	40	1.2	0.20	0.9	0.14	-	-	-	-	-
Melanomas of the skin	17	0.6	0.16	0.4	0.09	18	0.4	0.11	0.3	0.06
Breast	20	0.6	0.15	0.4	0.10	1,319	29.5	0.83	22.0	0.62
Female Genital System	-	-	-	-	-	754	17.3	0.64	12.6	0.47
Cervix uteri	-	-	-	-	-	117	2.7	0.26	2.2	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	340	7.8	0.43	5.7	0.31
Ovary	-	-	-	-	-	256	5.9	0.37	4.2	0.26
Male Genital System	994	41.6	1.38	23.5	0.75	-	-	-	-	-
Prostate	986	41.4	1.38	23.3	0.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	359	12.3	0.70	8.1	0.43	224	5.3	0.36	3.4	0.24
Bladder	159	6.0	0.51	3.6	0.29	100	2.4	0.24	1.5	0.15
Kidney & renal pelvis	196	6.1	0.47	4.4	0.32	116	2.7	0.26	1.8	0.18
Brain & Other Nervous System	93	2.5	0.27	2.1	0.22	82	1.8	0.20	1.4	0.17
Endocrine System	34	1.0	0.19	0.8	0.14	38	0.9	0.14	0.6	0.11
Thyroid gland	11	0.4	0.13	0.3	0.08	25	0.6	0.12	0.4	0.08
Lymphomas	190	6.2	0.48	4.4	0.32	147	3.5	0.30	2.4	0.21
Hodgkin Lymphoma	18	0.6	0.14	0.4	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	172	5.7	0.46	3.9	0.30	-	-	-	-	-
Multiple Myeloma	230	8.0	0.57	5.2	0.35	229	5.5	0.37	3.6	0.24
Leukemias	236	7.9	0.55	5.4	0.36	175	4.2	0.33	2.9	0.23
Other, Ill-defined & Unknown	662	22.1	0.92	15.0	0.59	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	852	108.6	4.15	69.6	2.42	893	80.4	2.86	54.3	1.82
Oral Cavity & Pharynx	16	1.5	0.43	1.1	0.29	-	-	-	-	-
Digestive System	338	41.4	2.52	27.1	1.50	280	26.4	1.67	17.2	1.03
Esophagus	19	2.5	0.65	1.5	0.36	-	-	-	-	-
Stomach	46	5.2	0.84	3.6	0.53	42	3.8	0.62	2.5	0.40
Colon & Rectum	82	10.8	1.37	6.7	0.75	71	7.1	0.89	4.4	0.52
Liver	96	10.0	1.10	7.3	0.75	43	3.8	0.62	2.6	0.40
Pancreas	63	8.9	1.25	5.3	0.68	68	6.5	0.83	4.2	0.51
Respiratory System	231	29.6	2.15	18.9	1.26	170	15.7	1.27	10.5	0.81
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	228	29.3	2.14	18.7	1.25	169	15.7	1.27	10.4	0.80
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	118	9.8	0.97	6.9	0.64
Female Genital System	-	-	-	-	-	119	9.3	0.90	7.1	0.65
Cervix uteri	-	-	-	-	-	24	1.7	0.35	1.4	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	30	2.2	0.42	1.8	0.32
Ovary	-	-	-	-	-	63	5.3	0.70	3.8	0.49
Male Genital System	53	9.1	1.35	4.9	0.68	-	-	-	-	-
Prostate	52	9.0	1.35	4.8	0.67	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	38	5.2	0.93	3.2	0.52	15	1.5	0.42	0.9	0.24
Bladder	17	2.5	0.69	1.5	0.36	-	-	-	-	-
Kidney & renal pelvis	19	2.5	0.61	1.6	0.36	-	-	-	-	-
Brain & Other Nervous System	20	2.1	0.51	1.6	0.35	24	1.9	0.40	1.4	0.29
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	35	4.7	0.86	2.9	0.50	34	3.3	0.61	2.1	0.36
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	18	2.6	0.69	1.5	0.36	16	1.8	0.47	1.0	0.25
Leukemias	26	3.3	0.72	2.2	0.43	29	2.4	0.49	1.7	0.33
Other, Ill-defined & Unknown	70	8.6	1.15	5.7	0.69	74	6.9	0.85	4.6	0.54

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	31,940	187.8	1.08	123.0	0.70	28,833	138.2	0.83	93.8	0.58
Oral Cavity & Pharynx	745	4.1	0.15	2.9	0.11	372	1.8	0.09	1.2	0.07
Digestive System	9,006	50.7	0.55	35.0	0.37	6,475	30.7	0.39	20.3	0.27
Esophagus	1,345	7.5	0.21	5.2	0.14	326	1.6	0.09	1.0	0.06
Stomach	652	3.8	0.15	2.6	0.10	398	1.9	0.10	1.3	0.07
Colon & Rectum	2,548	14.8	0.30	9.9	0.20	2,338	11.0	0.23	7.2	0.16
Liver	1,501	7.6	0.20	5.9	0.15	496	2.3	0.11	1.6	0.07
Pancreas	2,141	12.3	0.27	8.2	0.18	1,986	9.5	0.22	6.2	0.15
Respiratory System	8,460	49.4	0.55	32.5	0.36	7,405	35.8	0.43	24.0	0.29
Larynx	249	1.4	0.09	1.0	0.06	65	0.3	0.04	0.2	0.03
Lung & bronchus	8,118	47.4	0.54	31.2	0.35	7,296	35.3	0.42	23.6	0.29
Skin	998	5.8	0.19	3.9	0.13	453	2.2	0.11	1.5	0.08
Melanomas of the skin	722	4.1	0.16	2.9	0.11	363	1.8	0.10	1.3	0.07
Breast	47	0.3	0.04	0.2	0.03	4,151	19.9	0.32	14.1	0.23
Female Genital System	-	-	-	-	-	3,112	14.9	0.27	10.6	0.20
Cervix uteri	-	-	-	-	-	329	1.7	0.09	1.4	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	909	4.3	0.14	3.0	0.10
Ovary	-	-	-	-	-	1,671	8.0	0.20	5.6	0.14
Male Genital System	3,149	20.5	0.37	11.3	0.20	-	-	-	-	-
Prostate	3,090	20.1	0.37	11.0	0.20	-	-	-	-	-
Testis	34	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,351	14.3	0.30	8.8	0.18	1,052	4.9	0.16	3.1	0.10
Bladder	1,301	8.3	0.23	4.7	0.13	511	2.4	0.11	1.4	0.07
Kidney & renal pelvis	974	5.6	0.18	3.8	0.12	496	2.4	0.11	1.6	0.07
Brain & Other Nervous System	1,092	5.9	0.19	4.7	0.14	825	4.1	0.14	3.2	0.12
Endocrine System	147	0.8	0.07	0.6	0.05	164	0.8	0.07	0.6	0.05
Thyroid gland	93	0.5	0.06	0.4	0.04	112	0.5	0.05	0.4	0.04
Lymphomas	1,353	8.3	0.23	5.2	0.15	1,029	4.9	0.16	3.1	0.10
Hodgkin Lymphoma	59	0.3	0.04	0.3	0.03	50	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,294	7.9	0.23	5.0	0.14	979	4.7	0.15	2.9	0.10
Multiple Myeloma	661	4.0	0.16	2.5	0.10	555	2.7	0.12	1.7	0.07
Leukemias	1,386	8.5	0.23	5.5	0.15	1,034	5.0	0.16	3.3	0.11
Other, Ill-defined & Unknown	2,545	15.2	0.31	9.9	0.20	2,206	10.5	0.23	7.0	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,132	190.0	1.14	124.3	0.74	26,245	141.1	0.90	95.9	0.63
Oral Cavity & Pharynx	675	4.1	0.16	3.0	0.12	327	1.7	0.10	1.2	0.07
Digestive System	7,932	49.7	0.58	34.2	0.39	5,727	30.5	0.41	20.1	0.28
Esophagus	1,284	7.9	0.23	5.5	0.16	310	1.7	0.10	1.1	0.06
Stomach	524	3.4	0.15	2.3	0.10	302	1.6	0.10	1.1	0.07
Colon & Rectum	2,281	14.8	0.32	9.9	0.21	2,121	11.2	0.25	7.3	0.17
Liver	1,184	6.6	0.20	5.1	0.15	384	2.0	0.11	1.4	0.07
Pancreas	1,946	12.4	0.29	8.3	0.19	1,787	9.6	0.23	6.3	0.16
Respiratory System	7,764	50.1	0.59	33.0	0.38	6,846	37.1	0.46	24.9	0.31
Larynx	224	1.4	0.10	1.0	0.06	62	0.3	0.04	0.2	0.03
Lung & bronchus	7,454	48.2	0.57	31.7	0.37	6,747	36.6	0.46	24.5	0.31
Skin	970	6.3	0.21	4.2	0.14	439	2.4	0.12	1.7	0.09
Melanomas of the skin	709	4.5	0.18	3.2	0.12	357	2.0	0.11	1.4	0.08
Breast	43	0.3	0.04	0.2	0.03	3,786	20.4	0.34	14.5	0.25
Female Genital System	-	-	-	-	-	2,821	15.2	0.29	10.8	0.21
Cervix uteri	-	-	-	-	-	271	1.6	0.10	1.3	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	821	4.3	0.15	3.0	0.11
Ovary	-	-	-	-	-	1,538	8.3	0.22	5.8	0.16
Male Genital System	2,898	20.6	0.39	11.4	0.21	-	-	-	-	-
Prostate	2,843	20.3	0.39	11.1	0.21	-	-	-	-	-
Testis	32	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,213	14.9	0.32	9.1	0.20	976	5.1	0.17	3.2	0.11
Bladder	1,241	8.6	0.25	5.0	0.14	471	2.4	0.11	1.4	0.07
Kidney & renal pelvis	901	5.7	0.20	3.9	0.13	464	2.5	0.12	1.6	0.08
Brain & Other Nervous System	1,024	6.3	0.20	5.0	0.16	773	4.3	0.16	3.4	0.13
Endocrine System	130	0.8	0.08	0.6	0.06	140	0.8	0.07	0.6	0.05
Thyroid gland	88	0.6	0.06	0.4	0.04	93	0.5	0.05	0.3	0.04
Lymphomas	1,257	8.5	0.25	5.4	0.16	937	5.0	0.17	3.2	0.11
Hodgkin Lymphoma	57	0.4	0.05	0.3	0.04	46	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,200	8.1	0.24	5.1	0.15	891	4.8	0.16	3.0	0.11
Multiple Myeloma	609	4.1	0.17	2.6	0.11	494	2.7	0.12	1.6	0.08
Leukemias	1,278	8.7	0.25	5.6	0.16	961	5.2	0.17	3.5	0.13
Other, Ill-defined & Unknown	2,339	15.6	0.33	10.0	0.21	2,018	10.7	0.25	7.2	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	970	212.3	7.78	142.8	4.76	687	135.0	5.44	95.2	3.70
Oral Cavity & Pharynx	20	3.6	0.91	2.6	0.61	-	-	-	-	-
Digestive System	331	69.7	4.36	48.1	2.74	177	34.6	2.75	24.3	1.86
Esophagus	17	3.1	0.85	2.2	0.57	-	-	-	-	-
Stomach	30	8.1	1.61	4.9	0.92	14	2.9	0.83	1.9	0.53
Colon & Rectum	93	19.9	2.33	13.6	1.46	57	10.6	1.47	7.7	1.04
Liver	84	14.9	1.85	11.3	1.28	22	4.3	0.98	3.1	0.68
Pancreas	74	16.6	2.18	11.1	1.34	55	11.4	1.61	7.5	1.03
Respiratory System	239	51.0	3.73	35.3	2.37	149	31.7	2.73	21.8	1.82
Larynx	12	2.0	0.65	1.6	0.48	-	-	-	-	-
Lung & bronchus	226	48.8	3.67	33.6	2.32	147	31.2	2.71	21.5	1.80
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	133	24.8	2.26	18.4	1.62
Female Genital System	-	-	-	-	-	72	13.5	1.69	9.9	1.18
Cervix uteri	-	-	-	-	-	10	1.6	0.52	1.3	0.42
Corpus & uterus, NOS ¹	-	-	-	-	-	33	6.2	1.14	4.6	0.81
Ovary	-	-	-	-	-	27	5.3	1.08	3.7	0.72
Male Genital System	120	32.8	3.29	19.7	1.84	-	-	-	-	-
Prostate	119	32.7	3.29	19.6	1.84	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	58	13.9	2.10	8.6	1.17	25	5.1	1.06	3.2	0.66
Bladder	26	7.5	1.63	4.2	0.85	13	2.8	0.79	1.5	0.45
Kidney & renal pelvis	30	5.8	1.24	4.0	0.77	12	2.4	0.71	1.7	0.49
Brain & Other Nervous System	18	2.2	0.54	2.0	0.49	10	1.5	0.52	1.4	0.44
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	30	6.2	1.29	4.4	0.83	22	4.3	0.96	2.9	0.62
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	25	5.8	1.31	3.8	0.79	26	5.5	1.14	3.6	0.73
Leukemias	36	9.0	1.72	5.5	0.96	17	3.6	0.92	2.2	0.55
Other, Ill-defined & Unknown	75	15.5	2.08	10.6	1.27	42	7.8	1.27	5.6	0.88

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	1,446	140.1	3.91	92.3	2.44	1,566	102.9	2.66	68.5	1.75
Oral Cavity & Pharynx	36	3.1	0.54	2.3	0.38	35	2.3	0.40	1.6	0.27
Digestive System	598	54.4	2.36	37.7	1.55	488	32.5	1.50	20.8	0.96
Esophagus	31	2.9	0.54	2.0	0.36	-	-	-	-	-
Stomach	91	8.8	0.98	5.8	0.62	79	5.1	0.59	3.4	0.39
Colon & Rectum	137	12.1	1.10	8.5	0.73	127	7.9	0.71	5.4	0.49
Liver	187	15.6	1.21	11.6	0.85	82	5.9	0.66	3.5	0.39
Pancreas	98	9.7	1.03	6.3	0.64	120	8.3	0.78	5.2	0.48
Respiratory System	351	35.9	2.02	22.7	1.21	330	22.1	1.24	14.3	0.80
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	338	34.6	1.98	21.8	1.19	324	21.8	1.23	14.0	0.79
Skin	13	1.1	0.33	0.8	0.23	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	184	11.2	0.85	8.3	0.62
Female Genital System	-	-	-	-	-	181	11.0	0.84	8.2	0.61
Cervix uteri	-	-	-	-	-	37	2.4	0.39	1.7	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	47	2.8	0.42	2.1	0.31
Ovary	-	-	-	-	-	89	5.4	0.59	4.0	0.43
Male Genital System	106	12.8	1.29	6.9	0.67	-	-	-	-	-
Prostate	103	12.6	1.29	6.7	0.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	69	7.3	0.92	4.5	0.54	36	2.6	0.43	1.5	0.25
Bladder	33	3.7	0.67	2.2	0.38	24	1.8	0.37	0.9	0.19
Kidney & renal pelvis	33	3.2	0.58	2.1	0.37	10	0.6	0.19	0.5	0.15
Brain & Other Nervous System	40	3.2	0.54	2.5	0.39	39	2.5	0.41	1.8	0.29
Endocrine System	-	-	-	-	-	18	1.2	0.28	0.8	0.19
Thyroid gland	-	-	-	-	-	15	1.0	0.26	0.7	0.18
Lymphomas	54	5.4	0.77	3.5	0.48	64	4.4	0.57	2.7	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	24	2.5	0.54	1.6	0.32	25	1.8	0.37	1.1	0.23
Leukemias	57	5.2	0.73	3.7	0.49	44	2.9	0.45	2.0	0.31
Other, Ill-defined & Unknown	89	8.2	0.93	5.6	0.60	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,905	183.6	1.31	120.0	0.84	19,255	135.8	1.00	91.8	0.70
Oral Cavity & Pharynx	477	3.8	0.18	2.8	0.13	255	1.8	0.11	1.2	0.08
Digestive System	6,011	50.4	0.67	34.7	0.45	4,298	30.0	0.47	19.8	0.32
Esophagus	833	6.9	0.25	4.8	0.17	211	1.5	0.11	1.0	0.07
Stomach	457	3.9	0.19	2.7	0.13	282	2.0	0.12	1.4	0.09
Colon & Rectum	1,699	14.6	0.37	9.8	0.24	1,523	10.5	0.28	6.9	0.19
Liver	1,037	7.8	0.25	6.0	0.19	340	2.4	0.13	1.6	0.09
Pancreas	1,428	12.3	0.34	8.2	0.22	1,318	9.3	0.26	6.0	0.17
Respiratory System	5,460	47.8	0.67	31.3	0.43	4,877	34.9	0.51	23.2	0.34
Larynx	165	1.3	0.11	0.9	0.07	49	0.3	0.05	0.2	0.04
Lung & bronchus	5,233	45.9	0.66	30.0	0.42	4,800	34.4	0.51	22.8	0.34
Skin	652	5.7	0.23	3.8	0.15	299	2.1	0.12	1.5	0.09
Melanomas of the skin	472	4.0	0.19	2.8	0.13	241	1.7	0.11	1.2	0.08
Breast	35	0.3	0.05	0.2	0.04	2,849	20.0	0.38	14.2	0.28
Female Genital System	-	-	-	-	-	2,115	14.8	0.33	10.6	0.24
Cervix uteri	-	-	-	-	-	229	1.7	0.11	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	633	4.4	0.18	3.1	0.13
Ovary	-	-	-	-	-	1,130	7.9	0.24	5.6	0.17
Male Genital System	2,064	20.1	0.45	11.2	0.25	-	-	-	-	-
Prostate	2,022	19.8	0.45	10.9	0.24	-	-	-	-	-
Testis	24	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,539	14.0	0.37	8.6	0.22	693	4.8	0.19	2.9	0.12
Bladder	860	8.2	0.29	4.7	0.16	355	2.4	0.13	1.4	0.08
Kidney & renal pelvis	627	5.4	0.22	3.7	0.15	315	2.2	0.13	1.4	0.08
Brain & Other Nervous System	703	5.7	0.22	4.4	0.17	557	4.0	0.17	3.1	0.14
Endocrine System	93	0.8	0.09	0.6	0.07	106	0.8	0.08	0.5	0.06
Thyroid gland	57	0.5	0.07	0.3	0.04	79	0.6	0.07	0.4	0.05
Lymphomas	866	7.9	0.28	5.0	0.17	709	5.0	0.19	3.1	0.13
Hodgkin Lymphoma	33	0.3	0.05	0.2	0.03	30	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	833	7.6	0.27	4.8	0.17	679	4.8	0.19	3.0	0.12
Multiple Myeloma	426	3.9	0.19	2.5	0.12	367	2.6	0.14	1.6	0.09
Leukemias	901	8.3	0.28	5.3	0.18	687	4.9	0.19	3.2	0.14
Other, Ill-defined & Unknown	1,678	15.0	0.38	9.7	0.24	1,443	10.1	0.27	6.7	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,489	185.8	1.41	121.2	0.91	17,028	139.4	1.10	94.3	0.77
Oral Cavity & Pharynx	420	3.9	0.20	2.8	0.14	216	1.7	0.12	1.2	0.08
Digestive System	5,082	48.9	0.71	33.6	0.48	3,635	29.4	0.50	19.4	0.34
Esophagus	784	7.4	0.27	5.2	0.19	197	1.6	0.12	1.0	0.08
Stomach	343	3.4	0.19	2.3	0.13	195	1.6	0.12	1.1	0.08
Colon & Rectum	1,469	14.6	0.39	9.7	0.26	1,330	10.7	0.30	6.9	0.21
Liver	764	6.6	0.25	5.1	0.19	240	1.9	0.13	1.3	0.09
Pancreas	1,259	12.3	0.36	8.3	0.24	1,142	9.3	0.28	6.1	0.19
Respiratory System	4,867	48.6	0.72	31.9	0.46	4,407	36.6	0.57	24.4	0.38
Larynx	142	1.3	0.12	0.9	0.08	47	0.4	0.06	0.3	0.04
Lung & bronchus	4,670	46.7	0.70	30.6	0.45	4,339	36.0	0.56	24.0	0.38
Skin	630	6.3	0.26	4.2	0.17	287	2.4	0.14	1.7	0.11
Melanomas of the skin	461	4.5	0.22	3.2	0.15	235	2.0	0.13	1.4	0.10
Breast	31	0.3	0.06	0.2	0.04	2,528	20.7	0.42	14.6	0.31
Female Genital System	-	-	-	-	-	1,871	15.3	0.36	10.9	0.26
Cervix uteri	-	-	-	-	-	180	1.6	0.12	1.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	560	4.5	0.20	3.2	0.14
Ovary	-	-	-	-	-	1,017	8.3	0.27	5.8	0.19
Male Genital System	1,846	20.3	0.48	11.2	0.27	-	-	-	-	-
Prostate	1,808	19.9	0.48	10.9	0.26	-	-	-	-	-
Testis	22	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,421	14.7	0.40	9.0	0.24	635	5.1	0.21	3.1	0.13
Bladder	806	8.6	0.31	4.9	0.18	320	2.5	0.14	1.5	0.09
Kidney & renal pelvis	567	5.6	0.24	3.8	0.16	294	2.4	0.14	1.5	0.09
Brain & Other Nervous System	641	6.0	0.25	4.7	0.19	513	4.4	0.20	3.5	0.16
Endocrine System	79	0.8	0.09	0.6	0.07	85	0.7	0.08	0.5	0.06
Thyroid gland	53	0.5	0.07	0.4	0.05	61	0.5	0.07	0.3	0.05
Lymphomas	782	8.1	0.30	5.1	0.19	631	5.1	0.21	3.2	0.14
Hodgkin Lymphoma	31	0.3	0.05	0.2	0.04	27	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	751	7.8	0.29	4.9	0.18	604	4.9	0.20	3.1	0.13
Multiple Myeloma	379	4.0	0.21	2.5	0.13	313	2.6	0.15	1.6	0.09
Leukemias	805	8.5	0.31	5.4	0.20	625	5.2	0.21	3.4	0.15
Other, Ill-defined & Unknown	1,506	15.4	0.41	9.9	0.26	1,282	10.4	0.30	6.9	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	856	215.7	8.41	145.1	5.14	632	140.2	5.89	98.8	4.00
Oral Cavity & Pharynx	16	3.1	0.87	2.4	0.61	-	-	-	-	-
Digestive System	293	71.5	4.76	49.1	2.98	167	36.8	3.01	25.9	2.04
Esophagus	14	2.7	0.81	2.1	0.59	-	-	-	-	-
Stomach	26	7.9	1.72	4.8	0.97	14	3.3	0.94	2.2	0.60
Colon & Rectum	79	19.8	2.51	13.4	1.56	56	11.7	1.65	8.5	1.16
Liver	80	16.0	2.05	12.3	1.42	22	4.8	1.10	3.5	0.77
Pancreas	64	17.1	2.41	11.2	1.45	48	11.0	1.68	7.4	1.08
Respiratory System	212	52.5	4.07	36.3	2.58	136	33.0	2.98	22.4	1.96
Larynx	11	2.2	0.73	1.7	0.54	-	-	-	-	-
Lung & bronchus	200	50.1	4.00	34.4	2.52	134	32.5	2.95	22.0	1.94
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	123	25.5	2.42	19.1	1.75
Female Genital System	-	-	-	-	-	65	13.8	1.83	10.1	1.27
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	29	6.1	1.20	4.6	0.86
Ovary	-	-	-	-	-	25	5.7	1.20	3.9	0.78
Male Genital System	107	34.0	3.60	20.4	2.02	-	-	-	-	-
Prostate	106	33.9	3.60	20.3	2.01	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	49	12.9	2.14	8.1	1.21	22	4.8	1.06	3.1	0.68
Bladder	23	7.4	1.71	4.2	0.91	12	2.8	0.82	1.6	0.46
Kidney & renal pelvis	24	4.9	1.16	3.6	0.77	10	2.0	0.67	1.6	0.50
Brain & Other Nervous System	16	2.3	0.61	2.1	0.54	10	1.8	0.58	1.6	0.50
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	29	6.9	1.47	4.8	0.94	18	4.1	1.01	2.7	0.65
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	24	6.2	1.43	4.1	0.87	25	6.1	1.28	4.0	0.81
Leukemias	33	9.3	1.86	5.8	1.05	16	3.8	1.00	2.4	0.61
Other, Ill-defined & Unknown	62	14.4	2.15	9.9	1.31	38	8.0	1.37	5.7	0.95

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,318	141.6	4.13	93.4	2.58	1,399	102.3	2.79	67.8	1.84
Oral Cavity & Pharynx	32	3.1	0.57	2.2	0.39	30	2.1	0.40	1.5	0.27
Digestive System	544	55.0	2.50	38.1	1.64	443	32.8	1.59	20.9	1.01
Esophagus	29	2.9	0.57	2.0	0.38	-	-	-	-	-
Stomach	82	8.8	1.03	5.9	0.65	73	5.2	0.63	3.5	0.42
Colon & Rectum	125	12.2	1.16	8.7	0.78	116	8.0	0.76	5.5	0.51
Liver	165	15.4	1.27	11.4	0.89	72	5.7	0.69	3.3	0.40
Pancreas	92	10.1	1.11	6.6	0.69	110	8.5	0.82	5.3	0.51
Respiratory System	319	36.2	2.13	22.9	1.29	293	21.9	1.31	14.1	0.83
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	306	34.7	2.09	21.9	1.26	288	21.6	1.30	13.8	0.83
Skin	12	1.2	0.36	0.8	0.24	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	166	11.3	0.89	8.4	0.65
Female Genital System	-	-	-	-	-	155	10.6	0.87	7.8	0.63
Cervix uteri	-	-	-	-	-	33	2.4	0.42	1.6	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	39	2.6	0.43	2.0	0.32
Ovary	-	-	-	-	-	77	5.3	0.61	3.9	0.45
Male Genital System	100	13.3	1.37	7.2	0.72	-	-	-	-	-
Prostate	97	13.1	1.37	7.0	0.71	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	62	7.0	0.94	4.5	0.57	31	2.5	0.45	1.3	0.25
Bladder	30	3.6	0.69	2.2	0.40	22	1.8	0.39	0.9	0.20
Kidney & renal pelvis	30	3.1	0.61	2.1	0.39	-	-	-	-	-
Brain & Other Nervous System	37	3.3	0.58	2.5	0.42	34	2.4	0.42	1.7	0.29
Endocrine System	-	-	-	-	-	17	1.2	0.31	0.8	0.21
Thyroid gland	-	-	-	-	-	15	1.1	0.29	0.7	0.19
Lymphomas	49	5.3	0.80	3.5	0.51	57	4.4	0.59	2.7	0.36
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	21	2.4	0.55	1.5	0.33	22	1.7	0.38	1.1	0.23
Leukemias	53	5.5	0.79	3.8	0.53	38	2.8	0.47	2.0	0.33
Other, Ill-defined & Unknown	81	8.5	1.01	5.7	0.63	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,912	233.5	2.11	159.0	1.43	10,991	163.2	1.60	114.8	1.18
Oral Cavity & Pharynx	269	4.7	0.30	3.6	0.22	96	1.4	0.15	0.9	0.10
Digestive System	3,244	57.3	1.04	40.6	0.73	2,359	34.5	0.73	23.5	0.52
Esophagus	520	8.9	0.40	6.6	0.30	119	1.8	0.17	1.3	0.13
Stomach	225	4.0	0.28	2.8	0.19	143	2.1	0.18	1.4	0.13
Colon & Rectum	1,186	21.7	0.65	14.7	0.44	1,068	15.6	0.49	10.2	0.34
Liver	379	6.2	0.33	4.8	0.25	141	2.1	0.18	1.5	0.13
Pancreas	707	12.4	0.48	8.8	0.34	630	9.1	0.37	6.3	0.27
Respiratory System	4,506	79.0	1.21	54.8	0.83	3,160	46.6	0.84	33.2	0.62
Larynx	166	2.8	0.22	2.1	0.17	48	0.7	0.10	0.5	0.08
Lung & bronchus	4,311	75.7	1.19	52.3	0.81	3,099	45.7	0.84	32.6	0.61
Skin	387	7.4	0.39	5.0	0.26	160	2.5	0.20	1.7	0.15
Melanomas of the skin	266	5.1	0.32	3.5	0.22	118	1.9	0.18	1.4	0.14
Breast	21	0.4	0.09	0.2	0.05	1,453	22.2	0.60	16.4	0.47
Female Genital System	-	-	-	-	-	1,129	17.1	0.53	12.7	0.41
Cervix uteri	-	-	-	-	-	179	3.3	0.26	2.8	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	342	4.9	0.27	3.5	0.20
Ovary	-	-	-	-	-	512	7.5	0.34	5.5	0.26
Male Genital System	899	18.1	0.62	10.1	0.34	-	-	-	-	-
Prostate	874	17.6	0.61	9.7	0.33	-	-	-	-	-
Testis	13	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	782	14.5	0.53	9.4	0.34	412	6.0	0.30	4.0	0.21
Bladder	409	7.8	0.40	4.7	0.23	181	2.7	0.20	1.7	0.14
Kidney & renal pelvis	359	6.4	0.35	4.5	0.25	220	3.2	0.22	2.2	0.16
Brain & Other Nervous System	311	5.5	0.33	4.4	0.26	217	3.4	0.24	2.6	0.19
Endocrine System	30	0.6	0.11	0.4	0.09	47	0.7	0.11	0.5	0.08
Thyroid gland	21	0.4	0.09	0.3	0.06	34	0.5	0.08	0.3	0.06
Lymphomas	442	8.1	0.40	5.5	0.27	364	5.3	0.29	3.6	0.20
Hodgkin Lymphoma	17	0.4	0.09	0.3	0.09	19	0.3	0.08	0.3	0.07
Non-Hodgkin Lymphoma	425	7.8	0.39	5.1	0.25	345	5.0	0.28	3.3	0.19
Multiple Myeloma	242	4.5	0.30	2.9	0.19	207	2.9	0.21	1.9	0.14
Leukemias	515	10.0	0.45	6.5	0.30	409	6.0	0.31	4.0	0.22
Other, Ill-defined & Unknown	1,264	23.2	0.67	15.8	0.46	978	14.4	0.47	9.9	0.35

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,493	233.9	2.15	159.3	1.46	10,645	163.6	1.63	115.1	1.20
Oral Cavity & Pharynx	257	4.7	0.30	3.5	0.23	92	1.4	0.15	0.9	0.10
Digestive System	3,110	57.0	1.05	40.3	0.74	2,270	34.4	0.74	23.3	0.53
Esophagus	507	8.9	0.41	6.7	0.30	115	1.8	0.17	1.3	0.14
Stomach	213	3.9	0.28	2.8	0.19	140	2.1	0.19	1.4	0.13
Colon & Rectum	1,139	21.6	0.66	14.6	0.45	1,034	15.6	0.50	10.3	0.35
Liver	352	6.1	0.33	4.6	0.25	135	2.1	0.18	1.5	0.14
Pancreas	683	12.4	0.49	8.8	0.35	604	9.1	0.38	6.3	0.27
Respiratory System	4,378	79.5	1.23	55.0	0.84	3,088	47.1	0.86	33.6	0.63
Larynx	159	2.8	0.23	2.1	0.17	47	0.7	0.10	0.5	0.08
Lung & bronchus	4,191	76.2	1.21	52.6	0.82	3,028	46.2	0.86	33.0	0.63
Skin	383	7.6	0.40	5.1	0.27	160	2.6	0.21	1.8	0.16
Melanomas of the skin	266	5.2	0.33	3.6	0.23	118	2.0	0.19	1.4	0.15
Breast	21	0.4	0.09	0.3	0.06	1,397	22.1	0.61	16.3	0.47
Female Genital System	-	-	-	-	-	1,089	17.1	0.54	12.7	0.42
Cervix uteri	-	-	-	-	-	177	3.4	0.27	2.9	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	324	4.8	0.27	3.4	0.20
Ovary	-	-	-	-	-	493	7.4	0.34	5.4	0.26
Male Genital System	849	17.7	0.62	9.9	0.34	-	-	-	-	-
Prostate	824	17.1	0.61	9.4	0.33	-	-	-	-	-
Testis	13	0.3	0.08	0.3	0.07	-	-	-	-	-
Urinary System	763	14.6	0.54	9.4	0.35	398	6.0	0.31	4.0	0.22
Bladder	396	7.8	0.40	4.7	0.24	173	2.6	0.20	1.6	0.14
Kidney & renal pelvis	353	6.5	0.36	4.6	0.25	214	3.2	0.22	2.3	0.17
Brain & Other Nervous System	305	5.7	0.34	4.5	0.27	213	3.5	0.25	2.7	0.20
Endocrine System	29	0.6	0.11	0.4	0.09	46	0.7	0.11	0.5	0.08
Thyroid gland	21	0.4	0.09	0.3	0.07	33	0.5	0.09	0.3	0.06
Lymphomas	434	8.3	0.41	5.6	0.28	357	5.4	0.29	3.6	0.21
Hodgkin Lymphoma	17	0.4	0.10	0.3	0.09	18	0.3	0.08	0.3	0.07
Non-Hodgkin Lymphoma	417	7.9	0.40	5.2	0.26	339	5.1	0.28	3.3	0.19
Multiple Myeloma	236	4.5	0.30	2.9	0.19	196	2.9	0.21	1.8	0.14
Leukemias	501	10.1	0.46	6.5	0.31	394	6.0	0.31	3.9	0.22
Other, Ill-defined & Unknown	1,227	23.3	0.68	15.8	0.47	945	14.4	0.48	9.9	0.35

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2011-2015, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	393	268.6	14.85	187.6	9.66	319	177.0	10.16	127.3	7.52
Oral Cavity & Pharynx	12	6.9	2.11	5.6	1.64	-	-	-	-	-
Digestive System	126	78.8	7.66	58.9	5.36	80	43.7	5.00	30.6	3.57
Esophagus	13	9.2	2.73	6.5	1.85	-	-	-	-	-
Stomach	10	6.7	2.28	4.9	1.59	-	-	-	-	-
Colon & Rectum	45	30.0	4.89	21.4	3.26	30	15.9	2.95	10.6	2.02
Liver	27	12.8	2.58	11.2	2.19	-	-	-	-	-
Pancreas	21	12.2	2.86	9.6	2.15	23	12.2	2.59	8.6	1.86
Respiratory System	123	81.0	8.03	57.5	5.29	67	37.1	4.65	26.6	3.40
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	115	76.7	7.86	54.0	5.13	66	36.7	4.64	26.2	3.38
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	52	30.4	4.34	22.8	3.37
Female Genital System	-	-	-	-	-	39	21.0	3.43	15.1	2.55
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	17	8.8	2.17	6.4	1.62
Ovary	-	-	-	-	-	19	10.6	2.51	7.4	1.82
Male Genital System	48	43.5	6.64	25.2	3.69	-	-	-	-	-
Prostate	48	43.5	6.64	25.2	3.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	10.6	3.00	7.4	1.95	14	7.7	2.12	5.5	1.57
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	11	6.0	1.83	3.7	1.19
Leukemias	14	11.3	3.27	7.1	1.92	14	7.9	2.16	5.9	1.64
Other, Ill-defined & Unknown	33	21.4	4.08	15.6	2.78	28	15.2	2.94	11.1	2.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	18	85.5	22.95	51.3	12.50	15	37.9	10.40	28.0	7.29
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,130	198.3	1.17	130.0	0.76	26,971	141.7	0.89	96.9	0.64
Oral Cavity & Pharynx	623	3.8	0.16	2.8	0.11	249	1.3	0.08	0.9	0.06
Digestive System	8,022	51.4	0.59	35.1	0.40	6,132	31.5	0.41	20.7	0.29
Esophagus	1,338	8.4	0.23	5.9	0.16	352	1.8	0.10	1.2	0.07
Stomach	554	3.6	0.16	2.4	0.10	360	1.9	0.10	1.3	0.07
Colon & Rectum	2,432	16.1	0.33	10.5	0.22	2,321	11.7	0.25	7.5	0.17
Liver	923	5.6	0.19	4.1	0.14	335	1.8	0.10	1.2	0.07
Pancreas	2,076	13.3	0.30	9.1	0.20	1,958	10.1	0.23	6.7	0.16
Respiratory System	8,309	53.8	0.60	36.0	0.40	6,909	37.0	0.45	25.6	0.32
Larynx	245	1.6	0.10	1.1	0.07	65	0.4	0.05	0.2	0.03
Lung & bronchus	7,996	51.7	0.59	34.6	0.39	6,812	36.5	0.45	25.2	0.32
Skin	828	5.4	0.19	3.7	0.13	369	2.0	0.10	1.4	0.08
Melanomas of the skin	602	4.0	0.16	2.7	0.11	278	1.5	0.09	1.1	0.07
Breast	49	0.3	0.05	0.2	0.03	3,764	20.0	0.34	14.3	0.25
Female Genital System	-	-	-	-	-	2,802	14.9	0.29	10.7	0.21
Cervix uteri	-	-	-	-	-	275	1.6	0.10	1.4	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	931	4.8	0.16	3.4	0.12
Ovary	-	-	-	-	-	1,355	7.2	0.20	5.1	0.15
Male Genital System	3,039	21.6	0.40	11.8	0.22	-	-	-	-	-
Prostate	2,979	21.2	0.39	11.5	0.21	-	-	-	-	-
Testis	30	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,196	14.7	0.32	9.1	0.20	981	5.0	0.16	3.2	0.11
Bladder	1,172	8.1	0.24	4.6	0.14	446	2.2	0.11	1.3	0.07
Kidney & renal pelvis	953	6.1	0.20	4.2	0.14	499	2.6	0.12	1.7	0.08
Brain & Other Nervous System	918	5.9	0.20	4.5	0.15	738	4.2	0.16	3.3	0.13
Endocrine System	136	0.9	0.08	0.7	0.06	158	0.9	0.07	0.6	0.06
Thyroid gland	89	0.6	0.06	0.4	0.04	103	0.5	0.05	0.3	0.04
Lymphomas	1,224	8.4	0.24	5.2	0.15	974	5.0	0.16	3.1	0.11
Hodgkin Lymphoma	68	0.5	0.06	0.3	0.04	51	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,156	8.0	0.24	4.9	0.15	923	4.7	0.16	2.9	0.10
Multiple Myeloma	657	4.4	0.18	2.7	0.11	525	2.7	0.12	1.7	0.08
Leukemias	1,440	9.9	0.26	6.4	0.17	1,058	5.5	0.17	3.6	0.12
Other, Ill-defined & Unknown	2,689	17.8	0.35	11.7	0.23	2,312	11.9	0.25	7.9	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,264	195.5	1.19	127.6	0.78	25,245	139.7	0.91	95.2	0.65
Oral Cavity & Pharynx	572	3.7	0.16	2.7	0.12	241	1.3	0.09	0.9	0.06
Digestive System	7,388	50.0	0.59	33.9	0.40	5,701	30.7	0.42	20.1	0.29
Esophagus	1,280	8.4	0.24	5.9	0.17	325	1.8	0.10	1.2	0.07
Stomach	478	3.3	0.15	2.2	0.10	302	1.7	0.10	1.1	0.07
Colon & Rectum	2,251	15.7	0.34	10.2	0.22	2,173	11.4	0.25	7.3	0.17
Liver	768	5.0	0.18	3.6	0.13	285	1.6	0.10	1.1	0.07
Pancreas	1,961	13.2	0.30	9.0	0.21	1,851	10.0	0.24	6.7	0.17
Respiratory System	7,739	52.6	0.61	35.1	0.40	6,411	36.1	0.46	24.9	0.33
Larynx	218	1.5	0.10	1.0	0.07	54	0.3	0.04	0.2	0.03
Lung & bronchus	7,456	50.7	0.60	33.8	0.40	6,327	35.7	0.46	24.6	0.32
Skin	818	5.7	0.20	3.8	0.14	365	2.1	0.11	1.4	0.08
Melanomas of the skin	596	4.1	0.17	2.8	0.12	276	1.6	0.10	1.2	0.08
Breast	45	0.3	0.05	0.2	0.03	3,504	19.6	0.34	14.0	0.26
Female Genital System	-	-	-	-	-	2,634	14.8	0.30	10.6	0.22
Cervix uteri	-	-	-	-	-	233	1.5	0.10	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	859	4.7	0.16	3.3	0.12
Ovary	-	-	-	-	-	1,307	7.3	0.21	5.2	0.15
Male Genital System	2,868	21.2	0.40	11.5	0.22	-	-	-	-	-
Prostate	2,811	20.7	0.39	11.2	0.22	-	-	-	-	-
Testis	28	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,114	14.8	0.33	9.1	0.20	939	5.0	0.17	3.2	0.11
Bladder	1,140	8.2	0.25	4.7	0.14	435	2.3	0.11	1.4	0.07
Kidney & renal pelvis	903	6.0	0.21	4.2	0.14	470	2.6	0.12	1.7	0.09
Brain & Other Nervous System	890	6.1	0.21	4.7	0.16	716	4.4	0.17	3.5	0.14
Endocrine System	130	0.9	0.08	0.7	0.07	149	0.8	0.07	0.6	0.06
Thyroid gland	85	0.6	0.06	0.4	0.05	98	0.5	0.05	0.3	0.04
Lymphomas	1,174	8.4	0.25	5.2	0.16	932	5.0	0.17	3.1	0.11
Hodgkin Lymphoma	62	0.4	0.06	0.3	0.04	48	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,112	8.0	0.24	4.9	0.15	884	4.7	0.16	2.9	0.11
Multiple Myeloma	604	4.3	0.18	2.6	0.11	484	2.6	0.12	1.7	0.08
Leukemias	1,383	10.0	0.27	6.4	0.18	1,007	5.5	0.18	3.6	0.13
Other, Ill-defined & Unknown	2,539	17.7	0.36	11.6	0.24	2,162	11.7	0.26	7.8	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	1,474	280.4	8.23	197.6	5.28	1,319	191.7	5.52	136.2	3.78
Oral Cavity & Pharynx	35	5.5	1.05	4.3	0.74	-	-	-	-	-
Digestive System	485	83.9	4.29	62.1	2.90	315	45.5	2.69	32.1	1.82
Esophagus	47	7.5	1.22	5.8	0.86	22	3.1	0.69	2.3	0.49
Stomach	60	11.3	1.63	8.1	1.07	37	5.7	0.97	3.7	0.62
Colon & Rectum	138	26.4	2.55	18.3	1.60	109	15.5	1.56	11.0	1.07
Liver	117	15.8	1.56	13.6	1.28	28	3.8	0.76	2.7	0.52
Pancreas	94	18.0	2.08	12.7	1.34	89	13.3	1.47	9.2	0.98
Respiratory System	472	89.1	4.56	63.9	3.02	375	54.7	2.95	39.3	2.04
Larynx	20	4.3	1.05	2.9	0.65	10	1.4	0.48	1.0	0.33
Lung & bronchus	451	84.6	4.43	60.9	2.94	363	52.8	2.90	38.0	2.01
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	220	31.2	2.20	22.6	1.54
Female Genital System	-	-	-	-	-	131	19.0	1.73	13.7	1.21
Cervix uteri	-	-	-	-	-	31	4.1	0.77	3.2	0.58
Corpus & uterus, NOS ¹	-	-	-	-	-	59	9.0	1.22	6.3	0.82
Ovary	-	-	-	-	-	36	4.9	0.86	3.7	0.63
Male Genital System	140	36.5	3.36	21.5	1.85	-	-	-	-	-
Prostate	139	36.4	3.35	21.4	1.85	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	68	14.0	1.91	9.4	1.17	34	5.3	0.95	3.4	0.60
Bladder	26	6.5	1.40	3.9	0.78	10	1.6	0.54	1.0	0.32
Kidney & renal pelvis	42	7.5	1.31	5.5	0.87	22	3.4	0.76	2.2	0.48
Brain & Other Nervous System	22	3.1	0.72	2.5	0.56	15	2.1	0.58	1.6	0.41
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	31	5.7	1.17	4.1	0.75	36	5.5	0.95	3.7	0.62
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	44	9.9	1.64	6.4	0.98	35	6.1	1.06	3.6	0.62
Leukemias	37	6.9	1.31	4.9	0.83	35	5.0	0.90	3.5	0.59
Other, Ill-defined & Unknown	123	22.4	2.27	16.3	1.51	110	16.1	1.60	11.4	1.10

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2011-2015, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	193	144.4	11.61	87.8	6.48	217	103.2	7.39	70.9	4.88
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	83	56.0	6.85	36.5	4.10	71	33.9	4.23	23.1	2.76
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	8.6	2.83	5.2	1.60	18	8.6	2.14	5.9	1.41
Colon & Rectum	22	16.0	3.69	10.2	2.21	22	10.9	2.43	7.3	1.56
Liver	22	11.4	2.81	8.3	1.82	12	5.7	1.73	3.8	1.09
Pancreas	10	6.2	2.16	4.5	1.44	11	5.1	1.61	3.5	1.07
Respiratory System	38	29.8	5.41	17.6	2.92	48	24.0	3.64	16.1	2.36
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	32	25.9	5.08	15.1	2.72	48	24.0	3.64	16.1	2.36
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	19	8.0	1.93	6.2	1.44
Female Genital System	-	-	-	-	-	25	11.0	2.32	8.0	1.62
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	15	16.4	4.38	8.0	2.08	-	-	-	-	-
Prostate	15	16.4	4.38	8.0	2.08	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	14	11.2	3.40	6.3	1.76	-	-	-	-	-
Other, Ill-defined & Unknown	16	11.3	3.13	7.3	1.86	27	13.9	2.83	9.1	1.78

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2011-2015, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	2,510	170.6	3.52	111.8	2.27	2,180	130.0	2.85	88.9	1.99
Oral Cavity & Pharynx	53	3.4	0.48	2.3	0.32	17	1.0	0.26	0.8	0.20
Digestive System	732	47.3	1.81	33.0	1.24	456	26.7	1.28	18.1	0.89
Esophagus	140	8.9	0.78	6.4	0.55	23	1.3	0.26	0.9	0.19
Stomach	35	2.4	0.42	1.6	0.27	22	1.3	0.29	1.0	0.22
Colon & Rectum	252	16.9	1.10	11.5	0.74	170	10.1	0.79	6.6	0.54
Liver	99	5.6	0.59	4.3	0.43	40	2.2	0.36	1.6	0.26
Pancreas	159	10.3	0.84	7.1	0.57	148	8.6	0.72	5.8	0.49
Respiratory System	614	41.5	1.73	27.1	1.10	535	32.4	1.43	21.9	0.97
Larynx	19	1.2	0.29	0.9	0.20	-	-	-	-	-
Lung & bronchus	588	39.8	1.70	25.9	1.08	526	31.9	1.42	21.5	0.97
Skin	75	5.2	0.62	3.4	0.41	-	-	-	-	-
Melanomas of the skin	59	4.0	0.54	2.8	0.37	33	2.0	0.37	1.4	0.26
Breast	-	-	-	-	-	316	18.5	1.07	13.0	0.77
Female Genital System	-	-	-	-	-	239	14.5	0.97	10.5	0.71
Cervix uteri	-	-	-	-	-	34	2.2	0.38	1.8	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	64	3.9	0.50	2.8	0.36
Ovary	-	-	-	-	-	125	7.5	0.69	5.3	0.49
Male Genital System	219	16.6	1.14	9.3	0.63	-	-	-	-	-
Prostate	214	16.3	1.13	9.0	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	169	11.7	0.93	7.3	0.57	69	4.1	0.50	2.7	0.33
Bladder	100	7.3	0.75	4.3	0.44	31	1.9	0.34	1.1	0.20
Kidney & renal pelvis	67	4.3	0.55	3.0	0.36	36	2.1	0.36	1.5	0.26
Brain & Other Nervous System	83	5.3	0.61	4.1	0.47	70	4.2	0.52	3.4	0.42
Endocrine System	-	-	-	-	-	12	0.7	0.21	0.5	0.14
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	98	6.9	0.72	4.4	0.45	84	4.9	0.55	3.0	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	61	4.5	0.59	2.6	0.34	34	2.0	0.36	1.3	0.24
Leukemias	133	9.4	0.84	6.0	0.54	102	6.2	0.63	4.0	0.42
Other, Ill-defined & Unknown	262	18.1	1.16	11.6	0.73	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2011-2015, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,446	171.8	3.59	112.6	2.32	2,121	131.0	2.91	89.5	2.04
Oral Cavity & Pharynx	53	3.5	0.50	2.4	0.34	16	1.0	0.26	0.8	0.21
Digestive System	710	47.5	1.85	33.1	1.26	440	26.7	1.30	18.0	0.90
Esophagus	138	9.0	0.80	6.5	0.56	21	1.2	0.27	0.8	0.19
Stomach	33	2.4	0.43	1.6	0.28	20	1.2	0.28	0.9	0.22
Colon & Rectum	245	17.0	1.13	11.6	0.75	163	10.1	0.81	6.6	0.55
Liver	90	5.3	0.58	4.0	0.43	38	2.2	0.36	1.6	0.26
Pancreas	157	10.4	0.87	7.3	0.59	146	8.8	0.74	5.9	0.51
Respiratory System	596	41.5	1.76	27.1	1.12	518	32.5	1.46	22.0	0.99
Larynx	18	1.2	0.29	0.8	0.20	-	-	-	-	-
Lung & bronchus	572	39.9	1.73	26.0	1.10	509	32.0	1.45	21.6	0.98
Skin	75	5.3	0.64	3.6	0.43	-	-	-	-	-
Melanomas of the skin	59	4.2	0.56	2.9	0.39	32	2.0	0.37	1.4	0.27
Breast	-	-	-	-	-	310	18.8	1.10	13.2	0.79
Female Genital System	-	-	-	-	-	232	14.7	0.99	10.6	0.73
Cervix uteri	-	-	-	-	-	34	2.3	0.40	1.9	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	60	3.8	0.50	2.7	0.36
Ovary	-	-	-	-	-	122	7.7	0.71	5.4	0.51
Male Genital System	215	16.8	1.17	9.4	0.65	-	-	-	-	-
Prostate	210	16.5	1.16	9.1	0.63	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	168	12.1	0.96	7.5	0.59	67	4.1	0.51	2.7	0.34
Bladder	100	7.5	0.77	4.5	0.45	31	1.9	0.35	1.1	0.20
Kidney & renal pelvis	66	4.4	0.56	3.0	0.37	34	2.0	0.36	1.5	0.26
Brain & Other Nervous System	82	5.5	0.63	4.2	0.48	69	4.3	0.54	3.5	0.44
Endocrine System	-	-	-	-	-	12	0.7	0.22	0.5	0.15
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	96	7.0	0.73	4.4	0.46	83	5.0	0.56	3.0	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	59	4.5	0.59	2.6	0.34	33	2.0	0.37	1.3	0.25
Leukemias	129	9.5	0.86	6.0	0.55	99	6.2	0.64	4.0	0.42
Other, Ill-defined & Unknown	253	18.1	1.17	11.6	0.74	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2011-2015, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	16	82.1	21.04	59.4	15.11	18	94.5	22.58	72.4	17.97
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2011-2015, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	-	-	-	-	-	10	81.9	26.50	47.5	15.15
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Puerto Rico, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,731	152.7	1.28	100.8	0.86	11,703	94.6	0.89	66.3	0.66
Oral Cavity & Pharynx	494	4.9	0.22	3.7	0.17	133	1.0	0.09	0.7	0.07
Digestive System	4,967	50.5	0.73	34.8	0.51	3,532	27.8	0.47	18.3	0.33
Esophagus	436	4.4	0.21	3.1	0.15	106	0.8	0.08	0.5	0.05
Stomach	650	6.8	0.27	4.4	0.18	451	3.5	0.17	2.3	0.12
Colon & Rectum	1,914	19.7	0.46	13.4	0.32	1,553	12.2	0.32	8.1	0.22
Liver	936	9.2	0.31	6.7	0.22	457	3.6	0.17	2.3	0.12
Pancreas	784	7.9	0.29	5.5	0.20	727	5.8	0.22	3.8	0.15
Respiratory System	2,175	22.0	0.48	14.9	0.33	1,172	9.2	0.27	6.2	0.19
Larynx	197	2.0	0.14	1.4	0.10	29	0.2	0.04	0.2	0.03
Lung & bronchus	1,951	19.8	0.45	13.2	0.31	1,133	8.9	0.27	5.9	0.19
Skin	196	2.1	0.15	1.3	0.09	106	0.8	0.08	0.4	0.05
Melanomas of the skin	61	0.6	0.08	0.4	0.06	31	0.2	0.05	0.2	0.04
Breast	46	0.5	0.07	0.3	0.05	2,166	17.9	0.40	13.5	0.31
Female Genital System	-	-	-	-	-	1,412	11.9	0.33	9.0	0.26
Cervix uteri	-	-	-	-	-	261	2.5	0.16	2.0	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	531	4.4	0.20	3.3	0.15
Ovary	-	-	-	-	-	512	4.2	0.19	3.1	0.14
Male Genital System	2,530	27.5	0.55	15.2	0.31	-	-	-	-	-
Prostate	2,459	26.7	0.54	14.5	0.30	-	-	-	-	-
Testis	29	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	695	7.3	0.28	4.5	0.18	346	2.7	0.15	1.7	0.10
Bladder	423	4.5	0.22	2.6	0.13	187	1.4	0.11	0.9	0.07
Kidney & renal pelvis	258	2.6	0.17	1.8	0.12	147	1.1	0.10	0.8	0.07
Brain & Other Nervous System	282	3.0	0.18	2.3	0.14	257	2.2	0.14	1.7	0.12
Endocrine System	56	0.6	0.08	0.4	0.06	59	0.5	0.07	0.4	0.06
Thyroid gland	36	0.4	0.06	0.2	0.04	40	0.3	0.05	0.2	0.03
Lymphomas	517	5.4	0.24	3.9	0.18	351	2.9	0.16	2.1	0.12
Hodgkin Lymphoma	69	0.8	0.09	0.6	0.08	35	0.3	0.06	0.3	0.05
Non-Hodgkin Lymphoma	448	4.7	0.22	3.3	0.16	316	2.6	0.15	1.8	0.11
Multiple Myeloma	358	3.7	0.20	2.5	0.13	319	2.5	0.14	1.7	0.10
Leukemias	498	5.4	0.24	3.6	0.17	380	3.2	0.17	2.2	0.13
Other, Ill-defined & Unknown	1,917	19.9	0.46	13.5	0.32	1,469	11.9	0.32	8.5	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alberta, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,099	192.6	1.57	123.6	0.98	14,299	140.0	1.19	95.4	0.83
Oral Cavity & Pharynx	362	3.8	0.21	2.8	0.15	151	1.5	0.12	1.0	0.09
Digestive System	4,914	56.8	0.84	37.6	0.54	3,653	35.6	0.60	23.4	0.40
Esophagus	724	7.9	0.30	5.5	0.21	170	1.6	0.13	1.1	0.09
Stomach	416	5.1	0.26	3.2	0.16	297	2.9	0.17	2.0	0.12
Colon & Rectum	1,893	22.6	0.54	14.5	0.33	1,502	14.5	0.38	9.2	0.25
Liver	509	5.3	0.25	3.8	0.17	180	1.8	0.14	1.2	0.09
Pancreas	942	10.8	0.37	7.2	0.24	971	9.5	0.31	6.3	0.21
Respiratory System	3,977	46.9	0.77	30.7	0.49	3,610	36.0	0.61	24.6	0.42
Larynx	110	1.2	0.12	0.8	0.08	13	0.1	0.04	0.1	0.03
Lung & bronchus	3,829	45.2	0.76	29.6	0.48	3,574	35.6	0.61	24.4	0.42
Skin	328	3.8	0.22	2.5	0.14	198	1.9	0.14	1.3	0.10
Melanomas of the skin	242	2.7	0.18	1.9	0.12	166	1.6	0.12	1.1	0.09
Breast	25	0.3	0.07	0.2	0.04	2,121	20.4	0.45	14.6	0.33
Female Genital System	-	-	-	-	-	1,458	14.0	0.37	10.1	0.27
Cervix uteri	-	-	-	-	-	209	2.0	0.14	1.6	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	424	4.1	0.20	2.9	0.14
Ovary	-	-	-	-	-	723	7.0	0.26	5.0	0.19
Male Genital System	1,937	26.4	0.61	14.5	0.33	-	-	-	-	-
Prostate	1,900	26.0	0.61	14.2	0.33	-	-	-	-	-
Testis	18	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,054	12.9	0.41	8.0	0.25	452	4.4	0.21	2.7	0.13
Bladder	582	7.5	0.32	4.4	0.18	203	2.0	0.14	1.2	0.09
Kidney & renal pelvis	429	4.9	0.24	3.3	0.16	221	2.1	0.15	1.4	0.10
Brain & Other Nervous System	526	5.4	0.25	4.2	0.19	343	3.4	0.19	2.7	0.15
Endocrine System	83	0.9	0.11	0.7	0.08	91	0.9	0.10	0.6	0.07
Thyroid gland	50	0.6	0.09	0.4	0.06	53	0.5	0.07	0.3	0.05
Lymphomas	623	7.5	0.31	4.8	0.20	468	4.6	0.22	2.9	0.14
Hodgkin Lymphoma	26	0.3	0.05	0.2	0.04	17	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	597	7.3	0.31	4.6	0.19	451	4.4	0.21	2.8	0.14
Multiple Myeloma	321	4.0	0.23	2.5	0.14	233	2.3	0.16	1.5	0.10
Leukemias	638	8.0	0.33	4.9	0.20	440	4.4	0.21	2.8	0.14
Other, Ill-defined & Unknown	1,311	15.8	0.45	10.2	0.29	1,081	10.6	0.33	7.0	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
British Columbia, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,573	188.6	1.20	122.1	0.78	22,642	141.9	0.96	96.0	0.68
Oral Cavity & Pharynx	593	4.1	0.17	3.0	0.12	289	1.8	0.11	1.2	0.08
Digestive System	8,282	59.8	0.67	40.2	0.45	6,119	37.7	0.49	24.7	0.34
Esophagus	1,085	7.7	0.24	5.3	0.16	350	2.2	0.12	1.5	0.08
Stomach	676	4.9	0.19	3.3	0.13	423	2.7	0.13	1.8	0.10
Colon & Rectum	3,133	23.2	0.42	14.9	0.27	2,747	16.8	0.33	10.7	0.22
Liver	1,045	7.0	0.22	5.3	0.17	331	2.1	0.12	1.4	0.09
Pancreas	1,584	11.4	0.29	7.7	0.20	1,438	8.9	0.24	5.8	0.16
Respiratory System	6,265	45.4	0.58	29.8	0.38	5,833	36.5	0.49	24.7	0.34
Larynx	170	1.2	0.09	0.8	0.06	37	0.2	0.04	0.2	0.03
Lung & bronchus	6,035	43.7	0.57	28.6	0.37	5,763	36.1	0.48	24.4	0.33
Skin	682	5.1	0.20	3.3	0.13	345	2.1	0.12	1.4	0.09
Melanomas of the skin	442	3.3	0.16	2.3	0.11	236	1.5	0.10	1.1	0.08
Breast	35	0.3	0.04	0.2	0.03	3,171	20.3	0.37	14.6	0.27
Female Genital System	-	-	-	-	-	2,235	14.2	0.31	10.1	0.23
Cervix uteri	-	-	-	-	-	243	1.7	0.11	1.4	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	605	3.8	0.16	2.7	0.12
Ovary	-	-	-	-	-	1,220	7.7	0.23	5.4	0.16
Male Genital System	2,836	22.3	0.42	12.1	0.23	-	-	-	-	-
Prostate	2,782	21.9	0.42	11.8	0.23	-	-	-	-	-
Testis	21	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,882	14.1	0.33	8.6	0.20	784	4.8	0.17	2.9	0.11
Bladder	1,104	8.5	0.26	4.9	0.15	403	2.4	0.12	1.4	0.08
Kidney & renal pelvis	716	5.1	0.20	3.5	0.13	342	2.1	0.12	1.3	0.08
Brain & Other Nervous System	834	6.1	0.22	4.8	0.18	600	4.1	0.17	3.2	0.15
Endocrine System	111	0.9	0.08	0.6	0.07	108	0.7	0.07	0.5	0.06
Thyroid gland	64	0.5	0.06	0.3	0.04	68	0.4	0.05	0.3	0.03
Lymphomas	1,039	7.8	0.25	5.0	0.16	746	4.6	0.17	2.9	0.11
Hodgkin Lymphoma	46	0.3	0.05	0.3	0.05	27	0.2	0.04	0.2	0.04
Non-Hodgkin Lymphoma	993	7.5	0.24	4.7	0.15	719	4.4	0.17	2.7	0.11
Multiple Myeloma	490	3.6	0.17	2.3	0.11	391	2.5	0.13	1.6	0.08
Leukemias	985	7.5	0.24	4.8	0.16	710	4.5	0.18	3.0	0.13
Other, Ill-defined & Unknown	1,539	11.7	0.30	7.4	0.20	1,311	8.0	0.23	5.2	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Manitoba, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,089	220.7	2.66	141.7	1.72	6,627	160.2	2.02	108.8	1.45
Oral Cavity & Pharynx	122	3.5	0.32	2.6	0.23	66	1.6	0.21	1.1	0.15
Digestive System	2,126	64.9	1.43	43.1	0.95	1,685	39.7	0.99	25.9	0.69
Esophagus	255	7.6	0.49	5.3	0.34	62	1.5	0.19	1.0	0.13
Stomach	192	5.8	0.43	3.9	0.28	130	3.1	0.28	2.0	0.19
Colon & Rectum	897	27.9	0.95	18.0	0.61	782	18.0	0.66	11.6	0.46
Liver	185	5.5	0.41	3.8	0.28	76	1.9	0.22	1.3	0.16
Pancreas	400	12.1	0.62	8.1	0.41	410	9.8	0.49	6.4	0.34
Respiratory System	1,718	52.5	1.29	34.6	0.85	1,664	40.8	1.02	27.8	0.72
Larynx	28	0.9	0.16	0.5	0.11	-	-	-	-	-
Lung & bronchus	1,667	51.0	1.27	33.6	0.83	1,647	40.4	1.02	27.6	0.72
Skin	141	4.4	0.37	2.9	0.25	84	2.0	0.23	1.3	0.16
Melanomas of the skin	107	3.2	0.32	2.3	0.22	58	1.5	0.20	1.0	0.15
Breast	-	-	-	-	-	934	22.9	0.77	16.2	0.58
Female Genital System	-	-	-	-	-	625	15.8	0.65	11.4	0.49
Cervix uteri	-	-	-	-	-	75	2.1	0.25	1.7	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	187	4.4	0.33	3.1	0.24
Ovary	-	-	-	-	-	296	7.5	0.45	5.4	0.33
Male Genital System	852	28.6	0.99	15.2	0.53	-	-	-	-	-
Prostate	837	28.1	0.98	14.8	0.52	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	514	16.1	0.72	10.1	0.45	258	6.0	0.38	3.8	0.26
Bladder	238	7.7	0.50	4.5	0.29	124	2.8	0.26	1.6	0.16
Kidney & renal pelvis	261	7.9	0.50	5.3	0.34	126	3.0	0.27	2.0	0.20
Brain & Other Nervous System	156	4.6	0.38	3.7	0.30	134	3.6	0.32	2.9	0.27
Endocrine System	25	0.8	0.15	0.6	0.13	37	0.8	0.14	0.5	0.10
Thyroid gland	18	0.5	0.13	0.4	0.10	28	0.6	0.12	0.4	0.08
Lymphomas	272	8.5	0.52	5.5	0.34	233	5.3	0.36	3.4	0.24
Hodgkin Lymphoma	10	0.3	0.09	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	262	8.2	0.51	5.3	0.33	-	-	-	-	-
Multiple Myeloma	163	5.1	0.41	3.2	0.26	117	2.8	0.26	1.8	0.17
Leukemias	317	10.3	0.58	6.3	0.36	202	4.7	0.34	3.1	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	588	14.2	0.60	9.7	0.44

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Brunswick, 2011-2015, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	5,080	224.9	3.25	144.6	2.07	4,350	151.7	2.36	103.0	1.69
Oral Cavity & Pharynx	95	4.0	0.42	2.9	0.30	44	1.5	0.24	1.0	0.18
Digestive System	1,444	62.5	1.69	41.4	1.11	1,082	36.9	1.15	24.0	0.79
Esophagus	203	8.3	0.60	6.0	0.43	56	2.0	0.27	1.4	0.20
Stomach	131	5.9	0.53	3.8	0.34	85	3.0	0.33	2.1	0.24
Colon & Rectum	589	26.1	1.11	16.6	0.69	500	16.9	0.77	10.6	0.52
Liver	104	4.3	0.44	2.9	0.29	34	1.2	0.21	0.8	0.14
Pancreas	301	12.9	0.77	8.7	0.51	273	9.2	0.56	6.1	0.39
Respiratory System	1,579	68.0	1.76	44.2	1.12	1,119	39.1	1.19	26.9	0.84
Larynx	35	1.5	0.26	1.0	0.17	-	-	-	-	-
Lung & bronchus	1,531	66.0	1.73	42.8	1.10	1,111	38.8	1.18	26.7	0.83
Skin	83	3.7	0.42	2.4	0.27	73	2.7	0.32	1.7	0.23
Melanomas of the skin	62	2.7	0.35	1.8	0.24	52	2.0	0.29	1.4	0.21
Breast	-	-	-	-	-	578	20.2	0.86	14.1	0.64
Female Genital System	-	-	-	-	-	428	15.3	0.76	10.8	0.56
Cervix uteri	-	-	-	-	-	48	1.9	0.29	1.6	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	121	4.3	0.41	3.0	0.29
Ovary	-	-	-	-	-	219	7.6	0.52	5.3	0.38
Male Genital System	481	23.8	1.11	12.6	0.58	-	-	-	-	-
Prostate	471	23.4	1.10	12.3	0.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	365	16.3	0.88	10.4	0.56	183	6.0	0.46	3.8	0.30
Bladder	178	8.5	0.65	4.9	0.37	69	2.2	0.27	1.3	0.17
Kidney & renal pelvis	173	7.2	0.56	5.1	0.40	103	3.5	0.35	2.3	0.24
Brain & Other Nervous System	125	5.4	0.50	4.2	0.40	101	3.7	0.38	2.9	0.32
Endocrine System	18	0.8	0.20	0.6	0.17	23	0.9	0.19	0.7	0.17
Thyroid gland	14	0.6	0.17	0.4	0.11	15	0.5	0.14	0.4	0.10
Lymphomas	189	8.7	0.65	5.6	0.42	165	5.8	0.46	3.8	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	92	4.1	0.44	2.5	0.27	82	2.8	0.31	1.8	0.21
Leukemias	182	8.2	0.62	5.4	0.42	142	5.2	0.46	3.7	0.36
Other, Ill-defined & Unknown	-	-	-	-	-	330	11.6	0.66	7.8	0.49

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Newfoundland and Labrador, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,781	245.8	4.20	158.4	2.62	3,259	174.9	3.12	118.7	2.19
Oral Cavity & Pharynx	70	4.3	0.54	3.0	0.37	17	0.9	0.22	0.6	0.14
Digestive System	1,225	77.6	2.33	51.2	1.48	945	51.1	1.69	33.1	1.13
Esophagus	120	7.4	0.71	5.1	0.47	29	1.6	0.29	1.0	0.19
Stomach	177	11.3	0.89	7.4	0.56	106	5.8	0.58	3.8	0.39
Colon & Rectum	579	37.4	1.63	24.2	1.02	508	27.7	1.25	18.0	0.84
Liver	84	5.0	0.58	3.5	0.39	35	1.9	0.32	1.2	0.21
Pancreas	176	10.7	0.85	7.2	0.55	155	8.2	0.67	5.2	0.44
Respiratory System	1,136	71.0	2.21	46.3	1.38	704	36.7	1.41	25.8	0.99
Larynx	43	2.8	0.44	1.8	0.27	-	-	-	-	-
Lung & bronchus	1,089	68.0	2.16	44.4	1.35	699	36.4	1.40	25.6	0.99
Skin	53	3.5	0.50	2.3	0.33	-	-	-	-	-
Melanomas of the skin	39	2.5	0.43	1.8	0.29	26	1.4	0.29	1.1	0.22
Breast	-	-	-	-	-	462	24.6	1.17	17.3	0.85
Female Genital System	-	-	-	-	-	323	17.8	1.01	12.8	0.76
Cervix uteri	-	-	-	-	-	55	3.3	0.46	2.7	0.39
Corpus & uterus, NOS ¹	-	-	-	-	-	80	4.3	0.49	2.9	0.34
Ovary	-	-	-	-	-	149	8.0	0.67	5.8	0.50
Male Genital System	386	29.5	1.56	15.9	0.81	-	-	-	-	-
Prostate	372	28.5	1.53	15.3	0.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	234	15.6	1.07	9.7	0.63	138	7.4	0.64	4.6	0.41
Bladder	107	8.0	0.81	4.5	0.43	40	2.1	0.34	1.2	0.19
Kidney & renal pelvis	117	7.0	0.67	4.8	0.45	93	5.1	0.53	3.3	0.35
Brain & Other Nervous System	108	6.7	0.67	5.4	0.55	76	4.2	0.50	3.3	0.42
Endocrine System	18	1.1	0.28	0.9	0.22	16	0.9	0.25	0.7	0.22
Thyroid gland	10	0.6	0.20	0.4	0.13	10	0.5	0.17	0.3	0.11
Lymphomas	123	8.1	0.77	5.4	0.50	106	5.8	0.58	3.8	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	52	3.3	0.47	2.1	0.30	55	3.0	0.42	1.8	0.25
Leukemias	101	6.8	0.71	4.3	0.44	94	5.2	0.55	3.7	0.43
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Northwest Territories, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	150	231.0	21.94	155.2	13.34	126	202.5	19.59	132.5	12.13
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	49	68.4	11.61	47.3	7.17	33	54.0	10.22	35.0	6.26
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	21	33.7	8.77	21.5	5.00	15	26.8	7.38	16.7	4.41
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	49	80.1	13.12	53.3	7.95	36	60.8	10.84	40.0	6.81
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	48	78.9	13.07	52.3	7.89	35	58.3	10.55	38.7	6.69
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	20	30.5	7.48	20.4	4.69
Female Genital System	-	-	-	-	-	10	12.8	4.39	9.8	3.18
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	12	26.7	8.24	15.3	4.51	-	-	-	-	-
Prostate	12	26.7	8.24	15.3	4.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	16.2	6.22	10.2	3.44	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	13	19.5	6.05	13.6	3.92	11	19.1	6.19	11.6	3.57

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nova Scotia, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,850	245.4	3.05	158.6	1.96	6,290	175.0	2.26	118.7	1.61
Oral Cavity & Pharynx	125	4.2	0.38	2.9	0.27	51	1.3	0.19	0.8	0.12
Digestive System	2,035	71.7	1.64	47.6	1.08	1,593	43.6	1.12	28.2	0.76
Esophagus	284	9.6	0.58	6.8	0.41	95	2.6	0.28	1.8	0.19
Stomach	160	5.7	0.47	3.8	0.31	75	2.0	0.24	1.2	0.15
Colon & Rectum	945	34.2	1.14	21.8	0.72	799	21.5	0.78	13.7	0.52
Liver	150	4.9	0.42	3.7	0.31	58	1.6	0.22	1.1	0.16
Pancreas	349	12.0	0.66	8.2	0.44	356	9.9	0.54	6.6	0.37
Respiratory System	2,046	70.5	1.60	46.4	1.03	1,717	47.6	1.17	32.9	0.83
Larynx	61	2.1	0.28	1.4	0.18	13	0.4	0.10	0.2	0.06
Lung & bronchus	1,963	67.6	1.57	44.6	1.01	1,695	47.0	1.16	32.5	0.82
Skin	171	6.4	0.50	4.1	0.32	105	3.0	0.30	2.0	0.22
Melanomas of the skin	119	4.4	0.41	2.9	0.28	81	2.4	0.27	1.7	0.21
Breast	12	0.4	0.13	0.3	0.08	831	23.6	0.84	16.6	0.62
Female Genital System	-	-	-	-	-	634	17.8	0.73	12.8	0.54
Cervix uteri	-	-	-	-	-	71	2.3	0.29	1.9	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	192	5.2	0.38	3.7	0.28
Ovary	-	-	-	-	-	322	9.0	0.51	6.3	0.37
Male Genital System	654	26.0	1.04	14.1	0.56	-	-	-	-	-
Prostate	641	25.5	1.03	13.7	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	480	17.6	0.82	10.8	0.50	220	6.0	0.41	3.7	0.27
Bladder	244	9.4	0.61	5.3	0.34	88	2.3	0.25	1.4	0.16
Kidney & renal pelvis	217	7.5	0.52	5.1	0.35	121	3.4	0.31	2.2	0.21
Brain & Other Nervous System	169	6.0	0.48	4.8	0.39	119	3.7	0.35	2.9	0.29
Endocrine System	27	1.1	0.22	0.8	0.18	34	1.1	0.19	0.8	0.16
Thyroid gland	17	0.6	0.16	0.4	0.11	22	0.6	0.13	0.4	0.09
Lymphomas	276	10.2	0.63	6.5	0.40	222	6.2	0.42	4.0	0.29
Hodgkin Lymphoma	12	0.5	0.14	0.3	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	264	9.7	0.62	6.2	0.39	-	-	-	-	-
Multiple Myeloma	122	4.3	0.40	2.8	0.25	90	2.5	0.27	1.6	0.18
Leukemias	245	9.2	0.60	6.2	0.42	184	5.1	0.39	3.4	0.29
Other, Ill-defined & Unknown	488	18.0	0.83	11.3	0.53	490	13.6	0.63	9.0	0.45

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nunavut, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	113	367.9	46.50	245.3	26.07	87	355.4	48.49	222.6	26.38
Oral Cavity & Pharynx	13	61.8	25.74	34.0	11.76	-	-	-	-	-
Digestive System	39	107.2	24.08	73.9	13.62	21	75.1	19.01	51.2	11.97
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	18	45.0	13.17	32.3	8.44	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	48	167.8	28.28	113.6	17.42	41	171.8	33.84	107.1	18.33
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	48	167.8	28.28	113.6	17.42	41	171.8	33.84	107.1	18.33
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ontario, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	72,346	201.9	0.76	129.9	0.49	65,913	144.6	0.57	97.8	0.41
Oral Cavity & Pharynx	1,818	4.7	0.11	3.4	0.08	731	1.6	0.06	1.1	0.04
Digestive System	21,797	59.8	0.41	39.5	0.27	16,824	36.3	0.28	23.4	0.19
Esophagus	2,809	7.4	0.14	5.2	0.10	875	1.9	0.06	1.2	0.04
Stomach	2,196	6.1	0.13	4.0	0.09	1,447	3.2	0.09	2.1	0.06
Colon & Rectum	8,336	23.5	0.26	14.8	0.16	7,276	15.5	0.19	9.8	0.12
Liver	2,240	5.9	0.13	4.2	0.09	799	1.7	0.06	1.1	0.04
Pancreas	4,226	11.4	0.18	7.7	0.12	4,188	9.1	0.14	5.9	0.10
Respiratory System	18,717	51.2	0.38	33.6	0.25	15,809	34.8	0.28	23.8	0.20
Larynx	546	1.5	0.06	1.0	0.04	118	0.3	0.02	0.2	0.02
Lung & bronchus	18,039	49.3	0.37	32.4	0.24	15,625	34.4	0.28	23.6	0.20
Skin	2,219	6.3	0.13	4.0	0.09	1,195	2.6	0.08	1.7	0.06
Melanomas of the skin	1,523	4.2	0.11	2.9	0.07	854	1.9	0.07	1.4	0.05
Breast	78	0.2	0.02	0.1	0.02	9,599	21.3	0.22	15.1	0.16
Female Genital System	-	-	-	-	-	6,728	15.0	0.19	10.7	0.14
Cervix uteri	-	-	-	-	-	806	2.0	0.07	1.6	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,063	4.5	0.10	3.2	0.07
Ovary	-	-	-	-	-	3,315	7.4	0.13	5.3	0.10
Male Genital System	7,442	22.5	0.26	12.2	0.14	-	-	-	-	-
Prostate	7,275	22.0	0.26	11.8	0.14	-	-	-	-	-
Testis	70	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	5,094	14.6	0.21	8.8	0.13	2,395	5.1	0.10	3.1	0.07
Bladder	2,815	8.3	0.16	4.7	0.09	1,118	2.3	0.07	1.4	0.04
Kidney & renal pelvis	1,904	5.2	0.12	3.5	0.08	1,066	2.3	0.07	1.5	0.05
Brain & Other Nervous System	2,234	6.0	0.13	4.7	0.10	1,753	4.1	0.10	3.2	0.08
Endocrine System	292	0.8	0.05	0.6	0.04	323	0.8	0.04	0.5	0.03
Thyroid gland	173	0.5	0.04	0.3	0.02	217	0.5	0.03	0.3	0.02
Lymphomas	3,068	8.6	0.16	5.6	0.10	2,480	5.4	0.11	3.5	0.08
Hodgkin Lymphoma	149	0.4	0.03	0.3	0.03	112	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,919	8.2	0.15	5.3	0.10	2,368	5.2	0.11	3.3	0.07
Multiple Myeloma	1,499	4.2	0.11	2.7	0.07	1,161	2.5	0.07	1.6	0.05
Leukemias	3,010	8.6	0.16	5.5	0.10	2,181	4.9	0.11	3.3	0.08
Other, Ill-defined & Unknown	5,078	14.4	0.21	9.1	0.13	4,734	10.2	0.15	6.6	0.11

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Prince Edward Island, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	990	236.2	7.76	153.2	4.97	822	152.5	5.44	103.8	3.87
Oral Cavity & Pharynx	15	3.7	1.00	2.3	0.59	-	-	-	-	-
Digestive System	277	64.7	4.03	43.3	2.65	213	39.1	2.75	25.3	1.88
Esophagus	43	8.8	1.38	6.5	1.00	11	2.1	0.63	1.5	0.47
Stomach	22	5.5	1.21	3.8	0.84	13	2.4	0.67	1.5	0.44
Colon & Rectum	125	30.7	2.84	19.4	1.75	121	22.9	2.14	14.1	1.43
Liver	19	4.1	0.96	2.9	0.67	-	-	-	-	-
Pancreas	52	12.1	1.74	8.0	1.13	42	7.3	1.14	5.2	0.84
Respiratory System	311	71.4	4.18	47.0	2.69	224	42.1	2.86	29.4	2.03
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	303	69.6	4.13	45.8	2.65	223	41.9	2.85	29.2	2.03
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	16	3.8	0.96	2.8	0.74	13	2.9	0.84	2.4	0.75
Breast	-	-	-	-	-	96	17.6	1.85	12.7	1.40
Female Genital System	-	-	-	-	-	78	14.5	1.68	10.2	1.21
Cervix uteri	-	-	-	-	-	12	2.3	0.67	1.8	0.53
Corpus & uterus, NOS ¹	-	-	-	-	-	16	2.9	0.75	2.1	0.55
Ovary	-	-	-	-	-	44	8.2	1.27	5.6	0.89
Male Genital System	96	26.8	2.79	14.0	1.43	-	-	-	-	-
Prostate	92	25.8	2.74	13.3	1.39	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	65	15.5	1.98	9.7	1.21	31	5.3	0.98	3.3	0.65
Bladder	31	7.9	1.46	4.6	0.83	14	2.2	0.60	1.2	0.36
Kidney & renal pelvis	27	5.9	1.17	4.1	0.79	14	2.5	0.70	1.7	0.50
Brain & Other Nervous System	27	6.3	1.26	4.9	1.03	13	2.5	0.73	2.0	0.61
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	34	8.0	1.43	5.5	0.98	25	4.7	0.95	3.1	0.65
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	24	5.6	1.20	3.7	0.78	15	2.8	0.73	1.6	0.44
Leukemias	31	7.9	1.46	5.1	0.95	31	5.6	1.02	3.8	0.72
Other, Ill-defined & Unknown	-	-	-	-	-	68	12.5	1.56	8.1	1.06

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Quebec, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	53,454	234.4	1.04	150.2	0.66	48,566	164.0	0.76	112.0	0.55
Oral Cavity & Pharynx	1,111	4.6	0.14	3.2	0.10	512	1.7	0.08	1.2	0.06
Digestive System	15,418	66.9	0.55	43.5	0.35	12,508	41.2	0.37	26.3	0.25
Esophagus	1,421	5.9	0.16	4.0	0.11	468	1.6	0.07	1.0	0.05
Stomach	1,676	7.3	0.18	4.7	0.12	1,070	3.5	0.11	2.3	0.08
Colon & Rectum	6,561	29.1	0.37	18.4	0.23	5,758	18.8	0.25	11.8	0.17
Liver	1,344	5.7	0.16	3.8	0.11	517	1.7	0.08	1.1	0.05
Pancreas	2,883	12.2	0.23	8.1	0.15	2,857	9.5	0.18	6.2	0.12
Respiratory System	18,086	76.8	0.59	50.4	0.38	14,256	48.3	0.41	34.7	0.30
Larynx	572	2.4	0.10	1.6	0.07	149	0.5	0.04	0.4	0.03
Lung & bronchus	17,180	72.9	0.57	47.9	0.37	13,924	47.2	0.41	33.9	0.30
Skin	968	4.3	0.14	2.8	0.09	541	1.9	0.08	1.3	0.06
Melanomas of the skin	710	3.1	0.12	2.1	0.08	385	1.4	0.07	1.0	0.06
Breast	50	0.2	0.03	0.1	0.02	6,573	22.7	0.29	16.0	0.21
Female Genital System	-	-	-	-	-	4,188	14.4	0.23	10.3	0.17
Cervix uteri	-	-	-	-	-	440	1.8	0.09	1.4	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,232	4.1	0.12	2.9	0.09
Ovary	-	-	-	-	-	2,117	7.3	0.16	5.2	0.12
Male Genital System	4,388	21.6	0.33	11.6	0.18	-	-	-	-	-
Prostate	4,252	21.0	0.33	11.1	0.17	-	-	-	-	-
Testis	53	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	3,575	16.2	0.28	9.8	0.17	1,750	5.7	0.14	3.6	0.09
Bladder	1,933	9.1	0.21	5.2	0.12	791	2.6	0.09	1.5	0.06
Kidney & renal pelvis	1,373	5.9	0.16	3.9	0.11	799	2.7	0.10	1.7	0.07
Brain & Other Nervous System	1,578	6.6	0.17	5.1	0.14	1,274	4.7	0.14	3.6	0.11
Endocrine System	197	0.9	0.06	0.6	0.05	233	0.8	0.06	0.6	0.04
Thyroid gland	97	0.4	0.04	0.3	0.03	146	0.5	0.04	0.3	0.03
Lymphomas	1,926	8.6	0.20	5.5	0.13	1,596	5.4	0.14	3.5	0.09
Hodgkin Lymphoma	86	0.4	0.04	0.3	0.03	67	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,840	8.2	0.20	5.2	0.12	1,529	5.1	0.13	3.3	0.09
Multiple Myeloma	983	4.3	0.14	2.7	0.09	800	2.7	0.10	1.7	0.06
Leukemias	1,915	8.6	0.20	5.5	0.13	1,456	5.0	0.13	3.3	0.10
Other, Ill-defined & Unknown	3,259	14.8	0.27	9.3	0.17	2,879	9.5	0.18	6.2	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Saskatchewan, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,028	207.3	2.70	133.6	1.77	5,465	152.1	2.12	103.9	1.54
Oral Cavity & Pharynx	93	3.1	0.33	2.3	0.24	55	1.5	0.21	0.9	0.14
Digestive System	1,736	58.7	1.43	38.9	0.96	1,319	35.4	1.01	23.3	0.71
Esophagus	245	8.2	0.53	5.7	0.37	63	1.7	0.23	1.2	0.17
Stomach	133	4.4	0.39	2.9	0.26	91	2.4	0.26	1.6	0.19
Colon & Rectum	752	25.7	0.95	16.6	0.62	650	17.2	0.70	11.1	0.49
Liver	123	4.0	0.37	2.9	0.27	59	1.6	0.22	1.1	0.15
Pancreas	356	12.1	0.65	8.0	0.44	320	8.7	0.50	5.8	0.36
Respiratory System	1,534	52.2	1.35	35.0	0.91	1,417	41.1	1.11	28.4	0.79
Larynx	39	1.3	0.21	0.9	0.14	10	0.3	0.08	0.2	0.06
Lung & bronchus	1,481	50.5	1.33	33.8	0.89	1,398	40.6	1.11	28.0	0.79
Skin	111	3.8	0.36	2.6	0.25	72	2.0	0.24	1.3	0.18
Melanomas of the skin	90	3.0	0.33	2.2	0.23	58	1.7	0.23	1.2	0.18
Breast	12	0.4	0.12	0.3	0.08	804	22.4	0.82	15.7	0.61
Female Genital System	-	-	-	-	-	544	15.6	0.69	11.5	0.54
Cervix uteri	-	-	-	-	-	96	3.1	0.32	2.6	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	136	3.6	0.32	2.5	0.24
Ovary	-	-	-	-	-	275	7.9	0.49	5.7	0.37
Male Genital System	883	31.3	1.06	17.1	0.59	-	-	-	-	-
Prostate	863	30.6	1.05	16.5	0.58	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	437	15.2	0.73	9.4	0.46	195	5.3	0.39	3.4	0.27
Bladder	220	7.8	0.53	4.4	0.30	90	2.4	0.27	1.5	0.18
Kidney & renal pelvis	204	6.9	0.49	4.7	0.34	98	2.7	0.28	1.8	0.20
Brain & Other Nervous System	142	4.7	0.40	3.8	0.33	118	3.6	0.34	2.8	0.28
Endocrine System	23	0.8	0.16	0.5	0.11	31	1.0	0.18	0.7	0.15
Thyroid gland	12	0.4	0.11	0.2	0.07	13	0.3	0.09	0.2	0.06
Lymphomas	240	8.5	0.56	5.6	0.37	188	5.0	0.38	3.1	0.25
Hodgkin Lymphoma	12	0.4	0.12	0.3	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	228	8.1	0.54	5.2	0.36	-	-	-	-	-
Multiple Myeloma	108	3.8	0.37	2.4	0.23	104	2.9	0.30	1.9	0.20
Leukemias	255	9.0	0.57	5.6	0.37	173	4.6	0.37	3.1	0.27
Other, Ill-defined & Unknown	454	15.7	0.75	10.2	0.49	445	11.8	0.58	7.8	0.42

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Yukon, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	184	263.1	22.72	163.3	12.59	139	180.3	16.50	120.7	10.45
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	63	89.4	13.13	55.8	7.35	34	45.1	8.32	29.9	5.23
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	23	34.8	8.55	21.0	4.59	16	21.8	5.84	14.5	3.71
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	11	16.5	5.63	10.1	3.15	-	-	-	-	-
Respiratory System	51	70.5	11.49	44.6	6.53	35	48.5	8.70	32.3	5.57
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	51	70.5	11.49	44.6	6.53	34	46.5	8.45	31.5	5.50
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	19	23.2	5.76	15.9	3.73
Female Genital System	-	-	-	-	-	10	11.3	3.93	8.3	2.70
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	24	39.6	9.49	22.6	4.83	-	-	-	-	-
Prostate	23	39.0	9.47	22.0	4.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	14	18.3	5.82	11.7	3.30	20	28.4	6.85	17.2	3.91

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified



Section III

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 2011 Canadian and
World Population Standards



Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,408	274.5	1.66	157.9	0.95	23,067	171.7	1.14	102.9	0.71
Oral Cavity & Pharynx	565	5.3	0.22	3.3	0.14	207	1.5	0.11	0.9	0.07
Digestive System	7,275	69.0	0.82	40.9	0.48	5,224	38.7	0.54	22.5	0.33
Esophagus	916	8.5	0.29	5.2	0.17	225	1.7	0.11	1.0	0.07
Stomach	576	5.6	0.24	3.3	0.14	371	2.8	0.14	1.7	0.09
Colon & Rectum	2,475	23.9	0.49	14.0	0.29	2,113	15.7	0.34	9.1	0.21
Liver	1,153	10.6	0.32	6.5	0.19	481	3.6	0.16	2.1	0.10
Pancreas	1,704	16.0	0.39	9.4	0.23	1,585	11.6	0.29	6.7	0.17
Respiratory System	9,680	91.2	0.94	53.2	0.54	6,245	46.2	0.59	27.6	0.36
Larynx	294	2.7	0.16	1.6	0.10	63	0.5	0.06	0.3	0.04
Lung & bronchus	9,335	87.9	0.93	51.2	0.53	6,155	45.5	0.58	27.2	0.36
Skin	686	6.8	0.26	3.9	0.15	325	2.5	0.14	1.5	0.09
Melanomas of the skin	498	4.8	0.22	2.9	0.13	245	1.9	0.12	1.2	0.08
Breast	34	0.3	0.06	0.2	0.03	3,394	25.8	0.45	16.1	0.29
Female Genital System	-	-	-	-	-	2,371	17.9	0.37	11.1	0.24
Cervix uteri	-	-	-	-	-	488	3.9	0.18	2.9	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	549	4.1	0.17	2.4	0.11
Ovary	-	-	-	-	-	1,200	8.9	0.26	5.3	0.16
Male Genital System	2,499	27.0	0.55	13.2	0.27	-	-	-	-	-
Prostate	2,437	26.4	0.55	12.8	0.26	-	-	-	-	-
Testis	27	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,637	16.4	0.42	8.9	0.22	703	5.1	0.19	2.8	0.11
Bladder	843	8.8	0.31	4.5	0.16	311	2.2	0.13	1.1	0.07
Kidney & renal pelvis	768	7.4	0.27	4.3	0.16	378	2.8	0.14	1.6	0.09
Brain & Other Nervous System	790	7.3	0.26	4.8	0.17	632	4.8	0.19	3.2	0.14
Endocrine System	100	0.9	0.10	0.6	0.06	110	0.8	0.08	0.6	0.06
Thyroid gland	59	0.6	0.07	0.3	0.04	69	0.5	0.06	0.3	0.04
Lymphomas	910	9.1	0.31	5.1	0.17	764	5.6	0.20	3.1	0.12
Hodgkin Lymphoma	59	0.6	0.07	0.4	0.05	39	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	851	8.5	0.30	4.7	0.16	725	5.3	0.20	2.9	0.11
Multiple Myeloma	595	5.9	0.25	3.2	0.13	461	3.4	0.16	1.9	0.09
Leukemias	1,142	11.3	0.34	6.5	0.20	800	5.9	0.21	3.5	0.14
Other, Ill-defined & Unknown	2,495	24.1	0.49	14.1	0.29	1,831	13.6	0.32	8.2	0.21

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,660	229.3	4.94	128.2	2.56	2,166	171.2	3.80	99.8	2.18
Oral Cavity & Pharynx	53	3.9	0.58	2.3	0.32	18	1.4	0.34	0.8	0.19
Digestive System	804	65.1	2.55	37.2	1.35	517	40.9	1.86	23.5	1.05
Esophagus	129	10.9	1.07	6.0	0.54	29	2.3	0.44	1.4	0.26
Stomach	89	6.5	0.77	4.0	0.44	40	3.2	0.52	1.8	0.29
Colon & Rectum	235	20.5	1.50	11.3	0.76	198	15.9	1.17	9.0	0.65
Liver	139	9.6	0.87	5.9	0.51	36	2.8	0.47	1.6	0.28
Pancreas	157	13.1	1.16	7.4	0.61	161	12.7	1.03	7.3	0.59
Respiratory System	738	63.3	2.56	35.6	1.35	581	47.2	2.02	27.0	1.14
Larynx	16	1.3	0.38	0.8	0.20	-	-	-	-	-
Lung & bronchus	719	61.8	2.53	34.7	1.33	575	46.7	2.01	26.7	1.13
Skin	57	5.6	0.82	2.9	0.40	-	-	-	-	-
Melanomas of the skin	42	4.3	0.72	2.2	0.35	25	1.9	0.39	1.2	0.25
Breast	-	-	-	-	-	310	23.3	1.36	14.0	0.81
Female Genital System	-	-	-	-	-	217	16.3	1.14	9.9	0.69
Cervix uteri	-	-	-	-	-	34	2.3	0.40	1.6	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	57	4.3	0.59	2.6	0.35
Ovary	-	-	-	-	-	104	7.8	0.80	4.7	0.47
Male Genital System	205	21.9	1.69	10.7	0.76	-	-	-	-	-
Prostate	201	21.7	1.69	10.5	0.76	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	148	13.7	1.24	7.4	0.62	76	6.3	0.75	3.5	0.41
Bladder	65	6.2	0.84	3.3	0.42	28	2.5	0.48	1.3	0.24
Kidney & renal pelvis	77	6.9	0.87	3.8	0.44	45	3.6	0.56	2.1	0.32
Brain & Other Nervous System	83	5.8	0.70	3.8	0.43	58	4.0	0.54	2.7	0.37
Endocrine System	13	0.9	0.26	0.6	0.18	11	1.0	0.30	0.5	0.15
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	101	8.7	0.95	5.0	0.51	58	5.0	0.67	2.7	0.36
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	55	5.2	0.77	2.8	0.38	35	2.7	0.47	1.6	0.27
Leukemias	94	8.1	0.92	4.8	0.51	62	5.4	0.70	3.0	0.38
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,324	201.7	1.17	114.4	0.67	26,029	146.8	0.92	86.3	0.57
Oral Cavity & Pharynx	553	3.7	0.16	2.2	0.09	210	1.2	0.08	0.7	0.05
Digestive System	8,710	57.8	0.62	33.9	0.37	6,153	34.5	0.44	19.6	0.26
Esophagus	1,267	8.3	0.23	4.9	0.14	305	1.7	0.10	1.0	0.06
Stomach	623	4.2	0.17	2.5	0.10	412	2.4	0.12	1.4	0.08
Colon & Rectum	2,678	18.0	0.35	10.4	0.21	2,285	12.8	0.27	7.2	0.16
Liver	1,476	9.8	0.26	6.0	0.16	620	3.5	0.14	2.1	0.09
Pancreas	2,110	13.8	0.30	8.0	0.18	1,904	10.5	0.24	5.9	0.14
Respiratory System	7,791	50.9	0.58	28.9	0.33	6,477	35.9	0.45	20.6	0.27
Larynx	225	1.5	0.10	0.9	0.06	62	0.4	0.05	0.2	0.03
Lung & bronchus	7,508	49.0	0.57	27.8	0.33	6,382	35.4	0.45	20.3	0.26
Skin	1,146	7.7	0.23	4.4	0.13	477	2.7	0.13	1.7	0.08
Melanomas of the skin	725	4.9	0.18	2.8	0.11	367	2.1	0.11	1.3	0.08
Breast	29	0.2	0.04	0.1	0.02	3,957	23.0	0.37	14.1	0.24
Female Genital System	-	-	-	-	-	2,868	16.6	0.31	10.3	0.20
Cervix uteri	-	-	-	-	-	402	2.5	0.13	1.8	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	806	4.6	0.16	2.8	0.10
Ovary	-	-	-	-	-	1,490	8.5	0.22	5.1	0.14
Male Genital System	3,103	21.4	0.39	10.5	0.19	-	-	-	-	-
Prostate	3,000	20.8	0.38	10.0	0.19	-	-	-	-	-
Testis	63	0.4	0.05	0.4	0.05	-	-	-	-	-
Urinary System	2,220	14.9	0.32	8.1	0.17	872	4.8	0.16	2.6	0.09
Bladder	1,230	8.4	0.24	4.2	0.12	407	2.2	0.11	1.1	0.06
Kidney & renal pelvis	965	6.4	0.21	3.7	0.12	440	2.5	0.12	1.4	0.07
Brain & Other Nervous System	912	6.0	0.20	4.0	0.14	727	4.2	0.16	2.8	0.11
Endocrine System	147	1.0	0.08	0.6	0.05	132	0.7	0.07	0.5	0.05
Thyroid gland	98	0.7	0.07	0.4	0.04	80	0.4	0.05	0.3	0.03
Lymphomas	1,196	8.0	0.23	4.5	0.13	928	5.1	0.17	2.8	0.10
Hodgkin Lymphoma	67	0.4	0.05	0.3	0.04	42	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,129	7.6	0.23	4.2	0.13	886	4.9	0.16	2.7	0.10
Multiple Myeloma	645	4.3	0.17	2.4	0.09	484	2.7	0.12	1.5	0.07
Leukemias	1,456	9.7	0.26	5.6	0.15	939	5.3	0.17	3.2	0.11
Other, Ill-defined & Unknown	2,416	16.2	0.33	9.2	0.19	1,805	10.1	0.24	6.0	0.15

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,289	277.8	2.08	159.8	1.20	14,709	179.8	1.49	107.6	0.94
Oral Cavity & Pharynx	414	6.2	0.31	3.8	0.19	165	2.0	0.16	1.3	0.11
Digestive System	4,568	69.0	1.03	40.8	0.61	3,191	38.7	0.69	22.4	0.42
Esophagus	635	9.5	0.38	5.8	0.23	130	1.6	0.14	1.0	0.09
Stomach	284	4.3	0.26	2.5	0.15	222	2.7	0.18	1.6	0.12
Colon & Rectum	1,647	25.2	0.63	14.6	0.37	1,373	16.7	0.45	9.7	0.28
Liver	737	10.9	0.41	6.7	0.25	306	3.7	0.21	2.2	0.13
Pancreas	996	15.0	0.48	8.8	0.28	913	10.9	0.36	6.1	0.21
Respiratory System	6,503	96.4	1.21	56.4	0.70	4,328	52.6	0.81	31.5	0.50
Larynx	154	2.2	0.18	1.4	0.11	42	0.5	0.08	0.3	0.05
Lung & bronchus	6,316	93.7	1.19	54.7	0.69	4,272	51.9	0.80	31.1	0.49
Skin	451	6.9	0.33	4.0	0.19	201	2.5	0.18	1.5	0.11
Melanomas of the skin	323	4.9	0.27	2.9	0.17	145	1.8	0.15	1.1	0.10
Breast	26	0.4	0.08	0.2	0.04	2,050	25.6	0.57	15.7	0.37
Female Genital System	-	-	-	-	-	1,465	18.3	0.48	11.5	0.32
Cervix uteri	-	-	-	-	-	267	3.7	0.23	2.7	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	384	4.7	0.24	2.9	0.16
Ovary	-	-	-	-	-	729	8.9	0.33	5.3	0.21
Male Genital System	1,443	23.7	0.63	11.6	0.31	-	-	-	-	-
Prostate	1,414	23.3	0.63	11.3	0.30	-	-	-	-	-
Testis	10	0.1	0.05	0.1	0.04	-	-	-	-	-
Urinary System	1,194	18.7	0.55	10.1	0.30	504	6.0	0.27	3.4	0.16
Bladder	596	9.7	0.40	4.8	0.20	213	2.5	0.17	1.3	0.09
Kidney & renal pelvis	569	8.6	0.36	5.1	0.22	276	3.3	0.20	2.0	0.13
Brain & Other Nervous System	483	7.2	0.33	4.7	0.22	382	4.8	0.25	3.2	0.18
Endocrine System	69	1.0	0.13	0.7	0.09	67	0.8	0.10	0.5	0.07
Thyroid gland	38	0.6	0.10	0.3	0.06	43	0.5	0.08	0.3	0.05
Lymphomas	591	9.0	0.38	5.2	0.22	472	5.6	0.26	3.2	0.16
Hodgkin Lymphoma	31	0.4	0.08	0.3	0.06	22	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	560	8.6	0.37	4.9	0.21	450	5.3	0.25	3.0	0.15
Multiple Myeloma	316	4.9	0.28	2.7	0.15	280	3.3	0.20	1.9	0.12
Leukemias	753	11.7	0.43	6.6	0.25	491	5.9	0.27	3.5	0.17
Other, Ill-defined & Unknown	1,478	22.6	0.60	13.1	0.35	1,113	13.5	0.41	8.1	0.26

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	149,843	204.6	0.53	114.4	0.30	140,033	150.8	0.40	87.9	0.25
Oral Cavity & Pharynx	3,474	4.6	0.08	2.7	0.05	1,469	1.6	0.04	0.9	0.03
Digestive System	46,053	61.7	0.29	35.6	0.17	35,308	37.8	0.20	21.4	0.12
Esophagus	5,189	6.9	0.10	4.0	0.06	1,372	1.5	0.04	0.8	0.02
Stomach	4,576	6.1	0.09	3.6	0.05	3,317	3.6	0.06	2.1	0.04
Colon & Rectum	13,639	18.4	0.16	10.5	0.09	12,690	13.4	0.12	7.5	0.07
Liver	8,724	11.3	0.12	6.9	0.07	3,521	3.8	0.06	2.2	0.04
Pancreas	10,299	14.0	0.14	7.9	0.08	10,036	10.8	0.11	6.0	0.06
Respiratory System	34,148	46.9	0.26	26.1	0.14	30,171	32.7	0.19	18.4	0.11
Larynx	1,157	1.6	0.05	0.9	0.03	252	0.3	0.02	0.2	0.01
Lung & bronchus	32,642	44.9	0.25	24.9	0.14	29,730	32.2	0.19	18.2	0.11
Skin	4,559	6.2	0.09	3.5	0.05	2,072	2.2	0.05	1.3	0.03
Melanomas of the skin	3,192	4.3	0.08	2.5	0.04	1,546	1.7	0.04	1.0	0.03
Breast	189	0.3	0.02	0.1	0.01	22,033	24.0	0.16	14.7	0.10
Female Genital System	-	-	-	-	-	16,110	17.6	0.14	10.8	0.09
Cervix uteri	-	-	-	-	-	2,321	2.6	0.05	1.8	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	5,027	5.5	0.08	3.3	0.05
Ovary	-	-	-	-	-	7,796	8.5	0.10	5.1	0.06
Male Genital System	16,207	23.5	0.19	11.4	0.09	-	-	-	-	-
Prostate	15,719	22.9	0.18	10.9	0.09	-	-	-	-	-
Testis	320	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	10,278	14.3	0.14	7.6	0.08	4,647	4.9	0.07	2.6	0.04
Bladder	5,515	8.0	0.11	3.9	0.05	2,138	2.2	0.05	1.1	0.03
Kidney & renal pelvis	4,571	6.1	0.09	3.5	0.05	2,344	2.5	0.05	1.4	0.03
Brain & Other Nervous System	4,889	6.2	0.09	4.1	0.06	3,731	4.0	0.07	2.7	0.05
Endocrine System	808	1.0	0.04	0.7	0.02	994	1.1	0.03	0.7	0.02
Thyroid gland	506	0.7	0.03	0.4	0.02	716	0.8	0.03	0.4	0.02
Lymphomas	6,311	8.7	0.11	4.8	0.06	4,991	5.3	0.08	3.0	0.04
Hodgkin Lymphoma	410	0.5	0.03	0.3	0.02	276	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	5,901	8.1	0.11	4.5	0.06	4,715	5.0	0.07	2.7	0.04
Multiple Myeloma	3,315	4.6	0.08	2.5	0.04	2,648	2.8	0.06	1.6	0.03
Leukemias	6,946	9.4	0.11	5.4	0.07	5,199	5.5	0.08	3.3	0.05
Other, Ill-defined & Unknown	12,666	17.1	0.15	9.8	0.09	10,660	11.3	0.11	6.6	0.07

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater California, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	86,980	212.7	0.73	119.1	0.41	79,226	155.7	0.56	91.0	0.34
Oral Cavity & Pharynx	2,050	4.8	0.11	2.9	0.06	843	1.6	0.06	1.0	0.03
Digestive System	25,627	61.5	0.39	35.6	0.23	18,986	37.1	0.27	21.0	0.16
Esophagus	3,250	7.8	0.14	4.5	0.08	757	1.5	0.05	0.8	0.03
Stomach	2,210	5.3	0.11	3.1	0.07	1,576	3.1	0.08	1.9	0.05
Colon & Rectum	7,682	18.7	0.22	10.6	0.12	7,018	13.6	0.16	7.6	0.10
Liver	4,719	10.9	0.16	6.7	0.10	1,862	3.7	0.09	2.1	0.05
Pancreas	5,818	14.1	0.19	8.0	0.11	5,514	10.8	0.15	6.0	0.08
Respiratory System	20,302	49.7	0.35	27.8	0.20	18,147	35.8	0.27	20.3	0.16
Larynx	688	1.7	0.06	0.9	0.04	164	0.3	0.03	0.2	0.02
Lung & bronchus	19,394	47.5	0.34	26.5	0.19	17,870	35.3	0.26	20.0	0.15
Skin	2,950	7.2	0.13	4.0	0.08	1,325	2.6	0.07	1.5	0.04
Melanomas of the skin	2,089	5.1	0.11	2.9	0.06	1,014	2.0	0.06	1.2	0.04
Breast	88	0.2	0.02	0.1	0.01	12,303	24.5	0.22	15.1	0.14
Female Genital System	-	-	-	-	-	8,920	17.8	0.19	10.9	0.12
Cervix uteri	-	-	-	-	-	1,299	2.6	0.07	1.9	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,696	5.4	0.10	3.2	0.06
Ovary	-	-	-	-	-	4,394	8.7	0.13	5.3	0.08
Male Genital System	9,533	24.8	0.26	12.0	0.13	-	-	-	-	-
Prostate	9,216	24.1	0.25	11.5	0.12	-	-	-	-	-
Testis	211	0.4	0.03	0.4	0.03	-	-	-	-	-
Urinary System	6,172	15.4	0.20	8.2	0.11	2,741	5.3	0.10	2.9	0.06
Bladder	3,330	8.6	0.15	4.2	0.07	1,254	2.4	0.07	1.2	0.04
Kidney & renal pelvis	2,727	6.6	0.13	3.8	0.07	1,394	2.7	0.07	1.6	0.04
Brain & Other Nervous System	2,863	6.5	0.12	4.3	0.08	2,137	4.2	0.09	2.8	0.06
Endocrine System	445	1.0	0.05	0.7	0.03	551	1.1	0.05	0.7	0.03
Thyroid gland	283	0.7	0.04	0.4	0.02	388	0.8	0.04	0.4	0.02
Lymphomas	3,546	8.7	0.15	4.8	0.08	2,756	5.4	0.10	3.0	0.06
Hodgkin Lymphoma	248	0.6	0.04	0.4	0.02	159	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,298	8.2	0.14	4.5	0.08	2,597	5.0	0.10	2.8	0.06
Multiple Myeloma	1,886	4.6	0.11	2.6	0.06	1,432	2.8	0.07	1.6	0.04
Leukemias	3,986	9.7	0.16	5.6	0.09	2,939	5.7	0.10	3.4	0.07
Other, Ill-defined & Unknown	7,532	18.3	0.21	10.5	0.12	6,146	11.9	0.15	7.0	0.09

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,982	189.6	1.16	105.0	0.65	25,768	141.0	0.89	81.3	0.54
Oral Cavity & Pharynx	615	4.1	0.17	2.5	0.10	261	1.4	0.09	0.8	0.05
Digestive System	8,501	58.4	0.64	33.5	0.37	6,737	36.6	0.45	20.5	0.27
Esophagus	895	6.1	0.21	3.6	0.12	305	1.7	0.10	0.9	0.06
Stomach	866	6.0	0.21	3.4	0.12	633	3.4	0.14	2.0	0.09
Colon & Rectum	2,349	16.3	0.34	9.1	0.19	2,324	12.4	0.26	6.9	0.15
Liver	1,704	11.3	0.28	6.9	0.17	640	3.5	0.14	2.0	0.08
Pancreas	1,918	13.4	0.31	7.5	0.17	1,881	10.2	0.24	5.6	0.14
Respiratory System	6,031	42.8	0.55	23.5	0.31	5,447	30.1	0.41	16.8	0.24
Larynx	192	1.4	0.10	0.7	0.05	33	0.2	0.03	0.1	0.02
Lung & bronchus	5,786	41.1	0.54	22.5	0.30	5,378	29.7	0.41	16.6	0.24
Skin	766	5.4	0.20	2.9	0.11	346	1.8	0.10	1.0	0.06
Melanomas of the skin	543	3.8	0.16	2.1	0.09	256	1.4	0.09	0.8	0.05
Breast	43	0.3	0.04	0.2	0.03	3,968	22.0	0.35	13.5	0.22
Female Genital System	-	-	-	-	-	2,906	16.2	0.30	9.8	0.19
Cervix uteri	-	-	-	-	-	306	1.7	0.10	1.2	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	964	5.3	0.17	3.2	0.11
Ovary	-	-	-	-	-	1,438	8.1	0.21	4.9	0.13
Male Genital System	2,782	20.7	0.39	10.0	0.19	-	-	-	-	-
Prostate	2,714	20.3	0.39	9.6	0.19	-	-	-	-	-
Testis	49	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,806	13.0	0.31	6.8	0.16	815	4.3	0.15	2.2	0.08
Bladder	960	7.1	0.23	3.4	0.11	378	1.9	0.10	0.9	0.05
Kidney & renal pelvis	808	5.6	0.20	3.2	0.11	401	2.1	0.11	1.2	0.06
Brain & Other Nervous System	910	5.9	0.20	3.9	0.13	693	3.9	0.15	2.6	0.11
Endocrine System	141	0.9	0.08	0.6	0.05	181	1.0	0.07	0.6	0.05
Thyroid gland	81	0.6	0.06	0.3	0.04	130	0.7	0.06	0.4	0.04
Lymphomas	1,216	8.6	0.25	4.7	0.14	906	4.8	0.16	2.6	0.09
Hodgkin Lymphoma	65	0.4	0.05	0.3	0.04	47	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,151	8.2	0.24	4.4	0.13	859	4.6	0.16	2.4	0.09
Multiple Myeloma	611	4.4	0.18	2.4	0.10	520	2.9	0.13	1.6	0.07
Leukemias	1,243	8.8	0.25	4.9	0.14	908	4.9	0.17	3.0	0.11
Other, Ill-defined & Unknown	2,317	16.2	0.34	9.1	0.19	2,080	11.2	0.25	6.3	0.15

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,881	198.1	1.06	111.1	0.60	35,039	147.3	0.79	86.4	0.49
Oral Cavity & Pharynx	809	4.3	0.15	2.6	0.09	365	1.5	0.08	0.9	0.05
Digestive System	11,925	64.7	0.60	37.4	0.35	9,585	40.1	0.41	22.8	0.25
Esophagus	1,044	5.7	0.18	3.3	0.10	310	1.3	0.08	0.7	0.04
Stomach	1,500	8.1	0.21	4.7	0.12	1,108	4.7	0.14	2.8	0.09
Colon & Rectum	3,608	19.6	0.33	11.2	0.19	3,348	13.9	0.24	7.8	0.14
Liver	2,301	12.2	0.26	7.3	0.15	1,019	4.3	0.14	2.4	0.08
Pancreas	2,563	14.1	0.28	8.0	0.16	2,641	11.0	0.22	6.1	0.12
Respiratory System	7,815	43.7	0.50	24.3	0.28	6,577	27.8	0.34	15.7	0.20
Larynx	277	1.5	0.09	0.9	0.05	55	0.2	0.03	0.1	0.02
Lung & bronchus	7,462	41.8	0.49	23.2	0.27	6,482	27.4	0.34	15.5	0.20
Skin	843	4.6	0.16	2.6	0.09	401	1.6	0.08	0.9	0.05
Melanomas of the skin	560	3.0	0.13	1.8	0.08	276	1.1	0.07	0.7	0.04
Breast	58	0.3	0.04	0.2	0.02	5,762	24.4	0.32	15.0	0.21
Female Genital System	-	-	-	-	-	4,284	18.3	0.28	11.4	0.18
Cervix uteri	-	-	-	-	-	716	3.1	0.11	2.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,367	5.9	0.16	3.6	0.10
Ovary	-	-	-	-	-	1,964	8.4	0.19	5.1	0.12
Male Genital System	3,892	22.9	0.37	11.1	0.18	-	-	-	-	-
Prostate	3,789	22.4	0.37	10.7	0.18	-	-	-	-	-
Testis	60	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,300	12.9	0.27	6.9	0.15	1,091	4.5	0.14	2.5	0.08
Bladder	1,225	7.2	0.21	3.5	0.10	506	2.0	0.09	1.0	0.05
Kidney & renal pelvis	1,036	5.6	0.17	3.3	0.10	549	2.3	0.10	1.3	0.06
Brain & Other Nervous System	1,116	5.7	0.17	3.7	0.11	901	3.8	0.13	2.5	0.09
Endocrine System	222	1.2	0.08	0.7	0.05	262	1.1	0.07	0.7	0.04
Thyroid gland	142	0.8	0.07	0.4	0.04	198	0.8	0.06	0.5	0.03
Lymphomas	1,549	8.5	0.22	4.8	0.12	1,329	5.5	0.15	3.1	0.09
Hodgkin Lymphoma	97	0.5	0.05	0.3	0.03	70	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,452	8.0	0.21	4.5	0.12	1,259	5.2	0.15	2.9	0.09
Multiple Myeloma	818	4.6	0.16	2.5	0.09	696	2.9	0.11	1.6	0.06
Leukemias	1,717	9.3	0.23	5.5	0.14	1,352	5.5	0.15	3.4	0.10
Other, Ill-defined & Unknown	2,817	15.4	0.29	8.9	0.17	2,434	10.1	0.21	5.9	0.13

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,071	192.5	1.43	106.5	0.78	17,652	143.3	1.08	82.6	0.65
Oral Cavity & Pharynx	350	3.3	0.18	2.0	0.11	167	1.3	0.10	0.8	0.06
Digestive System	5,534	53.5	0.74	30.9	0.42	3,993	32.4	0.52	18.4	0.30
Esophagus	870	8.3	0.29	4.9	0.17	171	1.4	0.11	0.8	0.06
Stomach	421	4.1	0.21	2.4	0.12	251	2.0	0.13	1.2	0.08
Colon & Rectum	1,693	16.9	0.42	9.5	0.23	1,547	12.5	0.32	6.9	0.18
Liver	854	7.7	0.27	4.7	0.16	296	2.4	0.14	1.4	0.08
Pancreas	1,310	12.7	0.36	7.3	0.20	1,210	9.9	0.29	5.6	0.17
Respiratory System	4,163	41.6	0.66	23.2	0.36	3,933	32.3	0.52	18.3	0.30
Larynx	140	1.3	0.12	0.8	0.07	34	0.3	0.05	0.2	0.03
Lung & bronchus	3,984	39.8	0.64	22.2	0.35	3,884	31.9	0.51	18.0	0.30
Skin	709	7.2	0.28	3.9	0.15	378	3.1	0.16	1.8	0.10
Melanomas of the skin	500	4.9	0.23	2.8	0.13	297	2.4	0.14	1.5	0.09
Breast	33	0.3	0.06	0.2	0.03	2,796	22.5	0.43	13.5	0.27
Female Genital System	-	-	-	-	-	2,029	16.5	0.37	10.0	0.23
Cervix uteri	-	-	-	-	-	230	1.8	0.12	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	561	4.5	0.19	2.7	0.12
Ovary	-	-	-	-	-	1,087	8.9	0.27	5.3	0.16
Male Genital System	2,229	25.4	0.55	12.1	0.26	-	-	-	-	-
Prostate	2,175	24.9	0.54	11.7	0.25	-	-	-	-	-
Testis	33	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,337	13.9	0.39	7.4	0.20	633	5.1	0.20	2.7	0.11
Bladder	741	8.0	0.30	4.0	0.15	279	2.3	0.14	1.1	0.07
Kidney & renal pelvis	572	5.6	0.24	3.2	0.13	339	2.7	0.15	1.5	0.08
Brain & Other Nervous System	649	5.9	0.24	3.8	0.15	545	4.4	0.19	2.9	0.13
Endocrine System	108	1.1	0.10	0.6	0.06	96	0.8	0.08	0.5	0.05
Thyroid gland	67	0.7	0.09	0.4	0.05	60	0.5	0.06	0.3	0.04
Lymphomas	769	7.9	0.29	4.4	0.16	577	4.7	0.20	2.5	0.11
Hodgkin Lymphoma	43	0.4	0.07	0.3	0.04	32	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	726	7.5	0.29	4.1	0.15	545	4.4	0.19	2.3	0.10
Multiple Myeloma	443	4.6	0.23	2.4	0.12	335	2.8	0.15	1.5	0.09
Leukemias	931	9.6	0.32	5.3	0.18	625	5.1	0.20	2.9	0.12
Other, Ill-defined & Unknown	1,816	18.3	0.44	10.2	0.24	1,545	12.5	0.32	6.9	0.19

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,853	209.7	1.62	116.8	0.92	16,571	153.3	1.21	88.5	0.75
Oral Cavity & Pharynx	287	3.5	0.21	2.1	0.12	123	1.1	0.10	0.7	0.06
Digestive System	4,644	57.1	0.84	32.8	0.49	3,791	34.5	0.57	19.4	0.34
Esophagus	691	8.4	0.32	4.9	0.19	183	1.7	0.13	0.9	0.07
Stomach	412	5.1	0.25	2.9	0.15	284	2.6	0.15	1.5	0.10
Colon & Rectum	1,282	15.9	0.45	8.9	0.26	1,361	12.1	0.34	6.7	0.20
Liver	644	7.7	0.31	4.7	0.19	192	1.8	0.13	1.0	0.08
Pancreas	1,168	14.4	0.42	8.2	0.24	1,256	11.5	0.33	6.4	0.19
Respiratory System	4,347	53.9	0.82	30.4	0.47	4,158	39.2	0.62	22.5	0.37
Larynx	136	1.6	0.14	1.0	0.08	43	0.4	0.06	0.2	0.04
Lung & bronchus	4,176	51.8	0.81	29.2	0.46	4,098	38.6	0.61	22.2	0.37
Skin	422	5.2	0.26	2.9	0.14	249	2.2	0.14	1.3	0.09
Melanomas of the skin	309	3.8	0.22	2.2	0.13	199	1.8	0.13	1.1	0.08
Breast	31	0.4	0.07	0.2	0.04	2,288	21.6	0.46	13.2	0.30
Female Genital System	-	-	-	-	-	1,746	16.7	0.41	10.1	0.26
Cervix uteri	-	-	-	-	-	173	1.8	0.14	1.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	548	5.2	0.23	3.1	0.14
Ovary	-	-	-	-	-	860	8.2	0.28	5.0	0.18
Male Genital System	1,656	21.3	0.53	10.1	0.26	-	-	-	-	-
Prostate	1,621	20.9	0.52	9.9	0.25	-	-	-	-	-
Testis	20	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,254	15.8	0.45	8.3	0.24	594	5.3	0.22	2.8	0.13
Bladder	786	10.0	0.36	5.0	0.18	338	2.9	0.16	1.5	0.09
Kidney & renal pelvis	441	5.4	0.26	3.1	0.15	228	2.1	0.14	1.2	0.09
Brain & Other Nervous System	495	5.9	0.27	4.0	0.19	400	3.9	0.20	2.5	0.14
Endocrine System	61	0.7	0.09	0.5	0.07	81	0.7	0.08	0.5	0.06
Thyroid gland	40	0.5	0.08	0.3	0.05	59	0.5	0.07	0.3	0.04
Lymphomas	690	8.7	0.33	4.8	0.19	585	5.2	0.22	2.8	0.13
Hodgkin Lymphoma	35	0.4	0.07	0.3	0.05	26	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	655	8.3	0.32	4.5	0.18	559	4.9	0.21	2.6	0.12
Multiple Myeloma	346	4.3	0.23	2.4	0.13	334	3.0	0.17	1.6	0.10
Leukemias	807	10.1	0.36	5.7	0.21	628	5.5	0.23	3.1	0.14
Other, Ill-defined & Unknown	1,813	22.6	0.53	12.6	0.31	1,594	14.4	0.37	8.1	0.23

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,009	238.3	3.41	134.0	1.93	4,718	176.3	2.58	103.5	1.59
Oral Cavity & Pharynx	102	4.7	0.47	2.9	0.29	49	1.9	0.27	1.1	0.17
Digestive System	1,362	63.8	1.75	37.2	1.02	1,023	38.0	1.19	21.6	0.71
Esophagus	185	8.4	0.62	5.0	0.37	51	1.9	0.27	1.1	0.16
Stomach	92	4.3	0.46	2.5	0.27	77	2.9	0.33	1.7	0.20
Colon & Rectum	398	19.1	0.97	10.9	0.56	349	13.0	0.70	7.3	0.42
Liver	220	10.2	0.70	6.2	0.42	79	2.9	0.33	1.7	0.20
Pancreas	352	16.4	0.89	9.4	0.51	330	12.1	0.67	6.9	0.40
Respiratory System	1,561	72.9	1.87	41.6	1.06	1,322	49.1	1.36	28.8	0.82
Larynx	51	2.3	0.33	1.4	0.20	16	0.6	0.15	0.4	0.09
Lung & bronchus	1,499	70.1	1.83	39.9	1.04	1,301	48.3	1.35	28.4	0.82
Skin	165	8.0	0.63	4.3	0.34	86	3.2	0.35	1.9	0.22
Melanomas of the skin	103	4.9	0.49	2.7	0.28	60	2.3	0.30	1.5	0.20
Breast	-	-	-	-	-	672	25.8	1.00	15.8	0.65
Female Genital System	-	-	-	-	-	528	19.9	0.87	12.3	0.56
Cervix uteri	-	-	-	-	-	73	2.9	0.34	2.1	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	187	7.0	0.51	4.2	0.31
Ovary	-	-	-	-	-	239	9.0	0.59	5.4	0.36
Male Genital System	430	21.8	1.06	10.8	0.53	-	-	-	-	-
Prostate	417	21.1	1.05	10.3	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	329	16.4	0.92	8.5	0.48	176	6.5	0.49	3.5	0.28
Bladder	180	9.2	0.70	4.5	0.34	80	2.9	0.33	1.5	0.18
Kidney & renal pelvis	138	6.6	0.57	3.8	0.33	88	3.2	0.35	1.8	0.21
Brain & Other Nervous System	114	5.3	0.50	3.5	0.34	112	4.3	0.41	3.1	0.32
Endocrine System	18	0.9	0.21	0.5	0.12	20	0.8	0.18	0.5	0.13
Thyroid gland	-	-	-	-	-	10	0.4	0.12	0.2	0.08
Lymphomas	200	9.7	0.70	5.5	0.40	143	5.3	0.44	2.8	0.25
Hodgkin Lymphoma	13	0.6	0.17	0.5	0.14	-	-	-	-	-
Non-Hodgkin Lymphoma	187	9.1	0.67	5.0	0.37	-	-	-	-	-
Multiple Myeloma	112	5.2	0.49	2.9	0.28	101	3.7	0.37	2.1	0.21
Leukemias	213	10.5	0.73	5.6	0.40	149	5.4	0.45	3.1	0.28
Other, Ill-defined & Unknown	-	-	-	-	-	337	12.5	0.68	7.0	0.41

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,606	243.9	4.85	139.9	2.77	2,828	189.2	3.60	111.8	2.22
Oral Cavity & Pharynx	72	6.4	0.76	3.9	0.46	27	1.8	0.36	1.2	0.23
Digestive System	860	78.5	2.71	46.7	1.60	755	50.2	1.85	29.1	1.12
Esophagus	81	7.6	0.85	4.3	0.48	46	3.1	0.46	1.8	0.27
Stomach	89	8.5	0.92	4.8	0.51	70	4.6	0.56	2.7	0.35
Colon & Rectum	238	21.9	1.44	12.8	0.84	266	17.5	1.09	10.2	0.67
Liver	173	15.1	1.16	9.5	0.72	73	4.9	0.58	2.8	0.35
Pancreas	207	18.9	1.33	11.4	0.80	205	13.7	0.96	7.7	0.56
Respiratory System	647	59.9	2.38	35.2	1.40	592	40.1	1.66	23.3	1.00
Larynx	37	3.4	0.56	2.0	0.32	11	0.8	0.23	0.5	0.15
Lung & bronchus	607	56.3	2.31	33.1	1.35	577	39.1	1.64	22.6	0.99
Skin	27	2.5	0.48	1.5	0.28	-	-	-	-	-
Melanomas of the skin	14	1.2	0.32	0.8	0.21	12	0.8	0.23	0.5	0.15
Breast	-	-	-	-	-	509	34.5	1.55	21.3	0.99
Female Genital System	-	-	-	-	-	357	24.2	1.30	15.1	0.83
Cervix uteri	-	-	-	-	-	56	3.7	0.51	2.6	0.36
Corpus & uterus, NOS ¹	-	-	-	-	-	131	8.9	0.78	5.4	0.49
Ovary	-	-	-	-	-	145	9.9	0.83	6.1	0.53
Male Genital System	376	38.5	2.00	18.9	0.99	-	-	-	-	-
Prostate	369	37.8	1.99	18.6	0.98	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	114	11.1	1.05	5.9	0.56	102	6.5	0.66	3.4	0.36
Bladder	62	6.2	0.79	3.1	0.41	62	4.0	0.51	2.0	0.28
Kidney & renal pelvis	50	4.7	0.67	2.7	0.38	39	2.5	0.41	1.3	0.23
Brain & Other Nervous System	49	4.2	0.61	2.7	0.40	33	2.2	0.39	1.5	0.27
Endocrine System	11	1.0	0.29	0.6	0.19	19	1.2	0.28	0.7	0.16
Thyroid gland	-	-	-	-	-	19	1.2	0.28	0.7	0.16
Lymphomas	80	7.4	0.84	4.5	0.51	61	4.1	0.53	2.5	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	52	5.1	0.72	2.8	0.40	62	4.1	0.52	2.2	0.30
Leukemias	87	8.5	0.93	4.7	0.51	73	4.7	0.55	2.6	0.33
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	115,622	220.7	0.65	126.7	0.39	98,219	154.1	0.50	91.1	0.32
Oral Cavity & Pharynx	2,589	5.1	0.10	3.1	0.06	1,012	1.6	0.05	1.0	0.03
Digestive System	30,790	59.3	0.34	34.9	0.21	22,160	34.0	0.23	19.4	0.14
Esophagus	4,219	8.1	0.13	4.8	0.08	1,082	1.7	0.05	1.0	0.03
Stomach	2,249	4.3	0.09	2.6	0.06	1,516	2.4	0.06	1.4	0.04
Colon & Rectum	9,823	19.0	0.19	11.0	0.12	8,568	13.2	0.15	7.5	0.09
Liver	4,867	9.6	0.14	5.9	0.09	1,823	2.8	0.07	1.6	0.04
Pancreas	7,540	14.3	0.17	8.3	0.10	6,945	10.5	0.13	5.9	0.08
Respiratory System	34,446	65.2	0.35	37.8	0.21	26,849	41.6	0.26	24.3	0.16
Larynx	1,308	2.5	0.07	1.5	0.04	281	0.5	0.03	0.3	0.02
Lung & bronchus	32,938	62.3	0.35	36.0	0.20	26,463	41.0	0.26	23.9	0.16
Skin	3,724	7.2	0.12	4.1	0.07	1,579	2.5	0.06	1.5	0.04
Melanomas of the skin	2,618	5.0	0.10	2.9	0.06	1,245	2.0	0.06	1.2	0.04
Breast	179	0.3	0.03	0.2	0.02	14,200	23.4	0.20	14.6	0.13
Female Genital System	-	-	-	-	-	10,287	16.9	0.17	10.6	0.11
Cervix uteri	-	-	-	-	-	1,636	3.1	0.08	2.2	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	3,129	5.0	0.09	3.1	0.06
Ovary	-	-	-	-	-	4,903	7.9	0.11	4.8	0.07
Male Genital System	10,901	20.5	0.20	10.2	0.10	-	-	-	-	-
Prostate	10,653	20.0	0.19	9.8	0.10	-	-	-	-	-
Testis	141	0.3	0.03	0.3	0.02	-	-	-	-	-
Urinary System	7,814	14.8	0.17	8.0	0.09	3,344	4.9	0.09	2.7	0.05
Bladder	4,557	8.6	0.13	4.4	0.07	1,647	2.4	0.06	1.2	0.03
Kidney & renal pelvis	3,082	5.9	0.11	3.4	0.06	1,591	2.4	0.06	1.4	0.04
Brain & Other Nervous System	3,053	6.0	0.11	4.0	0.08	2,355	3.9	0.08	2.6	0.06
Endocrine System	411	0.8	0.04	0.5	0.03	480	0.8	0.04	0.5	0.03
Thyroid gland	260	0.5	0.03	0.3	0.02	333	0.5	0.03	0.3	0.02
Lymphomas	4,483	8.6	0.13	4.9	0.08	3,324	5.0	0.09	2.8	0.05
Hodgkin Lymphoma	217	0.4	0.03	0.3	0.02	148	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	4,266	8.1	0.13	4.6	0.08	3,176	4.7	0.09	2.6	0.05
Multiple Myeloma	2,345	4.4	0.09	2.5	0.05	1,904	2.9	0.07	1.6	0.04
Leukemias	5,135	9.7	0.14	5.6	0.08	3,517	5.4	0.09	3.2	0.06
Other, Ill-defined & Unknown	9,752	18.7	0.19	10.9	0.12	7,208	11.1	0.13	6.5	0.09

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	43,555	247.2	1.23	140.5	0.68	38,113	163.8	0.84	96.9	0.51
Oral Cavity & Pharynx	941	4.9	0.17	3.0	0.10	434	1.9	0.09	1.1	0.05
Digestive System	11,891	65.2	0.62	38.1	0.35	8,506	36.7	0.40	21.1	0.23
Esophagus	1,522	8.0	0.21	4.8	0.12	371	1.6	0.08	0.9	0.05
Stomach	983	5.5	0.18	3.2	0.10	653	2.8	0.11	1.6	0.07
Colon & Rectum	4,051	22.8	0.37	13.1	0.21	3,399	14.7	0.25	8.4	0.15
Liver	1,858	9.7	0.23	5.9	0.14	706	3.0	0.11	1.8	0.07
Pancreas	2,661	14.7	0.29	8.5	0.17	2,502	10.8	0.22	6.1	0.12
Respiratory System	13,752	76.3	0.67	43.9	0.38	9,624	41.5	0.42	24.3	0.25
Larynx	408	2.2	0.11	1.3	0.06	99	0.4	0.04	0.3	0.03
Lung & bronchus	13,280	73.8	0.66	42.4	0.37	9,490	40.9	0.42	24.0	0.25
Skin	1,089	6.4	0.20	3.6	0.11	500	2.1	0.10	1.3	0.06
Melanomas of the skin	779	4.4	0.16	2.6	0.09	395	1.7	0.09	1.0	0.05
Breast	66	0.4	0.05	0.2	0.03	6,135	26.2	0.33	16.2	0.21
Female Genital System	-	-	-	-	-	4,218	18.0	0.28	11.1	0.17
Cervix uteri	-	-	-	-	-	670	2.8	0.11	2.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,295	5.5	0.15	3.3	0.09
Ovary	-	-	-	-	-	1,989	8.5	0.19	5.1	0.12
Male Genital System	4,032	26.7	0.44	13.1	0.21	-	-	-	-	-
Prostate	3,925	26.2	0.44	12.7	0.20	-	-	-	-	-
Testis	53	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,679	16.3	0.33	8.7	0.17	1,274	5.5	0.16	3.0	0.09
Bladder	1,454	9.3	0.25	4.7	0.12	621	2.7	0.11	1.4	0.06
Kidney & renal pelvis	1,162	6.5	0.20	3.8	0.11	610	2.6	0.11	1.5	0.06
Brain & Other Nervous System	1,205	6.0	0.18	4.1	0.12	941	4.0	0.13	2.7	0.09
Endocrine System	165	0.8	0.07	0.6	0.05	175	0.7	0.06	0.5	0.04
Thyroid gland	89	0.5	0.05	0.3	0.03	108	0.5	0.04	0.3	0.03
Lymphomas	1,503	8.8	0.24	5.0	0.13	1,181	5.1	0.15	2.9	0.09
Hodgkin Lymphoma	89	0.5	0.05	0.3	0.03	64	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,414	8.3	0.23	4.7	0.12	1,117	4.9	0.15	2.7	0.08
Multiple Myeloma	964	5.6	0.19	3.1	0.10	845	3.7	0.13	2.1	0.07
Leukemias	1,655	9.6	0.25	5.5	0.14	1,236	5.3	0.15	3.1	0.09
Other, Ill-defined & Unknown	3,613	20.2	0.35	11.7	0.20	3,044	13.1	0.24	7.7	0.15

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,433	193.8	2.43	111.1	1.43	5,416	134.7	1.87	80.6	1.20
Oral Cavity & Pharynx	160	4.8	0.38	2.9	0.24	73	1.8	0.22	1.1	0.14
Digestive System	2,164	65.1	1.41	38.2	0.85	1,545	37.3	0.97	21.3	0.59
Esophagus	207	6.2	0.43	3.7	0.26	59	1.5	0.19	0.9	0.12
Stomach	227	6.9	0.46	3.8	0.27	180	4.2	0.32	2.3	0.20
Colon & Rectum	657	19.8	0.78	11.7	0.47	490	12.0	0.56	7.1	0.35
Liver	395	11.8	0.60	7.3	0.37	169	4.1	0.32	2.3	0.19
Pancreas	509	15.3	0.68	8.7	0.39	483	11.6	0.54	6.5	0.32
Respiratory System	1,640	49.3	1.22	28.2	0.71	1,204	29.8	0.87	17.3	0.53
Larynx	58	1.7	0.22	1.0	0.14	-	-	-	-	-
Lung & bronchus	1,561	47.0	1.20	26.8	0.69	1,187	29.4	0.87	17.0	0.53
Skin	150	4.5	0.37	2.6	0.22	63	1.6	0.20	0.9	0.13
Melanomas of the skin	96	2.8	0.29	1.6	0.17	45	1.1	0.17	0.7	0.11
Breast	-	-	-	-	-	721	18.8	0.71	11.9	0.48
Female Genital System	-	-	-	-	-	535	14.1	0.62	9.1	0.42
Cervix uteri	-	-	-	-	-	80	2.3	0.26	1.6	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	198	5.3	0.38	3.4	0.25
Ovary	-	-	-	-	-	220	5.7	0.39	3.5	0.25
Male Genital System	529	16.1	0.70	7.8	0.35	-	-	-	-	-
Prostate	525	16.0	0.70	7.7	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	364	10.9	0.58	5.9	0.32	154	3.6	0.30	2.1	0.18
Bladder	182	5.5	0.41	2.8	0.22	64	1.4	0.18	0.7	0.10
Kidney & renal pelvis	169	5.0	0.39	2.9	0.23	82	2.0	0.23	1.2	0.15
Brain & Other Nervous System	120	3.5	0.32	2.5	0.24	99	2.6	0.27	1.9	0.20
Endocrine System	35	1.1	0.18	0.7	0.12	41	1.0	0.17	0.7	0.13
Thyroid gland	25	0.8	0.15	0.4	0.09	28	0.7	0.13	0.4	0.09
Lymphomas	268	8.1	0.50	4.6	0.30	201	4.7	0.34	2.6	0.20
Hodgkin Lymphoma	12	0.4	0.11	0.2	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	256	7.8	0.49	4.4	0.29	-	-	-	-	-
Multiple Myeloma	139	4.3	0.37	2.5	0.21	95	2.4	0.25	1.3	0.15
Leukemias	235	7.1	0.47	4.3	0.29	172	4.2	0.33	2.8	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	513	12.7	0.57	7.6	0.37

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,337	215.3	2.55	120.1	1.42	6,158	155.3	1.99	90.1	1.20
Oral Cavity & Pharynx	148	4.2	0.35	2.5	0.21	59	1.5	0.19	0.8	0.11
Digestive System	2,011	57.9	1.31	33.4	0.75	1,363	34.2	0.93	19.6	0.56
Esophagus	306	8.7	0.51	5.1	0.30	75	1.9	0.22	1.1	0.13
Stomach	135	4.0	0.35	2.3	0.20	65	1.6	0.20	0.9	0.12
Colon & Rectum	636	18.6	0.75	10.6	0.43	504	12.7	0.57	7.3	0.34
Liver	262	7.2	0.45	4.4	0.27	91	2.3	0.24	1.3	0.15
Pancreas	535	15.3	0.67	8.8	0.39	445	11.1	0.53	6.3	0.31
Respiratory System	1,775	51.0	1.23	28.8	0.69	1,485	37.3	0.97	21.5	0.58
Larynx	51	1.5	0.21	0.8	0.12	-	-	-	-	-
Lung & bronchus	1,708	49.0	1.20	27.7	0.67	1,467	36.8	0.97	21.3	0.57
Skin	280	8.2	0.50	4.7	0.29	137	3.4	0.30	2.0	0.18
Melanomas of the skin	201	5.8	0.41	3.5	0.25	105	2.7	0.26	1.6	0.17
Breast	-	-	-	-	-	941	24.1	0.79	14.5	0.50
Female Genital System	-	-	-	-	-	710	18.0	0.68	10.9	0.42
Cervix uteri	-	-	-	-	-	74	2.0	0.23	1.4	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	216	5.4	0.37	3.3	0.24
Ovary	-	-	-	-	-	377	9.5	0.49	5.6	0.30
Male Genital System	871	27.6	0.95	13.2	0.45	-	-	-	-	-
Prostate	860	27.3	0.94	13.0	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	536	16.1	0.70	8.6	0.38	214	5.3	0.36	2.8	0.20
Bladder	274	8.5	0.52	4.2	0.26	88	2.1	0.23	1.0	0.12
Kidney & renal pelvis	245	7.0	0.45	4.1	0.26	115	2.8	0.27	1.6	0.15
Brain & Other Nervous System	285	7.9	0.48	5.3	0.32	161	4.1	0.33	2.7	0.22
Endocrine System	40	1.2	0.18	0.7	0.11	32	0.8	0.14	0.5	0.09
Thyroid gland	27	0.8	0.15	0.5	0.09	24	0.6	0.12	0.3	0.07
Lymphomas	322	9.6	0.54	5.2	0.29	245	6.1	0.39	3.2	0.22
Hodgkin Lymphoma	12	0.3	0.10	0.2	0.07	15	0.4	0.10	0.3	0.07
Non-Hodgkin Lymphoma	310	9.2	0.53	5.0	0.29	230	5.7	0.38	3.0	0.21
Multiple Myeloma	162	4.8	0.38	2.6	0.21	111	2.8	0.27	1.5	0.15
Leukemias	325	9.7	0.54	5.4	0.31	230	5.8	0.38	3.3	0.23
Other, Ill-defined & Unknown	-	-	-	-	-	470	11.8	0.55	6.8	0.33

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	62,621	242.4	0.98	136.5	0.55	59,652	174.6	0.72	102.2	0.44
Oral Cavity & Pharynx	1,270	4.7	0.13	2.8	0.08	573	1.7	0.07	1.0	0.04
Digestive System	17,377	66.1	0.51	38.3	0.29	13,693	39.5	0.34	22.4	0.20
Esophagus	2,483	9.3	0.19	5.5	0.11	651	1.9	0.08	1.1	0.04
Stomach	1,482	5.7	0.15	3.3	0.09	987	2.9	0.09	1.7	0.06
Colon & Rectum	5,767	22.3	0.30	12.6	0.17	5,395	15.3	0.21	8.6	0.13
Liver	2,309	8.5	0.18	5.1	0.11	961	2.8	0.09	1.6	0.06
Pancreas	3,999	15.2	0.24	8.8	0.14	3,906	11.3	0.18	6.4	0.11
Respiratory System	18,415	70.6	0.52	40.3	0.30	15,464	45.9	0.37	26.7	0.22
Larynx	668	2.5	0.10	1.5	0.06	173	0.5	0.04	0.3	0.02
Lung & bronchus	17,657	67.7	0.51	38.6	0.29	15,225	45.2	0.37	26.3	0.22
Skin	1,468	5.7	0.15	3.2	0.09	800	2.3	0.08	1.4	0.05
Melanomas of the skin	1,100	4.2	0.13	2.5	0.08	624	1.8	0.07	1.1	0.05
Breast	91	0.3	0.04	0.2	0.02	8,923	26.5	0.28	16.2	0.18
Female Genital System	-	-	-	-	-	6,429	19.2	0.24	11.7	0.15
Cervix uteri	-	-	-	-	-	901	2.8	0.09	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	2,149	6.4	0.14	3.8	0.09
Ovary	-	-	-	-	-	2,921	8.7	0.16	5.3	0.10
Male Genital System	5,833	24.2	0.32	11.8	0.16	-	-	-	-	-
Prostate	5,712	23.8	0.32	11.5	0.15	-	-	-	-	-
Testis	58	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	4,196	16.7	0.26	8.9	0.14	2,135	6.0	0.13	3.3	0.08
Bladder	2,173	8.9	0.19	4.4	0.10	966	2.7	0.09	1.4	0.05
Kidney & renal pelvis	1,902	7.3	0.17	4.2	0.10	1,083	3.1	0.10	1.8	0.06
Brain & Other Nervous System	1,658	6.0	0.15	4.0	0.10	1,286	3.9	0.11	2.6	0.08
Endocrine System	271	1.0	0.06	0.7	0.04	289	0.8	0.05	0.6	0.04
Thyroid gland	154	0.6	0.05	0.3	0.03	184	0.5	0.04	0.3	0.02
Lymphomas	2,393	9.4	0.19	5.2	0.11	1,948	5.5	0.13	3.0	0.07
Hodgkin Lymphoma	126	0.5	0.04	0.3	0.03	79	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,267	9.0	0.19	4.9	0.10	1,869	5.3	0.12	2.8	0.07
Multiple Myeloma	1,242	4.9	0.14	2.7	0.08	1,121	3.2	0.10	1.7	0.06
Leukemias	2,751	10.9	0.21	6.0	0.12	2,139	6.0	0.13	3.5	0.08
Other, Ill-defined & Unknown	5,656	21.8	0.29	12.5	0.17	4,852	13.9	0.20	8.0	0.12

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,525	261.1	1.40	149.0	0.80	31,311	178.8	1.02	106.0	0.64
Oral Cavity & Pharynx	644	4.5	0.18	2.7	0.11	280	1.6	0.10	0.9	0.06
Digestive System	9,218	66.6	0.70	38.9	0.41	6,922	38.9	0.47	22.3	0.29
Esophagus	1,507	10.7	0.28	6.4	0.17	340	1.9	0.11	1.1	0.07
Stomach	610	4.4	0.18	2.6	0.11	375	2.1	0.11	1.3	0.07
Colon & Rectum	3,050	22.4	0.41	12.9	0.24	2,834	15.8	0.30	8.9	0.18
Liver	1,190	8.3	0.24	5.0	0.15	458	2.6	0.12	1.5	0.07
Pancreas	2,143	15.5	0.34	9.0	0.20	2,018	11.4	0.25	6.5	0.15
Respiratory System	11,594	83.8	0.79	48.7	0.46	8,758	50.6	0.54	30.1	0.33
Larynx	326	2.3	0.13	1.4	0.08	77	0.4	0.05	0.3	0.03
Lung & bronchus	11,164	80.8	0.77	46.9	0.45	8,630	49.9	0.54	29.7	0.33
Skin	985	7.3	0.23	4.2	0.14	497	2.9	0.13	1.7	0.08
Melanomas of the skin	677	4.9	0.19	2.9	0.12	373	2.2	0.11	1.4	0.08
Breast	45	0.3	0.05	0.2	0.03	4,361	25.2	0.39	15.5	0.25
Female Genital System	-	-	-	-	-	3,247	18.8	0.33	11.6	0.21
Cervix uteri	-	-	-	-	-	447	2.8	0.13	2.0	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	1,028	5.9	0.18	3.5	0.11
Ovary	-	-	-	-	-	1,521	8.8	0.23	5.3	0.14
Male Genital System	3,013	24.2	0.45	11.8	0.22	-	-	-	-	-
Prostate	2,942	23.7	0.44	11.4	0.21	-	-	-	-	-
Testis	40	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,372	18.0	0.37	9.7	0.20	1,159	6.4	0.19	3.4	0.11
Bladder	1,278	10.0	0.28	5.1	0.14	517	2.8	0.12	1.4	0.07
Kidney & renal pelvis	1,041	7.5	0.24	4.4	0.14	596	3.3	0.14	1.9	0.08
Brain & Other Nervous System	962	6.6	0.22	4.5	0.15	733	4.4	0.16	3.0	0.12
Endocrine System	133	0.9	0.08	0.6	0.06	147	0.8	0.07	0.5	0.05
Thyroid gland	85	0.6	0.07	0.4	0.04	93	0.5	0.05	0.3	0.03
Lymphomas	1,370	10.2	0.28	5.7	0.16	1,089	6.1	0.19	3.5	0.11
Hodgkin Lymphoma	70	0.5	0.06	0.3	0.04	47	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,300	9.7	0.27	5.4	0.15	1,042	5.8	0.18	3.3	0.11
Multiple Myeloma	719	5.4	0.21	2.9	0.11	571	3.2	0.13	1.8	0.08
Leukemias	1,534	11.6	0.30	6.5	0.17	1,145	6.3	0.19	3.6	0.12
Other, Ill-defined & Unknown	2,936	21.6	0.40	12.5	0.23	2,402	13.5	0.28	8.0	0.18

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,228	240.3	1.83	135.2	1.06	15,217	166.3	1.38	97.5	0.87
Oral Cavity & Pharynx	317	4.4	0.25	2.6	0.15	135	1.4	0.12	0.8	0.07
Digestive System	4,441	61.8	0.93	35.6	0.55	3,558	37.6	0.65	21.2	0.39
Esophagus	731	10.1	0.38	6.0	0.23	174	1.9	0.15	1.1	0.09
Stomach	260	3.6	0.23	2.1	0.13	164	1.8	0.14	1.0	0.09
Colon & Rectum	1,510	21.3	0.55	11.9	0.32	1,532	15.8	0.42	8.7	0.25
Liver	525	7.2	0.31	4.3	0.19	169	1.8	0.14	1.0	0.09
Pancreas	1,082	15.0	0.46	8.6	0.27	1,030	11.0	0.35	6.2	0.21
Respiratory System	5,162	71.3	0.99	40.9	0.58	3,853	43.2	0.71	25.5	0.44
Larynx	165	2.3	0.18	1.3	0.10	46	0.5	0.08	0.3	0.05
Lung & bronchus	4,959	68.6	0.98	39.3	0.57	3,787	42.5	0.70	25.1	0.43
Skin	477	6.7	0.31	3.8	0.18	245	2.7	0.18	1.7	0.12
Melanomas of the skin	331	4.6	0.25	2.7	0.16	195	2.2	0.17	1.4	0.11
Breast	17	0.2	0.06	0.1	0.03	1,996	22.6	0.52	13.9	0.34
Female Genital System	-	-	-	-	-	1,704	19.2	0.48	11.6	0.31
Cervix uteri	-	-	-	-	-	171	2.2	0.17	1.6	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	582	6.4	0.27	3.8	0.17
Ovary	-	-	-	-	-	784	8.8	0.32	5.2	0.20
Male Genital System	1,639	23.5	0.58	11.1	0.28	-	-	-	-	-
Prostate	1,591	22.8	0.57	10.7	0.28	-	-	-	-	-
Testis	25	0.4	0.07	0.3	0.05	-	-	-	-	-
Urinary System	1,279	17.9	0.50	9.7	0.28	568	5.8	0.25	3.2	0.15
Bladder	620	8.8	0.35	4.4	0.18	235	2.3	0.15	1.2	0.09
Kidney & renal pelvis	622	8.6	0.35	5.0	0.21	318	3.4	0.19	1.9	0.12
Brain & Other Nervous System	516	7.1	0.31	4.9	0.22	382	4.5	0.23	3.0	0.17
Endocrine System	70	1.0	0.12	0.6	0.08	93	1.0	0.11	0.7	0.08
Thyroid gland	46	0.6	0.09	0.4	0.05	59	0.6	0.09	0.4	0.05
Lymphomas	754	10.6	0.39	5.8	0.22	593	6.1	0.26	3.3	0.16
Hodgkin Lymphoma	35	0.5	0.08	0.3	0.05	20	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	719	10.1	0.38	5.5	0.21	573	5.8	0.25	3.2	0.15
Multiple Myeloma	374	5.3	0.27	2.8	0.15	310	3.3	0.19	1.9	0.11
Leukemias	775	10.9	0.39	6.0	0.22	558	5.7	0.25	3.2	0.16
Other, Ill-defined & Unknown	1,407	19.6	0.52	11.2	0.31	1,222	13.0	0.38	7.6	0.25

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,384	233.7	1.96	132.6	1.13	13,055	168.2	1.49	98.8	0.93
Oral Cavity & Pharynx	225	3.6	0.24	2.1	0.14	116	1.5	0.14	0.8	0.08
Digestive System	3,779	60.8	0.99	35.6	0.59	2,908	36.8	0.69	21.1	0.42
Esophagus	556	8.9	0.38	5.3	0.23	122	1.5	0.14	0.9	0.08
Stomach	219	3.5	0.24	2.1	0.15	139	1.8	0.15	1.1	0.10
Colon & Rectum	1,297	21.1	0.59	12.2	0.35	1,186	14.8	0.44	8.3	0.27
Liver	499	7.8	0.35	4.7	0.21	210	2.7	0.19	1.6	0.12
Pancreas	944	15.3	0.50	8.8	0.29	938	12.0	0.40	6.8	0.24
Respiratory System	4,239	68.4	1.05	39.4	0.61	3,481	45.6	0.78	26.8	0.48
Larynx	117	1.9	0.17	1.1	0.10	24	0.3	0.06	0.2	0.04
Lung & bronchus	4,099	66.2	1.04	38.1	0.60	3,447	45.2	0.78	26.6	0.48
Skin	457	7.4	0.35	4.3	0.21	231	2.9	0.20	1.8	0.13
Melanomas of the skin	320	5.2	0.29	3.1	0.18	183	2.4	0.18	1.5	0.12
Breast	23	0.4	0.08	0.2	0.05	1,806	23.7	0.57	14.4	0.37
Female Genital System	-	-	-	-	-	1,305	17.3	0.49	10.6	0.32
Cervix uteri	-	-	-	-	-	167	2.4	0.19	1.7	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	399	5.2	0.26	3.1	0.17
Ovary	-	-	-	-	-	637	8.4	0.34	5.1	0.22
Male Genital System	1,318	22.3	0.62	10.8	0.31	-	-	-	-	-
Prostate	1,287	21.8	0.61	10.5	0.30	-	-	-	-	-
Testis	17	0.3	0.07	0.2	0.05	-	-	-	-	-
Urinary System	1,035	17.0	0.53	9.2	0.29	467	5.8	0.27	3.3	0.17
Bladder	523	8.8	0.38	4.4	0.20	195	2.3	0.17	1.2	0.10
Kidney & renal pelvis	493	7.9	0.36	4.6	0.21	247	3.2	0.21	1.9	0.13
Brain & Other Nervous System	490	7.7	0.35	5.0	0.23	355	4.8	0.26	3.2	0.19
Endocrine System	49	0.8	0.11	0.5	0.07	59	0.8	0.10	0.5	0.07
Thyroid gland	28	0.5	0.09	0.3	0.05	38	0.5	0.08	0.3	0.05
Lymphomas	556	9.1	0.39	5.1	0.22	476	5.9	0.27	3.2	0.16
Hodgkin Lymphoma	28	0.4	0.08	0.3	0.06	22	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	528	8.7	0.38	4.8	0.21	454	5.6	0.27	3.0	0.16
Multiple Myeloma	327	5.4	0.30	2.9	0.16	276	3.4	0.21	1.8	0.12
Leukemias	709	11.7	0.44	6.5	0.25	526	6.5	0.29	3.8	0.18
Other, Ill-defined & Unknown	1,177	19.0	0.56	11.0	0.33	1,049	13.1	0.41	7.5	0.25

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	27,149	290.4	1.80	167.1	1.02	23,253	195.5	1.29	116.7	0.80
Oral Cavity & Pharynx	568	5.9	0.25	3.5	0.15	225	1.9	0.13	1.1	0.08
Digestive System	6,567	68.8	0.87	40.7	0.51	4,764	39.8	0.58	22.8	0.35
Esophagus	923	9.3	0.31	5.8	0.19	191	1.6	0.12	0.9	0.07
Stomach	474	5.1	0.24	3.0	0.14	282	2.4	0.14	1.4	0.09
Colon & Rectum	2,280	24.5	0.52	14.1	0.30	1,989	16.6	0.37	9.4	0.22
Liver	920	9.4	0.31	5.7	0.19	356	3.0	0.16	1.7	0.10
Pancreas	1,494	15.6	0.41	9.2	0.24	1,378	11.5	0.31	6.5	0.18
Respiratory System	10,206	106.4	1.07	62.3	0.62	7,678	64.6	0.74	39.0	0.46
Larynx	297	3.0	0.18	1.8	0.11	101	0.9	0.09	0.6	0.06
Lung & bronchus	9,861	102.9	1.05	60.1	0.61	7,557	63.6	0.73	38.4	0.45
Skin	741	8.1	0.30	4.6	0.17	358	3.0	0.16	1.9	0.11
Melanomas of the skin	518	5.5	0.25	3.3	0.15	281	2.4	0.15	1.5	0.10
Breast	25	0.3	0.06	0.2	0.03	3,016	25.7	0.47	15.9	0.30
Female Genital System	-	-	-	-	-	2,095	17.8	0.39	11.0	0.25
Cervix uteri	-	-	-	-	-	358	3.2	0.17	2.3	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	570	4.8	0.20	2.9	0.13
Ovary	-	-	-	-	-	981	8.2	0.26	4.9	0.16
Male Genital System	1,910	23.3	0.55	11.2	0.26	-	-	-	-	-
Prostate	1,833	22.5	0.54	10.7	0.25	-	-	-	-	-
Testis	35	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	1,617	18.0	0.46	9.8	0.25	810	6.7	0.23	3.6	0.13
Bladder	785	9.2	0.33	4.7	0.17	356	2.9	0.15	1.5	0.08
Kidney & renal pelvis	798	8.5	0.31	5.0	0.18	432	3.6	0.17	2.0	0.10
Brain & Other Nervous System	666	6.6	0.26	4.5	0.18	518	4.4	0.20	3.0	0.14
Endocrine System	96	1.0	0.10	0.6	0.07	90	0.8	0.08	0.5	0.06
Thyroid gland	60	0.6	0.08	0.4	0.05	66	0.5	0.07	0.3	0.04
Lymphomas	955	10.5	0.35	5.9	0.19	709	5.9	0.22	3.3	0.13
Hodgkin Lymphoma	33	0.3	0.06	0.2	0.04	28	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	922	10.2	0.34	5.7	0.19	681	5.7	0.22	3.1	0.13
Multiple Myeloma	493	5.4	0.25	3.0	0.14	363	3.0	0.16	1.6	0.09
Leukemias	992	11.0	0.36	6.3	0.20	794	6.6	0.24	4.0	0.15
Other, Ill-defined & Unknown	2,313	25.1	0.53	14.4	0.30	1,833	15.3	0.36	9.0	0.23

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,422	277.0	1.77	159.6	1.01	21,390	182.1	1.25	108.7	0.78
Oral Cavity & Pharynx	647	6.7	0.27	4.1	0.16	206	1.8	0.12	1.0	0.08
Digestive System	7,279	77.5	0.92	45.9	0.54	5,154	43.8	0.61	25.5	0.37
Esophagus	884	9.2	0.31	5.6	0.19	213	1.8	0.12	1.0	0.07
Stomach	563	6.1	0.26	3.6	0.15	379	3.2	0.17	1.9	0.10
Colon & Rectum	2,342	25.4	0.53	14.8	0.31	2,029	17.2	0.38	10.1	0.24
Liver	1,421	14.5	0.39	8.9	0.24	538	4.6	0.20	2.7	0.12
Pancreas	1,682	18.2	0.45	10.5	0.26	1,581	13.4	0.34	7.6	0.20
Respiratory System	8,176	87.6	0.98	51.0	0.57	5,768	49.0	0.65	29.0	0.39
Larynx	292	3.1	0.18	1.8	0.11	64	0.5	0.07	0.3	0.04
Lung & bronchus	7,830	83.9	0.96	48.9	0.55	5,673	48.2	0.64	28.5	0.39
Skin	507	5.8	0.26	3.2	0.14	235	2.0	0.13	1.2	0.08
Melanomas of the skin	328	3.7	0.21	2.1	0.12	184	1.6	0.12	1.0	0.07
Breast	43	0.5	0.07	0.3	0.04	3,256	28.0	0.49	17.3	0.32
Female Genital System	-	-	-	-	-	1,981	17.0	0.38	10.7	0.25
Cervix uteri	-	-	-	-	-	376	3.4	0.17	2.5	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	577	4.9	0.20	3.0	0.13
Ovary	-	-	-	-	-	892	7.6	0.26	4.6	0.16
Male Genital System	2,116	25.7	0.57	12.8	0.28	-	-	-	-	-
Prostate	2,059	25.1	0.56	12.3	0.27	-	-	-	-	-
Testis	25	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,496	16.8	0.44	9.3	0.24	775	6.5	0.23	3.6	0.14
Bladder	681	8.1	0.32	4.1	0.16	310	2.6	0.15	1.4	0.08
Kidney & renal pelvis	778	8.2	0.30	4.9	0.18	439	3.7	0.18	2.1	0.11
Brain & Other Nervous System	604	6.2	0.26	4.1	0.17	481	4.1	0.19	2.7	0.13
Endocrine System	82	0.8	0.10	0.6	0.06	102	0.9	0.08	0.5	0.06
Thyroid gland	38	0.4	0.07	0.2	0.04	67	0.6	0.07	0.3	0.04
Lymphomas	954	10.6	0.35	6.1	0.20	697	5.9	0.22	3.3	0.14
Hodgkin Lymphoma	50	0.5	0.08	0.3	0.05	49	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	904	10.1	0.34	5.8	0.19	648	5.4	0.21	3.0	0.13
Multiple Myeloma	507	5.7	0.26	3.2	0.14	428	3.6	0.18	2.0	0.10
Leukemias	929	10.5	0.35	5.9	0.20	689	5.8	0.22	3.4	0.14
Other, Ill-defined & Unknown	2,082	22.7	0.51	13.2	0.29	1,618	13.8	0.34	8.3	0.22

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,606	249.2	2.71	139.6	1.54	7,655	176.4	2.04	102.1	1.26
Oral Cavity & Pharynx	196	5.5	0.40	3.3	0.25	73	1.6	0.19	0.9	0.11
Digestive System	2,031	58.1	1.30	33.3	0.76	1,661	37.7	0.94	21.3	0.57
Esophagus	421	11.7	0.57	6.9	0.34	96	2.2	0.23	1.3	0.14
Stomach	108	3.1	0.30	1.8	0.17	89	2.0	0.22	1.1	0.13
Colon & Rectum	613	18.1	0.74	10.1	0.42	609	13.7	0.56	7.6	0.34
Liver	240	6.7	0.44	4.0	0.26	77	1.8	0.21	1.1	0.13
Pancreas	495	14.1	0.64	8.0	0.36	566	12.8	0.54	7.2	0.32
Respiratory System	2,759	78.3	1.51	44.8	0.87	2,195	50.9	1.09	29.6	0.66
Larynx	104	2.9	0.28	1.7	0.17	22	0.5	0.11	0.3	0.07
Lung & bronchus	2,637	74.9	1.47	42.7	0.84	2,161	50.1	1.09	29.1	0.66
Skin	241	7.1	0.46	3.9	0.26	135	3.1	0.27	1.8	0.17
Melanomas of the skin	170	4.9	0.38	2.8	0.23	93	2.2	0.23	1.4	0.16
Breast	13	0.4	0.10	0.2	0.06	900	21.3	0.72	12.9	0.47
Female Genital System	-	-	-	-	-	710	16.8	0.64	10.1	0.41
Cervix uteri	-	-	-	-	-	69	1.8	0.23	1.3	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	250	5.7	0.37	3.4	0.23
Ovary	-	-	-	-	-	320	7.6	0.43	4.6	0.27
Male Genital System	753	23.4	0.86	11.0	0.41	-	-	-	-	-
Prostate	735	22.8	0.85	10.7	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	657	19.3	0.76	10.2	0.41	296	6.5	0.38	3.4	0.21
Bladder	386	11.6	0.60	5.8	0.30	150	3.3	0.27	1.6	0.14
Kidney & renal pelvis	256	7.3	0.46	4.2	0.27	138	3.1	0.27	1.7	0.15
Brain & Other Nervous System	264	7.5	0.47	5.0	0.33	175	4.3	0.33	2.9	0.25
Endocrine System	31	0.9	0.16	0.7	0.13	36	0.8	0.14	0.6	0.11
Thyroid gland	17	0.5	0.11	0.3	0.08	26	0.6	0.12	0.3	0.07
Lymphomas	320	9.5	0.54	5.2	0.30	289	6.4	0.38	3.5	0.23
Hodgkin Lymphoma	18	0.5	0.12	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	302	9.0	0.52	4.9	0.29	-	-	-	-	-
Multiple Myeloma	151	4.4	0.36	2.4	0.20	135	3.0	0.26	1.6	0.15
Leukemias	344	10.0	0.54	5.6	0.32	271	6.1	0.38	3.4	0.24
Other, Ill-defined & Unknown	846	24.9	0.86	13.8	0.50	779	17.7	0.64	10.0	0.40

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,777	228.4	1.41	128.5	0.79	25,930	165.7	1.03	97.2	0.63
Oral Cavity & Pharynx	530	4.3	0.19	2.6	0.11	230	1.5	0.10	0.9	0.06
Digestive System	7,780	64.7	0.74	37.5	0.43	5,921	37.6	0.49	21.5	0.29
Esophagus	985	8.1	0.26	4.8	0.15	278	1.8	0.11	1.0	0.06
Stomach	619	5.2	0.21	3.0	0.12	422	2.7	0.13	1.5	0.08
Colon & Rectum	2,387	20.2	0.42	11.5	0.24	2,234	14.0	0.30	8.0	0.18
Liver	1,296	10.2	0.29	6.3	0.18	461	2.9	0.14	1.7	0.08
Pancreas	1,954	16.4	0.38	9.4	0.21	1,834	11.7	0.28	6.7	0.16
Respiratory System	7,340	62.0	0.73	35.3	0.41	6,553	42.2	0.52	24.4	0.31
Larynx	297	2.5	0.15	1.4	0.08	73	0.5	0.06	0.3	0.03
Lung & bronchus	6,984	59.0	0.71	33.5	0.40	6,451	41.6	0.52	24.0	0.31
Skin	700	6.1	0.23	3.4	0.13	343	2.2	0.12	1.3	0.07
Melanomas of the skin	489	4.2	0.19	2.4	0.11	260	1.7	0.10	1.0	0.07
Breast	55	0.5	0.06	0.3	0.04	4,112	26.4	0.41	16.3	0.27
Female Genital System	-	-	-	-	-	2,851	18.4	0.35	11.2	0.22
Cervix uteri	-	-	-	-	-	344	2.3	0.12	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	1,045	6.7	0.21	4.1	0.13
Ovary	-	-	-	-	-	1,278	8.2	0.23	4.9	0.14
Male Genital System	2,568	23.8	0.48	11.6	0.23	-	-	-	-	-
Prostate	2,520	23.4	0.47	11.3	0.23	-	-	-	-	-
Testis	26	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,905	16.9	0.39	8.8	0.20	850	5.3	0.18	2.9	0.10
Bladder	1,095	10.0	0.31	5.0	0.15	444	2.8	0.13	1.4	0.07
Kidney & renal pelvis	761	6.4	0.24	3.6	0.13	368	2.3	0.12	1.3	0.07
Brain & Other Nervous System	747	5.8	0.22	4.0	0.15	588	3.8	0.16	2.6	0.11
Endocrine System	110	0.9	0.08	0.6	0.06	144	0.9	0.08	0.6	0.05
Thyroid gland	58	0.5	0.06	0.3	0.04	102	0.6	0.06	0.4	0.04
Lymphomas	1,006	8.7	0.28	4.9	0.16	823	5.2	0.18	2.9	0.11
Hodgkin Lymphoma	49	0.4	0.06	0.3	0.04	47	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	957	8.3	0.27	4.6	0.15	776	4.9	0.18	2.7	0.10
Multiple Myeloma	605	5.3	0.22	2.9	0.12	621	4.0	0.16	2.2	0.09
Leukemias	1,158	10.1	0.30	5.7	0.17	868	5.5	0.19	3.2	0.12
Other, Ill-defined & Unknown	2,273	19.4	0.41	11.1	0.24	2,026	12.8	0.29	7.3	0.17

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,429	224.6	1.25	125.2	0.71	31,725	161.7	0.92	93.4	0.57
Oral Cavity & Pharynx	664	4.4	0.17	2.7	0.11	300	1.5	0.09	0.8	0.05
Digestive System	9,149	62.5	0.66	35.8	0.38	7,160	35.6	0.43	19.8	0.26
Esophagus	1,546	10.5	0.27	6.1	0.16	383	1.9	0.10	1.1	0.06
Stomach	706	4.9	0.18	2.8	0.11	533	2.7	0.12	1.5	0.07
Colon & Rectum	2,551	17.7	0.35	9.8	0.20	2,589	12.7	0.25	6.9	0.15
Liver	1,410	9.4	0.25	5.7	0.15	434	2.2	0.11	1.3	0.07
Pancreas	2,187	15.0	0.32	8.5	0.18	2,346	11.7	0.25	6.5	0.14
Respiratory System	8,747	60.3	0.65	34.1	0.37	8,456	44.0	0.48	25.4	0.29
Larynx	263	1.8	0.11	1.0	0.06	92	0.5	0.05	0.3	0.03
Lung & bronchus	8,412	58.1	0.64	32.7	0.36	8,332	43.4	0.48	25.0	0.29
Skin	909	6.3	0.21	3.5	0.12	553	2.8	0.12	1.6	0.08
Melanomas of the skin	670	4.6	0.18	2.6	0.10	424	2.2	0.11	1.3	0.07
Breast	58	0.4	0.05	0.2	0.03	4,183	21.8	0.34	13.2	0.22
Female Genital System	-	-	-	-	-	3,352	17.5	0.31	10.5	0.19
Cervix uteri	-	-	-	-	-	253	1.4	0.09	1.0	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,079	5.6	0.17	3.3	0.11
Ovary	-	-	-	-	-	1,689	8.8	0.22	5.3	0.14
Male Genital System	3,079	22.3	0.40	10.7	0.20	-	-	-	-	-
Prostate	3,014	21.9	0.40	10.4	0.19	-	-	-	-	-
Testis	24	0.2	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,250	15.8	0.33	8.3	0.18	1,160	5.6	0.17	3.0	0.10
Bladder	1,318	9.4	0.26	4.7	0.13	613	2.9	0.12	1.5	0.07
Kidney & renal pelvis	879	6.0	0.20	3.5	0.12	514	2.6	0.11	1.4	0.07
Brain & Other Nervous System	949	6.3	0.20	4.2	0.14	759	4.1	0.15	2.8	0.11
Endocrine System	185	1.2	0.09	0.8	0.06	153	0.8	0.06	0.5	0.05
Thyroid gland	114	0.8	0.07	0.4	0.04	105	0.5	0.05	0.3	0.03
Lymphomas	1,178	8.3	0.24	4.5	0.14	1,061	5.2	0.16	2.8	0.09
Hodgkin Lymphoma	48	0.3	0.05	0.2	0.03	45	0.2	0.04	0.1	0.02
Non-Hodgkin Lymphoma	1,130	7.9	0.24	4.3	0.13	1,016	4.9	0.16	2.6	0.09
Multiple Myeloma	658	4.6	0.18	2.5	0.10	632	3.1	0.13	1.7	0.07
Leukemias	1,415	9.9	0.27	5.5	0.15	1,120	5.5	0.17	3.2	0.11
Other, Ill-defined & Unknown	3,188	22.1	0.39	12.3	0.22	2,836	14.2	0.27	8.1	0.17

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	53,726	242.2	1.05	137.4	0.60	49,458	175.7	0.80	103.7	0.50
Oral Cavity & Pharynx	1,137	4.9	0.15	3.0	0.09	449	1.6	0.08	0.9	0.05
Digestive System	14,429	64.1	0.54	37.3	0.32	10,996	38.5	0.37	21.9	0.22
Esophagus	2,339	10.3	0.21	6.1	0.13	583	2.1	0.09	1.2	0.05
Stomach	1,023	4.6	0.15	2.7	0.09	702	2.4	0.09	1.4	0.06
Colon & Rectum	4,500	20.4	0.31	11.6	0.18	4,165	14.5	0.23	8.2	0.14
Liver	1,950	8.3	0.19	5.1	0.12	820	2.9	0.10	1.7	0.06
Pancreas	3,585	15.9	0.27	9.2	0.16	3,493	12.2	0.21	6.9	0.12
Respiratory System	16,289	72.3	0.57	41.6	0.33	13,734	49.2	0.42	28.9	0.26
Larynx	563	2.5	0.10	1.5	0.06	172	0.6	0.05	0.4	0.03
Lung & bronchus	15,635	69.4	0.56	39.9	0.32	13,503	48.3	0.42	28.4	0.25
Skin	1,344	6.1	0.17	3.5	0.10	661	2.4	0.09	1.4	0.06
Melanomas of the skin	934	4.2	0.14	2.5	0.09	493	1.8	0.08	1.1	0.06
Breast	97	0.4	0.04	0.2	0.03	7,086	25.7	0.31	15.8	0.20
Female Genital System	-	-	-	-	-	5,231	18.9	0.26	11.6	0.17
Cervix uteri	-	-	-	-	-	580	2.3	0.10	1.6	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,698	6.1	0.15	3.6	0.09
Ovary	-	-	-	-	-	2,551	9.2	0.18	5.5	0.12
Male Genital System	4,689	22.6	0.33	11.0	0.16	-	-	-	-	-
Prostate	4,579	22.1	0.33	10.6	0.16	-	-	-	-	-
Testis	62	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	3,641	16.8	0.28	9.0	0.15	1,813	6.2	0.15	3.4	0.09
Bladder	1,992	9.5	0.21	4.7	0.11	873	2.9	0.10	1.5	0.06
Kidney & renal pelvis	1,549	6.9	0.18	4.0	0.10	873	3.1	0.10	1.8	0.06
Brain & Other Nervous System	1,516	6.5	0.17	4.4	0.12	1,178	4.4	0.13	3.0	0.09
Endocrine System	221	1.0	0.07	0.7	0.05	243	0.9	0.06	0.6	0.04
Thyroid gland	141	0.6	0.05	0.4	0.03	157	0.5	0.04	0.3	0.03
Lymphomas	2,303	10.6	0.22	5.9	0.13	1,763	6.1	0.15	3.4	0.09
Hodgkin Lymphoma	115	0.5	0.05	0.4	0.04	77	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,188	10.1	0.22	5.6	0.12	1,686	5.8	0.14	3.2	0.08
Multiple Myeloma	1,188	5.4	0.16	3.0	0.09	970	3.4	0.11	1.9	0.06
Leukemias	2,351	10.9	0.23	6.1	0.13	1,676	5.8	0.14	3.4	0.09
Other, Ill-defined & Unknown	4,521	20.5	0.31	11.6	0.18	3,658	12.8	0.21	7.5	0.14

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,072	246.6	1.76	140.2	1.01	19,743	180.6	1.30	106.5	0.81
Oral Cavity & Pharynx	406	4.8	0.24	2.9	0.15	189	1.7	0.13	1.0	0.08
Digestive System	5,603	67.4	0.91	39.5	0.54	4,445	40.0	0.61	22.9	0.37
Esophagus	770	9.2	0.34	5.4	0.20	220	2.0	0.14	1.2	0.08
Stomach	464	5.6	0.26	3.3	0.16	351	3.1	0.17	1.7	0.10
Colon & Rectum	1,735	21.2	0.51	12.2	0.30	1,698	15.2	0.37	8.7	0.23
Liver	865	10.0	0.34	6.1	0.21	321	2.9	0.16	1.7	0.10
Pancreas	1,375	16.6	0.45	9.7	0.26	1,426	12.9	0.34	7.3	0.20
Respiratory System	5,968	72.9	0.95	41.8	0.55	5,376	49.7	0.68	29.0	0.41
Larynx	224	2.7	0.18	1.6	0.11	70	0.7	0.08	0.4	0.05
Lung & bronchus	5,710	69.8	0.93	40.0	0.54	5,281	48.8	0.68	28.4	0.41
Skin	460	5.6	0.27	3.3	0.16	218	2.0	0.14	1.3	0.09
Melanomas of the skin	303	3.7	0.21	2.2	0.13	168	1.6	0.12	1.0	0.08
Breast	39	0.5	0.08	0.3	0.05	2,996	27.8	0.51	17.0	0.33
Female Genital System	-	-	-	-	-	2,172	20.3	0.44	12.5	0.28
Cervix uteri	-	-	-	-	-	272	2.7	0.16	1.9	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	705	6.5	0.25	3.9	0.15
Ovary	-	-	-	-	-	1,035	9.6	0.30	5.8	0.19
Male Genital System	1,850	24.1	0.56	12.0	0.28	-	-	-	-	-
Prostate	1,807	23.6	0.56	11.5	0.28	-	-	-	-	-
Testis	27	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	1,329	16.7	0.46	8.9	0.25	686	6.0	0.23	3.3	0.14
Bladder	734	9.5	0.35	4.7	0.18	337	2.9	0.16	1.5	0.09
Kidney & renal pelvis	559	6.8	0.29	4.0	0.17	325	2.9	0.16	1.7	0.10
Brain & Other Nervous System	530	6.2	0.27	4.1	0.18	439	4.1	0.20	2.8	0.15
Endocrine System	89	1.1	0.11	0.7	0.08	105	0.9	0.09	0.6	0.07
Thyroid gland	55	0.7	0.09	0.4	0.05	66	0.6	0.07	0.3	0.04
Lymphomas	836	10.4	0.36	6.0	0.21	680	6.0	0.23	3.4	0.14
Hodgkin Lymphoma	42	0.5	0.08	0.4	0.06	32	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	794	9.9	0.36	5.6	0.20	648	5.7	0.23	3.2	0.14
Multiple Myeloma	487	6.1	0.28	3.4	0.15	391	3.5	0.18	1.9	0.10
Leukemias	849	10.7	0.37	6.0	0.21	633	5.7	0.23	3.3	0.15
Other, Ill-defined & Unknown	1,626	20.0	0.50	11.5	0.29	1,413	12.8	0.34	7.5	0.22

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,100	216.7	1.38	120.5	0.78	22,988	157.6	1.05	91.3	0.65
Oral Cavity & Pharynx	483	4.0	0.18	2.4	0.11	230	1.6	0.10	0.9	0.06
Digestive System	6,674	56.6	0.70	32.6	0.41	5,231	35.3	0.49	19.9	0.30
Esophagus	1,045	8.8	0.27	5.1	0.16	307	2.1	0.12	1.2	0.07
Stomach	475	4.1	0.19	2.3	0.11	293	2.0	0.12	1.2	0.07
Colon & Rectum	2,002	17.3	0.39	9.7	0.22	1,996	13.2	0.30	7.3	0.18
Liver	813	6.6	0.23	4.0	0.14	269	1.8	0.11	1.1	0.07
Pancreas	1,727	14.6	0.35	8.4	0.21	1,572	10.6	0.27	5.9	0.16
Respiratory System	6,534	55.9	0.70	31.6	0.40	5,689	39.9	0.53	23.2	0.32
Larynx	180	1.5	0.11	0.9	0.07	42	0.3	0.05	0.2	0.03
Lung & bronchus	6,303	53.9	0.68	30.4	0.39	5,620	39.4	0.53	22.9	0.32
Skin	658	5.7	0.22	3.2	0.13	358	2.4	0.13	1.5	0.08
Melanomas of the skin	500	4.3	0.19	2.5	0.11	277	1.9	0.12	1.2	0.08
Breast	27	0.2	0.04	0.1	0.03	3,179	22.1	0.40	13.3	0.25
Female Genital System	-	-	-	-	-	2,369	16.5	0.34	9.9	0.22
Cervix uteri	-	-	-	-	-	216	1.6	0.11	1.2	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	729	5.1	0.19	3.0	0.12
Ovary	-	-	-	-	-	1,176	8.2	0.24	4.8	0.15
Male Genital System	2,561	23.5	0.47	11.0	0.22	-	-	-	-	-
Prostate	2,515	23.1	0.46	10.8	0.22	-	-	-	-	-
Testis	22	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,799	15.8	0.37	8.3	0.20	816	5.4	0.19	2.9	0.11
Bladder	915	8.3	0.27	4.0	0.14	329	2.1	0.12	1.1	0.07
Kidney & renal pelvis	838	7.1	0.25	4.1	0.14	458	3.0	0.14	1.7	0.08
Brain & Other Nervous System	832	6.8	0.24	4.6	0.16	566	4.1	0.17	2.8	0.13
Endocrine System	120	1.0	0.09	0.6	0.06	109	0.8	0.07	0.5	0.05
Thyroid gland	75	0.7	0.08	0.4	0.04	78	0.5	0.06	0.3	0.04
Lymphomas	1,149	10.1	0.30	5.5	0.17	914	6.0	0.20	3.2	0.12
Hodgkin Lymphoma	52	0.4	0.06	0.3	0.04	42	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,097	9.6	0.29	5.3	0.16	872	5.7	0.20	3.0	0.11
Multiple Myeloma	577	5.1	0.21	2.7	0.12	470	3.2	0.15	1.7	0.08
Leukemias	1,294	11.3	0.32	6.2	0.18	906	6.0	0.20	3.4	0.13
Other, Ill-defined & Unknown	2,392	20.7	0.43	11.5	0.24	2,151	14.4	0.32	8.2	0.19

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,862	296.3	2.26	171.5	1.29	14,458	184.5	1.54	111.4	0.97
Oral Cavity & Pharynx	481	7.6	0.35	4.7	0.22	150	1.9	0.16	1.1	0.10
Digestive System	4,733	77.0	1.14	46.0	0.67	3,520	44.7	0.76	26.1	0.46
Esophagus	556	8.8	0.38	5.4	0.23	148	1.9	0.16	1.2	0.10
Stomach	362	5.9	0.31	3.6	0.19	273	3.5	0.21	2.0	0.13
Colon & Rectum	1,682	27.7	0.69	16.4	0.41	1,440	18.4	0.49	10.9	0.30
Liver	798	12.7	0.46	7.7	0.28	354	4.5	0.24	2.5	0.14
Pancreas	1,091	17.9	0.55	10.5	0.32	1,046	13.2	0.41	7.5	0.24
Respiratory System	6,077	98.7	1.29	57.7	0.74	3,853	49.0	0.79	29.5	0.49
Larynx	174	2.8	0.22	1.7	0.13	40	0.5	0.08	0.3	0.05
Lung & bronchus	5,871	95.4	1.27	55.7	0.73	3,793	48.3	0.79	29.0	0.49
Skin	383	6.6	0.35	3.7	0.19	163	2.1	0.16	1.3	0.11
Melanomas of the skin	253	4.3	0.28	2.5	0.16	126	1.6	0.15	1.0	0.10
Breast	24	0.4	0.08	0.2	0.05	2,137	27.8	0.60	17.4	0.40
Female Genital System	-	-	-	-	-	1,390	17.9	0.48	11.3	0.32
Cervix uteri	-	-	-	-	-	293	3.9	0.23	2.8	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	381	4.9	0.25	3.0	0.16
Ovary	-	-	-	-	-	598	7.6	0.31	4.6	0.20
Male Genital System	1,609	29.8	0.76	14.8	0.37	-	-	-	-	-
Prostate	1,588	29.4	0.76	14.5	0.37	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	941	16.2	0.54	9.0	0.29	464	5.8	0.27	3.2	0.16
Bladder	431	7.8	0.39	4.0	0.19	187	2.3	0.17	1.2	0.10
Kidney & renal pelvis	488	8.0	0.37	4.8	0.22	255	3.2	0.20	1.9	0.12
Brain & Other Nervous System	461	7.3	0.35	4.7	0.23	403	5.2	0.26	3.4	0.18
Endocrine System	49	0.8	0.12	0.5	0.08	66	0.8	0.10	0.6	0.08
Thyroid gland	29	0.5	0.09	0.3	0.05	44	0.6	0.08	0.3	0.05
Lymphomas	522	9.1	0.41	5.0	0.22	390	4.9	0.25	2.8	0.15
Hodgkin Lymphoma	35	0.6	0.10	0.4	0.06	23	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	487	8.5	0.39	4.7	0.21	367	4.6	0.24	2.6	0.14
Multiple Myeloma	343	5.8	0.32	3.2	0.18	295	3.7	0.22	2.1	0.12
Leukemias	670	11.3	0.45	6.7	0.26	452	5.7	0.27	3.4	0.17
Other, Ill-defined & Unknown	1,569	25.9	0.67	15.3	0.39	1,175	15.0	0.44	9.2	0.28

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	33,809	253.1	1.39	144.5	0.80	30,570	179.7	1.04	106.4	0.65
Oral Cavity & Pharynx	686	5.0	0.19	3.0	0.12	271	1.6	0.10	0.9	0.06
Digestive System	8,842	65.5	0.70	38.3	0.41	6,539	37.8	0.47	21.6	0.29
Esophagus	1,330	9.7	0.27	5.8	0.16	348	2.0	0.11	1.2	0.07
Stomach	586	4.4	0.18	2.6	0.11	328	1.9	0.11	1.1	0.07
Colon & Rectum	2,911	22.0	0.41	12.5	0.24	2,620	15.1	0.30	8.5	0.18
Liver	1,321	9.5	0.26	5.8	0.16	457	2.7	0.13	1.5	0.08
Pancreas	2,078	15.4	0.34	8.9	0.20	1,994	11.5	0.26	6.5	0.16
Respiratory System	11,212	82.6	0.79	47.8	0.46	8,967	53.1	0.56	31.4	0.35
Larynx	326	2.4	0.13	1.4	0.08	89	0.5	0.06	0.3	0.04
Lung & bronchus	10,839	79.9	0.77	46.2	0.45	8,840	52.3	0.56	31.0	0.34
Skin	952	7.2	0.23	4.1	0.14	440	2.6	0.13	1.6	0.08
Melanomas of the skin	696	5.2	0.20	3.1	0.12	334	2.0	0.11	1.3	0.08
Breast	43	0.3	0.05	0.2	0.03	4,366	26.3	0.40	16.2	0.26
Female Genital System	-	-	-	-	-	2,946	17.7	0.33	11.0	0.22
Cervix uteri	-	-	-	-	-	475	3.1	0.14	2.2	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	887	5.3	0.18	3.2	0.11
Ovary	-	-	-	-	-	1,340	7.9	0.22	4.8	0.14
Male Genital System	2,680	21.5	0.42	10.4	0.20	-	-	-	-	-
Prostate	2,607	21.0	0.41	10.1	0.20	-	-	-	-	-
Testis	46	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,160	16.6	0.36	8.9	0.19	1,117	6.3	0.19	3.4	0.11
Bladder	1,077	8.5	0.26	4.3	0.13	457	2.5	0.12	1.3	0.06
Kidney & renal pelvis	1,029	7.6	0.24	4.4	0.14	611	3.5	0.14	2.0	0.09
Brain & Other Nervous System	846	6.1	0.21	4.1	0.15	669	4.1	0.16	2.7	0.11
Endocrine System	131	1.0	0.08	0.6	0.06	147	0.9	0.07	0.6	0.06
Thyroid gland	84	0.6	0.07	0.4	0.04	94	0.5	0.06	0.3	0.03
Lymphomas	1,175	8.9	0.26	5.0	0.15	933	5.3	0.17	2.9	0.10
Hodgkin Lymphoma	62	0.5	0.06	0.3	0.04	42	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,113	8.5	0.26	4.7	0.14	891	5.0	0.17	2.8	0.10
Multiple Myeloma	689	5.2	0.20	2.9	0.11	573	3.3	0.14	1.8	0.08
Leukemias	1,464	11.1	0.29	6.3	0.17	1,090	6.2	0.19	3.6	0.12
Other, Ill-defined & Unknown	2,929	22.1	0.41	12.7	0.24	2,512	14.6	0.29	8.6	0.19

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,409	212.2	2.92	119.6	1.67	4,760	162.6	2.38	94.3	1.46
Oral Cavity & Pharynx	109	4.1	0.40	2.5	0.25	41	1.4	0.23	0.9	0.14
Digestive System	1,396	54.0	1.46	31.5	0.87	1,047	35.3	1.10	19.8	0.65
Esophagus	218	8.4	0.58	5.0	0.35	65	2.2	0.27	1.2	0.16
Stomach	73	2.8	0.34	1.7	0.21	63	2.2	0.28	1.3	0.17
Colon & Rectum	491	19.2	0.88	11.0	0.51	391	13.1	0.67	7.3	0.40
Liver	185	6.9	0.51	4.2	0.32	63	2.1	0.27	1.3	0.17
Pancreas	334	12.8	0.71	7.4	0.41	330	11.1	0.61	6.2	0.36
Respiratory System	1,443	55.8	1.48	31.4	0.84	1,301	44.4	1.24	25.6	0.74
Larynx	46	1.8	0.26	1.0	0.15	12	0.4	0.12	0.3	0.07
Lung & bronchus	1,384	53.5	1.45	30.1	0.82	1,283	43.7	1.23	25.2	0.73
Skin	174	6.8	0.52	4.0	0.31	68	2.3	0.29	1.3	0.18
Melanomas of the skin	127	4.9	0.44	3.0	0.27	53	1.9	0.26	1.1	0.17
Breast	-	-	-	-	-	684	23.9	0.93	14.6	0.60
Female Genital System	-	-	-	-	-	485	16.8	0.77	10.2	0.49
Cervix uteri	-	-	-	-	-	52	2.0	0.28	1.4	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	151	5.1	0.42	3.0	0.26
Ovary	-	-	-	-	-	259	9.0	0.56	5.3	0.35
Male Genital System	578	24.1	1.01	11.7	0.50	-	-	-	-	-
Prostate	562	23.4	1.00	11.2	0.48	-	-	-	-	-
Testis	11	0.4	0.14	0.4	0.13	-	-	-	-	-
Urinary System	413	16.4	0.81	8.7	0.44	145	4.8	0.41	2.7	0.24
Bladder	238	9.7	0.64	4.9	0.32	77	2.5	0.29	1.4	0.17
Kidney & renal pelvis	162	6.1	0.49	3.6	0.29	61	2.1	0.27	1.2	0.17
Brain & Other Nervous System	175	6.8	0.52	4.7	0.38	135	4.8	0.42	3.2	0.30
Endocrine System	24	0.9	0.19	0.6	0.13	19	0.6	0.14	0.4	0.11
Thyroid gland	19	0.7	0.17	0.5	0.11	11	0.4	0.11	0.2	0.06
Lymphomas	208	8.3	0.58	4.5	0.32	151	5.0	0.41	2.8	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	124	4.9	0.44	2.7	0.24	88	2.9	0.31	1.6	0.18
Leukemias	233	9.2	0.61	5.3	0.36	154	5.2	0.42	2.8	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	442	14.9	0.72	8.5	0.44

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,172	228.4	2.39	128.4	1.37	8,149	160.4	1.81	94.1	1.13
Oral Cavity & Pharynx	166	4.0	0.31	2.4	0.19	81	1.5	0.17	0.9	0.11
Digestive System	2,452	60.6	1.23	34.9	0.72	1,862	36.0	0.85	20.5	0.52
Esophagus	396	9.7	0.49	5.6	0.29	86	1.7	0.19	1.0	0.12
Stomach	135	3.3	0.29	2.0	0.17	80	1.6	0.18	0.9	0.12
Colon & Rectum	867	21.6	0.74	12.2	0.43	835	15.8	0.56	8.7	0.33
Liver	270	6.5	0.40	3.9	0.24	81	1.7	0.19	1.0	0.12
Pancreas	592	14.7	0.60	8.4	0.35	526	10.3	0.46	5.8	0.27
Respiratory System	2,579	63.9	1.26	36.6	0.73	2,048	41.3	0.92	24.3	0.57
Larynx	97	2.4	0.24	1.4	0.14	21	0.4	0.09	0.3	0.06
Lung & bronchus	2,470	61.3	1.24	35.0	0.71	2,013	40.6	0.91	23.9	0.56
Skin	284	7.1	0.42	4.0	0.25	136	2.8	0.24	1.7	0.16
Melanomas of the skin	204	5.0	0.35	3.0	0.22	109	2.3	0.22	1.4	0.15
Breast	-	-	-	-	-	1,180	23.6	0.70	14.3	0.45
Female Genital System	-	-	-	-	-	814	16.6	0.59	10.1	0.38
Cervix uteri	-	-	-	-	-	111	2.5	0.24	1.8	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	255	5.1	0.33	3.0	0.20
Ovary	-	-	-	-	-	389	7.9	0.41	4.7	0.25
Male Genital System	929	24.0	0.79	11.4	0.38	-	-	-	-	-
Prostate	907	23.5	0.78	11.1	0.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	650	16.3	0.64	8.8	0.36	308	5.8	0.34	3.2	0.20
Bladder	310	7.9	0.45	4.0	0.23	129	2.4	0.21	1.2	0.12
Kidney & renal pelvis	324	7.9	0.44	4.7	0.27	161	3.1	0.25	1.8	0.15
Brain & Other Nervous System	300	7.2	0.42	4.8	0.29	236	4.8	0.32	3.3	0.23
Endocrine System	40	1.0	0.15	0.6	0.10	44	0.8	0.13	0.5	0.08
Thyroid gland	32	0.8	0.14	0.5	0.08	34	0.6	0.11	0.3	0.06
Lymphomas	359	9.0	0.48	5.0	0.28	310	5.8	0.33	3.2	0.20
Hodgkin Lymphoma	17	0.4	0.10	0.3	0.07	15	0.3	0.08	0.2	0.05
Non-Hodgkin Lymphoma	342	8.6	0.47	4.8	0.27	295	5.5	0.33	3.0	0.19
Multiple Myeloma	212	5.3	0.36	2.9	0.20	150	2.8	0.23	1.5	0.14
Leukemias	431	10.8	0.52	6.1	0.30	326	6.0	0.34	3.4	0.22
Other, Ill-defined & Unknown	-	-	-	-	-	654	12.5	0.50	7.2	0.31

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,913	222.2	2.02	124.5	1.10	11,147	169.0	1.61	97.8	0.95
Oral Cavity & Pharynx	280	4.6	0.28	2.7	0.16	101	1.6	0.16	0.9	0.09
Digestive System	3,654	61.4	1.04	35.4	0.59	2,456	37.4	0.76	21.2	0.44
Esophagus	521	8.5	0.38	5.0	0.22	123	1.8	0.17	1.1	0.10
Stomach	235	4.1	0.27	2.3	0.15	162	2.5	0.20	1.5	0.12
Colon & Rectum	1,352	23.2	0.65	13.2	0.36	1,037	16.0	0.50	8.9	0.28
Liver	522	8.4	0.38	5.1	0.22	242	3.6	0.23	2.1	0.14
Pancreas	853	14.4	0.51	8.2	0.28	698	10.5	0.40	6.0	0.23
Respiratory System	3,669	62.1	1.05	34.7	0.58	3,202	48.1	0.86	27.3	0.49
Larynx	116	1.9	0.18	1.1	0.10	23	0.4	0.07	0.2	0.04
Lung & bronchus	3,542	60.0	1.04	33.5	0.56	3,171	47.7	0.85	27.0	0.49
Skin	407	7.0	0.36	4.0	0.20	155	2.4	0.19	1.4	0.12
Melanomas of the skin	306	5.2	0.31	3.0	0.17	124	1.9	0.17	1.1	0.11
Breast	21	0.4	0.09	0.2	0.04	1,735	26.3	0.64	15.8	0.39
Female Genital System	-	-	-	-	-	1,101	16.6	0.50	10.2	0.32
Cervix uteri	-	-	-	-	-	180	2.7	0.20	2.0	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	280	4.2	0.25	2.5	0.15
Ovary	-	-	-	-	-	578	8.7	0.36	5.2	0.22
Male Genital System	1,248	24.2	0.71	11.7	0.33	-	-	-	-	-
Prostate	1,220	23.8	0.70	11.4	0.33	-	-	-	-	-
Testis	16	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	865	15.6	0.55	8.3	0.28	385	6.0	0.31	3.2	0.16
Bladder	515	9.7	0.44	4.9	0.21	193	3.0	0.22	1.5	0.11
Kidney & renal pelvis	336	5.6	0.32	3.3	0.18	182	2.8	0.21	1.5	0.12
Brain & Other Nervous System	375	5.9	0.31	3.9	0.21	274	4.1	0.25	2.7	0.17
Endocrine System	64	1.0	0.13	0.7	0.09	57	0.9	0.11	0.5	0.07
Thyroid gland	37	0.6	0.10	0.4	0.06	42	0.6	0.10	0.3	0.05
Lymphomas	462	8.1	0.39	4.5	0.21	303	4.6	0.27	2.6	0.15
Hodgkin Lymphoma	26	0.4	0.09	0.3	0.05	16	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	436	7.6	0.38	4.3	0.21	287	4.4	0.26	2.4	0.15
Multiple Myeloma	262	4.6	0.29	2.5	0.16	171	2.6	0.20	1.4	0.11
Leukemias	571	10.0	0.43	5.7	0.24	357	5.5	0.29	3.2	0.18
Other, Ill-defined & Unknown	1,035	17.4	0.56	10.2	0.32	850	13.0	0.45	7.4	0.26

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,094	230.2	2.77	128.4	1.55	6,361	166.2	2.10	96.7	1.29
Oral Cavity & Pharynx	149	4.5	0.37	2.7	0.22	51	1.4	0.19	0.8	0.12
Digestive System	1,875	59.1	1.38	34.3	0.80	1,358	34.9	0.96	19.5	0.56
Esophagus	365	11.3	0.60	6.6	0.35	89	2.3	0.24	1.3	0.14
Stomach	111	3.6	0.35	2.0	0.20	57	1.5	0.20	0.9	0.12
Colon & Rectum	489	15.9	0.73	8.9	0.41	571	14.6	0.62	7.9	0.36
Liver	248	7.4	0.48	4.6	0.30	63	1.7	0.21	1.0	0.13
Pancreas	492	15.4	0.70	9.0	0.41	419	10.8	0.53	6.0	0.31
Respiratory System	2,003	63.8	1.45	36.1	0.81	1,817	48.0	1.13	28.0	0.68
Larynx	50	1.7	0.24	0.9	0.13	11	0.3	0.09	0.2	0.05
Lung & bronchus	1,941	61.8	1.42	34.9	0.80	1,800	47.5	1.13	27.8	0.68
Skin	202	6.8	0.48	3.8	0.27	110	2.9	0.28	1.8	0.19
Melanomas of the skin	142	4.8	0.40	2.7	0.24	85	2.3	0.25	1.5	0.18
Breast	-	-	-	-	-	881	23.2	0.79	14.2	0.51
Female Genital System	-	-	-	-	-	653	17.3	0.68	10.4	0.43
Cervix uteri	-	-	-	-	-	59	1.6	0.21	1.1	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	214	5.6	0.39	3.3	0.23
Ovary	-	-	-	-	-	318	8.5	0.48	5.1	0.30
Male Genital System	658	23.3	0.92	11.2	0.44	-	-	-	-	-
Prostate	645	22.9	0.91	10.9	0.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	523	17.3	0.77	9.2	0.41	216	5.5	0.38	2.9	0.21
Bladder	295	10.2	0.60	5.1	0.30	99	2.5	0.25	1.2	0.13
Kidney & renal pelvis	219	6.8	0.47	4.0	0.27	109	2.8	0.27	1.6	0.16
Brain & Other Nervous System	221	6.8	0.46	4.5	0.32	157	4.3	0.34	2.9	0.25
Endocrine System	28	0.9	0.18	0.6	0.13	22	0.6	0.12	0.3	0.08
Thyroid gland	16	0.5	0.14	0.3	0.08	13	0.3	0.09	0.2	0.05
Lymphomas	258	8.6	0.54	4.8	0.31	202	5.3	0.37	2.9	0.22
Hodgkin Lymphoma	14	0.5	0.13	0.3	0.09	11	0.3	0.10	0.2	0.08
Non-Hodgkin Lymphoma	244	8.1	0.52	4.4	0.29	191	4.9	0.36	2.7	0.21
Multiple Myeloma	156	5.2	0.42	2.8	0.23	110	2.9	0.28	1.6	0.16
Leukemias	306	10.2	0.59	5.6	0.33	202	5.2	0.37	2.9	0.23
Other, Ill-defined & Unknown	-	-	-	-	-	582	14.9	0.62	8.4	0.39

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	40,856	218.4	1.09	121.8	0.61	41,510	163.3	0.81	94.8	0.50
Oral Cavity & Pharynx	751	3.9	0.14	2.3	0.09	304	1.2	0.07	0.7	0.04
Digestive System	12,058	63.6	0.58	36.3	0.34	9,784	37.7	0.39	21.1	0.23
Esophagus	1,532	8.0	0.21	4.7	0.12	439	1.7	0.08	1.0	0.05
Stomach	1,071	5.7	0.18	3.2	0.10	730	2.8	0.11	1.6	0.07
Colon & Rectum	3,959	21.1	0.34	11.8	0.19	3,840	14.5	0.24	7.9	0.14
Liver	1,596	8.2	0.21	4.9	0.12	589	2.3	0.10	1.3	0.06
Pancreas	2,950	15.6	0.29	8.8	0.16	3,084	12.0	0.22	6.7	0.13
Respiratory System	10,646	56.6	0.55	32.0	0.31	9,931	39.5	0.40	22.7	0.24
Larynx	422	2.2	0.11	1.3	0.06	124	0.5	0.05	0.3	0.03
Lung & bronchus	10,138	53.9	0.54	30.4	0.31	9,763	38.8	0.40	22.3	0.24
Skin	1,068	5.8	0.18	3.1	0.10	575	2.2	0.09	1.2	0.06
Melanomas of the skin	777	4.2	0.15	2.3	0.09	447	1.7	0.08	1.0	0.05
Breast	69	0.4	0.04	0.2	0.03	6,616	26.5	0.33	16.1	0.21
Female Genital System	-	-	-	-	-	4,706	19.0	0.28	11.6	0.18
Cervix uteri	-	-	-	-	-	591	2.5	0.10	1.7	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,669	6.7	0.17	4.0	0.10
Ovary	-	-	-	-	-	2,141	8.7	0.19	5.2	0.12
Male Genital System	3,914	22.0	0.35	10.6	0.17	-	-	-	-	-
Prostate	3,819	21.5	0.35	10.3	0.17	-	-	-	-	-
Testis	55	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,873	15.7	0.29	8.3	0.16	1,453	5.5	0.15	2.9	0.08
Bladder	1,737	9.7	0.23	4.8	0.12	777	2.9	0.10	1.5	0.06
Kidney & renal pelvis	1,071	5.6	0.17	3.3	0.10	626	2.4	0.10	1.4	0.06
Brain & Other Nervous System	1,129	5.7	0.17	3.8	0.12	878	3.6	0.12	2.5	0.09
Endocrine System	196	1.0	0.07	0.6	0.05	202	0.8	0.06	0.5	0.04
Thyroid gland	120	0.6	0.06	0.4	0.03	138	0.5	0.05	0.3	0.03
Lymphomas	1,627	8.8	0.22	4.8	0.12	1,375	5.3	0.14	2.9	0.09
Hodgkin Lymphoma	83	0.4	0.05	0.3	0.03	68	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,544	8.4	0.21	4.6	0.12	1,307	5.0	0.14	2.7	0.08
Multiple Myeloma	859	4.7	0.16	2.5	0.09	777	3.0	0.11	1.7	0.06
Leukemias	1,810	9.7	0.23	5.5	0.13	1,456	5.6	0.15	3.3	0.10
Other, Ill-defined & Unknown	3,856	20.7	0.33	11.7	0.19	3,453	13.4	0.23	7.7	0.14

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,306	203.6	2.14	114.8	1.21	8,032	145.2	1.63	85.3	1.01
Oral Cavity & Pharynx	214	4.5	0.31	2.7	0.19	89	1.6	0.17	1.0	0.11
Digestive System	2,884	61.9	1.16	36.3	0.69	2,000	36.1	0.81	20.7	0.49
Esophagus	335	7.1	0.39	4.2	0.23	64	1.2	0.15	0.7	0.09
Stomach	241	5.3	0.35	3.1	0.20	188	3.4	0.25	2.0	0.16
Colon & Rectum	909	19.9	0.67	11.3	0.38	745	13.4	0.50	7.7	0.30
Liver	582	12.2	0.51	7.6	0.32	202	3.6	0.26	2.1	0.15
Pancreas	611	13.1	0.53	7.6	0.31	560	10.0	0.42	5.7	0.25
Respiratory System	2,072	44.7	0.99	25.1	0.56	1,758	31.4	0.75	17.9	0.44
Larynx	87	1.8	0.20	1.1	0.12	20	0.4	0.08	0.2	0.05
Lung & bronchus	1,959	42.3	0.97	23.7	0.54	1,724	30.8	0.74	17.6	0.44
Skin	290	6.5	0.38	3.6	0.21	124	2.3	0.21	1.4	0.13
Melanomas of the skin	196	4.4	0.32	2.4	0.18	99	1.8	0.19	1.1	0.12
Breast	12	0.3	0.08	0.1	0.04	1,214	22.3	0.65	13.6	0.42
Female Genital System	-	-	-	-	-	946	17.4	0.57	10.8	0.37
Cervix uteri	-	-	-	-	-	114	2.3	0.21	1.7	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	256	4.7	0.29	2.9	0.19
Ovary	-	-	-	-	-	517	9.4	0.42	5.7	0.26
Male Genital System	1,023	24.2	0.77	11.6	0.37	-	-	-	-	-
Prostate	992	23.5	0.76	11.1	0.35	-	-	-	-	-
Testis	15	0.3	0.08	0.3	0.08	-	-	-	-	-
Urinary System	671	15.0	0.58	8.1	0.32	317	5.6	0.32	3.1	0.18
Bladder	341	7.9	0.43	3.9	0.21	136	2.4	0.21	1.3	0.12
Kidney & renal pelvis	314	6.8	0.39	4.0	0.23	171	3.0	0.23	1.7	0.14
Brain & Other Nervous System	243	5.0	0.33	3.4	0.23	190	3.5	0.26	2.3	0.18
Endocrine System	48	1.0	0.15	0.7	0.10	51	0.9	0.13	0.6	0.09
Thyroid gland	27	0.6	0.11	0.3	0.07	34	0.6	0.11	0.4	0.07
Lymphomas	358	7.8	0.42	4.5	0.24	280	5.0	0.30	2.8	0.18
Hodgkin Lymphoma	29	0.6	0.11	0.4	0.08	13	0.2	0.06	0.1	0.03
Non-Hodgkin Lymphoma	329	7.2	0.40	4.0	0.23	267	4.7	0.29	2.7	0.18
Multiple Myeloma	193	4.3	0.31	2.4	0.17	151	2.7	0.22	1.5	0.13
Leukemias	388	8.5	0.44	5.0	0.27	258	4.6	0.29	2.7	0.19
Other, Ill-defined & Unknown	910	19.9	0.67	11.3	0.38	654	11.8	0.46	6.9	0.28

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	88,634	215.7	0.73	121.5	0.42	88,927	159.7	0.54	93.4	0.34
Oral Cavity & Pharynx	1,719	4.1	0.10	2.5	0.06	774	1.4	0.05	0.8	0.03
Digestive System	26,052	62.7	0.39	36.2	0.23	21,416	37.7	0.26	21.2	0.16
Esophagus	3,338	8.0	0.14	4.7	0.08	1,036	1.8	0.06	1.0	0.03
Stomach	2,506	6.1	0.12	3.5	0.07	1,758	3.1	0.08	1.8	0.05
Colon & Rectum	7,917	19.3	0.22	10.9	0.12	8,001	13.9	0.16	7.7	0.09
Liver	3,814	8.9	0.14	5.4	0.09	1,443	2.6	0.07	1.5	0.04
Pancreas	6,342	15.3	0.19	8.7	0.11	6,563	11.6	0.14	6.5	0.08
Respiratory System	24,251	58.6	0.38	33.4	0.22	21,679	39.4	0.27	22.9	0.16
Larynx	964	2.3	0.07	1.3	0.04	259	0.5	0.03	0.3	0.02
Lung & bronchus	23,124	56.0	0.37	31.9	0.21	21,329	38.7	0.27	22.5	0.16
Skin	2,107	5.1	0.11	2.9	0.06	1,148	2.0	0.06	1.2	0.04
Melanomas of the skin	1,503	3.6	0.09	2.1	0.06	873	1.6	0.05	0.9	0.03
Breast	154	0.4	0.03	0.2	0.02	12,987	23.9	0.21	14.6	0.14
Female Genital System	-	-	-	-	-	10,551	19.5	0.19	11.9	0.12
Cervix uteri	-	-	-	-	-	1,403	2.7	0.07	1.9	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	3,735	6.9	0.11	4.1	0.07
Ovary	-	-	-	-	-	4,766	8.8	0.13	5.3	0.08
Male Genital System	8,675	22.2	0.24	10.8	0.12	-	-	-	-	-
Prostate	8,457	21.7	0.24	10.4	0.12	-	-	-	-	-
Testis	96	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,917	14.7	0.19	7.7	0.10	2,990	5.1	0.09	2.7	0.05
Bladder	3,450	8.7	0.15	4.3	0.08	1,580	2.6	0.07	1.3	0.04
Kidney & renal pelvis	2,315	5.6	0.12	3.2	0.07	1,311	2.3	0.06	1.3	0.04
Brain & Other Nervous System	2,268	5.2	0.11	3.5	0.08	1,974	3.7	0.08	2.5	0.06
Endocrine System	408	1.0	0.05	0.6	0.03	509	0.9	0.04	0.6	0.03
Thyroid gland	252	0.6	0.04	0.3	0.02	360	0.6	0.03	0.4	0.02
Lymphomas	3,584	8.8	0.15	5.0	0.09	2,999	5.2	0.10	2.9	0.06
Hodgkin Lymphoma	190	0.4	0.03	0.3	0.02	170	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,394	8.3	0.14	4.7	0.08	2,829	4.9	0.09	2.7	0.06
Multiple Myeloma	1,825	4.5	0.11	2.5	0.06	1,691	3.0	0.07	1.7	0.04
Leukemias	4,082	10.0	0.16	5.7	0.09	3,109	5.5	0.10	3.2	0.06
Other, Ill-defined & Unknown	7,592	18.5	0.21	10.5	0.12	7,100	12.5	0.15	7.1	0.09

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	50,183	248.9	1.13	141.6	0.64	43,758	165.2	0.79	97.5	0.49
Oral Cavity & Pharynx	1,043	5.0	0.16	3.0	0.09	438	1.6	0.08	1.0	0.05
Digestive System	12,977	62.9	0.56	37.0	0.33	9,626	36.2	0.37	20.8	0.22
Esophagus	1,732	8.2	0.20	4.9	0.12	410	1.6	0.08	0.9	0.05
Stomach	956	4.7	0.15	2.7	0.09	693	2.6	0.10	1.5	0.06
Colon & Rectum	4,057	20.1	0.32	11.6	0.18	3,658	13.7	0.23	7.8	0.14
Liver	2,068	9.6	0.21	5.9	0.13	636	2.4	0.10	1.4	0.06
Pancreas	3,121	15.1	0.28	8.8	0.16	2,944	11.0	0.20	6.2	0.12
Respiratory System	16,562	80.1	0.63	46.3	0.36	11,856	44.7	0.41	26.4	0.25
Larynx	511	2.4	0.11	1.4	0.06	147	0.6	0.05	0.3	0.03
Lung & bronchus	15,931	77.1	0.62	44.5	0.35	11,648	43.9	0.41	25.9	0.25
Skin	1,405	7.2	0.20	4.0	0.11	663	2.5	0.10	1.5	0.06
Melanomas of the skin	961	4.8	0.16	2.8	0.09	507	1.9	0.09	1.2	0.06
Breast	80	0.4	0.04	0.2	0.03	6,564	25.2	0.31	15.6	0.20
Female Genital System	-	-	-	-	-	4,483	17.0	0.26	10.4	0.16
Cervix uteri	-	-	-	-	-	591	2.3	0.10	1.6	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,429	5.4	0.14	3.2	0.09
Ovary	-	-	-	-	-	2,136	8.1	0.18	4.8	0.11
Male Genital System	4,432	24.5	0.38	11.9	0.18	-	-	-	-	-
Prostate	4,332	24.1	0.37	11.6	0.18	-	-	-	-	-
Testis	50	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,130	16.1	0.30	8.7	0.16	1,443	5.4	0.14	2.9	0.08
Bladder	1,618	8.7	0.22	4.4	0.11	674	2.5	0.10	1.3	0.05
Kidney & renal pelvis	1,433	7.1	0.19	4.1	0.11	700	2.6	0.10	1.5	0.06
Brain & Other Nervous System	1,352	6.3	0.17	4.2	0.12	1,084	4.2	0.13	2.7	0.09
Endocrine System	200	0.9	0.07	0.6	0.05	221	0.8	0.06	0.6	0.04
Thyroid gland	121	0.6	0.05	0.3	0.03	152	0.6	0.05	0.3	0.03
Lymphomas	1,756	8.9	0.22	5.0	0.12	1,444	5.4	0.14	3.0	0.08
Hodgkin Lymphoma	98	0.5	0.05	0.3	0.03	64	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,658	8.5	0.21	4.7	0.12	1,380	5.1	0.14	2.8	0.08
Multiple Myeloma	1,030	5.2	0.17	2.8	0.09	1,035	3.8	0.12	2.1	0.07
Leukemias	2,012	10.3	0.24	5.8	0.13	1,486	5.5	0.14	3.2	0.09
Other, Ill-defined & Unknown	4,204	21.0	0.33	12.0	0.19	3,415	12.8	0.22	7.5	0.14

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2011-2015, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2011 Cdn	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2011 Cdn	S.E.	Adj. Rate World	S.E.
All Sites	3,495	218.0	3.70	121.9	2.12	2,989	151.9	2.85	88.8	1.79
Oral Cavity & Pharynx	56	3.5	0.47	2.0	0.28	30	1.6	0.30	1.0	0.19
Digestive System	894	55.5	1.86	32.2	1.11	715	34.7	1.34	19.4	0.81
Esophagus	136	8.5	0.73	5.1	0.45	34	1.8	0.32	1.1	0.20
Stomach	57	3.5	0.47	2.0	0.28	48	2.4	0.35	1.4	0.22
Colon & Rectum	317	19.7	1.11	11.2	0.65	296	14.1	0.85	7.8	0.51
Liver	76	4.6	0.53	2.8	0.33	26	1.3	0.26	0.7	0.16
Pancreas	235	14.6	0.95	8.3	0.56	212	10.3	0.73	5.7	0.43
Respiratory System	978	61.2	1.96	34.4	1.12	716	37.8	1.44	22.3	0.89
Larynx	32	2.0	0.35	1.2	0.21	10	0.5	0.16	0.3	0.10
Lung & bronchus	940	58.9	1.92	33.0	1.10	700	37.0	1.42	21.9	0.88
Skin	86	5.3	0.58	3.2	0.35	41	2.1	0.34	1.4	0.24
Melanomas of the skin	67	4.2	0.51	2.5	0.31	28	1.5	0.30	1.1	0.22
Breast	-	-	-	-	-	398	20.6	1.07	12.5	0.70
Female Genital System	-	-	-	-	-	260	13.8	0.87	8.4	0.57
Cervix uteri	-	-	-	-	-	26	1.5	0.30	1.1	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	82	4.4	0.50	2.7	0.32
Ovary	-	-	-	-	-	123	6.5	0.60	3.9	0.38
Male Genital System	366	23.1	1.21	11.1	0.60	-	-	-	-	-
Prostate	358	22.6	1.19	10.7	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	245	15.3	0.98	8.3	0.55	111	5.4	0.53	3.0	0.32
Bladder	125	7.8	0.70	4.0	0.37	45	2.0	0.31	1.0	0.17
Kidney & renal pelvis	113	7.1	0.67	4.1	0.40	61	3.1	0.41	1.8	0.26
Brain & Other Nervous System	105	6.4	0.63	4.2	0.42	76	4.4	0.51	3.0	0.36
Endocrine System	15	0.9	0.23	0.5	0.14	19	1.0	0.24	0.7	0.17
Thyroid gland	-	-	-	-	-	13	0.6	0.18	0.3	0.11
Lymphomas	129	8.1	0.71	4.3	0.39	123	5.7	0.53	3.0	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	90	5.7	0.60	3.0	0.33	61	3.0	0.39	1.6	0.23
Leukemias	164	10.3	0.81	5.8	0.47	112	5.5	0.54	3.2	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	327	16.2	0.92	9.3	0.58

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	65,758	254.7	1.00	145.0	0.58	60,458	180.7	0.74	106.8	0.47
Oral Cavity & Pharynx	1,340	5.0	0.14	3.1	0.09	523	1.6	0.07	0.9	0.04
Digestive System	17,366	66.5	0.51	38.7	0.30	13,331	39.1	0.34	22.3	0.21
Esophagus	2,859	10.8	0.20	6.5	0.12	683	2.0	0.08	1.2	0.05
Stomach	1,106	4.3	0.13	2.5	0.08	787	2.3	0.08	1.3	0.05
Colon & Rectum	5,791	22.6	0.30	12.8	0.17	5,383	15.7	0.22	8.8	0.13
Liver	2,190	8.1	0.17	4.9	0.11	807	2.4	0.08	1.4	0.05
Pancreas	4,136	15.8	0.25	9.2	0.14	4,099	12.0	0.19	6.9	0.11
Respiratory System	20,883	79.6	0.55	46.1	0.32	16,752	50.6	0.39	30.0	0.24
Larynx	698	2.6	0.10	1.6	0.06	219	0.7	0.05	0.4	0.03
Lung & bronchus	20,067	76.6	0.54	44.3	0.32	16,467	49.7	0.39	29.4	0.24
Skin	1,692	6.6	0.16	3.8	0.10	873	2.6	0.09	1.6	0.06
Melanomas of the skin	1,244	4.8	0.14	2.9	0.08	687	2.1	0.08	1.3	0.06
Breast	87	0.3	0.04	0.2	0.02	8,883	27.1	0.29	16.6	0.19
Female Genital System	-	-	-	-	-	6,104	18.7	0.24	11.6	0.16
Cervix uteri	-	-	-	-	-	815	2.7	0.10	2.0	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,986	6.0	0.14	3.6	0.08
Ovary	-	-	-	-	-	2,853	8.7	0.16	5.2	0.10
Male Genital System	5,628	23.2	0.31	11.4	0.15	-	-	-	-	-
Prostate	5,471	22.6	0.31	10.9	0.15	-	-	-	-	-
Testis	77	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,455	17.6	0.27	9.5	0.14	2,128	6.1	0.13	3.4	0.08
Bladder	2,554	10.3	0.21	5.2	0.11	1,005	2.8	0.09	1.5	0.05
Kidney & renal pelvis	1,798	6.8	0.16	4.0	0.10	1,053	3.1	0.10	1.8	0.06
Brain & Other Nervous System	1,738	6.5	0.16	4.4	0.11	1,304	4.1	0.11	2.8	0.08
Endocrine System	237	0.9	0.06	0.6	0.04	277	0.8	0.05	0.5	0.04
Thyroid gland	153	0.6	0.05	0.3	0.03	192	0.5	0.04	0.3	0.02
Lymphomas	2,597	10.2	0.20	5.7	0.11	2,086	6.0	0.13	3.3	0.08
Hodgkin Lymphoma	132	0.5	0.04	0.3	0.03	96	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,465	9.7	0.20	5.4	0.11	1,990	5.7	0.13	3.1	0.08
Multiple Myeloma	1,360	5.3	0.15	2.9	0.08	1,194	3.5	0.10	1.9	0.06
Leukemias	2,738	10.9	0.21	6.1	0.12	2,114	6.1	0.14	3.6	0.09
Other, Ill-defined & Unknown	5,637	22.0	0.29	12.6	0.17	4,889	14.4	0.21	8.4	0.13

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2011-2015, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2011 Cdn	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2011 Cdn	S.E.	Adj. Rate World	S.E.
All Sites	21,706	266.5	1.83	153.4	1.05	18,584	184.6	1.36	110.0	0.85
Oral Cavity & Pharynx	468	5.6	0.26	3.4	0.16	162	1.6	0.12	0.9	0.07
Digestive System	5,563	67.5	0.91	40.0	0.54	3,987	39.4	0.63	22.7	0.38
Esophagus	755	9.0	0.33	5.5	0.20	161	1.6	0.13	0.9	0.08
Stomach	374	4.6	0.24	2.7	0.14	215	2.1	0.15	1.3	0.09
Colon & Rectum	2,012	24.7	0.56	14.5	0.33	1,697	16.8	0.41	9.7	0.25
Liver	905	10.7	0.36	6.6	0.22	376	3.7	0.19	2.1	0.11
Pancreas	1,201	14.6	0.43	8.5	0.25	1,177	11.5	0.34	6.6	0.20
Respiratory System	7,093	85.8	1.03	49.7	0.59	5,410	53.6	0.73	31.9	0.45
Larynx	190	2.3	0.17	1.3	0.10	45	0.5	0.07	0.3	0.04
Lung & bronchus	6,863	83.1	1.01	48.1	0.58	5,340	52.9	0.73	31.5	0.44
Skin	639	7.9	0.32	4.6	0.18	277	2.7	0.17	1.6	0.11
Melanomas of the skin	430	5.3	0.26	3.2	0.16	206	2.1	0.15	1.3	0.10
Breast	26	0.3	0.06	0.2	0.04	2,682	27.1	0.53	16.7	0.34
Female Genital System	-	-	-	-	-	1,842	18.7	0.44	11.8	0.29
Cervix uteri	-	-	-	-	-	300	3.3	0.19	2.5	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	484	4.9	0.22	3.0	0.14
Ovary	-	-	-	-	-	942	9.4	0.31	5.7	0.19
Male Genital System	1,858	24.6	0.58	12.2	0.29	-	-	-	-	-
Prostate	1,798	23.9	0.57	11.7	0.28	-	-	-	-	-
Testis	39	0.4	0.07	0.4	0.06	-	-	-	-	-
Urinary System	1,496	18.7	0.49	10.4	0.27	669	6.5	0.25	3.7	0.15
Bladder	737	9.5	0.36	4.9	0.18	265	2.6	0.16	1.4	0.09
Kidney & renal pelvis	730	8.8	0.33	5.2	0.19	380	3.7	0.19	2.2	0.12
Brain & Other Nervous System	571	6.7	0.28	4.5	0.20	435	4.4	0.21	2.9	0.15
Endocrine System	79	0.9	0.10	0.6	0.07	78	0.8	0.09	0.5	0.06
Thyroid gland	49	0.6	0.09	0.3	0.05	52	0.5	0.07	0.3	0.04
Lymphomas	800	10.0	0.36	5.6	0.20	611	5.9	0.24	3.3	0.14
Hodgkin Lymphoma	37	0.4	0.07	0.3	0.05	35	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	763	9.5	0.35	5.4	0.20	576	5.6	0.23	3.1	0.14
Multiple Myeloma	391	4.9	0.25	2.7	0.14	326	3.1	0.17	1.7	0.10
Leukemias	942	11.8	0.39	6.7	0.22	693	6.7	0.26	3.9	0.16
Other, Ill-defined & Unknown	1,780	21.8	0.52	12.8	0.31	1,412	14.0	0.37	8.4	0.24

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,651	227.4	1.60	127.3	0.91	18,738	168.8	1.25	98.4	0.77
Oral Cavity & Pharynx	429	4.5	0.22	2.7	0.13	219	2.0	0.13	1.1	0.08
Digestive System	5,773	62.5	0.83	36.4	0.49	4,209	37.6	0.59	21.5	0.35
Esophagus	866	9.3	0.32	5.5	0.19	222	2.0	0.14	1.1	0.08
Stomach	365	4.0	0.21	2.4	0.13	226	2.1	0.14	1.3	0.09
Colon & Rectum	1,698	18.8	0.46	10.6	0.27	1,583	14.0	0.36	7.8	0.21
Liver	934	9.7	0.32	6.0	0.20	301	2.7	0.16	1.6	0.09
Pancreas	1,423	15.4	0.41	8.8	0.24	1,274	11.4	0.32	6.5	0.19
Respiratory System	5,395	58.6	0.81	33.1	0.46	4,964	44.8	0.64	25.7	0.38
Larynx	129	1.4	0.12	0.8	0.07	31	0.3	0.05	0.2	0.03
Lung & bronchus	5,213	56.7	0.79	31.9	0.45	4,900	44.2	0.64	25.3	0.38
Skin	625	6.9	0.28	4.0	0.16	318	2.9	0.17	1.8	0.11
Melanomas of the skin	452	4.9	0.23	2.9	0.14	247	2.3	0.15	1.5	0.10
Breast	30	0.3	0.06	0.2	0.03	2,618	24.0	0.47	14.7	0.30
Female Genital System	-	-	-	-	-	2,141	19.7	0.43	12.0	0.28
Cervix uteri	-	-	-	-	-	224	2.2	0.15	1.6	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	608	5.6	0.23	3.3	0.14
Ovary	-	-	-	-	-	1,138	10.4	0.31	6.2	0.19
Male Genital System	2,133	24.9	0.54	11.9	0.26	-	-	-	-	-
Prostate	2,102	24.6	0.54	11.6	0.26	-	-	-	-	-
Testis	14	0.2	0.04	0.1	0.04	-	-	-	-	-
Urinary System	1,456	16.5	0.44	8.6	0.23	635	5.5	0.22	3.0	0.13
Bladder	804	9.3	0.33	4.6	0.16	295	2.5	0.15	1.3	0.08
Kidney & renal pelvis	609	6.7	0.27	3.7	0.15	316	2.8	0.16	1.6	0.10
Brain & Other Nervous System	696	7.3	0.28	5.0	0.20	511	4.8	0.21	3.2	0.15
Endocrine System	108	1.2	0.12	0.8	0.08	86	0.8	0.09	0.5	0.06
Thyroid gland	74	0.8	0.10	0.5	0.05	60	0.5	0.07	0.3	0.04
Lymphomas	851	9.5	0.33	5.2	0.18	661	5.7	0.23	3.1	0.13
Hodgkin Lymphoma	53	0.6	0.08	0.4	0.05	27	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	798	9.0	0.32	4.9	0.18	634	5.5	0.22	2.9	0.12
Multiple Myeloma	477	5.3	0.25	2.9	0.13	363	3.2	0.17	1.7	0.10
Leukemias	904	10.2	0.34	5.7	0.20	577	5.1	0.22	3.0	0.14
Other, Ill-defined & Unknown	1,774	19.6	0.47	11.1	0.27	1,436	12.7	0.34	7.2	0.21

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	74,229	244.0	0.90	137.7	0.52	69,466	172.9	0.67	101.5	0.42
Oral Cavity & Pharynx	1,276	4.1	0.12	2.5	0.07	566	1.4	0.06	0.8	0.04
Digestive System	20,343	66.4	0.47	38.5	0.28	15,927	38.5	0.31	21.8	0.19
Esophagus	3,205	10.4	0.18	6.2	0.11	784	1.9	0.07	1.1	0.04
Stomach	1,372	4.5	0.12	2.6	0.07	904	2.2	0.07	1.2	0.05
Colon & Rectum	6,524	21.6	0.27	12.2	0.16	6,493	15.4	0.20	8.6	0.12
Liver	2,727	8.7	0.17	5.3	0.10	956	2.4	0.08	1.4	0.05
Pancreas	4,999	16.3	0.23	9.4	0.14	4,902	11.9	0.17	6.7	0.10
Respiratory System	21,554	70.3	0.48	40.1	0.28	17,364	43.9	0.34	25.8	0.21
Larynx	727	2.4	0.09	1.4	0.05	207	0.5	0.04	0.3	0.02
Lung & bronchus	20,699	67.5	0.47	38.5	0.27	17,073	43.2	0.34	25.4	0.21
Skin	1,933	6.4	0.15	3.6	0.09	1,061	2.6	0.08	1.6	0.05
Melanomas of the skin	1,410	4.7	0.12	2.7	0.08	826	2.1	0.08	1.3	0.05
Breast	106	0.3	0.03	0.2	0.02	10,054	25.8	0.26	15.8	0.17
Female Genital System	-	-	-	-	-	7,544	19.5	0.23	12.0	0.15
Cervix uteri	-	-	-	-	-	855	2.5	0.09	1.8	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	2,565	6.5	0.13	3.9	0.08
Ovary	-	-	-	-	-	3,541	9.1	0.16	5.5	0.10
Male Genital System	6,772	22.9	0.28	11.1	0.14	-	-	-	-	-
Prostate	6,609	22.4	0.28	10.7	0.14	-	-	-	-	-
Testis	77	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	5,033	16.7	0.24	8.9	0.13	2,552	6.0	0.12	3.2	0.07
Bladder	2,953	9.9	0.18	5.0	0.09	1,248	2.8	0.08	1.4	0.05
Kidney & renal pelvis	1,946	6.4	0.14	3.7	0.09	1,207	2.9	0.09	1.7	0.05
Brain & Other Nervous System	1,869	6.0	0.14	4.1	0.10	1,500	4.1	0.11	2.8	0.08
Endocrine System	290	0.9	0.06	0.6	0.04	334	0.8	0.05	0.5	0.03
Thyroid gland	188	0.6	0.05	0.4	0.03	231	0.6	0.04	0.3	0.02
Lymphomas	2,990	9.9	0.18	5.5	0.10	2,457	5.8	0.12	3.2	0.07
Hodgkin Lymphoma	133	0.4	0.04	0.3	0.03	124	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,857	9.5	0.18	5.2	0.10	2,333	5.5	0.12	3.0	0.07
Multiple Myeloma	1,494	4.9	0.13	2.7	0.07	1,295	3.1	0.09	1.7	0.05
Leukemias	3,248	10.8	0.19	6.0	0.11	2,519	6.1	0.12	3.6	0.08
Other, Ill-defined & Unknown	7,321	24.1	0.28	13.7	0.17	6,293	15.2	0.20	8.8	0.12

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,751	243.1	3.22	135.4	1.84	5,361	164.9	2.31	95.8	1.44
Oral Cavity & Pharynx	74	3.1	0.36	1.8	0.21	42	1.2	0.19	0.7	0.12
Digestive System	1,578	66.1	1.67	37.9	0.98	1,212	36.1	1.07	20.3	0.65
Esophagus	236	9.8	0.64	5.9	0.39	60	1.8	0.24	1.0	0.14
Stomach	141	5.9	0.50	3.2	0.28	107	3.1	0.31	1.7	0.19
Colon & Rectum	447	19.0	0.90	10.6	0.52	481	13.9	0.65	7.6	0.39
Liver	246	10.1	0.64	6.1	0.40	64	2.0	0.26	1.2	0.17
Pancreas	362	15.2	0.80	8.6	0.46	347	10.6	0.58	5.9	0.35
Respiratory System	1,704	71.9	1.75	40.7	1.01	1,541	48.9	1.27	28.6	0.77
Larynx	55	2.3	0.32	1.3	0.18	12	0.4	0.12	0.2	0.07
Lung & bronchus	1,637	69.1	1.71	39.1	0.99	1,526	48.4	1.26	28.3	0.77
Skin	138	5.8	0.50	3.2	0.28	96	2.9	0.30	1.6	0.18
Melanomas of the skin	96	4.0	0.41	2.2	0.24	70	2.2	0.27	1.3	0.16
Breast	14	0.6	0.16	0.3	0.08	688	21.8	0.85	13.4	0.56
Female Genital System	-	-	-	-	-	518	16.5	0.74	9.9	0.47
Cervix uteri	-	-	-	-	-	39	1.4	0.22	0.9	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	186	5.7	0.43	3.3	0.26
Ovary	-	-	-	-	-	252	8.1	0.52	4.8	0.32
Male Genital System	527	22.8	1.00	10.8	0.49	-	-	-	-	-
Prostate	519	22.5	0.99	10.5	0.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	427	18.2	0.88	9.5	0.47	189	5.4	0.41	3.0	0.24
Bladder	257	11.0	0.69	5.6	0.36	103	2.8	0.29	1.4	0.16
Kidney & renal pelvis	160	6.7	0.53	3.7	0.30	78	2.4	0.27	1.4	0.17
Brain & Other Nervous System	153	6.3	0.51	4.2	0.36	118	4.0	0.37	2.6	0.26
Endocrine System	25	1.1	0.21	0.6	0.12	21	0.7	0.15	0.4	0.10
Thyroid gland	18	0.8	0.18	0.4	0.10	12	0.4	0.11	0.2	0.07
Lymphomas	189	8.0	0.59	4.5	0.34	199	5.6	0.41	3.0	0.24
Hodgkin Lymphoma	-	-	-	-	-	10	0.4	0.11	0.3	0.10
Non-Hodgkin Lymphoma	-	-	-	-	-	189	5.3	0.39	2.7	0.22
Multiple Myeloma	87	3.8	0.41	2.1	0.23	96	2.9	0.30	1.6	0.18
Leukemias	245	10.4	0.67	6.0	0.40	184	5.3	0.41	3.1	0.27
Other, Ill-defined & Unknown	590	25.1	1.04	13.8	0.59	457	13.6	0.66	7.8	0.41

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,652	259.2	1.63	147.5	0.91	22,244	168.5	1.14	100.0	0.70
Oral Cavity & Pharynx	608	5.6	0.23	3.5	0.14	220	1.7	0.12	1.0	0.07
Digestive System	6,923	65.9	0.81	38.8	0.47	5,002	37.8	0.54	21.7	0.32
Esophagus	909	8.4	0.28	5.1	0.17	237	1.8	0.12	1.0	0.07
Stomach	654	6.2	0.25	3.7	0.15	365	2.8	0.15	1.6	0.09
Colon & Rectum	2,207	21.4	0.47	12.5	0.27	1,952	14.8	0.34	8.5	0.20
Liver	1,034	9.6	0.30	5.8	0.18	345	2.6	0.14	1.5	0.08
Pancreas	1,630	15.6	0.40	9.0	0.22	1,531	11.5	0.29	6.4	0.17
Respiratory System	8,591	80.7	0.89	46.8	0.51	5,869	44.0	0.58	26.0	0.35
Larynx	313	2.9	0.17	1.7	0.10	49	0.4	0.05	0.2	0.03
Lung & bronchus	8,232	77.3	0.87	44.8	0.50	5,797	43.4	0.57	25.7	0.35
Skin	726	7.3	0.28	4.1	0.15	335	2.6	0.14	1.5	0.09
Melanomas of the skin	473	4.6	0.22	2.7	0.13	261	2.0	0.12	1.2	0.08
Breast	37	0.4	0.06	0.2	0.03	3,404	26.3	0.45	16.5	0.30
Female Genital System	-	-	-	-	-	2,310	17.6	0.37	10.9	0.24
Cervix uteri	-	-	-	-	-	343	2.8	0.15	2.0	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	749	5.6	0.21	3.4	0.13
Ovary	-	-	-	-	-	1,058	8.0	0.25	4.8	0.15
Male Genital System	2,425	26.7	0.56	12.8	0.26	-	-	-	-	-
Prostate	2,384	26.3	0.56	12.6	0.26	-	-	-	-	-
Testis	24	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,600	16.3	0.42	8.7	0.22	754	5.7	0.21	3.1	0.12
Bladder	798	8.5	0.31	4.3	0.15	346	2.6	0.14	1.3	0.08
Kidney & renal pelvis	772	7.5	0.28	4.3	0.16	376	2.8	0.15	1.6	0.09
Brain & Other Nervous System	710	6.5	0.25	4.2	0.16	521	4.0	0.17	2.6	0.12
Endocrine System	106	1.0	0.10	0.6	0.06	108	0.8	0.08	0.5	0.05
Thyroid gland	64	0.6	0.08	0.4	0.05	68	0.5	0.06	0.3	0.04
Lymphomas	873	8.7	0.30	5.0	0.17	692	5.2	0.20	2.9	0.12
Hodgkin Lymphoma	60	0.6	0.08	0.4	0.06	32	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	813	8.1	0.29	4.6	0.16	660	5.0	0.19	2.7	0.11
Multiple Myeloma	602	6.1	0.25	3.2	0.13	546	4.1	0.18	2.2	0.10
Leukemias	1,039	10.6	0.34	5.9	0.19	753	5.7	0.21	3.4	0.13
Other, Ill-defined & Unknown	2,412	23.6	0.49	13.5	0.28	1,730	13.1	0.32	7.7	0.20

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,394	226.1	3.42	126.7	1.97	3,816	159.5	2.64	92.8	1.66
Oral Cavity & Pharynx	76	3.9	0.45	2.4	0.28	32	1.4	0.25	0.9	0.18
Digestive System	1,188	60.8	1.77	35.2	1.05	902	36.2	1.24	20.0	0.74
Esophagus	198	10.0	0.72	5.8	0.42	42	1.7	0.27	1.0	0.16
Stomach	67	3.4	0.42	2.0	0.25	51	2.1	0.30	1.2	0.18
Colon & Rectum	437	22.6	1.09	12.7	0.63	386	15.2	0.80	8.2	0.47
Liver	120	6.1	0.56	3.8	0.35	43	1.7	0.27	1.0	0.16
Pancreas	272	13.8	0.84	8.2	0.51	265	10.7	0.67	5.9	0.40
Respiratory System	1,249	64.0	1.81	35.8	1.03	974	42.2	1.37	24.8	0.84
Larynx	27	1.4	0.27	0.8	0.15	-	-	-	-	-
Lung & bronchus	1,214	62.2	1.79	34.8	1.02	966	41.8	1.36	24.5	0.84
Skin	115	6.0	0.56	3.4	0.33	60	2.5	0.34	1.5	0.23
Melanomas of the skin	71	3.7	0.44	2.2	0.28	50	2.2	0.32	1.4	0.22
Breast	-	-	-	-	-	548	23.5	1.03	14.2	0.67
Female Genital System	-	-	-	-	-	364	15.5	0.83	9.2	0.53
Cervix uteri	-	-	-	-	-	36	1.8	0.30	1.3	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	123	5.1	0.48	3.0	0.30
Ovary	-	-	-	-	-	180	7.6	0.58	4.4	0.36
Male Genital System	414	21.8	1.07	10.8	0.54	-	-	-	-	-
Prostate	408	21.5	1.07	10.6	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	309	16.1	0.92	8.5	0.50	136	5.5	0.48	3.0	0.29
Bladder	154	8.1	0.65	3.9	0.33	48	1.9	0.28	1.0	0.17
Kidney & renal pelvis	145	7.4	0.62	4.2	0.36	79	3.2	0.37	1.8	0.22
Brain & Other Nervous System	154	7.8	0.63	4.9	0.41	110	5.0	0.48	3.3	0.35
Endocrine System	16	0.8	0.19	0.5	0.13	22	1.0	0.21	0.7	0.16
Thyroid gland	-	-	-	-	-	13	0.6	0.16	0.3	0.10
Lymphomas	179	9.2	0.69	5.1	0.39	126	4.9	0.44	2.6	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	95	4.9	0.51	2.6	0.27	77	2.9	0.34	1.5	0.19
Leukemias	229	11.8	0.78	6.9	0.48	161	6.5	0.53	3.8	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	304	12.4	0.73	7.2	0.47

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	37,799	273.7	1.44	157.4	0.82	31,867	180.1	1.01	107.4	0.63
Oral Cavity & Pharynx	847	5.9	0.21	3.6	0.13	309	1.7	0.10	1.0	0.06
Digestive System	9,562	67.9	0.71	40.2	0.41	6,891	38.8	0.47	22.5	0.28
Esophagus	1,332	9.2	0.26	5.6	0.16	280	1.6	0.09	0.9	0.06
Stomach	687	5.0	0.19	2.9	0.11	422	2.4	0.12	1.4	0.07
Colon & Rectum	3,187	23.3	0.42	13.4	0.24	2,836	16.0	0.30	9.2	0.18
Liver	1,559	10.7	0.27	6.6	0.17	536	3.0	0.13	1.8	0.08
Pancreas	2,156	15.2	0.33	8.9	0.19	2,072	11.6	0.26	6.7	0.15
Respiratory System	13,131	92.6	0.82	54.1	0.47	9,274	52.2	0.54	31.2	0.33
Larynx	409	2.8	0.14	1.7	0.09	102	0.6	0.06	0.4	0.04
Lung & bronchus	12,653	89.3	0.81	52.1	0.47	9,131	51.4	0.54	30.7	0.33
Skin	1,177	8.7	0.26	5.0	0.15	469	2.7	0.12	1.6	0.08
Melanomas of the skin	798	5.8	0.21	3.4	0.12	344	2.0	0.11	1.2	0.07
Breast	52	0.4	0.06	0.2	0.03	4,565	26.2	0.39	16.1	0.25
Female Genital System	-	-	-	-	-	3,229	18.4	0.33	11.4	0.21
Cervix uteri	-	-	-	-	-	530	3.2	0.14	2.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	884	5.0	0.17	3.0	0.10
Ovary	-	-	-	-	-	1,583	9.0	0.23	5.4	0.14
Male Genital System	2,923	23.8	0.45	11.7	0.22	-	-	-	-	-
Prostate	2,842	23.2	0.45	11.3	0.21	-	-	-	-	-
Testis	36	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,242	16.8	0.36	9.2	0.20	993	5.5	0.18	3.1	0.10
Bladder	1,139	8.9	0.27	4.6	0.14	410	2.3	0.11	1.2	0.06
Kidney & renal pelvis	1,055	7.6	0.24	4.4	0.14	548	3.1	0.13	1.8	0.08
Brain & Other Nervous System	972	6.7	0.22	4.5	0.15	770	4.4	0.16	2.9	0.11
Endocrine System	120	0.8	0.08	0.6	0.05	114	0.7	0.06	0.4	0.04
Thyroid gland	71	0.5	0.06	0.3	0.04	67	0.4	0.05	0.2	0.03
Lymphomas	1,366	10.1	0.28	5.7	0.16	1,060	5.9	0.18	3.3	0.11
Hodgkin Lymphoma	93	0.6	0.07	0.4	0.05	52	0.3	0.04	0.2	0.04
Non-Hodgkin Lymphoma	1,273	9.5	0.27	5.3	0.15	1,008	5.6	0.18	3.1	0.10
Multiple Myeloma	768	5.8	0.21	3.1	0.11	621	3.5	0.14	1.9	0.08
Leukemias	1,479	11.1	0.30	6.3	0.17	1,053	5.9	0.18	3.4	0.12
Other, Ill-defined & Unknown	3,160	23.1	0.42	13.3	0.24	2,519	14.2	0.28	8.4	0.18

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	102,924	224.8	0.72	128.0	0.40	88,948	154.3	0.52	91.0	0.31
Oral Cavity & Pharynx	2,413	5.0	0.10	3.0	0.06	926	1.6	0.05	0.9	0.03
Digestive System	30,781	65.1	0.38	38.2	0.22	21,366	37.1	0.25	21.3	0.15
Esophagus	3,357	7.1	0.12	4.2	0.07	804	1.4	0.05	0.8	0.03
Stomach	2,627	5.6	0.11	3.3	0.06	1,788	3.1	0.07	1.9	0.05
Colon & Rectum	9,897	21.3	0.22	12.3	0.12	7,958	13.8	0.15	7.9	0.09
Liver	6,271	12.6	0.16	7.7	0.10	2,337	4.1	0.08	2.3	0.05
Pancreas	6,432	13.8	0.18	8.0	0.10	6,032	10.5	0.14	5.9	0.08
Respiratory System	28,240	61.5	0.37	35.1	0.21	20,953	36.7	0.25	21.3	0.15
Larynx	1,090	2.3	0.07	1.3	0.04	228	0.4	0.03	0.2	0.02
Lung & bronchus	26,917	58.7	0.36	33.4	0.20	20,605	36.1	0.25	20.9	0.15
Skin	2,839	6.3	0.12	3.5	0.07	1,199	2.1	0.06	1.2	0.04
Melanomas of the skin	1,790	3.9	0.09	2.2	0.05	865	1.5	0.05	0.9	0.03
Breast	136	0.3	0.03	0.2	0.01	13,837	23.9	0.20	14.7	0.13
Female Genital System	-	-	-	-	-	9,745	16.9	0.17	10.5	0.11
Cervix uteri	-	-	-	-	-	1,896	3.2	0.07	2.3	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,781	4.8	0.09	2.9	0.06
Ovary	-	-	-	-	-	4,406	7.7	0.12	4.6	0.07
Male Genital System	8,852	21.8	0.24	10.7	0.11	-	-	-	-	-
Prostate	8,519	21.1	0.23	10.2	0.11	-	-	-	-	-
Testis	181	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	6,820	15.5	0.19	8.4	0.10	3,224	5.6	0.10	3.1	0.06
Bladder	3,105	7.5	0.14	3.8	0.07	1,180	2.1	0.06	1.1	0.03
Kidney & renal pelvis	3,558	7.6	0.13	4.4	0.07	1,947	3.4	0.08	1.9	0.05
Brain & Other Nervous System	2,920	5.7	0.11	3.8	0.07	2,363	4.0	0.08	2.7	0.06
Endocrine System	526	1.1	0.05	0.7	0.03	543	0.9	0.04	0.6	0.03
Thyroid gland	316	0.7	0.04	0.4	0.02	355	0.6	0.03	0.3	0.02
Lymphomas	3,942	8.8	0.14	4.9	0.08	3,026	5.2	0.10	2.9	0.06
Hodgkin Lymphoma	279	0.6	0.04	0.4	0.02	180	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,663	8.2	0.14	4.6	0.08	2,846	4.9	0.09	2.7	0.05
Multiple Myeloma	2,079	4.6	0.10	2.6	0.06	1,710	3.0	0.07	1.6	0.04
Leukemias	4,579	10.1	0.15	5.8	0.09	3,266	5.6	0.10	3.3	0.06
Other, Ill-defined & Unknown	8,797	19.1	0.21	11.0	0.12	6,790	11.7	0.14	6.9	0.09

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,837	174.4	2.00	97.2	1.11	6,889	129.5	1.57	75.1	0.93
Oral Cavity & Pharynx	137	2.9	0.25	1.8	0.15	72	1.4	0.16	0.8	0.09
Digestive System	2,194	47.5	1.03	27.7	0.60	1,606	30.3	0.76	17.2	0.44
Esophagus	307	6.5	0.37	3.9	0.23	57	1.1	0.14	0.7	0.09
Stomach	131	2.9	0.26	1.7	0.15	93	1.7	0.18	1.0	0.11
Colon & Rectum	693	15.2	0.59	8.7	0.33	598	11.2	0.46	6.4	0.27
Liver	294	6.2	0.36	3.8	0.22	119	2.3	0.21	1.3	0.12
Pancreas	608	13.4	0.55	7.6	0.31	536	10.2	0.44	5.7	0.25
Respiratory System	1,320	29.1	0.81	16.5	0.46	995	18.9	0.60	11.0	0.36
Larynx	30	0.6	0.12	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,275	28.2	0.80	16.0	0.45	978	18.6	0.59	10.8	0.35
Skin	373	8.2	0.43	4.7	0.24	126	2.4	0.21	1.4	0.13
Melanomas of the skin	293	6.3	0.37	3.7	0.22	112	2.1	0.20	1.3	0.12
Breast	11	0.2	0.07	0.1	0.04	1,279	24.0	0.67	14.4	0.41
Female Genital System	-	-	-	-	-	862	16.3	0.56	9.7	0.34
Cervix uteri	-	-	-	-	-	88	1.6	0.18	1.1	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	257	4.9	0.30	2.8	0.18
Ovary	-	-	-	-	-	479	9.1	0.42	5.4	0.25
Male Genital System	980	24.1	0.78	11.4	0.37	-	-	-	-	-
Prostate	962	23.7	0.77	11.1	0.36	-	-	-	-	-
Testis	11	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	596	13.8	0.57	7.2	0.30	246	4.6	0.30	2.4	0.16
Bladder	305	7.4	0.43	3.6	0.21	100	1.9	0.19	0.9	0.10
Kidney & renal pelvis	277	6.1	0.37	3.5	0.21	137	2.6	0.22	1.4	0.13
Brain & Other Nervous System	346	6.8	0.37	4.5	0.24	239	4.3	0.28	2.9	0.19
Endocrine System	51	1.2	0.16	0.6	0.09	48	0.9	0.13	0.5	0.08
Thyroid gland	37	0.8	0.14	0.5	0.07	30	0.6	0.10	0.3	0.06
Lymphomas	357	8.1	0.44	4.4	0.23	296	5.6	0.33	2.9	0.18
Hodgkin Lymphoma	17	0.3	0.08	0.2	0.05	13	0.2	0.07	0.2	0.04
Non-Hodgkin Lymphoma	340	7.8	0.43	4.2	0.23	283	5.4	0.32	2.8	0.17
Multiple Myeloma	214	4.9	0.34	2.6	0.18	171	3.2	0.25	1.7	0.13
Leukemias	446	9.8	0.48	5.5	0.26	323	5.9	0.33	3.4	0.20
Other, Ill-defined & Unknown	812	17.8	0.64	10.1	0.36	626	11.7	0.47	6.6	0.27

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,550	231.5	3.94	131.1	2.26	3,218	169.5	3.02	98.6	1.86
Oral Cavity & Pharynx	85	5.3	0.58	3.3	0.37	45	2.4	0.36	1.3	0.21
Digestive System	942	60.4	2.00	34.8	1.16	700	36.2	1.38	20.2	0.82
Esophagus	164	10.4	0.83	6.0	0.48	41	2.1	0.34	1.2	0.21
Stomach	76	5.1	0.59	2.7	0.32	30	1.5	0.28	0.8	0.16
Colon & Rectum	281	18.3	1.11	10.5	0.65	280	14.3	0.87	7.7	0.50
Liver	97	5.9	0.61	3.6	0.36	22	1.1	0.24	0.7	0.15
Pancreas	236	15.2	1.00	8.7	0.58	216	11.4	0.78	6.5	0.47
Respiratory System	992	63.1	2.03	36.4	1.17	887	47.3	1.60	27.9	0.98
Larynx	34	2.2	0.38	1.3	0.22	11	0.6	0.19	0.4	0.11
Lung & bronchus	949	60.4	1.99	34.8	1.14	872	46.4	1.58	27.4	0.97
Skin	105	6.9	0.68	3.9	0.39	-	-	-	-	-
Melanomas of the skin	63	4.1	0.52	2.4	0.32	42	2.2	0.35	1.4	0.23
Breast	-	-	-	-	-	420	22.4	1.11	13.6	0.72
Female Genital System	-	-	-	-	-	347	18.5	1.00	11.1	0.64
Cervix uteri	-	-	-	-	-	21	1.2	0.27	0.9	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	123	6.5	0.59	4.0	0.37
Ovary	-	-	-	-	-	167	8.9	0.70	5.3	0.44
Male Genital System	333	23.4	1.30	11.4	0.64	-	-	-	-	-
Prostate	320	22.5	1.28	10.8	0.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	249	16.8	1.08	8.9	0.57	122	6.3	0.58	3.4	0.33
Bladder	155	10.8	0.88	5.4	0.44	72	3.8	0.45	2.1	0.26
Kidney & renal pelvis	89	5.7	0.62	3.3	0.36	46	2.3	0.35	1.2	0.19
Brain & Other Nervous System	126	7.9	0.71	5.2	0.49	94	5.3	0.56	3.6	0.40
Endocrine System	14	0.9	0.24	0.6	0.19	18	0.9	0.22	0.6	0.16
Thyroid gland	-	-	-	-	-	10	0.5	0.16	0.3	0.10
Lymphomas	156	10.3	0.84	5.8	0.48	97	5.1	0.52	2.9	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	75	4.9	0.57	2.7	0.32	53	2.7	0.37	1.5	0.22
Leukemias	150	10.2	0.85	5.8	0.49	107	5.4	0.53	3.0	0.32
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	38,086	232.9	1.22	131.1	0.68	34,692	164.2	0.88	96.0	0.54
Oral Cavity & Pharynx	777	4.5	0.16	2.7	0.10	316	1.5	0.08	0.9	0.05
Digestive System	10,292	61.2	0.61	35.6	0.35	7,731	36.4	0.42	20.7	0.25
Esophagus	1,455	8.5	0.23	5.0	0.13	378	1.8	0.09	1.0	0.05
Stomach	793	4.8	0.17	2.8	0.10	527	2.5	0.11	1.4	0.07
Colon & Rectum	3,248	19.6	0.35	11.3	0.20	2,938	13.8	0.26	7.7	0.15
Liver	1,507	8.6	0.22	5.2	0.13	513	2.4	0.11	1.4	0.07
Pancreas	2,522	15.1	0.31	8.7	0.17	2,385	11.3	0.23	6.3	0.13
Respiratory System	11,351	68.0	0.65	38.9	0.37	8,924	42.4	0.45	24.6	0.27
Larynx	384	2.3	0.12	1.3	0.07	80	0.4	0.04	0.2	0.03
Lung & bronchus	10,902	65.3	0.64	37.4	0.36	8,790	41.8	0.45	24.2	0.26
Skin	1,067	6.6	0.21	3.7	0.11	505	2.4	0.11	1.4	0.07
Melanomas of the skin	787	4.8	0.17	2.8	0.10	397	1.9	0.09	1.1	0.06
Breast	71	0.4	0.05	0.2	0.03	5,427	25.8	0.35	15.8	0.22
Female Genital System	-	-	-	-	-	3,647	17.4	0.29	10.6	0.18
Cervix uteri	-	-	-	-	-	428	2.1	0.10	1.5	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,175	5.6	0.16	3.4	0.10
Ovary	-	-	-	-	-	1,825	8.7	0.20	5.1	0.12
Male Genital System	3,471	23.8	0.41	11.4	0.20	-	-	-	-	-
Prostate	3,405	23.5	0.41	11.2	0.19	-	-	-	-	-
Testis	34	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,448	15.6	0.32	8.3	0.17	1,145	5.4	0.16	2.9	0.09
Bladder	1,321	8.8	0.25	4.4	0.12	534	2.5	0.11	1.3	0.06
Kidney & renal pelvis	1,054	6.3	0.20	3.6	0.11	565	2.7	0.11	1.5	0.07
Brain & Other Nervous System	958	5.4	0.18	3.6	0.12	864	4.1	0.14	2.8	0.10
Endocrine System	173	1.0	0.08	0.7	0.05	174	0.8	0.06	0.5	0.04
Thyroid gland	91	0.6	0.06	0.3	0.03	117	0.6	0.05	0.3	0.03
Lymphomas	1,432	8.9	0.24	5.0	0.13	1,131	5.3	0.16	3.0	0.09
Hodgkin Lymphoma	84	0.5	0.06	0.3	0.03	52	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,348	8.5	0.24	4.7	0.13	1,079	5.1	0.15	2.8	0.09
Multiple Myeloma	846	5.3	0.19	2.9	0.10	687	3.2	0.12	1.8	0.07
Leukemias	1,566	9.7	0.25	5.6	0.14	1,094	5.2	0.16	3.0	0.10
Other, Ill-defined & Unknown	3,634	22.4	0.38	12.6	0.21	3,047	14.3	0.26	8.2	0.16

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	31,940	220.7	1.25	123.0	0.70	28,833	162.0	0.96	93.8	0.58
Oral Cavity & Pharynx	745	4.9	0.18	2.9	0.11	372	2.1	0.11	1.2	0.07
Digestive System	9,006	60.5	0.65	35.0	0.37	6,475	36.1	0.45	20.3	0.27
Esophagus	1,345	9.0	0.25	5.2	0.14	326	1.8	0.10	1.0	0.06
Stomach	652	4.4	0.18	2.6	0.10	398	2.2	0.11	1.3	0.07
Colon & Rectum	2,548	17.5	0.35	9.9	0.20	2,338	12.9	0.27	7.2	0.16
Liver	1,501	9.5	0.25	5.9	0.15	496	2.8	0.13	1.6	0.07
Pancreas	2,141	14.6	0.32	8.2	0.18	1,986	11.1	0.25	6.2	0.15
Respiratory System	8,460	58.0	0.64	32.5	0.36	7,405	41.9	0.49	24.0	0.29
Larynx	249	1.7	0.11	1.0	0.06	65	0.4	0.05	0.2	0.03
Lung & bronchus	8,118	55.7	0.63	31.2	0.35	7,296	41.3	0.49	23.6	0.29
Skin	998	6.8	0.22	3.9	0.13	453	2.6	0.12	1.5	0.08
Melanomas of the skin	722	4.8	0.18	2.9	0.11	363	2.1	0.11	1.3	0.07
Breast	47	0.3	0.05	0.2	0.03	4,151	23.5	0.37	14.1	0.23
Female Genital System	-	-	-	-	-	3,112	17.7	0.32	10.6	0.20
Cervix uteri	-	-	-	-	-	329	1.9	0.11	1.4	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	909	5.1	0.17	3.0	0.10
Ovary	-	-	-	-	-	1,671	9.5	0.23	5.6	0.14
Male Genital System	3,149	23.8	0.43	11.3	0.20	-	-	-	-	-
Prostate	3,090	23.4	0.43	11.0	0.20	-	-	-	-	-
Testis	34	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,351	16.8	0.35	8.8	0.18	1,052	5.8	0.18	3.1	0.10
Bladder	1,301	9.6	0.27	4.7	0.13	511	2.8	0.12	1.4	0.07
Kidney & renal pelvis	974	6.6	0.21	3.8	0.12	496	2.8	0.13	1.6	0.07
Brain & Other Nervous System	1,092	6.9	0.21	4.7	0.14	825	4.7	0.16	3.2	0.12
Endocrine System	147	1.0	0.08	0.6	0.05	164	0.9	0.07	0.6	0.05
Thyroid gland	93	0.6	0.07	0.4	0.04	112	0.6	0.06	0.4	0.04
Lymphomas	1,353	9.6	0.26	5.2	0.15	1,029	5.7	0.18	3.1	0.10
Hodgkin Lymphoma	59	0.4	0.05	0.3	0.03	50	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,294	9.2	0.26	5.0	0.14	979	5.4	0.17	2.9	0.10
Multiple Myeloma	661	4.7	0.18	2.5	0.10	555	3.1	0.13	1.7	0.07
Leukemias	1,386	9.8	0.27	5.5	0.15	1,034	5.7	0.18	3.3	0.11
Other, Ill-defined & Unknown	2,545	17.8	0.36	9.9	0.20	2,206	12.2	0.26	7.0	0.16

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,905	215.8	1.52	120.0	0.84	19,255	159.2	1.16	91.8	0.70
Oral Cavity & Pharynx	477	4.6	0.22	2.8	0.13	255	2.1	0.13	1.2	0.08
Digestive System	6,011	60.1	0.79	34.7	0.45	4,298	35.3	0.54	19.8	0.32
Esophagus	833	8.2	0.29	4.8	0.17	211	1.8	0.12	1.0	0.07
Stomach	457	4.6	0.22	2.7	0.13	282	2.3	0.14	1.4	0.09
Colon & Rectum	1,699	17.3	0.43	9.8	0.24	1,523	12.4	0.32	6.9	0.19
Liver	1,037	9.8	0.31	6.0	0.19	340	2.8	0.15	1.6	0.09
Pancreas	1,428	14.5	0.39	8.2	0.22	1,318	10.9	0.30	6.0	0.17
Respiratory System	5,460	56.1	0.77	31.3	0.43	4,877	40.8	0.59	23.2	0.34
Larynx	165	1.6	0.13	0.9	0.07	49	0.4	0.06	0.2	0.04
Lung & bronchus	5,233	53.8	0.76	30.0	0.42	4,800	40.2	0.58	22.8	0.34
Skin	652	6.7	0.26	3.8	0.15	299	2.5	0.14	1.5	0.09
Melanomas of the skin	472	4.7	0.22	2.8	0.13	241	2.0	0.13	1.2	0.08
Breast	35	0.4	0.06	0.2	0.04	2,849	23.6	0.45	14.2	0.28
Female Genital System	-	-	-	-	-	2,115	17.6	0.39	10.6	0.24
Cervix uteri	-	-	-	-	-	229	1.9	0.13	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	633	5.2	0.21	3.1	0.13
Ovary	-	-	-	-	-	1,130	9.4	0.28	5.6	0.17
Male Genital System	2,064	23.3	0.52	11.2	0.25	-	-	-	-	-
Prostate	2,022	22.9	0.52	10.9	0.24	-	-	-	-	-
Testis	24	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,539	16.5	0.43	8.6	0.22	693	5.6	0.21	2.9	0.12
Bladder	860	9.6	0.33	4.7	0.16	355	2.8	0.15	1.4	0.08
Kidney & renal pelvis	627	6.3	0.26	3.7	0.15	315	2.6	0.15	1.4	0.08
Brain & Other Nervous System	703	6.6	0.25	4.4	0.17	557	4.7	0.20	3.1	0.14
Endocrine System	93	0.9	0.10	0.6	0.07	106	0.9	0.09	0.5	0.06
Thyroid gland	57	0.6	0.08	0.3	0.04	79	0.7	0.08	0.4	0.05
Lymphomas	866	9.1	0.32	5.0	0.17	709	5.8	0.22	3.1	0.13
Hodgkin Lymphoma	33	0.3	0.06	0.2	0.03	30	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	833	8.8	0.31	4.8	0.17	679	5.5	0.21	3.0	0.12
Multiple Myeloma	426	4.5	0.22	2.5	0.12	367	3.0	0.16	1.6	0.09
Leukemias	901	9.5	0.32	5.3	0.18	687	5.6	0.22	3.2	0.14
Other, Ill-defined & Unknown	1,678	17.5	0.43	9.7	0.24	1,443	11.8	0.31	6.7	0.19

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,912	276.3	2.47	159.0	1.43	10,991	192.2	1.85	114.8	1.18
Oral Cavity & Pharynx	269	5.7	0.35	3.6	0.22	96	1.7	0.17	0.9	0.10
Digestive System	3,244	68.6	1.22	40.6	0.73	2,359	40.7	0.85	23.5	0.52
Esophagus	520	10.8	0.48	6.6	0.30	119	2.2	0.20	1.3	0.13
Stomach	225	4.8	0.32	2.8	0.19	143	2.5	0.21	1.4	0.13
Colon & Rectum	1,186	25.6	0.75	14.7	0.44	1,068	18.2	0.56	10.2	0.34
Liver	379	7.8	0.40	4.8	0.25	141	2.5	0.21	1.5	0.13
Pancreas	707	14.8	0.57	8.8	0.34	630	10.9	0.44	6.3	0.27
Respiratory System	4,506	94.0	1.42	54.8	0.83	3,160	55.2	0.99	33.2	0.62
Larynx	166	3.4	0.27	2.1	0.17	48	0.8	0.12	0.5	0.08
Lung & bronchus	4,311	90.0	1.39	52.3	0.81	3,099	54.1	0.98	32.6	0.61
Skin	387	8.6	0.44	5.0	0.26	160	2.8	0.23	1.7	0.15
Melanomas of the skin	266	5.8	0.36	3.5	0.22	118	2.1	0.20	1.4	0.14
Breast	21	0.5	0.10	0.2	0.05	1,453	26.3	0.70	16.4	0.47
Female Genital System	-	-	-	-	-	1,129	20.2	0.61	12.7	0.41
Cervix uteri	-	-	-	-	-	179	3.7	0.28	2.8	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	342	5.9	0.32	3.5	0.20
Ovary	-	-	-	-	-	512	9.0	0.40	5.5	0.26
Male Genital System	899	21.0	0.71	10.1	0.34	-	-	-	-	-
Prostate	874	20.5	0.70	9.7	0.33	-	-	-	-	-
Testis	13	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	782	17.1	0.62	9.4	0.34	412	7.0	0.35	4.0	0.21
Bladder	409	9.2	0.46	4.7	0.23	181	3.0	0.23	1.7	0.14
Kidney & renal pelvis	359	7.6	0.41	4.5	0.25	220	3.8	0.26	2.2	0.16
Brain & Other Nervous System	311	6.4	0.37	4.4	0.26	217	4.0	0.27	2.6	0.19
Endocrine System	30	0.7	0.12	0.4	0.09	47	0.8	0.12	0.5	0.08
Thyroid gland	21	0.5	0.10	0.3	0.06	34	0.6	0.10	0.3	0.06
Lymphomas	442	9.6	0.46	5.5	0.27	364	6.2	0.33	3.6	0.20
Hodgkin Lymphoma	17	0.4	0.10	0.3	0.09	19	0.4	0.08	0.3	0.07
Non-Hodgkin Lymphoma	425	9.2	0.45	5.1	0.25	345	5.9	0.32	3.3	0.19
Multiple Myeloma	242	5.3	0.34	2.9	0.19	207	3.4	0.24	1.9	0.14
Leukemias	515	11.4	0.51	6.5	0.30	409	6.9	0.35	4.0	0.22
Other, Ill-defined & Unknown	1,264	27.3	0.78	15.8	0.46	978	16.9	0.55	9.9	0.35

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,130	233.1	1.35	130.0	0.76	26,971	166.2	1.02	96.9	0.64
Oral Cavity & Pharynx	623	4.6	0.19	2.8	0.11	249	1.5	0.10	0.9	0.06
Digestive System	8,022	61.1	0.69	35.1	0.40	6,132	37.0	0.48	20.7	0.29
Esophagus	1,338	10.0	0.28	5.9	0.16	352	2.2	0.12	1.2	0.07
Stomach	554	4.3	0.18	2.4	0.10	360	2.2	0.12	1.3	0.07
Colon & Rectum	2,432	18.9	0.39	10.5	0.22	2,321	13.7	0.29	7.5	0.17
Liver	923	6.8	0.23	4.1	0.14	335	2.1	0.11	1.2	0.07
Pancreas	2,076	15.7	0.35	9.1	0.20	1,958	11.9	0.27	6.7	0.16
Respiratory System	8,309	63.4	0.70	36.0	0.40	6,909	43.5	0.53	25.6	0.32
Larynx	245	1.9	0.12	1.1	0.07	65	0.4	0.05	0.2	0.03
Lung & bronchus	7,996	61.1	0.69	34.6	0.39	6,812	42.9	0.52	25.2	0.32
Skin	828	6.4	0.22	3.7	0.13	369	2.3	0.12	1.4	0.08
Melanomas of the skin	602	4.6	0.19	2.7	0.11	278	1.8	0.11	1.1	0.07
Breast	49	0.4	0.05	0.2	0.03	3,764	23.6	0.39	14.3	0.25
Female Genital System	-	-	-	-	-	2,802	17.7	0.34	10.7	0.21
Cervix uteri	-	-	-	-	-	275	1.9	0.11	1.4	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	931	5.8	0.19	3.4	0.12
Ovary	-	-	-	-	-	1,355	8.5	0.23	5.1	0.15
Male Genital System	3,039	25.0	0.46	11.8	0.22	-	-	-	-	-
Prostate	2,979	24.6	0.45	11.5	0.21	-	-	-	-	-
Testis	30	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,196	17.3	0.37	9.1	0.20	981	5.8	0.19	3.2	0.11
Bladder	1,172	9.5	0.28	4.6	0.14	446	2.6	0.12	1.3	0.07
Kidney & renal pelvis	953	7.2	0.24	4.2	0.14	499	3.0	0.14	1.7	0.08
Brain & Other Nervous System	918	6.8	0.23	4.5	0.15	738	4.9	0.18	3.3	0.13
Endocrine System	136	1.0	0.09	0.7	0.06	158	1.0	0.08	0.6	0.06
Thyroid gland	89	0.7	0.07	0.4	0.04	103	0.6	0.06	0.3	0.04
Lymphomas	1,224	9.7	0.28	5.2	0.15	974	5.7	0.19	3.1	0.11
Hodgkin Lymphoma	68	0.5	0.06	0.3	0.04	51	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,156	9.2	0.27	4.9	0.15	923	5.4	0.18	2.9	0.10
Multiple Myeloma	657	5.2	0.20	2.7	0.11	525	3.1	0.14	1.7	0.08
Leukemias	1,440	11.3	0.30	6.4	0.17	1,058	6.3	0.20	3.6	0.12
Other, Ill-defined & Unknown	2,689	20.8	0.40	11.7	0.23	2,312	13.9	0.29	7.9	0.18

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,510	200.2	4.07	111.8	2.27	2,180	152.4	3.28	88.9	1.99
Oral Cavity & Pharynx	53	4.1	0.57	2.3	0.32	17	1.3	0.31	0.8	0.20
Digestive System	732	56.3	2.12	33.0	1.24	456	31.7	1.49	18.1	0.89
Esophagus	140	10.6	0.91	6.4	0.55	23	1.6	0.33	0.9	0.19
Stomach	35	2.8	0.49	1.6	0.27	22	1.6	0.34	1.0	0.22
Colon & Rectum	252	19.8	1.27	11.5	0.74	170	11.8	0.91	6.6	0.54
Liver	99	7.1	0.72	4.3	0.43	40	2.7	0.43	1.6	0.26
Pancreas	159	12.2	0.99	7.1	0.57	148	10.2	0.84	5.8	0.49
Respiratory System	614	48.5	1.99	27.1	1.10	535	37.7	1.63	21.9	0.97
Larynx	19	1.4	0.33	0.9	0.20	-	-	-	-	-
Lung & bronchus	588	46.5	1.95	25.9	1.08	526	37.0	1.62	21.5	0.97
Skin	75	6.0	0.71	3.4	0.41	-	-	-	-	-
Melanomas of the skin	59	4.7	0.62	2.8	0.37	33	2.3	0.41	1.4	0.26
Breast	-	-	-	-	-	316	22.0	1.25	13.0	0.77
Female Genital System	-	-	-	-	-	239	17.0	1.11	10.5	0.71
Cervix uteri	-	-	-	-	-	34	2.5	0.43	1.8	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	64	4.6	0.57	2.8	0.36
Ovary	-	-	-	-	-	125	8.8	0.79	5.3	0.49
Male Genital System	219	19.2	1.31	9.3	0.63	-	-	-	-	-
Prostate	214	18.8	1.30	9.0	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	169	13.8	1.08	7.3	0.57	69	4.8	0.58	2.7	0.33
Bladder	100	8.4	0.86	4.3	0.44	31	2.1	0.38	1.1	0.20
Kidney & renal pelvis	67	5.2	0.65	3.0	0.36	36	2.5	0.42	1.5	0.26
Brain & Other Nervous System	83	6.2	0.69	4.1	0.47	70	5.0	0.60	3.4	0.42
Endocrine System	-	-	-	-	-	12	0.8	0.24	0.5	0.14
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	98	7.9	0.82	4.4	0.45	84	5.7	0.63	3.0	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	61	5.2	0.67	2.6	0.34	34	2.4	0.41	1.3	0.24
Leukemias	133	10.8	0.96	6.0	0.54	102	7.1	0.71	4.0	0.42
Other, Ill-defined & Unknown	262	21.2	1.33	11.6	0.73	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Puerto Rico, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,731	180.0	1.50	100.8	0.86	11,703	110.9	1.04	66.3	0.66
Oral Cavity & Pharynx	494	6.0	0.27	3.7	0.17	133	1.2	0.11	0.7	0.07
Digestive System	4,967	60.0	0.86	34.8	0.51	3,532	32.6	0.55	18.3	0.33
Esophagus	436	5.2	0.25	3.1	0.15	106	1.0	0.09	0.5	0.05
Stomach	650	8.0	0.32	4.4	0.18	451	4.2	0.20	2.3	0.12
Colon & Rectum	1,914	23.2	0.54	13.4	0.32	1,553	14.5	0.37	8.1	0.22
Liver	936	11.2	0.37	6.7	0.22	457	4.2	0.20	2.3	0.12
Pancreas	784	9.4	0.34	5.5	0.20	727	6.7	0.25	3.8	0.15
Respiratory System	2,175	26.1	0.57	14.9	0.33	1,172	10.9	0.32	6.2	0.19
Larynx	197	2.4	0.17	1.4	0.10	29	0.3	0.05	0.2	0.03
Lung & bronchus	1,951	23.4	0.54	13.2	0.31	1,133	10.5	0.31	5.9	0.19
Skin	196	2.5	0.18	1.3	0.09	106	1.0	0.09	0.4	0.05
Melanomas of the skin	61	0.7	0.09	0.4	0.06	31	0.3	0.05	0.2	0.04
Breast	46	0.6	0.09	0.3	0.05	2,166	21.3	0.46	13.5	0.31
Female Genital System	-	-	-	-	-	1,412	13.8	0.37	9.0	0.26
Cervix uteri	-	-	-	-	-	261	2.7	0.17	2.0	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	531	5.2	0.23	3.3	0.15
Ovary	-	-	-	-	-	512	5.0	0.22	3.1	0.14
Male Genital System	2,530	31.9	0.64	15.2	0.31	-	-	-	-	-
Prostate	2,459	31.1	0.63	14.5	0.30	-	-	-	-	-
Testis	29	0.4	0.07	0.3	0.06	-	-	-	-	-
Urinary System	695	8.6	0.33	4.5	0.18	346	3.2	0.17	1.7	0.10
Bladder	423	5.3	0.26	2.6	0.13	187	1.7	0.13	0.9	0.07
Kidney & renal pelvis	258	3.2	0.20	1.8	0.12	147	1.4	0.11	0.8	0.07
Brain & Other Nervous System	282	3.4	0.20	2.3	0.14	257	2.5	0.16	1.7	0.12
Endocrine System	56	0.7	0.09	0.4	0.06	59	0.6	0.07	0.4	0.06
Thyroid gland	36	0.4	0.07	0.2	0.04	40	0.4	0.06	0.2	0.03
Lymphomas	517	6.3	0.28	3.9	0.18	351	3.3	0.18	2.1	0.12
Hodgkin Lymphoma	69	0.8	0.10	0.6	0.08	35	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	448	5.4	0.26	3.3	0.16	316	3.0	0.17	1.8	0.11
Multiple Myeloma	358	4.3	0.23	2.5	0.13	319	2.9	0.17	1.7	0.10
Leukemias	498	6.1	0.28	3.6	0.17	380	3.6	0.18	2.2	0.13
Other, Ill-defined & Unknown	1,917	23.5	0.54	13.5	0.32	1,469	14.0	0.37	8.5	0.24

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alberta, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,099	225.4	1.82	123.6	0.98	14,299	164.5	1.38	95.4	0.83
Oral Cavity & Pharynx	362	4.5	0.24	2.8	0.15	151	1.7	0.14	1.0	0.09
Digestive System	4,914	67.1	0.98	37.6	0.54	3,653	41.9	0.70	23.4	0.40
Esophagus	724	9.5	0.36	5.5	0.21	170	1.9	0.15	1.1	0.09
Stomach	416	5.9	0.30	3.2	0.16	297	3.4	0.20	2.0	0.12
Colon & Rectum	1,893	26.5	0.62	14.5	0.33	1,502	17.1	0.44	9.2	0.25
Liver	509	6.5	0.30	3.8	0.17	180	2.1	0.16	1.2	0.09
Pancreas	942	12.7	0.42	7.2	0.24	971	11.2	0.36	6.3	0.21
Respiratory System	3,977	55.0	0.89	30.7	0.49	3,610	42.3	0.71	24.6	0.42
Larynx	110	1.5	0.15	0.8	0.08	13	0.2	0.04	0.1	0.03
Lung & bronchus	3,829	53.0	0.87	29.6	0.48	3,574	41.9	0.70	24.4	0.42
Skin	328	4.5	0.25	2.5	0.14	198	2.2	0.16	1.3	0.10
Melanomas of the skin	242	3.2	0.21	1.9	0.12	166	1.8	0.14	1.1	0.09
Breast	25	0.4	0.08	0.2	0.04	2,121	24.2	0.53	14.6	0.33
Female Genital System	-	-	-	-	-	1,458	16.7	0.44	10.1	0.27
Cervix uteri	-	-	-	-	-	209	2.3	0.16	1.6	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	424	4.9	0.24	2.9	0.14
Ovary	-	-	-	-	-	723	8.3	0.31	5.0	0.19
Male Genital System	1,937	30.5	0.70	14.5	0.33	-	-	-	-	-
Prostate	1,900	30.0	0.70	14.2	0.33	-	-	-	-	-
Testis	18	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,054	15.2	0.48	8.0	0.25	452	5.2	0.24	2.7	0.13
Bladder	582	8.8	0.37	4.4	0.18	203	2.3	0.16	1.2	0.09
Kidney & renal pelvis	429	5.8	0.29	3.3	0.16	221	2.5	0.17	1.4	0.10
Brain & Other Nervous System	526	6.3	0.28	4.2	0.19	343	3.9	0.21	2.7	0.15
Endocrine System	83	1.1	0.12	0.7	0.08	91	1.0	0.11	0.6	0.07
Thyroid gland	50	0.7	0.10	0.4	0.06	53	0.6	0.08	0.3	0.05
Lymphomas	623	8.7	0.36	4.8	0.20	468	5.3	0.25	2.9	0.14
Hodgkin Lymphoma	26	0.3	0.06	0.2	0.04	17	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	597	8.4	0.35	4.6	0.19	451	5.1	0.24	2.8	0.14
Multiple Myeloma	321	4.6	0.26	2.5	0.14	233	2.7	0.18	1.5	0.10
Leukemias	638	9.2	0.37	4.9	0.20	440	5.0	0.24	2.8	0.14
Other, Ill-defined & Unknown	1,311	18.3	0.52	10.2	0.29	1,081	12.3	0.38	7.0	0.22

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
British Columbia, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,573	221.6	1.39	122.1	0.78	22,642	166.7	1.12	96.0	0.68
Oral Cavity & Pharynx	593	5.0	0.21	3.0	0.12	289	2.1	0.13	1.2	0.08
Digestive System	8,282	71.0	0.78	40.2	0.45	6,119	44.4	0.57	24.7	0.34
Esophagus	1,085	9.2	0.28	5.3	0.16	350	2.6	0.14	1.5	0.08
Stomach	676	5.8	0.23	3.3	0.13	423	3.1	0.15	1.8	0.10
Colon & Rectum	3,133	27.3	0.49	14.9	0.27	2,747	19.7	0.38	10.7	0.22
Liver	1,045	8.7	0.27	5.3	0.17	331	2.5	0.14	1.4	0.09
Pancreas	1,584	13.5	0.34	7.7	0.20	1,438	10.5	0.28	5.8	0.16
Respiratory System	6,265	53.4	0.68	29.8	0.38	5,833	43.1	0.57	24.7	0.34
Larynx	170	1.4	0.11	0.8	0.06	37	0.3	0.05	0.2	0.03
Lung & bronchus	6,035	51.4	0.67	28.6	0.37	5,763	42.6	0.56	24.4	0.33
Skin	682	6.0	0.23	3.3	0.13	345	2.5	0.14	1.4	0.09
Melanomas of the skin	442	3.8	0.18	2.3	0.11	236	1.8	0.12	1.1	0.08
Breast	35	0.3	0.05	0.2	0.03	3,171	23.9	0.43	14.6	0.27
Female Genital System	-	-	-	-	-	2,235	16.8	0.36	10.1	0.23
Cervix uteri	-	-	-	-	-	243	1.9	0.12	1.4	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	605	4.5	0.19	2.7	0.12
Ovary	-	-	-	-	-	1,220	9.1	0.26	5.4	0.16
Male Genital System	2,836	25.9	0.49	12.1	0.23	-	-	-	-	-
Prostate	2,782	25.4	0.49	11.8	0.23	-	-	-	-	-
Testis	21	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,882	16.6	0.38	8.6	0.20	784	5.5	0.20	2.9	0.11
Bladder	1,104	9.9	0.30	4.9	0.15	403	2.8	0.14	1.4	0.08
Kidney & renal pelvis	716	6.1	0.23	3.5	0.13	342	2.5	0.13	1.3	0.08
Brain & Other Nervous System	834	7.1	0.25	4.8	0.18	600	4.7	0.19	3.2	0.15
Endocrine System	111	1.0	0.09	0.6	0.07	108	0.8	0.08	0.5	0.06
Thyroid gland	64	0.5	0.07	0.3	0.04	68	0.5	0.06	0.3	0.03
Lymphomas	1,039	9.0	0.28	5.0	0.16	746	5.3	0.20	2.9	0.11
Hodgkin Lymphoma	46	0.4	0.06	0.3	0.05	27	0.2	0.04	0.2	0.04
Non-Hodgkin Lymphoma	993	8.7	0.28	4.7	0.15	719	5.1	0.19	2.7	0.11
Multiple Myeloma	490	4.2	0.19	2.3	0.11	391	2.8	0.14	1.6	0.08
Leukemias	985	8.6	0.28	4.8	0.16	710	5.2	0.20	3.0	0.13
Other, Ill-defined & Unknown	1,539	13.5	0.35	7.4	0.20	1,311	9.4	0.26	5.2	0.16

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Manitoba, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,089	258.3	3.08	141.7	1.72	6,627	188.9	2.36	108.8	1.45
Oral Cavity & Pharynx	122	4.2	0.39	2.6	0.23	66	1.9	0.24	1.1	0.15
Digestive System	2,126	76.6	1.67	43.1	0.95	1,685	46.9	1.17	25.9	0.69
Esophagus	255	9.0	0.57	5.3	0.34	62	1.8	0.23	1.0	0.13
Stomach	192	6.9	0.50	3.9	0.28	130	3.6	0.32	2.0	0.19
Colon & Rectum	897	32.6	1.09	18.0	0.61	782	21.3	0.78	11.6	0.46
Liver	185	6.6	0.49	3.8	0.28	76	2.2	0.26	1.3	0.16
Pancreas	400	14.3	0.72	8.1	0.41	410	11.6	0.58	6.4	0.34
Respiratory System	1,718	61.8	1.50	34.6	0.85	1,664	48.3	1.20	27.8	0.72
Larynx	28	1.0	0.20	0.5	0.11	-	-	-	-	-
Lung & bronchus	1,667	60.0	1.48	33.6	0.83	1,647	47.8	1.19	27.6	0.72
Skin	141	5.1	0.43	2.9	0.25	84	2.3	0.26	1.3	0.16
Melanomas of the skin	107	3.8	0.37	2.3	0.22	58	1.7	0.22	1.0	0.15
Breast	-	-	-	-	-	934	27.1	0.90	16.2	0.58
Female Genital System	-	-	-	-	-	625	18.6	0.75	11.4	0.49
Cervix uteri	-	-	-	-	-	75	2.4	0.28	1.7	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	187	5.4	0.40	3.1	0.24
Ovary	-	-	-	-	-	296	8.8	0.52	5.4	0.33
Male Genital System	852	33.0	1.14	15.2	0.53	-	-	-	-	-
Prostate	837	32.5	1.13	14.8	0.52	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	514	18.9	0.84	10.1	0.45	258	7.0	0.44	3.8	0.26
Bladder	238	9.0	0.58	4.5	0.29	124	3.2	0.29	1.6	0.16
Kidney & renal pelvis	261	9.4	0.58	5.3	0.34	126	3.6	0.32	2.0	0.20
Brain & Other Nervous System	156	5.3	0.43	3.7	0.30	134	4.2	0.36	2.9	0.27
Endocrine System	25	0.8	0.17	0.6	0.13	37	1.0	0.17	0.5	0.10
Thyroid gland	18	0.6	0.15	0.4	0.10	28	0.8	0.15	0.4	0.08
Lymphomas	272	9.9	0.60	5.5	0.34	233	6.3	0.42	3.4	0.24
Hodgkin Lymphoma	10	0.4	0.11	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	262	9.5	0.59	5.3	0.33	-	-	-	-	-
Multiple Myeloma	163	5.9	0.47	3.2	0.26	117	3.2	0.30	1.8	0.17
Leukemias	317	11.8	0.66	6.3	0.36	202	5.4	0.39	3.1	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	588	16.6	0.70	9.7	0.44

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Brunswick, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,080	263.1	3.76	144.6	2.07	4,350	178.3	2.73	103.0	1.69
Oral Cavity & Pharynx	95	4.7	0.49	2.9	0.30	44	1.8	0.27	1.0	0.18
Digestive System	1,444	73.4	1.96	41.4	1.11	1,082	43.5	1.33	24.0	0.79
Esophagus	203	9.9	0.71	6.0	0.43	56	2.3	0.31	1.4	0.20
Stomach	131	6.8	0.60	3.8	0.34	85	3.5	0.38	2.1	0.24
Colon & Rectum	589	30.6	1.28	16.6	0.69	500	19.8	0.90	10.6	0.52
Liver	104	5.1	0.50	2.9	0.29	34	1.4	0.24	0.8	0.14
Pancreas	301	15.2	0.89	8.7	0.51	273	11.0	0.67	6.1	0.39
Respiratory System	1,579	79.9	2.04	44.2	1.12	1,119	46.3	1.39	26.9	0.84
Larynx	35	1.8	0.31	1.0	0.17	-	-	-	-	-
Lung & bronchus	1,531	77.3	2.01	42.8	1.10	1,111	45.9	1.39	26.7	0.83
Skin	83	4.3	0.48	2.4	0.27	73	3.0	0.36	1.7	0.23
Melanomas of the skin	62	3.1	0.40	1.8	0.24	52	2.2	0.31	1.4	0.21
Breast	-	-	-	-	-	578	24.1	1.01	14.1	0.64
Female Genital System	-	-	-	-	-	428	17.9	0.88	10.8	0.56
Cervix uteri	-	-	-	-	-	48	2.2	0.32	1.6	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	121	5.0	0.46	3.0	0.29
Ovary	-	-	-	-	-	219	9.1	0.62	5.3	0.38
Male Genital System	481	27.7	1.29	12.6	0.58	-	-	-	-	-
Prostate	471	27.3	1.28	12.3	0.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	365	19.1	1.02	10.4	0.56	183	7.2	0.53	3.8	0.30
Bladder	178	9.9	0.75	4.9	0.37	69	2.6	0.32	1.3	0.17
Kidney & renal pelvis	173	8.5	0.65	5.1	0.40	103	4.1	0.41	2.3	0.24
Brain & Other Nervous System	125	6.3	0.57	4.2	0.40	101	4.4	0.44	2.9	0.32
Endocrine System	18	0.9	0.22	0.6	0.17	23	1.0	0.21	0.7	0.17
Thyroid gland	14	0.7	0.19	0.4	0.11	15	0.6	0.16	0.4	0.10
Lymphomas	189	10.0	0.73	5.6	0.42	165	6.7	0.53	3.8	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	92	4.8	0.51	2.5	0.27	82	3.2	0.36	1.8	0.21
Leukemias	182	9.4	0.71	5.4	0.42	142	5.9	0.50	3.7	0.36
Other, Ill-defined & Unknown	-	-	-	-	-	330	13.4	0.75	7.8	0.49

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Newfoundland and Labrador, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,781	288.0	4.87	158.4	2.62	3,259	205.1	3.61	118.7	2.19
Oral Cavity & Pharynx	70	5.1	0.63	3.0	0.37	17	1.1	0.26	0.6	0.14
Digestive System	1,225	91.3	2.71	51.2	1.48	945	59.4	1.94	33.1	1.13
Esophagus	120	8.9	0.84	5.1	0.47	29	1.8	0.34	1.0	0.19
Stomach	177	13.2	1.03	7.4	0.56	106	6.7	0.65	3.8	0.39
Colon & Rectum	579	43.7	1.89	24.2	1.02	508	32.0	1.42	18.0	0.84
Liver	84	6.1	0.70	3.5	0.39	35	2.2	0.37	1.2	0.21
Pancreas	176	12.6	0.98	7.2	0.55	155	9.7	0.78	5.2	0.44
Respiratory System	1,136	83.4	2.57	46.3	1.38	704	43.6	1.65	25.8	0.99
Larynx	43	3.3	0.53	1.8	0.27	-	-	-	-	-
Lung & bronchus	1,089	79.8	2.51	44.4	1.35	699	43.3	1.64	25.6	0.99
Skin	53	4.0	0.57	2.3	0.33	-	-	-	-	-
Melanomas of the skin	39	2.9	0.47	1.8	0.29	26	1.7	0.33	1.1	0.22
Breast	-	-	-	-	-	462	29.4	1.37	17.3	0.85
Female Genital System	-	-	-	-	-	323	20.7	1.16	12.8	0.76
Cervix uteri	-	-	-	-	-	55	3.7	0.51	2.7	0.39
Corpus & uterus, NOS ¹	-	-	-	-	-	80	5.0	0.56	2.9	0.34
Ovary	-	-	-	-	-	149	9.5	0.78	5.8	0.50
Male Genital System	386	34.3	1.82	15.9	0.81	-	-	-	-	-
Prostate	372	33.2	1.79	15.3	0.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	234	18.4	1.26	9.7	0.63	138	8.7	0.74	4.6	0.41
Bladder	107	9.3	0.94	4.5	0.43	40	2.5	0.39	1.2	0.19
Kidney & renal pelvis	117	8.4	0.79	4.8	0.45	93	5.9	0.61	3.3	0.35
Brain & Other Nervous System	108	7.6	0.74	5.4	0.55	76	4.9	0.56	3.3	0.42
Endocrine System	18	1.3	0.30	0.9	0.22	16	1.0	0.26	0.7	0.22
Thyroid gland	10	0.7	0.23	0.4	0.13	10	0.6	0.19	0.3	0.11
Lymphomas	123	9.6	0.90	5.4	0.50	106	6.6	0.65	3.8	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	52	3.9	0.56	2.1	0.30	55	3.5	0.48	1.8	0.25
Leukemias	101	7.9	0.82	4.3	0.44	94	6.0	0.63	3.7	0.43
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Northwest Territories, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	150	268.6	24.89	155.2	13.34	126	232.8	22.10	132.5	12.13
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	49	80.6	13.27	47.3	7.17	33	61.4	11.40	35.0	6.26
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	21	39.8	10.13	21.5	5.00	15	29.9	8.16	16.7	4.41
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	49	93.7	14.90	53.3	7.95	36	69.3	12.07	40.0	6.81
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	48	92.2	14.83	52.3	7.89	35	66.5	11.72	38.7	6.69
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	20	35.1	8.53	20.4	4.69
Female Genital System	-	-	-	-	-	10	15.6	5.27	9.8	3.18
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	12	30.2	9.30	15.3	4.51	-	-	-	-	-
Prostate	12	30.2	9.30	15.3	4.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	18.8	7.07	10.2	3.44	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	13	22.1	6.74	13.6	3.92	11	22.0	7.07	11.6	3.57

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nova Scotia, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,850	287.2	3.53	158.6	1.96	6,290	205.5	2.62	118.7	1.61
Oral Cavity & Pharynx	125	5.0	0.46	2.9	0.27	51	1.6	0.23	0.8	0.12
Digestive System	2,035	84.4	1.90	47.6	1.08	1,593	51.0	1.29	28.2	0.76
Esophagus	284	11.4	0.68	6.8	0.41	95	3.1	0.32	1.8	0.19
Stomach	160	6.7	0.54	3.8	0.31	75	2.4	0.27	1.2	0.15
Colon & Rectum	945	39.9	1.32	21.8	0.72	799	25.3	0.90	13.7	0.52
Liver	150	5.9	0.49	3.7	0.31	58	1.9	0.25	1.1	0.16
Pancreas	349	14.3	0.78	8.2	0.44	356	11.6	0.62	6.6	0.37
Respiratory System	2,046	82.7	1.86	46.4	1.03	1,717	56.5	1.37	32.9	0.83
Larynx	61	2.5	0.33	1.4	0.18	13	0.4	0.12	0.2	0.06
Lung & bronchus	1,963	79.2	1.82	44.6	1.01	1,695	55.8	1.36	32.5	0.82
Skin	171	7.4	0.58	4.1	0.32	105	3.4	0.34	2.0	0.22
Melanomas of the skin	119	5.0	0.47	2.9	0.28	81	2.7	0.31	1.7	0.21
Breast	12	0.5	0.15	0.3	0.08	831	27.7	0.97	16.6	0.62
Female Genital System	-	-	-	-	-	634	21.1	0.85	12.8	0.54
Cervix uteri	-	-	-	-	-	71	2.6	0.31	1.9	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	192	6.3	0.46	3.7	0.28
Ovary	-	-	-	-	-	322	10.7	0.60	6.3	0.37
Male Genital System	654	30.3	1.21	14.1	0.56	-	-	-	-	-
Prostate	641	29.8	1.20	13.7	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	480	20.6	0.96	10.8	0.50	220	7.0	0.47	3.7	0.27
Bladder	244	10.9	0.71	5.3	0.34	88	2.7	0.29	1.4	0.16
Kidney & renal pelvis	217	8.8	0.61	5.1	0.35	121	3.9	0.36	2.2	0.21
Brain & Other Nervous System	169	6.8	0.53	4.8	0.39	119	4.2	0.39	2.9	0.29
Endocrine System	27	1.2	0.23	0.8	0.18	34	1.2	0.20	0.8	0.16
Thyroid gland	17	0.7	0.18	0.4	0.11	22	0.7	0.15	0.4	0.09
Lymphomas	276	11.8	0.73	6.5	0.40	222	7.2	0.48	4.0	0.29
Hodgkin Lymphoma	12	0.5	0.15	0.3	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	264	11.3	0.71	6.2	0.39	-	-	-	-	-
Multiple Myeloma	122	5.1	0.47	2.8	0.25	90	2.9	0.31	1.6	0.18
Leukemias	245	10.5	0.68	6.2	0.42	184	5.9	0.44	3.4	0.29
Other, Ill-defined & Unknown	488	20.8	0.96	11.3	0.53	490	15.9	0.73	9.0	0.45

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nunavut, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	113	430.8	53.98	245.3	26.07	87	403.4	55.14	222.6	26.38
Oral Cavity & Pharynx	13	74.0	30.74	34.0	11.76	-	-	-	-	-
Digestive System	39	124.4	27.89	73.9	13.62	21	84.0	20.66	51.2	11.97
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	18	51.7	14.74	32.3	8.44	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	48	193.8	31.96	113.6	17.42	41	197.4	38.76	107.1	18.33
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	48	193.8	31.96	113.6	17.42	41	197.4	38.76	107.1	18.33
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ontario, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	72,346	236.8	0.89	129.9	0.49	65,913	169.7	0.67	97.8	0.41
Oral Cavity & Pharynx	1,818	5.7	0.13	3.4	0.08	731	1.9	0.07	1.1	0.04
Digestive System	21,797	70.6	0.48	39.5	0.27	16,824	42.6	0.33	23.4	0.19
Esophagus	2,809	8.9	0.17	5.2	0.10	875	2.2	0.08	1.2	0.04
Stomach	2,196	7.1	0.15	4.0	0.09	1,447	3.7	0.10	2.1	0.06
Colon & Rectum	8,336	27.5	0.30	14.8	0.16	7,276	18.2	0.22	9.8	0.12
Liver	2,240	7.1	0.15	4.2	0.09	799	2.0	0.07	1.1	0.04
Pancreas	4,226	13.5	0.21	7.7	0.12	4,188	10.7	0.17	5.9	0.10
Respiratory System	18,717	60.2	0.44	33.6	0.25	15,809	41.2	0.33	23.8	0.20
Larynx	546	1.8	0.08	1.0	0.04	118	0.3	0.03	0.2	0.02
Lung & bronchus	18,039	58.1	0.44	32.4	0.24	15,625	40.7	0.33	23.6	0.20
Skin	2,219	7.3	0.16	4.0	0.09	1,195	3.0	0.09	1.7	0.06
Melanomas of the skin	1,523	4.9	0.13	2.9	0.07	854	2.2	0.08	1.4	0.05
Breast	78	0.2	0.03	0.1	0.02	9,599	25.1	0.26	15.1	0.16
Female Genital System	-	-	-	-	-	6,728	17.7	0.22	10.7	0.14
Cervix uteri	-	-	-	-	-	806	2.2	0.08	1.6	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,063	5.4	0.12	3.2	0.07
Ovary	-	-	-	-	-	3,315	8.8	0.15	5.3	0.10
Male Genital System	7,442	26.1	0.31	12.2	0.14	-	-	-	-	-
Prostate	7,275	25.6	0.30	11.8	0.14	-	-	-	-	-
Testis	70	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	5,094	17.0	0.24	8.8	0.13	2,395	5.9	0.12	3.1	0.07
Bladder	2,815	9.6	0.18	4.7	0.09	1,118	2.7	0.08	1.4	0.04
Kidney & renal pelvis	1,904	6.2	0.14	3.5	0.08	1,066	2.7	0.08	1.5	0.05
Brain & Other Nervous System	2,234	6.9	0.15	4.7	0.10	1,753	4.7	0.11	3.2	0.08
Endocrine System	292	0.9	0.05	0.6	0.04	323	0.8	0.05	0.5	0.03
Thyroid gland	173	0.6	0.04	0.3	0.02	217	0.6	0.04	0.3	0.02
Lymphomas	3,068	10.0	0.18	5.6	0.10	2,480	6.3	0.13	3.5	0.08
Hodgkin Lymphoma	149	0.5	0.04	0.3	0.03	112	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,919	9.5	0.18	5.3	0.10	2,368	6.0	0.12	3.3	0.07
Multiple Myeloma	1,499	4.9	0.13	2.7	0.07	1,161	2.9	0.09	1.6	0.05
Leukemias	3,010	9.9	0.18	5.5	0.10	2,181	5.5	0.12	3.3	0.08
Other, Ill-defined & Unknown	5,078	16.8	0.24	9.1	0.13	4,734	11.9	0.17	6.6	0.11

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Prince Edward Island, 2011-2015, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	990	275.1	8.96	153.2	4.97	822	179.9	6.33	103.8	3.87
Oral Cavity & Pharynx	15	4.5	1.19	2.3	0.59	-	-	-	-	-
Digestive System	277	76.6	4.71	43.3	2.65	213	45.7	3.16	25.3	1.88
Esophagus	43	10.8	1.66	6.5	1.00	11	2.5	0.76	1.5	0.47
Stomach	22	6.3	1.36	3.8	0.84	13	2.7	0.77	1.5	0.44
Colon & Rectum	125	35.8	3.29	19.4	1.75	121	25.7	2.37	14.1	1.43
Liver	19	4.8	1.12	2.9	0.67	-	-	-	-	-
Pancreas	52	14.5	2.06	8.0	1.13	42	9.2	1.42	5.2	0.84
Respiratory System	311	83.3	4.83	47.0	2.69	224	49.4	3.32	29.4	2.03
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	303	81.1	4.76	45.8	2.65	223	49.2	3.31	29.2	2.03
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	16	4.3	1.09	2.8	0.74	13	3.2	0.91	2.4	0.75
Breast	-	-	-	-	-	96	21.4	2.20	12.7	1.40
Female Genital System	-	-	-	-	-	78	17.4	1.99	10.2	1.21
Cervix uteri	-	-	-	-	-	12	2.8	0.81	1.8	0.53
Corpus & uterus, NOS ¹	-	-	-	-	-	16	3.5	0.89	2.1	0.55
Ovary	-	-	-	-	-	44	9.8	1.49	5.6	0.89
Male Genital System	96	30.8	3.23	14.0	1.43	-	-	-	-	-
Prostate	92	29.6	3.16	13.3	1.39	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	65	18.1	2.30	9.7	1.21	31	6.3	1.14	3.3	0.65
Bladder	31	9.1	1.68	4.6	0.83	14	2.7	0.73	1.2	0.36
Kidney & renal pelvis	27	7.1	1.40	4.1	0.79	14	2.9	0.79	1.7	0.50
Brain & Other Nervous System	27	6.8	1.32	4.9	1.03	13	3.0	0.84	2.0	0.61
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	34	9.4	1.65	5.5	0.98	25	5.5	1.10	3.1	0.65
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	24	6.7	1.40	3.7	0.78	15	3.3	0.84	1.6	0.44
Leukemias	31	8.7	1.61	5.1	0.95	31	6.7	1.22	3.8	0.72
Other, Ill-defined & Unknown	-	-	-	-	-	68	14.7	1.80	8.1	1.06

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Quebec, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	53,454	274.5	1.21	150.2	0.66	48,566	193.9	0.89	112.0	0.55
Oral Cavity & Pharynx	1,111	5.5	0.17	3.2	0.10	512	2.0	0.09	1.2	0.06
Digestive System	15,418	78.6	0.64	43.5	0.35	12,508	48.4	0.44	26.3	0.25
Esophagus	1,421	7.0	0.19	4.0	0.11	468	1.8	0.09	1.0	0.05
Stomach	1,676	8.6	0.21	4.7	0.12	1,070	4.2	0.13	2.3	0.08
Colon & Rectum	6,561	33.9	0.43	18.4	0.23	5,758	22.1	0.29	11.8	0.17
Liver	1,344	6.7	0.18	3.8	0.11	517	2.0	0.09	1.1	0.05
Pancreas	2,883	14.4	0.27	8.1	0.15	2,857	11.2	0.21	6.2	0.12
Respiratory System	18,086	90.4	0.68	50.4	0.38	14,256	58.2	0.49	34.7	0.30
Larynx	572	2.9	0.12	1.6	0.07	149	0.6	0.05	0.4	0.03
Lung & bronchus	17,180	85.9	0.67	47.9	0.37	13,924	56.9	0.49	33.9	0.30
Skin	968	5.0	0.16	2.8	0.09	541	2.2	0.10	1.3	0.06
Melanomas of the skin	710	3.6	0.14	2.1	0.08	385	1.6	0.08	1.0	0.06
Breast	50	0.3	0.04	0.1	0.02	6,573	26.9	0.34	16.0	0.21
Female Genital System	-	-	-	-	-	4,188	17.1	0.27	10.3	0.17
Cervix uteri	-	-	-	-	-	440	2.0	0.09	1.4	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,232	4.9	0.14	2.9	0.09
Ovary	-	-	-	-	-	2,117	8.7	0.19	5.2	0.12
Male Genital System	4,388	25.1	0.39	11.6	0.18	-	-	-	-	-
Prostate	4,252	24.3	0.38	11.1	0.17	-	-	-	-	-
Testis	53	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	3,575	19.0	0.32	9.8	0.17	1,750	6.7	0.16	3.6	0.09
Bladder	1,933	10.6	0.25	5.2	0.12	791	3.0	0.11	1.5	0.06
Kidney & renal pelvis	1,373	7.0	0.19	3.9	0.11	799	3.1	0.11	1.7	0.07
Brain & Other Nervous System	1,578	7.6	0.19	5.1	0.14	1,274	5.4	0.15	3.6	0.11
Endocrine System	197	1.0	0.07	0.6	0.05	233	1.0	0.06	0.6	0.04
Thyroid gland	97	0.5	0.05	0.3	0.03	146	0.6	0.05	0.3	0.03
Lymphomas	1,926	10.0	0.23	5.5	0.13	1,596	6.2	0.16	3.5	0.09
Hodgkin Lymphoma	86	0.4	0.05	0.3	0.03	67	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,840	9.5	0.23	5.2	0.12	1,529	6.0	0.15	3.3	0.09
Multiple Myeloma	983	5.1	0.16	2.7	0.09	800	3.1	0.11	1.7	0.06
Leukemias	1,915	9.9	0.23	5.5	0.13	1,456	5.7	0.15	3.3	0.10
Other, Ill-defined & Unknown	3,259	17.2	0.31	9.3	0.17	2,879	11.1	0.21	6.2	0.13

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Saskatchewan, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,028	242.1	3.12	133.6	1.77	5,465	178.4	2.47	103.9	1.54
Oral Cavity & Pharynx	93	3.7	0.38	2.3	0.24	55	1.7	0.24	0.9	0.14
Digestive System	1,736	69.4	1.67	38.9	0.96	1,319	41.7	1.18	23.3	0.71
Esophagus	245	9.7	0.62	5.7	0.37	63	2.1	0.27	1.2	0.17
Stomach	133	5.3	0.46	2.9	0.26	91	2.8	0.30	1.6	0.19
Colon & Rectum	752	30.2	1.10	16.6	0.62	650	20.2	0.82	11.1	0.49
Liver	123	4.8	0.44	2.9	0.27	59	1.9	0.25	1.1	0.15
Pancreas	356	14.2	0.76	8.0	0.44	320	10.3	0.59	5.8	0.36
Respiratory System	1,534	61.3	1.57	35.0	0.91	1,417	48.0	1.29	28.4	0.79
Larynx	39	1.5	0.25	0.9	0.14	10	0.3	0.10	0.2	0.06
Lung & bronchus	1,481	59.2	1.54	33.8	0.89	1,398	47.5	1.29	28.0	0.79
Skin	111	4.4	0.42	2.6	0.25	72	2.3	0.28	1.3	0.18
Melanomas of the skin	90	3.5	0.37	2.2	0.23	58	1.9	0.26	1.2	0.18
Breast	12	0.5	0.14	0.3	0.08	804	26.4	0.96	15.7	0.61
Female Genital System	-	-	-	-	-	544	18.5	0.81	11.5	0.54
Cervix uteri	-	-	-	-	-	96	3.5	0.37	2.6	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	136	4.5	0.39	2.5	0.24
Ovary	-	-	-	-	-	275	9.4	0.58	5.7	0.37
Male Genital System	883	36.3	1.22	17.1	0.59	-	-	-	-	-
Prostate	863	35.5	1.21	16.5	0.58	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	437	17.6	0.84	9.4	0.46	195	6.2	0.45	3.4	0.27
Bladder	220	9.0	0.61	4.4	0.30	90	2.8	0.30	1.5	0.18
Kidney & renal pelvis	204	8.1	0.57	4.7	0.34	98	3.1	0.32	1.8	0.20
Brain & Other Nervous System	142	5.5	0.46	3.8	0.33	118	4.1	0.39	2.8	0.28
Endocrine System	23	0.9	0.19	0.5	0.11	31	1.0	0.18	0.7	0.15
Thyroid gland	12	0.5	0.14	0.2	0.07	13	0.4	0.11	0.2	0.06
Lymphomas	240	9.7	0.62	5.6	0.37	188	5.8	0.43	3.1	0.25
Hodgkin Lymphoma	12	0.5	0.14	0.3	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	228	9.2	0.61	5.2	0.36	-	-	-	-	-
Multiple Myeloma	108	4.4	0.42	2.4	0.23	104	3.4	0.34	1.9	0.20
Leukemias	255	10.3	0.65	5.6	0.37	173	5.3	0.41	3.1	0.27
Other, Ill-defined & Unknown	454	18.2	0.86	10.2	0.49	445	14.0	0.68	7.8	0.42

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Yukon, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	184	309.2	26.35	163.3	12.59	139	211.3	18.87	120.7	10.45
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	63	104.4	15.16	55.8	7.35	34	52.6	9.51	29.9	5.23
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	23	40.8	9.99	21.0	4.59	16	25.6	6.71	14.5	3.71
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	11	18.8	6.39	10.1	3.15	-	-	-	-	-
Respiratory System	51	83.0	13.22	44.6	6.53	35	55.2	9.67	32.3	5.57
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	51	83.0	13.22	44.6	6.53	34	52.7	9.34	31.5	5.50
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	19	27.8	6.76	15.9	3.73
Female Genital System	-	-	-	-	-	10	13.7	4.53	8.3	2.70
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	24	47.1	11.23	22.6	4.83	-	-	-	-	-
Prostate	23	46.1	11.19	22.0	4.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	14	21.8	6.80	11.7	3.30	20	33.6	7.94	17.2	3.91

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified



Section IV

Cancer Mortality for the United States and Canada



**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,540,539	196.8	0.16	131.3	0.11	1,391,230	139.6	0.12	96.4	0.09
Oral Cavity & Pharynx	32,263	3.9	0.02	2.8	0.02	13,326	1.3	0.01	0.9	0.01
Digestive System	426,716	53.0	0.08	36.8	0.06	320,106	31.7	0.06	21.2	0.04
Esophagus	59,082	7.2	0.03	5.1	0.02	14,848	1.5	0.01	1.0	0.01
Stomach	33,487	4.3	0.02	2.9	0.02	22,641	2.3	0.02	1.6	0.01
Colon & Rectum	135,542	17.3	0.05	11.7	0.03	123,617	12.2	0.04	8.1	0.02
Liver	66,341	7.7	0.03	5.8	0.02	24,733	2.4	0.02	1.7	0.01
Pancreas	100,599	12.6	0.04	8.6	0.03	96,571	9.5	0.03	6.3	0.02
Respiratory System	445,536	56.0	0.09	37.9	0.06	357,642	35.9	0.06	24.7	0.04
Larynx	14,897	1.8	0.02	1.3	0.01	3,746	0.4	0.01	0.3	0.00
Lung & bronchus	427,587	53.8	0.08	36.4	0.06	352,209	35.4	0.06	24.4	0.04
Skin	43,027	5.6	0.03	3.7	0.02	20,543	2.1	0.01	1.4	0.01
Melanomas of the skin	30,225	3.9	0.02	2.6	0.02	15,757	1.6	0.01	1.2	0.01
Breast	2,240	0.3	0.01	0.2	0.00	205,675	20.9	0.05	15.2	0.04
Female Genital System	-	-	-	-	-	148,985	15.1	0.04	11.0	0.03
Cervix uteri	-	-	-	-	-	20,673	2.3	0.02	1.9	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	46,700	4.6	0.02	3.3	0.02
Ovary	-	-	-	-	-	71,141	7.2	0.03	5.1	0.02
Male Genital System	143,694	20.0	0.05	11.3	0.03	-	-	-	-	-
Prostate	140,086	19.5	0.05	10.9	0.03	-	-	-	-	-
Testis	1,934	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	103,168	13.6	0.04	8.5	0.03	48,398	4.7	0.02	3.0	0.01
Bladder	55,652	7.6	0.03	4.4	0.02	22,393	2.2	0.01	1.3	0.01
Kidney & renal pelvis	45,076	5.6	0.03	3.9	0.02	24,272	2.4	0.02	1.6	0.01
Brain & Other Nervous System	43,423	5.3	0.03	4.1	0.02	33,952	3.6	0.02	2.8	0.02
Endocrine System	6,622	0.8	0.01	0.6	0.01	7,284	0.7	0.01	0.5	0.01
Thyroid gland	4,081	0.5	0.01	0.4	0.01	4,932	0.5	0.01	0.3	0.00
Lymphomas	59,649	7.9	0.03	5.1	0.02	47,295	4.7	0.02	3.0	0.01
Hodgkin Lymphoma	3,247	0.4	0.01	0.3	0.01	2,338	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	56,402	7.4	0.03	4.8	0.02	44,957	4.5	0.02	2.8	0.01
Multiple Myeloma	32,222	4.2	0.02	2.7	0.02	27,154	2.7	0.02	1.7	0.01
Leukemias	67,201	9.0	0.04	5.8	0.02	49,262	5.0	0.02	3.3	0.02
Other, Ill-defined & Unknown	134,778	17.3	0.05	11.6	0.03	111,608	11.1	0.03	7.5	0.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,540,539	232.0	0.19	131.3	0.11	1,391,230	164.1	0.14	96.4	0.09
Oral Cavity & Pharynx	32,263	4.7	0.03	2.8	0.02	13,326	1.6	0.01	0.9	0.01
Digestive System	426,716	63.3	0.10	36.8	0.06	320,106	37.4	0.07	21.2	0.04
Esophagus	59,082	8.6	0.04	5.1	0.02	14,848	1.7	0.01	1.0	0.01
Stomach	33,487	5.0	0.03	2.9	0.02	22,641	2.7	0.02	1.6	0.01
Colon & Rectum	135,542	20.4	0.06	11.7	0.03	123,617	14.3	0.04	8.1	0.02
Liver	66,341	9.5	0.04	5.8	0.02	24,733	2.9	0.02	1.7	0.01
Pancreas	100,599	15.0	0.05	8.6	0.03	96,571	11.3	0.04	6.3	0.02
Respiratory System	445,536	66.3	0.10	37.9	0.06	357,642	42.4	0.07	24.7	0.04
Larynx	14,897	2.2	0.02	1.3	0.01	3,746	0.5	0.01	0.3	0.00
Lung & bronchus	427,587	63.6	0.10	36.4	0.06	352,209	41.8	0.07	24.4	0.04
Skin	43,027	6.5	0.03	3.7	0.02	20,543	2.4	0.02	1.4	0.01
Melanomas of the skin	30,225	4.5	0.03	2.6	0.02	15,757	1.9	0.02	1.2	0.01
Breast	2,240	0.3	0.01	0.2	0.00	205,675	24.7	0.05	15.2	0.04
Female Genital System	-	-	-	-	-	148,985	17.9	0.05	11.0	0.03
Cervix uteri	-	-	-	-	-	20,673	2.6	0.02	1.9	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	46,700	5.6	0.03	3.3	0.02
Ovary	-	-	-	-	-	71,141	8.5	0.03	5.1	0.02
Male Genital System	143,694	23.2	0.06	11.3	0.03	-	-	-	-	-
Prostate	140,086	22.7	0.06	10.9	0.03	-	-	-	-	-
Testis	1,934	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	103,168	15.9	0.05	8.5	0.03	48,398	5.5	0.03	3.0	0.01
Bladder	55,652	8.9	0.04	4.4	0.02	22,393	2.5	0.02	1.3	0.01
Kidney & renal pelvis	45,076	6.7	0.03	3.9	0.02	24,272	2.8	0.02	1.6	0.01
Brain & Other Nervous System	43,423	6.2	0.03	4.1	0.02	33,952	4.1	0.02	2.8	0.02
Endocrine System	6,622	1.0	0.01	0.6	0.01	7,284	0.9	0.01	0.5	0.01
Thyroid gland	4,081	0.6	0.01	0.4	0.01	4,932	0.6	0.01	0.3	0.00
Lymphomas	59,649	9.1	0.04	5.1	0.02	47,295	5.4	0.03	3.0	0.01
Hodgkin Lymphoma	3,247	0.5	0.01	0.3	0.01	2,338	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	56,402	8.6	0.04	4.8	0.02	44,957	5.2	0.02	2.8	0.01
Multiple Myeloma	32,222	4.9	0.03	2.7	0.02	27,154	3.2	0.02	1.7	0.01
Leukemias	67,201	10.3	0.04	5.8	0.02	49,262	5.7	0.03	3.3	0.02
Other, Ill-defined & Unknown	134,778	20.3	0.06	11.6	0.03	111,608	13.0	0.04	7.5	0.02

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,540,539	196.8	135,542	17.3	427,587	53.8	140,086	19.5	55,652	7.6	56,402	7.4
New England	74,283	192.2	5,663	14.7	19,752	50.6	6,854	18.8	3,197	8.6	2,660	7.1
Connecticut	16,853	178.4	1,282	13.5	4,176	43.9	1,621	18.0	786	8.6	655	7.1
Maine	8,606	211.8	613	15.4	2,637	63.3	735	19.6	386	9.9	302	7.8
Massachusetts	32,429	191.3	2,551	15.1	8,412	49.5	3,014	18.8	1,318	8.1	1,130	6.9
New Hampshire	7,094	196.3	489	13.6	1,941	52.6	645	19.8	295	8.7	244	7.0
Rhode Island	5,751	206.6	447	16.2	1,637	58.7	519	19.1	257	9.4	-	-
Vermont	3,550	197.8	281	15.6	949	51.3	320	19.4	155	9.3	-	-
Middle Atlantic	203,719	192.0	18,400	17.4	53,961	50.4	18,885	18.8	8,140	8.0	7,795	7.5
New Jersey	40,856	186.2	3,959	17.9	10,138	45.9	3,819	18.5	1,737	8.3	1,544	7.3
New York	88,634	183.5	7,917	16.4	23,124	47.5	8,457	18.7	3,450	7.5	3,394	7.2
Pennsylvania	74,229	207.1	6,524	18.4	20,699	57.1	6,609	19.2	2,953	8.5	2,857	8.1
South Atlantic	321,402	198.3	27,595	17.0	94,684	57.2	28,879	19.3	11,494	7.6	-	-
Delaware	5,009	201.8	398	16.1	1,499	59.4	417	18.1	180	7.9	187	7.7
District of Columbia	2,606	205.0	238	18.3	607	47.2	369	32.3	62	5.2	-	-
Florida	115,622	185.8	9,823	15.9	32,938	52.1	10,653	17.1	4,557	7.3	4,266	7.0
Georgia	43,555	209.2	4,051	19.3	13,280	62.2	3,925	22.5	1,454	8.0	1,414	7.1
Maryland	26,777	193.9	2,387	17.1	6,984	50.0	2,520	20.1	1,095	8.6	957	7.1
North Carolina	50,183	210.6	4,057	17.0	15,931	65.0	4,332	20.7	1,618	7.4	1,658	7.3
South Carolina	26,652	218.6	2,207	18.0	8,232	64.9	2,384	22.5	798	7.3	813	7.0
Virginia	38,086	197.9	3,248	16.7	10,902	55.3	3,405	20.2	1,321	7.6	1,348	7.3
West Virginia	12,912	233.5	1,186	21.7	4,311	75.7	874	17.6	409	7.8	425	7.8
East North Central	247,760	209.5	21,540	18.3	72,519	60.2	21,683	20.0	9,169	8.2	9,376	8.2
Illinois	62,621	206.0	5,767	18.9	17,657	57.4	5,712	20.5	2,173	7.6	2,267	7.7
Indiana	35,525	221.5	3,050	19.0	11,164	68.4	2,942	20.4	1,278	8.6	1,300	8.3
Michigan	53,726	205.4	4,500	17.3	15,635	58.6	4,579	19.0	1,992	8.1	2,188	8.7
Ohio	65,758	216.0	5,791	19.2	20,067	64.6	5,471	19.5	2,554	8.8	2,465	8.3
Wisconsin	30,130	198.3	2,432	16.1	7,996	51.7	2,979	21.2	1,172	8.1	1,156	8.0
East South Central	111,218	237.4	9,624	20.6	37,720	78.3	8,700	21.3	3,198	7.5	3,533	7.9
Alabama	28,408	231.5	2,475	20.1	9,335	73.7	2,437	22.7	843	7.5	851	7.3
Kentucky	27,149	245.8	2,280	20.7	9,861	86.7	1,833	19.5	785	7.9	922	8.7
Mississippi	17,862	249.8	1,682	23.3	5,871	80.3	1,588	25.2	431	6.6	487	7.3
Tennessee	37,799	230.7	3,187	19.7	12,653	75.1	2,842	19.9	1,139	7.6	1,273	8.2

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	107,582	199.4	9,341	17.4	30,824	56.4	9,673	19.1	3,724	7.2	4,094	7.8
Iowa	17,228	204.3	1,510	18.2	4,959	58.0	1,591	19.5	620	7.5	719	8.7
Kansas	14,384	198.2	1,297	17.9	4,099	55.9	1,287	18.8	523	7.6	528	7.4
Minnesota	25,100	184.8	2,002	14.8	6,303	45.8	2,515	19.9	915	7.1	1,097	8.4
Missouri	33,809	213.9	2,911	18.7	10,839	67.3	2,607	18.0	1,077	7.3	1,113	7.3
Nebraska	9,172	194.9	867	18.4	2,470	52.5	907	20.3	310	6.8	342	7.4
North Dakota	3,495	186.7	317	17.0	940	50.6	358	19.4	125	6.7	-	-
South Dakota	4,394	192.4	437	19.3	1,214	52.8	408	18.7	154	6.9	-	-
West South Central	168,341	204.2	15,898	19.0	47,926	57.6	13,790	19.1	5,119	6.9	5,890	7.4
Arkansas	18,289	234.2	1,647	21.2	6,316	78.5	1,414	20.0	596	8.2	560	7.4
Louisiana	25,422	233.6	2,342	21.3	7,830	70.6	2,059	21.6	681	6.9	904	8.7
Oklahoma	21,706	225.3	2,012	20.9	6,863	70.0	1,798	20.5	737	8.2	763	8.2
Texas	102,924	190.5	9,897	17.9	26,917	49.8	8,519	18.1	3,105	6.4	3,663	7.1
Mountain	81,794	168.2	7,352	15.1	18,406	37.4	8,765	19.7	3,229	7.1	3,130	6.6
Arizona	30,324	170.6	2,678	15.2	7,508	41.5	3,000	17.8	1,230	7.2	1,129	6.5
Colorado	19,071	163.8	1,693	14.3	3,984	34.0	2,175	21.4	741	6.8	726	6.5
Idaho	7,337	183.5	636	15.7	1,708	41.9	860	23.6	274	7.3	310	8.0
Montana	5,409	181.0	491	16.3	1,384	45.7	562	20.2	238	8.4	-	-
New Mexico	9,306	173.1	909	16.8	1,959	36.3	992	20.3	341	6.8	329	6.1
Utah	7,837	148.9	693	13.0	1,275	23.9	962	20.4	305	6.4	340	6.7
Wyoming	2,510	170.6	252	16.9	588	39.8	214	16.3	100	7.3	-	-
Pacific	224,440	178.3	20,129	15.8	51,795	41.3	22,857	19.7	8,382	7.1	-	-
Alaska	2,660	196.0	235	17.4	719	53.0	201	18.5	65	5.4	-	-
California	149,843	174.1	13,639	15.6	32,642	38.3	15,719	19.7	5,515	6.8	5,901	7.0
Hawaii	6,433	164.4	657	16.7	1,561	39.8	525	13.7	182	4.8	256	6.7
Nevada	12,913	188.8	1,352	19.6	3,542	51.1	1,220	20.5	515	8.3	436	6.5
Oregon	20,651	193.1	1,698	16.1	5,213	48.3	2,102	21.1	804	8.0	798	7.7
Washington	31,940	187.8	2,548	14.8	8,118	47.4	3,090	20.1	1,301	8.3	1,294	7.9

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,540,539	131.3	135,542	11.7	427,587	36.4	140,086	10.9	55,652	4.4	56,402	4.8
New England	74,283	125.9	5,663	9.6	19,752	33.7	6,854	10.4	3,197	5.0	2,660	4.5
Connecticut	16,853	116.8	1,282	8.9	4,176	29.2	1,621	9.9	786	5.0	655	4.5
Maine	8,606	139.6	613	10.1	2,637	42.7	735	10.7	386	5.8	302	4.9
Massachusetts	32,429	125.2	2,551	9.8	8,412	32.7	3,014	10.4	1,318	4.7	1,130	4.3
New Hampshire	7,094	128.4	489	8.9	1,941	34.9	645	10.9	295	5.1	244	4.4
Rhode Island	5,751	135.4	447	10.6	1,637	39.1	519	10.5	257	5.6	-	-
Vermont	3,550	131.1	281	10.5	949	34.8	320	10.8	155	5.4	-	-
Middle Atlantic	203,719	127.0	18,400	11.5	53,961	33.8	18,885	10.5	8,140	4.7	7,795	4.8
New Jersey	40,856	121.8	3,959	11.8	10,138	30.4	3,819	10.3	1,737	4.8	1,544	4.6
New York	88,634	121.5	7,917	10.9	23,124	31.9	8,457	10.4	3,450	4.3	3,394	4.7
Pennsylvania	74,229	137.7	6,524	12.2	20,699	38.5	6,609	10.7	2,953	5.0	2,857	5.2
South Atlantic	321,402	133.8	27,595	11.7	94,684	39.2	28,879	10.9	11,494	4.5	-	-
Delaware	5,009	134.0	398	10.9	1,499	39.9	417	10.3	180	4.5	187	5.0
District of Columbia	2,606	139.9	238	12.8	607	33.1	369	18.6	62	3.1	-	-
Florida	115,622	126.7	9,823	11.0	32,938	36.0	10,653	9.8	4,557	4.4	4,266	4.6
Georgia	43,555	140.5	4,051	13.1	13,280	42.4	3,925	12.7	1,454	4.7	1,414	4.7
Maryland	26,777	128.5	2,387	11.5	6,984	33.5	2,520	11.3	1,095	5.0	957	4.6
North Carolina	50,183	141.6	4,057	11.6	15,931	44.5	4,332	11.6	1,618	4.4	1,658	4.7
South Carolina	26,652	147.5	2,207	12.5	8,232	44.8	2,384	12.6	798	4.3	813	4.6
Virginia	38,086	131.1	3,248	11.3	10,902	37.4	3,405	11.2	1,321	4.4	1,348	4.7
West Virginia	12,912	159.0	1,186	14.7	4,311	52.3	874	9.7	409	4.7	425	5.1
East North Central	247,760	139.7	21,540	12.2	72,519	41.0	21,683	11.1	9,169	4.8	9,376	5.2
Illinois	62,621	136.5	5,767	12.6	17,657	38.6	5,712	11.5	2,173	4.4	2,267	4.9
Indiana	35,525	149.0	3,050	12.9	11,164	46.9	2,942	11.4	1,278	5.1	1,300	5.4
Michigan	53,726	137.4	4,500	11.6	15,635	39.9	4,579	10.6	1,992	4.7	2,188	5.6
Ohio	65,758	145.0	5,791	12.8	20,067	44.3	5,471	10.9	2,554	5.2	2,465	5.4
Wisconsin	30,130	130.0	2,432	10.5	7,996	34.6	2,979	11.5	1,172	4.6	1,156	4.9
East South Central	111,218	162.0	9,624	14.2	37,720	54.3	8,700	12.0	3,198	4.5	3,533	5.1
Alabama	28,408	157.9	2,475	14.0	9,335	51.2	2,437	12.8	843	4.5	851	4.7
Kentucky	27,149	167.1	2,280	14.1	9,861	60.1	1,833	10.7	785	4.7	922	5.7
Mississippi	17,862	171.5	1,682	16.4	5,871	55.7	1,588	14.5	431	4.0	487	4.7
Tennessee	37,799	157.4	3,187	13.4	12,653	52.1	2,842	11.3	1,139	4.6	1,273	5.3

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	107,582	132.4	9,341	11.6	30,824	38.1	9,673	10.5	3,724	4.2	4,094	5.0
Iowa	17,228	135.2	1,510	11.9	4,959	39.3	1,591	10.7	620	4.4	719	5.5
Kansas	14,384	132.6	1,297	12.2	4,099	38.1	1,287	10.5	523	4.4	528	4.8
Minnesota	25,100	120.5	2,002	9.7	6,303	30.4	2,515	10.8	915	4.0	1,097	5.3
Missouri	33,809	144.5	2,911	12.5	10,839	46.2	2,607	10.1	1,077	4.3	1,113	4.7
Nebraska	9,172	128.4	867	12.2	2,470	35.0	907	11.1	310	4.0	342	4.8
North Dakota	3,495	121.9	317	11.2	940	33.0	358	10.7	125	4.0	-	-
South Dakota	4,394	126.7	437	12.7	1,214	34.8	408	10.6	154	3.9	-	-
West South Central	168,341	137.9	15,898	13.1	47,926	39.1	13,790	10.8	5,119	4.1	5,890	4.8
Arkansas	18,289	159.8	1,647	14.6	6,316	54.7	1,414	11.3	596	4.8	560	4.9
Louisiana	25,422	159.6	2,342	14.8	7,830	48.9	2,059	12.3	681	4.1	904	5.8
Oklahoma	21,706	153.4	2,012	14.5	6,863	48.1	1,798	11.7	737	4.9	763	5.4
Texas	102,924	128.0	9,897	12.3	26,917	33.4	8,519	10.2	3,105	3.8	3,663	4.6
Mountain	81,794	111.0	7,352	10.1	18,406	24.7	8,765	10.9	3,229	4.1	3,130	4.2
Arizona	30,324	114.4	2,678	10.4	7,508	27.8	3,000	10.0	1,230	4.2	1,129	4.2
Colorado	19,071	106.5	1,693	9.5	3,984	22.2	2,175	11.7	741	4.0	726	4.1
Idaho	7,337	120.1	636	10.6	1,708	27.7	860	13.0	274	4.2	310	5.0
Montana	5,409	119.6	491	11.0	1,384	30.1	562	11.2	238	4.9	-	-
New Mexico	9,306	114.8	909	11.3	1,959	23.7	992	11.1	341	3.9	329	4.0
Utah	7,837	97.2	693	8.7	1,275	16.0	962	11.1	305	3.6	340	4.2
Wyoming	2,510	111.8	252	11.5	588	25.9	214	9.0	100	4.3	-	-
Pacific	224,440	117.2	20,129	10.6	51,795	27.0	22,857	10.9	8,382	4.1	-	-
Alaska	2,660	128.2	235	11.3	719	34.7	201	10.5	65	3.3	-	-
California	149,843	114.4	13,639	10.5	32,642	24.9	15,719	10.9	5,515	3.9	5,901	4.5
Hawaii	6,433	111.1	657	11.7	1,561	26.8	525	7.7	182	2.8	256	4.4
Nevada	12,913	124.5	1,352	13.2	3,542	33.5	1,220	11.4	515	4.9	436	4.3
Oregon	20,651	127.3	1,698	10.6	5,213	31.9	2,102	11.6	804	4.6	798	4.9
Washington	31,940	123.0	2,548	9.9	8,118	31.2	3,090	11.0	1,301	4.7	1,294	5.0

¹ Rates are per 100,000 and are age-adjusted using the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,391,230	139.6	123,617	12.2	352,209	35.4	205,675	20.9	20,673	2.3	71,141	7.2
New England	70,891	138.3	5,891	11.1	18,789	37.2	9,360	18.5	614	1.3	3,606	7.1
Connecticut	16,571	130.7	1,361	10.4	4,098	32.9	2,288	18.3	173	1.6	860	6.9
Maine	7,655	150.1	609	11.7	2,161	42.4	900	18.0	69	1.7	320	6.3
Massachusetts	31,725	138.1	2,589	10.9	8,332	36.9	4,183	18.5	253	1.2	1,689	7.5
New Hampshire	6,361	142.1	571	12.5	1,800	40.5	881	19.6	59	1.4	318	7.2
Rhode Island	5,361	140.4	481	11.8	1,526	41.1	688	18.5	39	1.2	252	6.7
Vermont	3,218	144.8	280	12.4	872	39.6	420	19.0	21	1.0	167	7.6
Middle Atlantic	199,903	140.2	18,334	12.4	48,165	34.1	29,657	21.2	2,849	2.2	10,448	7.4
New Jersey	41,510	139.0	3,840	12.4	9,763	32.9	6,616	22.5	591	2.1	2,141	7.3
New York	88,927	135.9	8,001	11.8	21,329	32.9	12,987	20.2	1,403	2.4	4,766	7.4
Pennsylvania	69,466	147.1	6,493	13.2	17,073	36.5	10,054	21.9	855	2.2	3,541	7.7
South Atlantic	281,493	137.5	24,432	11.8	73,616	35.7	42,476	21.2	4,320	2.4	14,085	6.9
Delaware	4,718	149.2	349	11.1	1,301	40.9	672	21.6	73	2.6	239	7.5
District of Columbia	2,828	159.2	266	14.7	577	32.7	509	28.9	56	3.3	145	8.3
Florida	98,219	130.5	8,568	11.2	26,463	34.5	14,200	19.8	1,636	2.7	4,903	6.6
Georgia	38,113	138.9	3,399	12.4	9,490	34.5	6,135	22.1	670	2.5	1,989	7.2
Maryland	25,930	141.0	2,234	11.9	6,451	35.4	4,112	22.4	344	2.0	1,278	6.9
North Carolina	43,758	140.3	3,658	11.7	11,648	37.1	6,564	21.3	591	2.1	2,136	6.9
South Carolina	22,244	143.2	1,952	12.6	5,797	36.6	3,404	22.2	343	2.5	1,058	6.8
Virginia	34,692	139.7	2,938	11.8	8,790	35.4	5,427	21.8	428	1.8	1,825	7.3
West Virginia	10,991	163.2	1,068	15.6	3,099	45.7	1,453	22.2	179	3.3	512	7.5
East North Central	227,850	149.6	20,098	12.9	60,637	40.1	33,017	21.9	3,018	2.2	11,201	7.4
Illinois	59,652	148.5	5,395	13.1	15,225	38.3	8,923	22.4	901	2.4	2,921	7.4
Indiana	31,311	152.1	2,834	13.4	8,630	42.2	4,361	21.4	447	2.4	1,521	7.4
Michigan	49,458	149.5	4,165	12.3	13,503	40.9	7,086	21.7	580	2.0	2,551	7.8
Ohio	60,458	153.5	5,383	13.4	16,467	42.1	8,883	22.9	815	2.4	2,853	7.3
Wisconsin	26,971	141.7	2,321	11.7	6,812	36.5	3,764	20.0	275	1.6	1,355	7.2
East South Central	92,645	154.4	8,378	14.0	26,636	43.9	13,112	22.1	1,669	3.1	4,362	7.3
Alabama	23,067	145.7	2,113	13.4	6,155	38.2	3,394	21.8	488	3.5	1,200	7.5
Kentucky	23,253	165.9	1,989	14.1	7,557	53.5	3,016	21.7	358	2.9	981	6.9
Mississippi	14,458	156.1	1,440	15.5	3,793	40.5	2,137	23.3	293	3.4	598	6.4
Tennessee	31,867	152.7	2,836	13.6	9,131	43.2	4,565	22.1	530	2.8	1,583	7.6

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	96,784	142.2	8,851	12.6	25,373	37.8	13,473	20.1	1,202	2.0	4,629	6.9
Iowa	15,217	141.8	1,532	13.6	3,787	36.1	1,996	19.2	171	2.0	784	7.4
Kansas	13,055	143.0	1,186	12.6	3,447	38.2	1,806	20.0	167	2.1	637	7.1
Minnesota	22,988	134.3	1,996	11.3	5,620	33.6	3,179	18.7	216	1.4	1,176	6.9
Missouri	30,570	152.4	2,620	12.9	8,840	44.0	4,366	22.2	475	2.7	1,340	6.7
Nebraska	8,149	137.0	835	13.6	2,013	34.4	1,180	20.0	111	2.1	389	6.6
North Dakota	2,989	128.7	296	12.0	700	31.3	398	17.5	26	1.3	123	5.6
South Dakota	3,816	136.6	386	13.0	966	35.6	548	20.0	36	1.5	180	6.5
West South Central	143,631	139.1	13,057	12.5	35,890	34.8	21,825	21.1	2,839	2.9	6,969	6.7
Arkansas	14,709	152.6	1,373	14.1	4,272	43.7	2,050	21.6	267	3.3	729	7.6
Louisiana	21,390	154.6	2,029	14.6	5,673	40.7	3,256	23.7	376	3.0	892	6.4
Oklahoma	18,584	156.5	1,697	14.1	5,340	44.6	2,682	23.0	300	3.0	942	7.9
Texas	88,948	131.2	7,958	11.6	20,605	30.6	13,837	20.2	1,896	2.8	4,406	6.5
Mountain	71,700	123.9	6,240	10.7	16,244	28.0	11,187	19.4	994	1.8	4,334	7.4
Arizona	26,029	124.9	2,285	10.9	6,382	30.1	3,957	19.4	402	2.2	1,490	7.1
Colorado	17,652	122.3	1,547	10.7	3,884	27.3	2,796	19.0	230	1.6	1,087	7.5
Idaho	6,158	132.5	504	10.9	1,467	31.3	941	20.5	74	1.7	377	7.9
Montana	4,760	138.3	391	11.1	1,283	37.4	684	20.2	52	1.7	259	7.4
New Mexico	8,032	123.6	745	11.5	1,724	26.2	1,214	18.9	114	2.0	517	7.9
Utah	6,889	110.3	598	9.7	978	15.9	1,279	20.3	88	1.4	479	7.7
Wyoming	2,180	130.0	170	10.1	526	31.9	316	18.5	34	2.2	125	7.5
Pacific	206,333	131.5	18,336	11.5	46,859	30.1	31,568	20.2	3,168	2.1	11,507	7.4
Alaska	2,166	146.0	198	13.6	575	39.9	310	19.6	34	1.9	104	6.6
California	140,033	128.4	12,690	11.4	29,730	27.5	22,033	20.3	2,321	2.2	7,796	7.2
Hawaii	5,416	114.6	490	10.3	1,187	25.0	721	15.9	80	2.0	220	4.8
Nevada	11,147	143.9	1,037	13.6	3,171	40.6	1,735	22.2	180	2.4	578	7.4
Oregon	18,738	143.9	1,583	12.0	4,900	37.8	2,618	20.2	224	2.0	1,138	8.8
Washington	28,833	138.2	2,338	11.0	7,296	35.3	4,151	19.9	329	1.7	1,671	8.0

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,391,230	96.4	123,617	8.1	352,209	24.4	205,675	15.2	20,673	1.9	71,141	5.1
New England	70,891	93.8	5,891	7.1	18,789	25.3	9,360	13.3	614	1.1	3,606	5.1
Connecticut	16,571	88.5	1,361	6.7	4,098	22.2	2,288	13.2	173	1.3	860	5.0
Maine	7,655	102.1	609	7.6	2,161	29.1	900	12.9	69	1.3	320	4.6
Massachusetts	31,725	93.4	2,589	6.9	8,332	25.0	4,183	13.2	253	1.0	1,689	5.3
New Hampshire	6,361	96.7	571	7.9	1,800	27.8	881	14.2	59	1.1	318	5.1
Rhode Island	5,361	95.8	481	7.6	1,526	28.3	688	13.4	39	0.9	252	4.8
Vermont	3,218	98.6	280	7.7	872	27.4	420	13.6	21	0.9	167	5.3
Middle Atlantic	199,903	96.3	18,334	8.0	48,165	23.4	29,657	15.3	2,849	1.8	10,448	5.3
New Jersey	41,510	94.8	3,840	7.9	9,763	22.3	6,616	16.1	591	1.7	2,141	5.2
New York	88,927	93.4	8,001	7.7	21,329	22.5	12,987	14.6	1,403	1.9	4,766	5.3
Pennsylvania	69,466	101.5	6,493	8.6	17,073	25.4	10,054	15.8	855	1.8	3,541	5.5
South Atlantic	281,493	95.7	24,432	7.9	73,616	24.7	42,476	15.5	4,320	1.9	14,085	4.9
Delaware	4,718	103.5	349	7.3	1,301	28.4	672	15.8	73	2.1	239	5.4
District of Columbia	2,828	111.8	266	10.2	577	22.6	509	21.3	56	2.6	145	6.1
Florida	98,219	91.1	8,568	7.5	26,463	23.9	14,200	14.6	1,636	2.2	4,903	4.8
Georgia	38,113	96.9	3,399	8.4	9,490	24.0	6,135	16.2	670	2.0	1,989	5.1
Maryland	25,930	97.2	2,234	8.0	6,451	24.0	4,112	16.3	344	1.6	1,278	4.9
North Carolina	43,758	97.5	3,658	7.8	11,648	25.9	6,564	15.6	591	1.6	2,136	4.8
South Carolina	22,244	100.0	1,952	8.5	5,797	25.7	3,404	16.5	343	2.0	1,058	4.8
Virginia	34,692	96.0	2,938	7.7	8,790	24.2	5,427	15.8	428	1.5	1,825	5.1
West Virginia	10,991	114.8	1,068	10.2	3,099	32.6	1,453	16.4	179	2.8	512	5.5
East North Central	227,850	103.5	20,098	8.5	60,637	27.9	33,017	15.9	3,018	1.8	11,201	5.3
Illinois	59,652	102.2	5,395	8.6	15,225	26.3	8,923	16.2	901	1.9	2,921	5.3
Indiana	31,311	106.0	2,834	8.9	8,630	29.7	4,361	15.5	447	2.0	1,521	5.3
Michigan	49,458	103.7	4,165	8.2	13,503	28.4	7,086	15.8	580	1.6	2,551	5.5
Ohio	60,458	106.8	5,383	8.8	16,467	29.4	8,883	16.6	815	2.0	2,853	5.2
Wisconsin	26,971	96.9	2,321	7.5	6,812	25.2	3,764	14.3	275	1.4	1,355	5.1
East South Central	92,645	109.0	8,378	9.5	26,636	31.3	13,112	16.2	1,669	2.5	4,362	5.1
Alabama	23,067	102.9	2,113	9.1	6,155	27.2	3,394	16.1	488	2.9	1,200	5.3
Kentucky	23,253	116.7	1,989	9.4	7,557	38.4	3,016	15.9	358	2.3	981	4.9
Mississippi	14,458	111.4	1,440	10.9	3,793	29.0	2,137	17.4	293	2.8	598	4.6
Tennessee	31,867	107.4	2,836	9.2	9,131	30.7	4,565	16.1	530	2.3	1,583	5.4

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	96,784	98.0	8,851	8.2	25,373	26.3	13,473	14.5	1,202	1.7	4,629	4.8
Iowa	15,217	97.5	1,532	8.7	3,787	25.1	1,996	13.9	171	1.6	784	5.2
Kansas	13,055	98.8	1,186	8.3	3,447	26.6	1,806	14.4	167	1.7	637	5.1
Minnesota	22,988	91.3	1,996	7.3	5,620	22.9	3,179	13.3	216	1.2	1,176	4.8
Missouri	30,570	106.4	2,620	8.5	8,840	31.0	4,366	16.2	475	2.2	1,340	4.8
Nebraska	8,149	94.1	835	8.7	2,013	23.9	1,180	14.3	111	1.8	389	4.7
North Dakota	2,989	88.8	296	7.8	700	21.9	398	12.5	26	1.1	123	3.9
South Dakota	3,816	92.8	386	8.2	966	24.5	548	14.2	36	1.3	180	4.4
West South Central	143,631	97.0	13,057	8.5	35,890	24.0	21,825	15.4	2,839	2.4	6,969	4.8
Arkansas	14,709	107.6	1,373	9.7	4,272	31.1	2,050	15.7	267	2.7	729	5.3
Louisiana	21,390	108.7	2,029	10.1	5,673	28.5	3,256	17.3	376	2.5	892	4.6
Oklahoma	18,584	110.0	1,697	9.7	5,340	31.5	2,682	16.7	300	2.5	942	5.7
Texas	88,948	91.0	7,958	7.9	20,605	20.9	13,837	14.7	1,896	2.3	4,406	4.6
Mountain	71,700	84.7	6,240	7.1	16,244	18.8	11,187	13.9	994	1.5	4,334	5.3
Arizona	26,029	86.3	2,285	7.2	6,382	20.3	3,957	14.1	402	1.8	1,490	5.1
Colorado	17,652	82.6	1,547	6.9	3,884	18.0	2,796	13.5	230	1.3	1,087	5.3
Idaho	6,158	90.1	504	7.3	1,467	21.3	941	14.5	74	1.4	377	5.6
Montana	4,760	94.3	391	7.3	1,283	25.2	684	14.6	52	1.4	259	5.3
New Mexico	8,032	85.3	745	7.7	1,724	17.6	1,214	13.6	114	1.7	517	5.7
Utah	6,889	75.1	598	6.4	978	10.8	1,279	14.4	88	1.1	479	5.4
Wyoming	2,180	88.9	170	6.6	526	21.5	316	13.0	34	1.8	125	5.3
Pacific	206,333	90.0	18,336	7.6	46,859	20.0	31,568	14.6	3,168	1.7	11,507	5.2
Alaska	2,166	99.8	198	9.0	575	26.7	310	14.0	34	1.6	104	4.7
California	140,033	87.9	12,690	7.5	29,730	18.2	22,033	14.7	2,321	1.8	7,796	5.1
Hawaii	5,416	80.6	490	7.1	1,187	17.0	721	11.9	80	1.6	220	3.5
Nevada	11,147	97.8	1,037	8.9	3,171	27.0	1,735	15.8	180	2.0	578	5.2
Oregon	18,738	98.4	1,583	7.8	4,900	25.3	2,618	14.7	224	1.6	1,138	6.2
Washington	28,833	93.8	2,338	7.2	7,296	23.6	4,151	14.1	329	1.4	1,671	5.6

¹ Rates are per 100,000 and are age-adjusted using the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2011-2015, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,318,461	196.4	0.17	130.7	0.12	1,177,392	140.0	0.13	96.4	0.10
Oral Cavity & Pharynx	26,929	3.8	0.02	2.8	0.02	11,286	1.3	0.01	0.9	0.01
Digestive System	354,372	51.6	0.09	35.7	0.06	262,570	30.7	0.06	20.5	0.04
Esophagus	53,138	7.6	0.03	5.4	0.02	12,563	1.5	0.01	1.0	0.01
Stomach	24,976	3.7	0.02	2.5	0.02	16,587	2.0	0.02	1.4	0.01
Colon & Rectum	112,547	16.8	0.05	11.3	0.03	102,295	11.9	0.04	7.8	0.03
Liver	50,919	7.0	0.03	5.2	0.02	19,047	2.2	0.02	1.5	0.01
Pancreas	86,238	12.6	0.04	8.6	0.03	80,513	9.4	0.03	6.2	0.02
Respiratory System	381,849	56.0	0.09	37.8	0.06	312,219	37.2	0.07	25.6	0.05
Larynx	12,025	1.7	0.02	1.2	0.01	3,118	0.4	0.01	0.3	0.01
Lung & bronchus	367,142	53.9	0.09	36.3	0.06	307,669	36.6	0.07	25.2	0.05
Skin	41,731	6.3	0.03	4.2	0.02	19,681	2.4	0.02	1.7	0.01
Melanomas of the skin	29,702	4.5	0.03	3.1	0.02	15,240	1.9	0.02	1.4	0.01
Breast	1,817	0.3	0.01	0.2	0.00	168,321	20.3	0.05	14.7	0.04
Female Genital System	-	-	-	-	-	123,260	15.0	0.04	10.8	0.03
Cervix uteri	-	-	-	-	-	15,653	2.2	0.02	1.8	0.02
Corpus & uterus, NOS ¹	-	-	-	-	-	36,246	4.3	0.02	3.1	0.02
Ovary	-	-	-	-	-	62,068	7.5	0.03	5.3	0.02
Male Genital System	117,001	18.7	0.06	10.5	0.03	-	-	-	-	-
Prostate	113,819	18.2	0.05	10.0	0.03	-	-	-	-	-
Testis	1,762	0.3	0.01	0.3	0.01	-	-	-	-	-
Urinary System	93,194	14.2	0.05	8.9	0.03	42,143	4.8	0.02	3.1	0.02
Bladder	51,293	8.0	0.04	4.7	0.02	19,524	2.2	0.02	1.3	0.01
Kidney & renal pelvis	39,645	5.8	0.03	4.0	0.02	21,113	2.5	0.02	1.7	0.01
Brain & Other Nervous System	39,544	5.8	0.03	4.5	0.02	30,658	3.9	0.02	3.0	0.02
Endocrine System	5,642	0.8	0.01	0.6	0.01	5,921	0.7	0.01	0.5	0.01
Thyroid gland	3,594	0.5	0.01	0.4	0.01	4,026	0.5	0.01	0.3	0.01
Lymphomas	53,376	8.2	0.04	5.3	0.02	41,981	4.9	0.02	3.1	0.02
Hodgkin Lymphoma	2,822	0.4	0.01	0.3	0.01	2,022	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	50,554	7.7	0.03	4.9	0.02	39,959	4.6	0.02	2.9	0.02
Multiple Myeloma	26,313	4.0	0.03	2.5	0.02	20,916	2.4	0.02	1.5	0.01
Leukemias	59,977	9.3	0.04	6.0	0.03	43,217	5.2	0.03	3.4	0.02
Other, Ill-defined & Unknown	116,716	17.5	0.05	11.7	0.04	95,219	11.2	0.04	7.6	0.03

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,318,461	196.4	112,547	16.8	367,142	53.9	113,819	18.2	51,293	8.0	50,554	7.7
New England	70,021	194.9	5,294	14.8	18,697	51.5	6,381	18.7	3,115	9.0	2,538	7.3
Connecticut	15,361	179.3	1,152	13.4	3,808	44.1	1,448	17.4	754	9.0	611	7.2
Maine	8,513	212.7	605	15.5	2,612	63.8	728	19.7	385	10.0	298	7.7
Massachusetts	30,140	195.2	2,357	15.4	7,846	50.6	2,753	18.6	1,279	8.5	1,069	7.1
New Hampshire	7,005	198.0	486	13.8	1,920	53.1	633	19.7	290	8.7	242	7.1
Rhode Island	5,494	210.9	417	16.1	1,571	60.2	502	19.5	253	9.8	-	-
Vermont	3,508	198.3	277	15.7	940	51.5	317	19.5	154	9.4	-	-
Middle Atlantic	174,241	194.7	15,434	17.3	46,492	51.5	15,022	17.4	7,480	8.6	6,964	8.0
New Jersey	34,678	190.5	3,266	17.8	8,613	47.1	2,973	16.9	1,599	9.1	1,385	7.8
New York	72,725	188.1	6,351	16.5	19,209	49.3	6,418	17.3	3,101	8.2	2,908	7.7
Pennsylvania	66,838	205.0	5,817	18.0	18,670	56.6	5,631	17.8	2,780	8.7	2,671	8.3
South Atlantic	259,592	194.6	21,251	16.0	77,979	57.2	20,766	16.4	10,259	8.0	-	-
Delaware	4,165	202.9	331	16.4	1,268	60.5	314	16.3	161	8.3	154	7.7
District of Columbia	599	125.2	40	7.5	108	23.7	82	18.7	20	4.4	-	-
Florida	103,058	186.7	8,479	15.5	29,789	53.1	8,792	15.6	4,314	7.7	3,887	7.1
Georgia	31,644	203.6	2,736	17.6	10,056	63.0	2,373	17.7	1,227	8.8	1,130	7.6
Maryland	18,842	189.8	1,571	15.6	4,997	49.9	1,558	16.7	902	9.5	749	7.6
North Carolina	39,281	203.4	3,015	15.7	12,645	63.7	3,016	17.4	1,417	7.8	1,430	7.6
South Carolina	19,767	207.4	1,529	16.2	6,299	63.6	1,445	17.1	680	7.8	682	7.4
Virginia	29,743	193.4	2,411	15.6	8,626	54.7	2,362	17.2	1,142	8.1	1,139	7.7
West Virginia	12,493	233.9	1,139	21.6	4,191	76.2	824	17.1	396	7.8	417	7.9
East North Central	217,980	207.1	18,519	17.7	63,858	59.6	18,127	18.5	8,585	8.6	8,664	8.5
Illinois	52,022	202.5	4,633	18.0	14,623	56.3	4,407	18.4	1,973	8.1	2,028	8.2
Indiana	32,775	220.9	2,782	18.8	10,373	68.6	2,613	19.4	1,233	8.9	1,230	8.5
Michigan	46,309	201.9	3,736	16.5	13,497	57.6	3,730	17.5	1,855	8.5	1,987	8.9
Ohio	58,610	214.6	5,117	18.9	17,909	64.2	4,566	17.9	2,384	9.1	2,307	8.7
Wisconsin	28,264	195.5	2,251	15.7	7,456	50.7	2,811	20.7	1,140	8.2	1,112	8.0
East South Central	92,040	232.0	7,599	19.3	31,817	77.8	6,273	18.0	2,908	7.9	3,149	8.3
Alabama	21,914	223.8	1,806	18.5	7,380	73.0	1,569	18.0	741	8.1	727	7.7
Kentucky	25,513	246.8	2,109	20.5	9,338	87.6	1,667	18.8	747	7.9	877	8.9
Mississippi	12,144	234.4	1,046	20.4	4,074	76.6	827	17.6	359	7.4	392	7.9
Tennessee	32,469	226.1	2,638	18.6	11,025	74.4	2,210	17.5	1,061	8.0	1,153	8.4

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, White, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	100,541	197.9	8,669	17.2	28,745	55.8	8,974	18.6	3,618	7.4	3,901	7.9
Iowa	16,813	204.3	1,475	18.3	4,844	58.1	1,564	19.6	610	7.6	704	8.7
Kansas	13,393	197.0	1,201	17.7	3,793	55.2	1,177	18.1	509	7.8	503	7.5
Minnesota	23,796	184.4	1,895	14.7	5,981	45.6	2,404	19.8	887	7.2	1,047	8.4
Missouri	30,296	211.2	2,573	18.2	9,738	66.6	2,228	16.7	1,036	7.6	1,030	7.4
Nebraska	8,760	194.2	814	18.1	2,355	52.1	867	20.0	304	6.9	331	7.5
North Dakota	3,360	185.5	310	17.2	898	49.9	348	19.3	122	6.7	-	-
South Dakota	4,123	189.5	401	18.7	1,136	51.7	386	18.4	150	7.0	-	-
West South Central	140,844	200.9	12,922	18.3	39,909	56.3	10,920	17.4	4,640	7.2	5,226	7.7
Arkansas	15,959	231.2	1,393	20.3	5,535	77.8	1,140	18.1	557	8.6	512	7.6
Louisiana	17,479	218.1	1,547	19.2	5,366	65.6	1,240	17.1	549	7.3	695	9.0
Oklahoma	18,819	223.8	1,688	20.2	6,014	70.1	1,503	19.2	680	8.5	693	8.5
Texas	88,587	189.6	8,294	17.5	22,994	49.1	7,037	17.1	2,854	6.7	3,326	7.4
Mountain	77,246	169.3	6,849	15.0	17,531	37.9	8,265	19.7	3,151	7.3	2,984	6.7
Arizona	28,398	172.7	2,482	15.3	7,132	42.4	2,791	17.7	1,204	7.5	1,074	6.7
Colorado	17,898	164.3	1,580	14.3	3,725	33.9	2,011	21.0	715	7.0	681	6.5
Idaho	7,212	184.8	620	15.7	1,690	42.4	849	23.8	272	7.4	305	8.0
Montana	5,149	179.1	454	15.6	1,317	45.2	546	20.3	236	8.6	-	-
New Mexico	8,613	176.3	823	16.7	1,867	37.9	916	20.3	325	7.0	302	6.2
Utah	7,530	149.0	645	12.6	1,228	23.9	942	20.7	299	6.5	335	6.9
Wyoming	2,446	171.8	245	17.0	572	39.9	210	16.5	100	7.5	-	-
Pacific	185,956	184.1	16,010	15.7	42,114	41.8	19,091	20.4	7,537	7.9	7,511	7.6
Alaska	1,990	184.1	144	13.2	529	48.1	152	17.3	50	5.1	-	-
California	121,619	180.2	10,657	15.6	25,563	38.3	12,823	20.3	4,899	7.6	4,985	7.5
Hawaii	2,148	181.7	174	14.6	463	38.0	192	18.6	87	7.9	-	-
Nevada	11,313	194.9	1,144	19.6	3,106	52.7	1,052	20.6	466	8.8	397	7.0
Oregon	19,754	194.8	1,610	16.1	4,999	48.7	2,029	21.3	794	8.2	763	7.8
Washington	29,132	190.0	2,281	14.8	7,454	48.2	2,843	20.3	1,241	8.6	1,200	8.1

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,318,461	130.7	112,547	11.3	367,142	36.3	113,819	10.0	51,293	4.7	50,554	4.9
New England	70,021	127.8	5,294	9.7	18,697	34.3	6,381	10.3	3,115	5.2	2,538	4.6
Connecticut	15,361	117.2	1,152	8.9	3,808	29.3	1,448	9.4	754	5.2	611	4.6
Maine	8,513	140.2	605	10.2	2,612	43.0	728	10.7	385	5.9	298	4.9
Massachusetts	30,140	127.8	2,357	9.9	7,846	33.5	2,753	10.3	1,279	5.0	1,069	4.5
New Hampshire	7,005	129.5	486	9.0	1,920	35.3	633	10.9	290	5.1	242	4.5
Rhode Island	5,494	138.3	417	10.5	1,571	40.1	502	10.8	253	5.8	-	-
Vermont	3,508	131.5	277	10.6	940	34.9	317	10.8	154	5.4	-	-
Middle Atlantic	174,241	128.6	15,434	11.4	46,492	34.5	15,022	9.6	7,480	5.0	6,964	5.1
New Jersey	34,678	124.6	3,266	11.7	8,613	31.1	2,973	9.2	1,599	5.2	1,385	4.9
New York	72,725	124.3	6,351	10.9	19,209	33.0	6,418	9.5	3,101	4.8	2,908	5.0
Pennsylvania	66,838	136.0	5,817	11.9	18,670	38.1	5,631	9.8	2,780	5.1	2,671	5.3
South Atlantic	259,592	131.0	21,251	10.9	77,979	39.1	20,766	9.1	10,259	4.7	-	-
Delaware	4,165	134.2	331	11.1	1,268	40.5	314	9.1	161	4.7	154	4.9
District of Columbia	599	77.3	40	5.1	108	14.4	82	9.6	20	2.4	-	-
Florida	103,058	127.4	8,479	10.7	29,789	36.7	8,792	8.8	4,314	4.6	3,887	4.7
Georgia	31,644	136.1	2,736	11.9	10,056	42.7	2,373	9.8	1,227	5.1	1,130	4.9
Maryland	18,842	124.8	1,571	10.5	4,997	33.2	1,558	9.1	902	5.5	749	4.9
North Carolina	39,281	136.0	3,015	10.6	12,645	43.3	3,016	9.6	1,417	4.6	1,430	4.9
South Carolina	19,767	139.1	1,529	11.1	6,299	43.6	1,445	9.4	680	4.6	682	4.7
Virginia	29,743	127.8	2,411	10.5	8,626	36.8	2,362	9.4	1,142	4.7	1,139	4.9
West Virginia	12,493	159.3	1,139	14.6	4,191	52.6	824	9.4	396	4.7	417	5.2
East North Central	217,980	137.6	18,519	11.8	63,858	40.4	18,127	10.2	8,585	5.0	8,664	5.4
Illinois	52,022	133.5	4,633	11.9	14,623	37.7	4,407	10.2	1,973	4.7	2,028	5.1
Indiana	32,775	148.5	2,782	12.7	10,373	47.0	2,613	10.8	1,233	5.3	1,230	5.5
Michigan	46,309	134.3	3,736	11.0	13,497	39.1	3,730	9.7	1,855	4.9	1,987	5.7
Ohio	58,610	143.8	5,117	12.6	17,909	44.0	4,566	10.0	2,384	5.4	2,307	5.6
Wisconsin	28,264	127.6	2,251	10.2	7,456	33.8	2,811	11.2	1,140	4.7	1,112	4.9
East South Central	92,040	157.8	7,599	13.2	31,817	53.9	6,273	9.9	2,908	4.7	3,149	5.3
Alabama	21,914	151.9	1,806	12.8	7,380	50.4	1,569	10.0	741	4.8	727	5.0
Kentucky	25,513	167.9	2,109	13.9	9,338	60.9	1,667	10.3	747	4.7	877	5.7
Mississippi	12,144	159.5	1,046	14.2	4,074	52.5	827	9.9	359	4.4	392	5.0
Tennessee	32,469	154.0	2,638	12.7	11,025	51.6	2,210	9.7	1,061	4.8	1,153	5.4

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, White, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	100,541	131.1	8,669	11.4	28,745	37.6	8,974	10.2	3,618	4.3	3,901	5.0
Iowa	16,813	135.1	1,475	11.9	4,844	39.3	1,564	10.7	610	4.4	704	5.5
Kansas	13,393	131.5	1,201	12.1	3,793	37.5	1,177	10.1	509	4.6	503	4.8
Minnesota	23,796	119.9	1,895	9.6	5,981	30.3	2,404	10.7	887	4.1	1,047	5.3
Missouri	30,296	142.3	2,573	12.2	9,738	45.6	2,228	9.3	1,036	4.5	1,030	4.7
Nebraska	8,760	127.9	814	12.0	2,355	34.8	867	10.9	304	4.1	331	4.8
North Dakota	3,360	121.0	310	11.4	898	32.5	348	10.6	122	4.0	-	-
South Dakota	4,123	124.4	401	12.1	1,136	34.0	386	10.3	150	4.0	-	-
West South Central	140,844	135.2	12,922	12.5	39,909	38.0	10,920	9.8	4,640	4.2	5,226	5.0
Arkansas	15,959	157.0	1,393	14.0	5,535	54.0	1,140	10.0	557	5.0	512	5.0
Louisiana	17,479	146.8	1,547	13.1	5,366	44.8	1,240	9.6	549	4.4	695	5.8
Oklahoma	18,819	152.5	1,688	13.9	6,014	48.1	1,503	10.9	680	5.1	693	5.6
Texas	88,587	127.1	8,294	12.0	22,994	32.8	7,037	9.5	2,854	3.9	3,326	4.8
Mountain	77,246	111.8	6,849	10.1	17,531	25.1	8,265	10.8	3,151	4.3	2,984	4.3
Arizona	28,398	115.9	2,482	10.5	7,132	28.5	2,791	9.9	1,204	4.4	1,074	4.3
Colorado	17,898	106.7	1,580	9.4	3,725	22.2	2,011	11.5	715	4.2	681	4.1
Idaho	7,212	121.0	620	10.6	1,690	28.0	849	13.1	272	4.3	305	5.0
Montana	5,149	118.2	454	10.5	1,317	29.7	546	11.2	236	5.0	-	-
New Mexico	8,613	117.1	823	11.3	1,867	24.8	916	11.1	325	4.1	302	4.1
Utah	7,530	97.1	645	8.5	1,228	16.0	942	11.3	299	3.6	335	4.3
Wyoming	2,446	112.6	245	11.6	572	26.0	210	9.1	100	4.5	-	-
Pacific	185,956	120.8	16,010	10.5	42,114	27.3	19,091	11.2	7,537	4.5	7,511	4.8
Alaska	1,990	120.3	144	8.7	529	31.8	152	9.9	50	3.2	-	-
California	121,619	118.0	10,657	10.4	25,563	24.8	12,823	11.2	4,899	4.4	4,985	4.8
Hawaii	2,148	121.7	174	10.0	463	26.0	192	10.3	87	4.7	-	-
Nevada	11,313	128.5	1,144	13.2	3,106	34.5	1,052	11.4	466	5.1	397	4.5
Oregon	19,754	128.5	1,610	10.7	4,999	32.2	2,029	11.7	794	4.8	763	4.9
Washington	29,132	124.3	2,281	9.9	7,454	31.7	2,843	11.1	1,241	5.0	1,200	5.1

¹ Rates are per 100,000 and are age-adjusted using the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,177,392	140.0	102,295	11.9	307,669	36.6	168,321	20.3	15,653	2.2	62,068	7.5
New England	66,818	140.8	5,505	11.2	17,989	38.5	8,746	18.8	546	1.3	3,414	7.3
Connecticut	15,066	132.0	1,224	10.3	3,839	34.2	2,052	18.4	144	1.5	789	7.1
Maine	7,571	150.6	602	11.7	2,139	42.5	887	18.0	67	1.6	318	6.4
Massachusetts	29,544	141.6	2,369	10.9	7,879	38.4	3,876	19.0	218	1.2	1,590	7.8
New Hampshire	6,314	144.1	567	12.7	1,790	41.1	876	20.0	58	1.4	314	7.2
Rhode Island	5,136	143.8	463	12.2	1,478	42.6	640	18.4	38	1.3	241	6.9
Vermont	3,187	145.4	280	12.6	864	39.8	415	19.0	21	1.1	162	7.5
Middle Atlantic	168,343	142.4	15,339	12.4	41,778	35.7	24,112	20.9	2,072	2.1	9,007	7.8
New Jersey	34,801	142.0	3,223	12.5	8,466	34.9	5,299	22.1	430	2.0	1,822	7.6
New York	72,021	140.8	6,329	11.8	18,118	35.9	10,086	20.2	956	2.2	3,963	7.9
Pennsylvania	61,521	144.7	5,787	13.0	15,194	36.1	8,727	21.1	686	2.0	3,222	7.8
South Atlantic	222,875	136.1	18,639	11.2	62,319	37.7	31,519	19.8	2,957	2.2	11,542	7.1
Delaware	3,792	148.1	272	10.6	1,087	41.8	524	21.2	56	2.6	195	7.6
District of Columbia	617	105.0	47	8.3	126	22.4	123	20.7	-	-	40	6.3
Florida	86,403	131.1	7,369	10.9	24,392	36.4	12,006	19.2	1,259	2.5	4,387	6.8
Georgia	26,859	137.2	2,251	11.5	7,504	37.9	3,854	19.8	392	2.2	1,477	7.5
Maryland	17,698	139.2	1,462	11.1	4,709	37.4	2,610	20.8	182	1.6	918	7.3
North Carolina	33,783	137.2	2,677	10.8	9,645	38.9	4,711	19.4	392	1.8	1,721	7.0
South Carolina	16,290	139.2	1,369	11.8	4,691	39.3	2,309	20.2	206	2.1	808	7.0
Virginia	26,788	138.5	2,158	11.0	7,137	36.8	3,985	20.7	287	1.6	1,503	7.8
West Virginia	10,645	163.6	1,034	15.6	3,028	46.2	1,397	22.1	177	3.4	493	7.4
East North Central	198,172	148.0	17,201	12.4	53,359	40.3	27,977	21.2	2,389	2.1	10,084	7.6
Illinois	49,078	146.9	4,275	12.4	12,781	38.8	7,107	21.5	634	2.1	2,478	7.6
Indiana	28,515	151.0	2,554	13.2	7,953	42.4	3,900	20.9	395	2.4	1,421	7.5
Michigan	42,070	147.1	3,460	11.8	11,710	41.1	5,852	20.9	440	1.8	2,260	8.0
Ohio	53,264	152.4	4,739	13.2	14,588	42.1	7,614	22.1	687	2.4	2,618	7.6
Wisconsin	25,245	139.7	2,173	11.4	6,327	35.7	3,504	19.6	233	1.5	1,307	7.3
East South Central	75,651	152.4	6,513	13.1	23,042	45.8	10,000	20.4	1,167	2.8	3,689	7.5
Alabama	17,481	143.2	1,476	12.2	5,095	40.9	2,371	19.8	313	3.1	954	7.8
Kentucky	21,605	165.9	1,824	13.9	7,100	54.1	2,750	21.3	332	2.9	928	7.1
Mississippi	9,643	149.7	881	13.5	2,840	43.4	1,225	19.4	134	2.5	427	6.7
Tennessee	26,922	150.0	2,332	13.0	8,007	44.0	3,654	20.6	388	2.5	1,380	7.8

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, White, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	89,917	140.9	8,216	12.4	23,683	37.6	12,373	19.7	1,016	1.9	4,419	7.0
Iowa	14,841	141.7	1,492	13.5	3,693	36.1	1,949	19.2	162	1.9	776	7.5
Kansas	12,072	141.3	1,094	12.3	3,191	37.8	1,650	19.5	146	2.1	604	7.2
Minnesota	21,782	133.9	1,885	11.2	5,370	33.7	3,026	18.7	174	1.2	1,138	7.0
Missouri	27,012	150.4	2,301	12.6	7,963	44.4	3,720	21.1	380	2.5	1,236	6.9
Nebraska	7,765	136.6	798	13.6	1,910	34.1	1,122	19.9	104	2.1	373	6.6
North Dakota	2,875	128.1	286	11.9	663	30.7	385	17.5	25	1.3	122	5.7
South Dakota	3,570	134.6	360	12.7	893	34.8	521	20.1	25	1.1	170	6.4
West South Central	118,797	137.3	10,472	11.9	30,622	35.3	17,208	20.0	2,183	2.8	6,028	7.0
Arkansas	12,688	151.2	1,158	13.7	3,855	45.2	1,683	20.4	196	2.9	638	7.6
Louisiana	14,654	147.1	1,339	13.4	4,234	42.3	1,965	19.9	209	2.5	657	6.6
Oklahoma	15,996	155.6	1,410	13.5	4,677	45.1	2,287	22.7	239	2.9	832	8.1
Texas	75,459	130.5	6,565	11.2	17,856	31.0	11,273	19.4	1,539	2.8	3,901	6.7
Mountain	67,397	125.0	5,816	10.7	15,506	28.6	10,546	19.7	901	1.8	4,075	7.5
Arizona	24,108	126.4	2,099	10.9	6,078	31.2	3,666	19.8	358	2.2	1,375	7.2
Colorado	16,627	123.5	1,445	10.7	3,669	27.6	2,630	19.3	216	1.6	1,042	7.7
Idaho	6,043	133.5	496	11.0	1,444	31.6	930	20.9	73	1.8	366	7.9
Montana	4,527	137.2	367	10.9	1,212	36.8	659	20.4	45	1.6	244	7.3
New Mexico	7,360	126.1	677	11.5	1,652	27.9	1,125	19.7	95	1.9	459	7.9
Utah	6,611	110.5	569	9.6	942	15.9	1,226	20.4	80	1.3	467	7.8
Wyoming	2,121	131.0	163	10.1	509	32.0	310	18.8	34	2.3	122	7.7
Pacific	169,422	137.1	14,594	11.6	39,371	32.0	25,840	21.0	2,422	2.1	9,810	8.0
Alaska	1,547	139.1	113	10.5	438	40.5	230	19.4	22	1.7	84	7.4
California	112,621	133.8	9,849	11.4	24,317	29.1	17,646	21.2	1,753	2.3	6,513	7.8
Hawaii	1,550	137.7	134	12.3	346	30.6	232	20.7	20	1.8	85	7.7
Nevada	9,533	150.1	874	14.0	2,812	43.7	1,444	22.7	151	2.6	498	7.8
Oregon	17,926	145.7	1,503	12.1	4,711	38.3	2,502	20.5	205	2.0	1,092	8.9
Washington	26,245	141.1	2,121	11.2	6,747	36.6	3,786	20.4	271	1.6	1,538	8.3

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,177,392	96.4	102,295	7.8	307,669	25.2	168,321	14.7	15,653	1.8	62,068	5.3
New England	66,818	95.5	5,505	7.1	17,989	26.2	8,746	13.5	546	1.1	3,414	5.2
Connecticut	15,066	89.2	1,224	6.7	3,839	23.1	2,052	13.1	144	1.2	789	5.1
Maine	7,571	102.3	602	7.6	2,139	29.3	887	12.8	67	1.3	318	4.6
Massachusetts	29,544	95.8	2,369	6.9	7,879	26.1	3,876	13.6	218	1.0	1,590	5.5
New Hampshire	6,314	98.2	567	8.0	1,790	28.2	876	14.4	58	1.1	314	5.2
Rhode Island	5,136	98.2	463	7.8	1,478	29.3	640	13.3	38	1.0	241	5.0
Vermont	3,187	99.0	280	7.8	864	27.5	415	13.6	21	0.9	162	5.2
Middle Atlantic	168,343	97.5	15,339	8.0	41,778	24.5	24,112	15.0	2,072	1.7	9,007	5.6
New Jersey	34,801	96.7	3,223	8.0	8,466	23.7	5,299	15.7	430	1.6	1,822	5.5
New York	72,021	96.4	6,329	7.6	18,118	24.6	10,086	14.5	956	1.7	3,963	5.7
Pennsylvania	61,521	99.5	5,787	8.4	15,194	25.1	8,727	15.2	686	1.7	3,222	5.6
South Atlantic	222,875	94.3	18,639	7.4	62,319	26.1	31,519	14.3	2,957	1.8	11,542	5.1
Delaware	3,792	102.7	272	6.9	1,087	29.0	524	15.5	56	2.2	195	5.5
District of Columbia	617	69.6	47	5.3	126	14.3	123	14.8	-	-	40	4.4
Florida	86,403	91.3	7,369	7.3	24,392	25.3	12,006	14.0	1,259	2.1	4,387	4.9
Georgia	26,859	95.1	2,251	7.7	7,504	26.4	3,854	14.2	392	1.8	1,477	5.3
Maryland	17,698	95.1	1,462	7.3	4,709	25.4	2,610	14.8	182	1.3	918	5.2
North Carolina	33,783	94.8	2,677	7.2	9,645	27.1	4,711	14.0	392	1.5	1,721	4.9
South Carolina	16,290	96.7	1,369	7.9	4,691	27.5	2,309	14.8	206	1.7	808	4.9
Virginia	26,788	94.8	2,158	7.2	7,137	25.2	3,985	14.9	287	1.3	1,503	5.4
West Virginia	10,645	115.1	1,034	10.3	3,028	33.0	1,397	16.3	177	2.9	493	5.4
East North Central	198,172	102.1	17,201	8.1	53,359	27.9	27,977	15.2	2,389	1.7	10,084	5.4
Illinois	49,078	100.7	4,275	8.1	12,781	26.6	7,107	15.5	634	1.7	2,478	5.4
Indiana	28,515	105.1	2,554	8.7	7,953	29.9	3,900	15.0	395	2.0	1,421	5.4
Michigan	42,070	101.6	3,460	7.7	11,710	28.5	5,852	15.1	440	1.5	2,260	5.7
Ohio	53,264	105.8	4,739	8.7	14,588	29.4	7,614	15.9	687	2.0	2,618	5.4
Wisconsin	25,245	95.2	2,173	7.3	6,327	24.6	3,504	14.0	233	1.3	1,307	5.2
East South Central	75,651	107.4	6,513	8.9	23,042	32.8	10,000	14.8	1,167	2.3	3,689	5.3
Alabama	17,481	100.9	1,476	8.3	5,095	29.3	2,371	14.3	313	2.6	954	5.5
Kentucky	21,605	116.8	1,824	9.3	7,100	38.9	2,750	15.5	332	2.4	928	5.0
Mississippi	9,643	106.2	881	9.4	2,840	31.3	1,225	14.1	134	2.0	427	4.8
Tennessee	26,922	105.4	2,332	8.8	8,007	31.4	3,654	14.9	388	2.1	1,380	5.5

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, White, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	89,917	96.9	8,216	8.0	23,683	26.2	12,373	14.2	1,016	1.6	4,419	5.0
Iowa	14,841	97.5	1,492	8.7	3,693	25.1	1,949	13.9	162	1.6	776	5.3
Kansas	12,072	97.5	1,094	8.1	3,191	26.4	1,650	14.0	146	1.6	604	5.2
Minnesota	21,782	90.8	1,885	7.2	5,370	23.0	3,026	13.4	174	1.0	1,138	4.9
Missouri	27,012	104.7	2,301	8.2	7,963	31.2	3,720	15.3	380	2.1	1,236	4.9
Nebraska	7,765	93.7	798	8.7	1,910	23.6	1,122	14.2	104	1.8	373	4.7
North Dakota	2,875	88.4	286	7.7	663	21.5	385	12.5	25	1.1	122	4.1
South Dakota	3,570	91.3	360	8.0	893	24.0	521	14.3	25	0.9	170	4.4
West South Central	118,797	95.4	10,472	8.1	30,622	24.4	17,208	14.4	2,183	2.3	6,028	5.0
Arkansas	12,688	106.4	1,158	9.4	3,855	32.2	1,683	14.5	196	2.4	638	5.4
Louisiana	14,654	102.4	1,339	9.1	4,234	29.6	1,965	14.2	209	2.0	657	4.7
Oklahoma	15,996	109.3	1,410	9.2	4,677	31.9	2,287	16.5	239	2.4	832	5.8
Texas	75,459	90.3	6,565	7.6	17,856	21.1	11,273	14.1	1,539	2.3	3,901	4.8
Mountain	67,397	85.6	5,816	7.1	15,506	19.2	10,546	14.2	901	1.5	4,075	5.4
Arizona	24,108	87.4	2,099	7.2	6,078	21.1	3,666	14.4	358	1.8	1,375	5.2
Colorado	16,627	83.6	1,445	6.9	3,669	18.2	2,630	13.7	216	1.3	1,042	5.5
Idaho	6,043	90.8	496	7.4	1,444	21.4	930	14.8	73	1.4	366	5.5
Montana	4,527	93.4	367	7.1	1,212	24.8	659	14.7	45	1.3	244	5.3
New Mexico	7,360	87.2	677	7.7	1,652	18.7	1,125	14.2	95	1.6	459	5.7
Utah	6,611	75.2	569	6.3	942	10.9	1,226	14.4	80	1.1	467	5.4
Wyoming	2,121	89.5	163	6.6	509	21.6	310	13.2	34	1.9	122	5.4
Pacific	169,422	93.5	14,594	7.6	39,371	21.2	25,840	15.2	2,422	1.7	9,810	5.7
Alaska	1,547	94.5	113	6.7	438	27.0	230	13.7	22	1.4	84	5.2
California	112,621	91.4	9,849	7.5	24,317	19.1	17,646	15.3	1,753	1.8	6,513	5.6
Hawaii	1,550	95.5	134	8.3	346	20.6	232	14.9	20	1.5	85	5.5
Nevada	9,533	101.8	874	9.1	2,812	29.1	1,444	16.1	151	2.1	498	5.5
Oregon	17,926	99.7	1,503	7.9	4,711	25.8	2,502	14.9	205	1.6	1,092	6.3
Washington	26,245	95.9	2,121	7.3	6,747	24.5	3,786	14.5	271	1.3	1,538	5.8

¹ Rates are per 100,000 and are age-adjusted using the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2011-2015, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	173,379	239.9	0.62	163.8	0.40	167,240	159.0	0.40	112.9	0.28
Oral Cavity & Pharynx	4,019	4.8	0.08	3.7	0.06	1,454	1.3	0.04	1.0	0.03
Digestive System	53,605	69.6	0.32	49.7	0.22	42,957	41.2	0.20	28.3	0.14
Esophagus	4,659	5.8	0.09	4.3	0.06	1,908	1.8	0.04	1.3	0.03
Stomach	5,952	8.3	0.12	5.6	0.07	3,990	3.9	0.06	2.6	0.04
Colon & Rectum	17,965	24.4	0.20	16.9	0.13	16,753	16.1	0.13	11.0	0.09
Liver	10,459	11.5	0.12	9.2	0.09	3,584	3.3	0.06	2.4	0.04
Pancreas	11,148	14.8	0.15	10.4	0.10	12,494	12.2	0.11	8.2	0.07
Respiratory System	50,972	68.7	0.33	48.0	0.21	35,799	34.2	0.19	24.1	0.13
Larynx	2,551	3.3	0.07	2.4	0.05	575	0.5	0.02	0.4	0.02
Lung & bronchus	48,150	65.1	0.32	45.4	0.21	35,034	33.5	0.18	23.6	0.13
Skin	952	1.2	0.04	0.9	0.03	595	0.6	0.02	0.4	0.02
Melanomas of the skin	344	0.5	0.03	0.3	0.02	341	0.3	0.02	0.2	0.01
Breast	380	0.5	0.03	0.4	0.02	31,001	28.7	0.17	21.5	0.12
Female Genital System	-	-	-	-	-	20,435	19.2	0.14	14.1	0.10
Cervix uteri	-	-	-	-	-	3,986	3.7	0.06	2.9	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	8,843	8.3	0.09	6.1	0.07
Ovary	-	-	-	-	-	6,649	6.3	0.08	4.5	0.06
Male Genital System	23,456	40.3	0.28	23.3	0.15	-	-	-	-	-
Prostate	23,136	39.9	0.28	23.0	0.15	-	-	-	-	-
Testis	112	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	7,652	11.1	0.14	7.3	0.08	5,027	4.9	0.07	3.2	0.05
Bladder	3,373	5.3	0.10	3.3	0.06	2,412	2.4	0.05	1.5	0.03
Kidney & renal pelvis	4,159	5.5	0.09	3.9	0.06	2,452	2.4	0.05	1.6	0.03
Brain & Other Nervous System	2,718	3.2	0.07	2.5	0.05	2,309	2.1	0.05	1.7	0.04
Endocrine System	639	0.8	0.03	0.6	0.02	932	0.9	0.03	0.6	0.02
Thyroid gland	280	0.4	0.02	0.3	0.02	590	0.6	0.02	0.4	0.02
Lymphomas	4,347	5.8	0.09	4.1	0.06	3,730	3.6	0.06	2.5	0.04
Hodgkin Lymphoma	343	0.4	0.02	0.3	0.02	261	0.2	0.02	0.2	0.01
Non-Hodgkin Lymphoma	4,004	5.4	0.09	3.8	0.06	3,469	3.4	0.06	2.3	0.04
Multiple Myeloma	5,098	7.5	0.11	4.9	0.07	5,521	5.5	0.08	3.6	0.05
Leukemias	5,276	7.4	0.11	5.1	0.07	4,567	4.5	0.07	3.1	0.05
Other, Ill-defined & Unknown	14,265	19.1	0.17	13.4	0.11	12,913	12.3	0.11	8.7	0.08

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	173,379	239.9	17,965	24.4	48,150	65.1	23,136	39.9	3,373	5.3	4,004	5.4
New England	3,000	179.4	264	15.1	714	42.8	408	30.3	61	4.2	77	4.5
Connecticut	1,246	193.7	111	17.3	306	47.9	164	30.8	27	4.2	-	-
Maine	32	130.3	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,497	176.9	128	13.9	345	40.5	220	32.6	28	4.2	-	-
New Hampshire	42	135.7	-	-	10	31.1	-	-	-	-	-	-
Rhode Island	166	139.8	21	16.5	40	34.6	15	16.3	-	-	-	-
Vermont	17	149.9	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	23,551	212.3	2,392	21.2	5,947	52.3	3,579	38.8	547	5.5	608	5.3
New Jersey	4,907	217.0	574	24.6	1,239	53.0	776	41.5	115	5.8	-	-
New York	12,013	191.2	1,181	18.4	2,882	44.6	1,857	35.7	268	4.8	346	5.3
Pennsylvania	6,631	260.5	637	24.9	1,826	71.1	946	44.0	164	7.1	-	-
South Atlantic	57,314	237.5	5,903	24.0	15,538	62.0	7,840	41.0	1,133	5.4	1,344	5.4
Delaware	783	213.8	62	16.5	218	59.8	98	32.5	18	5.5	-	-
District of Columbia	1,967	267.7	195	26.7	489	65.0	282	42.3	42	6.1	-	-
Florida	11,452	202.3	1,213	20.5	2,861	48.8	1,799	38.6	223	4.5	329	5.6
Georgia	11,280	243.9	1,246	26.5	3,080	63.5	1,517	44.7	216	5.5	262	5.2
Maryland	7,173	229.0	742	24.1	1,820	57.1	924	36.3	163	5.9	166	5.4
North Carolina	10,104	257.1	984	25.1	3,037	74.2	1,257	40.8	187	5.7	209	5.5
South Carolina	6,725	268.8	663	25.9	1,886	71.5	929	47.5	116	5.3	126	5.0
Virginia	7,437	249.7	753	24.4	2,032	66.1	986	41.4	159	6.0	172	5.7
West Virginia	393	268.6	45	30.0	115	76.7	48	43.5	-	-	-	-
East North Central	26,841	259.1	2,724	26.1	7,927	75.5	3,378	39.2	530	5.8	590	5.6
Illinois	9,272	270.5	995	29.0	2,697	76.7	1,229	43.0	168	5.6	193	5.4
Indiana	2,594	259.3	255	24.2	763	76.3	320	39.3	44	5.1	-	-
Michigan	6,729	251.4	692	25.9	1,961	73.1	811	35.7	132	5.6	167	6.2
Ohio	6,772	248.9	644	23.6	2,055	74.4	879	38.3	160	6.4	-	-
Wisconsin	1,474	280.4	138	26.4	451	84.6	139	36.4	26	6.5	-	-
East South Central	18,697	282.1	1,978	29.4	5,769	84.7	2,401	46.5	281	4.7	-	-
Alabama	6,379	274.7	658	27.9	1,923	79.1	861	47.2	100	4.6	121	5.3
Kentucky	1,556	256.4	161	25.0	502	81.1	164	35.3	38	7.6	-	-
Mississippi	5,623	296.0	625	32.0	1,771	91.1	755	51.1	70	3.9	91	4.9
Tennessee	5,139	286.5	534	30.5	1,573	86.9	621	44.6	73	4.7	114	6.0

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Black, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	5,317	251.3	502	23.8	1,619	75.2	599	36.9	72	4.0	134	6.1
Iowa	285	231.2	22	14.0	88	67.0	19	23.5	-	-	-	-
Kansas	721	242.0	78	27.2	223	73.1	90	38.3	10	3.8	-	-
Minnesota	709	213.5	50	11.5	174	55.3	82	37.0	14	5.5	-	-
Missouri	3,272	269.9	309	25.8	1,039	83.3	369	38.4	36	3.4	-	-
Nebraska	299	247.7	40	37.1	89	76.1	34	35.3	-	-	-	-
North Dakota	13	103.2	-	-	-	-	-	-	-	-	-	-
South Dakota	18	81.6	-	-	-	-	-	-	-	-	-	-
West South Central	23,478	260.5	2,565	27.5	6,990	77.1	2,619	37.6	400	5.3	516	5.5
Arkansas	2,218	277.2	242	29.5	755	91.3	268	43.4	37	4.9	-	-
Louisiana	7,692	287.3	771	28.5	2,396	88.7	806	38.9	128	5.6	200	7.3
Oklahoma	1,332	271.6	147	27.8	406	78.4	171	46.8	26	7.4	-	-
Texas	12,236	244.0	1,405	26.7	3,433	69.1	1,374	35.2	209	5.1	252	4.9
Mountain	1,893	181.1	202	19.9	445	43.0	263	32.2	45	4.2	49	4.6
Arizona	848	175.1	85	19.3	213	44.9	96	24.6	16	3.7	-	-
Colorado	748	198.9	79	20.3	167	43.3	132	45.6	19	4.6	-	-
Idaho	18	93.0	-	-	-	-	-	-	-	-	-	-
Montana	12	152.9	-	-	-	-	-	-	-	-	-	-
New Mexico	177	187.4	14	18.0	44	46.5	23	30.2	-	-	-	-
Utah	74	157.0	17	31.2	11	24.0	-	-	-	-	-	-
Wyoming	16	82.1	-	-	-	-	-	-	-	-	-	-
Pacific	13,288	218.2	1,435	23.1	3,201	52.1	2,049	40.4	304	5.7	320	4.8
Alaska	74	212.7	-	-	22	65.3	16	61.9	-	-	-	-
California	10,922	220.8	1,168	23.1	2,614	52.4	1,744	41.9	241	5.5	253	4.7
Hawaii	82	178.9	13	21.0	19	53.6	-	-	-	-	-	-
Nevada	899	196.2	112	25.3	245	52.4	115	30.2	29	6.6	-	-
Oregon	341	236.1	40	28.2	75	51.2	47	41.3	-	-	-	-
Washington	970	212.3	93	19.9	226	48.8	119	32.7	26	7.5	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	173,379	163.8	17,965	16.9	48,150	45.4	23,136	23.0	3,373	3.3	4,004	3.8
New England	3,000	120.2	264	10.3	714	28.9	408	17.4	61	2.5	77	3.1
Connecticut	1,246	131.3	111	11.5	306	32.5	164	18.1	27	2.8	-	-
Maine	32	88.5	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,497	117.4	128	9.7	345	27.4	220	18.3	28	2.2	-	-
New Hampshire	42	95.6	-	-	10	22.6	-	-	-	-	-	-
Rhode Island	166	93.0	21	11.7	40	22.4	15	9.2	-	-	-	-
Vermont	17	103.9	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	23,551	144.2	2,392	14.6	5,947	36.4	3,579	22.4	547	3.4	608	3.7
New Jersey	4,907	145.9	574	16.9	1,239	36.8	776	24.0	115	3.5	-	-
New York	12,013	130.4	1,181	12.8	2,882	31.2	1,857	20.5	268	2.9	346	3.8
Pennsylvania	6,631	177.1	637	17.0	1,826	49.2	946	25.6	164	4.4	-	-
South Atlantic	57,314	161.6	5,903	16.5	15,538	43.4	7,840	23.5	1,133	3.3	1,344	3.8
Delaware	783	146.4	62	11.6	218	40.8	98	19.4	18	3.4	-	-
District of Columbia	1,967	189.4	195	18.8	489	47.3	282	25.4	42	3.9	-	-
Florida	11,452	137.8	1,213	14.4	2,861	34.2	1,799	22.4	223	2.7	329	4.0
Georgia	11,280	165.5	1,246	18.0	3,080	44.5	1,517	25.6	216	3.4	262	3.7
Maryland	7,173	154.2	742	16.0	1,820	38.9	924	21.0	163	3.6	166	3.6
North Carolina	10,104	176.0	984	17.1	3,037	52.3	1,257	23.5	187	3.4	209	3.7
South Carolina	6,725	183.4	663	18.0	1,886	50.5	929	26.7	116	3.3	126	3.6
Virginia	7,437	167.9	753	16.8	2,032	45.7	986	23.3	159	3.6	172	3.9
West Virginia	393	187.6	45	21.4	115	54.0	48	25.2	-	-	-	-
East North Central	26,841	178.5	2,724	18.1	7,927	52.8	3,378	22.8	530	3.6	590	4.0
Illinois	9,272	185.2	995	19.8	2,697	53.7	1,229	25.0	168	3.4	193	3.9
Indiana	2,594	176.9	255	17.1	763	52.4	320	22.8	44	3.1	-	-
Michigan	6,729	174.9	692	18.1	1,961	51.1	811	21.0	132	3.4	167	4.4
Ohio	6,772	170.5	644	16.1	2,055	51.9	879	22.2	160	4.1	-	-
Wisconsin	1,474	197.6	138	18.3	451	60.9	139	21.4	26	3.9	-	-
East South Central	18,697	194.4	1,978	20.5	5,769	59.6	2,401	26.8	281	3.0	-	-
Alabama	6,379	189.6	658	19.6	1,923	56.4	861	27.2	100	3.0	121	3.7
Kentucky	1,556	174.0	161	17.6	502	56.2	164	19.8	38	4.3	-	-
Mississippi	5,623	205.1	625	22.6	1,771	64.2	755	29.4	70	2.6	91	3.4
Tennessee	5,139	196.5	534	20.5	1,573	60.4	621	25.9	73	3.0	114	4.4

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Black, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	5,317	171.4	502	16.2	1,619	52.4	599	21.0	72	2.4	134	4.2
Iowa	285	157.1	22	10.6	88	48.2	19	12.9	-	-	-	-
Kansas	721	166.6	78	18.1	223	51.1	90	22.3	10	2.4	-	-
Minnesota	709	145.7	50	8.7	174	37.2	82	21.0	14	3.2	-	-
Missouri	3,272	185.1	309	17.6	1,039	58.7	369	21.7	36	2.1	-	-
Nebraska	299	160.6	40	22.5	89	49.2	34	20.5	-	-	-	-
North Dakota	13	67.8	-	-	-	-	-	-	-	-	-	-
South Dakota	18	64.8	-	-	-	-	-	-	-	-	-	-
West South Central	23,478	179.4	2,565	19.3	6,990	53.6	2,619	21.9	400	3.2	516	3.9
Arkansas	2,218	193.7	242	21.1	755	65.4	268	25.2	37	3.2	-	-
Louisiana	7,692	201.6	771	20.2	2,396	62.7	806	22.5	128	3.5	200	5.3
Oklahoma	1,332	183.4	147	19.8	406	55.3	171	26.0	26	4.0	-	-
Texas	12,236	166.3	1,405	18.6	3,433	47.2	1,374	20.6	209	3.0	252	3.4
Mountain	1,893	121.8	202	13.0	445	29.0	263	18.7	45	2.8	49	3.1
Arizona	848	119.5	85	12.2	213	30.4	96	14.9	16	2.3	-	-
Colorado	748	131.8	79	13.6	167	29.3	132	25.9	19	3.2	-	-
Idaho	18	67.9	-	-	-	-	-	-	-	-	-	-
Montana	12	104.7	-	-	-	-	-	-	-	-	-	-
New Mexico	177	119.6	14	9.9	44	29.9	23	16.6	-	-	-	-
Utah	74	113.0	17	23.4	11	17.3	-	-	-	-	-	-
Wyoming	16	59.4	-	-	-	-	-	-	-	-	-	-
Pacific	13,288	146.7	1,435	15.8	3,201	35.5	2,049	23.4	304	3.4	320	3.5
Alaska	74	134.3	-	-	22	41.0	16	34.0	-	-	-	-
California	10,922	148.5	1,168	15.8	2,614	35.7	1,744	24.2	241	3.3	253	3.4
Hawaii	82	118.8	13	16.6	19	31.5	-	-	-	-	-	-
Nevada	899	131.6	112	16.6	245	35.8	115	17.6	29	4.3	-	-
Oregon	341	163.1	40	19.7	75	36.0	47	24.9	-	-	-	-
Washington	970	142.8	93	13.6	226	33.6	119	19.6	26	4.2	-	-

¹ Rates are per 100,000 and are age-adjusted using the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	167,240	159.0	16,753	16.1	35,034	33.5	31,001	28.7	3,986	3.7	6,649	6.3
New England	3,009	122.8	279	11.3	577	23.7	484	18.8	52	1.9	139	5.6
Connecticut	1,290	131.4	113	11.5	231	23.3	204	19.2	23	2.1	60	6.2
Maine	24	100.2	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,520	122.6	150	11.9	309	25.2	232	18.3	27	2.0	72	5.6
New Hampshire	18	59.4	-	-	-	-	-	-	-	-	-	-
Rhode Island	144	84.3	11	6.4	28	17.0	38	22.0	-	-	-	-
Vermont	13	150.2	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	26,329	150.7	2,508	14.4	5,408	31.0	4,772	27.1	670	3.8	1,138	6.5
New Jersey	5,476	155.1	515	14.7	1,084	30.7	1,087	30.1	144	3.9	244	6.9
New York	13,649	135.9	1,356	13.6	2,578	25.6	2,466	24.4	375	3.7	610	6.0
Pennsylvania	7,204	185.1	637	16.4	1,746	45.2	1,219	31.2	151	3.9	284	7.3
South Atlantic	54,153	152.0	5,420	15.3	10,340	29.2	10,330	28.0	1,262	3.5	2,263	6.3
Delaware	860	166.1	74	14.8	193	37.7	142	25.9	17	3.1	40	7.5
District of Columbia	2,169	192.2	217	18.7	441	38.9	379	34.6	48	4.8	102	9.5
Florida	10,605	134.0	1,088	13.8	1,805	22.9	2,018	24.9	346	4.2	442	5.6
Georgia	10,711	149.3	1,101	15.5	1,882	26.6	2,200	28.9	260	3.4	479	6.6
Maryland	7,511	156.3	709	15.0	1,603	33.8	1,400	27.8	146	2.9	309	6.4
North Carolina	9,221	156.2	924	15.8	1,818	30.9	1,743	28.7	192	3.2	374	6.4
South Carolina	5,789	158.3	571	15.4	1,059	28.4	1,077	28.8	134	3.8	242	6.7
Virginia	6,968	161.0	706	16.5	1,473	34.4	1,319	29.5	117	2.7	256	5.9
West Virginia	319	177.0	30	15.9	66	36.7	52	30.4	-	-	19	10.6
East North Central	26,725	177.5	2,625	17.5	6,599	44.0	4,641	30.4	562	3.7	961	6.3
Illinois	9,312	180.1	1,008	19.6	2,210	42.8	1,615	30.9	241	4.6	371	7.1
Indiana	2,601	180.3	256	18.3	642	44.8	434	29.3	46	3.0	92	6.2
Michigan	6,696	174.0	648	16.7	1,600	41.7	1,158	29.8	124	3.2	247	6.4
Ohio	6,797	174.1	604	15.6	1,784	45.7	1,214	30.8	120	3.2	215	5.5
Wisconsin	1,319	191.7	109	15.5	363	52.8	220	31.2	31	4.1	36	4.9
East South Central	16,434	169.4	1,814	19.1	3,455	36.0	3,037	30.0	484	5.0	651	6.7
Alabama	5,461	159.3	627	18.6	1,024	29.7	1,004	28.4	173	5.2	241	7.1
Kentucky	1,529	180.0	155	18.2	429	51.5	248	28.3	24	2.6	47	5.4
Mississippi	4,696	170.8	548	20.1	929	34.2	903	31.4	153	5.5	166	6.1
Tennessee	4,748	177.9	484	18.8	1,073	40.9	882	31.4	134	4.8	197	7.3

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Black, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	5,186	175.9	467	16.2	1,245	42.5	898	29.5	127	4.0	151	5.1
Iowa	262	183.8	32	21.2	66	47.3	32	21.0	-	-	-	-
Kansas	711	183.4	70	18.5	168	44.8	121	30.1	17	4.6	22	5.6
Minnesota	627	156.7	45	11.9	116	30.2	100	22.6	18	3.1	23	5.3
Missouri	3,295	181.7	292	16.3	817	44.5	599	32.4	85	4.6	94	5.2
Nebraska	270	161.6	27	17.0	76	45.2	44	26.9	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	15	76.6	-	-	-	-	-	-	-	-	-	-
West South Central	21,070	165.9	2,189	17.2	4,402	35.2	4,111	31.0	561	4.2	757	6.1
Arkansas	1,906	170.6	202	17.9	397	35.7	351	30.5	63	5.5	85	8.0
Louisiana	6,538	176.5	672	18.2	1,390	37.4	1,265	33.4	162	4.4	228	6.1
Oklahoma	1,155	175.8	119	17.4	261	40.5	225	33.1	24	3.6	45	7.2
Texas	11,471	159.2	1,196	16.7	2,354	33.5	2,270	29.8	312	4.0	399	5.6
Mountain	1,668	137.1	167	14.2	320	26.5	310	24.2	35	2.6	71	5.8
Arizona	831	143.7	91	17.0	151	26.1	151	24.7	21	3.0	33	5.5
Colorado	620	137.5	49	10.9	127	28.8	118	24.3	11	2.5	27	6.1
Idaho	10	84.6	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	134	123.9	17	15.8	24	22.3	29	27.4	-	-	-	-
Utah	51	136.8	-	-	-	-	10	24.5	-	-	-	-
Wyoming	18	94.5	-	-	-	-	-	-	-	-	-	-
Pacific	12,666	158.7	1,284	16.3	2,688	34.0	2,418	29.5	233	2.7	518	6.4
Alaska	56	130.9	-	-	-	-	12	24.7	-	-	-	-
California	10,811	162.1	1,115	16.9	2,263	34.1	2,048	30.1	204	2.9	447	6.6
Hawaii	39	107.1	-	-	-	-	11	24.0	-	-	-	-
Nevada	828	146.4	83	14.7	199	36.4	166	28.5	15	2.2	35	5.9
Oregon	245	156.5	24	16.6	62	41.2	48	28.8	-	-	-	-
Washington	687	135.0	57	10.6	147	31.2	133	24.8	10	1.6	27	5.3

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	167,240	112.9	16,753	11.0	35,034	23.6	31,001	21.5	3,986	2.9	6,649	4.5
New England	3,009	86.1	279	7.8	577	16.7	484	14.1	52	1.5	139	4.0
Connecticut	1,290	93.4	113	8.0	231	16.9	204	15.3	23	1.8	60	4.3
Maine	24	79.2	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,520	84.5	150	8.0	309	17.4	232	13.1	27	1.5	72	4.0
New Hampshire	18	42.3	-	-	-	-	-	-	-	-	-	-
Rhode Island	144	61.4	11	4.6	28	11.9	38	16.6	-	-	-	-
Vermont	13	107.2	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	26,329	107.0	2,508	9.7	5,408	21.9	4,772	20.1	670	3.0	1,138	4.7
New Jersey	5,476	109.8	515	9.9	1,084	21.6	1,087	22.4	144	3.1	244	4.9
New York	13,649	96.7	1,356	9.1	2,578	18.1	2,466	18.2	375	2.9	610	4.4
Pennsylvania	7,204	131.2	637	11.1	1,746	32.0	1,219	22.9	151	3.1	284	5.2
South Atlantic	54,153	107.9	5,420	10.5	10,340	20.5	10,330	21.1	1,262	2.7	2,263	4.5
Delaware	860	116.2	74	9.9	193	26.6	142	19.0	17	2.3	40	5.4
District of Columbia	2,169	138.1	217	13.3	441	27.6	379	25.9	48	3.8	102	7.0
Florida	10,605	96.3	1,088	9.6	1,805	16.2	2,018	18.9	346	3.3	442	4.0
Georgia	10,711	105.9	1,101	10.7	1,882	18.7	2,200	21.6	260	2.6	479	4.7
Maryland	7,511	110.2	709	10.1	1,603	23.3	1,400	20.9	146	2.2	309	4.6
North Carolina	9,221	110.9	924	10.8	1,818	21.9	1,743	21.8	192	2.5	374	4.5
South Carolina	5,789	112.2	571	10.8	1,059	20.2	1,077	21.7	134	2.9	242	4.7
Virginia	6,968	112.8	706	11.1	1,473	23.7	1,319	22.0	117	2.2	256	4.2
West Virginia	319	127.3	30	10.6	66	26.2	52	22.8	-	-	19	7.4
East North Central	26,725	125.9	2,625	12.0	6,599	30.9	4,641	22.6	562	2.9	961	4.6
Illinois	9,312	127.5	1,008	13.2	2,210	30.0	1,615	23.0	241	3.6	371	5.1
Indiana	2,601	127.3	256	11.7	642	31.5	434	22.0	46	2.3	92	4.6
Michigan	6,696	124.3	648	11.7	1,600	29.2	1,158	22.2	124	2.6	247	4.7
Ohio	6,797	123.1	604	10.9	1,784	32.0	1,214	22.9	120	2.6	215	3.9
Wisconsin	1,319	136.2	109	11.0	363	38.0	220	22.6	31	3.2	36	3.7
East South Central	16,434	120.7	1,814	13.0	3,455	25.4	3,037	22.8	484	3.9	651	4.8
Alabama	5,461	113.5	627	12.6	1,024	21.1	1,004	21.8	173	4.0	241	5.0
Kentucky	1,529	125.9	155	12.3	429	35.3	248	21.3	24	2.2	47	3.6
Mississippi	4,696	122.9	548	14.2	929	24.4	903	23.8	153	4.3	166	4.4
Tennessee	4,748	125.9	484	12.7	1,073	28.7	882	23.6	134	3.8	197	5.3

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Black, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	5,186	124.9	467	10.9	1,245	30.1	898	21.9	127	3.2	151	3.7
Iowa	262	131.1	32	15.4	66	33.8	32	15.8	-	-	-	-
Kansas	711	129.9	70	12.3	168	30.2	121	23.0	17	3.4	22	4.4
Minnesota	627	108.6	45	7.7	116	20.6	100	16.5	18	2.7	23	3.9
Missouri	3,295	129.6	292	11.1	817	32.1	599	24.2	85	3.7	94	3.7
Nebraska	270	115.6	27	11.4	76	33.1	44	18.6	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	15	59.8	-	-	-	-	-	-	-	-	-	-
West South Central	21,070	118.1	2,189	12.1	4,402	24.7	4,111	23.3	561	3.3	757	4.3
Arkansas	1,906	121.5	202	12.5	397	25.3	351	23.2	63	4.5	85	5.5
Louisiana	6,538	126.8	672	13.0	1,390	26.7	1,265	25.1	162	3.5	228	4.4
Oklahoma	1,155	123.9	119	12.5	261	27.9	225	24.8	24	2.9	45	4.9
Texas	11,471	113.0	1,196	11.6	2,354	23.4	2,270	22.3	312	3.2	399	4.0
Mountain	1,668	96.3	167	9.5	320	18.8	310	17.9	35	2.0	71	4.1
Arizona	831	101.9	91	11.0	151	18.8	151	18.5	21	2.5	33	4.1
Colorado	620	95.0	49	7.6	127	19.9	118	17.8	11	1.7	27	4.0
Idaho	10	62.8	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	134	86.4	17	10.6	24	15.4	29	19.8	-	-	-	-
Utah	51	96.1	-	-	-	-	10	17.9	-	-	-	-
Wyoming	18	72.4	-	-	-	-	-	-	-	-	-	-
Pacific	12,666	112.5	1,284	11.1	2,688	23.8	2,418	22.0	233	2.3	518	4.7
Alaska	56	89.6	-	-	-	-	12	18.8	-	-	-	-
California	10,811	115.2	1,115	11.5	2,263	24.0	2,048	22.5	204	2.4	447	4.9
Hawaii	39	81.0	-	-	-	-	11	20.8	-	-	-	-
Nevada	828	103.0	83	10.3	199	24.5	166	20.8	15	2.0	35	4.4
Oregon	245	110.0	24	10.4	62	28.1	48	21.1	-	-	-	-
Washington	687	95.2	57	7.7	147	21.5	133	18.4	10	1.3	27	3.7

¹ Rates are per 100,000 and are age-adjusted using the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2011-2015, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i> <i>2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate</i> <i>World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i> <i>2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate</i> <i>World</i>	<i>S.E.</i>
All Sites	40,497	121.2	0.63	79.8	0.40	39,352	88.3	0.45	60.0	0.31
Oral Cavity & Pharynx	1,135	3.0	0.09	2.2	0.07	523	1.1	0.05	0.8	0.04
Digestive System	15,954	46.1	0.38	31.3	0.25	12,553	28.8	0.26	18.7	0.17
Esophagus	997	2.8	0.09	2.0	0.06	296	0.7	0.04	0.4	0.03
Stomach	2,268	6.8	0.15	4.5	0.09	1,884	4.2	0.10	2.8	0.07
Colon & Rectum	4,145	12.1	0.20	8.1	0.13	3,821	8.6	0.14	5.7	0.09
Liver	4,309	11.7	0.19	8.5	0.13	1,810	4.2	0.10	2.7	0.06
Pancreas	2,750	8.3	0.17	5.4	0.10	3,104	7.3	0.13	4.6	0.08
Respiratory System	10,484	32.1	0.33	20.7	0.20	7,814	18.0	0.21	11.8	0.13
Larynx	242	0.7	0.05	0.5	0.03	33	0.1	0.01	0.0	0.01
Lung & bronchus	10,162	31.2	0.32	20.1	0.20	7,720	17.8	0.21	11.6	0.13
Skin	241	0.7	0.05	0.5	0.03	216	0.5	0.03	0.3	0.02
Melanomas of the skin	129	0.4	0.03	0.3	0.02	144	0.3	0.03	0.2	0.02
Breast	39	0.1	0.02	0.1	0.01	5,450	11.4	0.16	8.6	0.12
Female Genital System	-	-	-	-	-	4,502	9.5	0.14	7.1	0.11
Cervix uteri	-	-	-	-	-	867	1.8	0.06	1.4	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	1,400	2.9	0.08	2.2	0.06
Ovary	-	-	-	-	-	2,054	4.4	0.10	3.2	0.07
Male Genital System	2,512	9.0	0.18	4.9	0.10	-	-	-	-	-
Prostate	2,443	8.8	0.18	4.7	0.10	-	-	-	-	-
Testis	32	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	1,803	5.7	0.14	3.5	0.08	935	2.2	0.07	1.4	0.05
Bladder	831	2.9	0.10	1.6	0.06	378	0.9	0.05	0.5	0.03
Kidney & renal pelvis	915	2.7	0.09	1.8	0.06	501	1.1	0.05	0.8	0.03
Brain & Other Nervous System	971	2.5	0.08	2.0	0.06	848	1.8	0.06	1.4	0.05
Endocrine System	305	0.9	0.05	0.6	0.04	393	0.9	0.05	0.6	0.03
Thyroid gland	184	0.5	0.04	0.4	0.03	289	0.7	0.04	0.4	0.03
Lymphomas	1,675	5.2	0.13	3.3	0.08	1,414	3.3	0.09	2.1	0.06
Hodgkin Lymphoma	71	0.2	0.03	0.1	0.02	47	0.1	0.02	0.1	0.01
Non-Hodgkin Lymphoma	1,604	5.0	0.13	3.2	0.08	1,367	3.2	0.09	2.0	0.06
Multiple Myeloma	673	2.0	0.08	1.3	0.05	576	1.3	0.06	0.9	0.04
Leukemias	1,674	4.9	0.13	3.4	0.08	1,282	2.9	0.08	2.1	0.06
Other, Ill-defined & Unknown	3,031	9.0	0.17	6.0	0.11	2,846	6.4	0.12	4.3	0.08

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	40,497	121.2	4,145	12.1	10,162	31.2	2,443	8.8	831	2.9	1,604	5.0
New England	1,124	116.8	87	8.4	299	32.4	51	7.1	19	2.3	42	4.5
Connecticut	222	99.9	17	5.0	51	24.3	-	-	-	-	-	-
Maine	18	72.9	-	-	-	-	-	-	-	-	-	-
Massachusetts	756	122.2	61	9.3	213	36.2	36	7.6	11	2.0	-	-
New Hampshire	42	127.8	-	-	10	20.8	-	-	-	-	-	-
Rhode Island	70	129.3	-	-	20	34.7	-	-	-	-	-	-
Vermont	16	156.9	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	5,716	109.5	556	10.7	1,458	28.8	267	6.5	108	2.5	216	4.2
New Jersey	1,245	88.2	115	7.3	283	20.6	68	6.4	20	1.9	-	-
New York	3,767	118.3	375	12.1	993	32.0	170	6.6	79	2.9	-	-
Pennsylvania	704	113.6	66	10.8	182	31.0	29	6.2	-	-	-	-
South Atlantic	3,668	97.8	374	10.1	873	23.5	199	7.1	89	3.0	160	4.6
Delaware	51	91.0	-	-	-	-	-	-	-	-	-	-
District of Columbia	38	137.2	-	-	10	35.1	-	-	-	-	-	-
Florida	941	84.1	116	10.3	227	20.6	54	6.3	18	1.8	-	-
Georgia	602	104.0	69	13.2	133	23.0	31	8.5	11	2.5	-	-
Maryland	724	102.1	70	10.2	153	21.8	36	5.8	30	5.2	-	-
North Carolina	335	101.5	19	4.8	79	24.6	-	-	-	-	-	-
South Carolina	107	91.4	-	-	32	27.3	-	-	-	-	-	-
Virginia	852	108.6	82	10.8	228	29.3	52	9.0	17	2.5	-	-
West Virginia	18	85.5	-	-	-	-	-	-	-	-	-	-
East North Central	2,369	108.9	243	11.2	556	26.7	143	8.8	45	2.5	100	5.0
Illinois	1,294	111.9	137	11.9	333	29.5	72	7.9	32	3.2	-	-
Indiana	140	100.4	13	8.9	22	17.5	-	-	-	-	-	-
Michigan	413	100.3	44	11.2	82	20.2	27	9.5	-	-	-	-
Ohio	329	96.7	27	7.4	87	28.0	22	8.7	-	-	-	-
Wisconsin	193	144.4	22	16.0	32	25.9	15	16.4	-	-	-	-
East South Central	341	91.8	31	9.4	92	24.7	19	8.0	-	-	15	4.3
Alabama	51	62.6	-	-	11	13.9	-	-	-	-	-	-
Kentucky	68	88.6	-	-	15	23.1	-	-	-	-	-	-
Mississippi	62	136.7	-	-	22	42.4	-	-	-	-	-	-
Tennessee	160	97.7	13	8.5	44	27.0	-	-	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	834	120.9	78	10.7	182	29.5	38	8.5	15	2.6	35	5.9
Iowa	101	153.4	10	14.8	21	37.7	-	-	-	-	-	-
Kansas	126	122.3	-	-	34	35.2	-	-	-	-	-	-
Minnesota	335	120.5	27	8.5	67	26.5	12	6.4	10	3.8	-	-
Missouri	181	108.4	24	14.4	43	29.0	-	-	-	-	-	-
Nebraska	69	130.4	-	-	13	25.5	-	-	-	-	-	-
North Dakota	11	145.5	-	-	-	-	-	-	-	-	-	-
South Dakota	11	97.2	-	-	-	-	-	-	-	-	-	-
West South Central	2,347	106.9	216	9.7	536	26.1	113	7.7	43	2.5	100	5.0
Arkansas	80	132.8	-	-	18	37.0	-	-	-	-	-	-
Louisiana	178	122.1	12	9.6	47	33.1	-	-	-	-	-	-
Oklahoma	116	102.8	14	11.2	26	22.5	-	-	-	-	-	-
Texas	1,973	105.3	183	9.5	445	25.6	97	7.8	38	2.6	-	-
Mountain	1,028	119.3	98	11.7	211	26.9	65	9.4	13	2.0	52	6.6
Arizona	389	111.5	40	12.1	97	30.4	29	9.9	-	-	-	-
Colorado	312	122.2	22	9.1	64	27.5	20	10.2	-	-	-	-
Idaho	51	143.5	-	-	-	-	-	-	-	-	-	-
Montana	17	147.3	-	-	-	-	-	-	-	-	-	-
New Mexico	72	107.1	-	-	12	17.1	-	-	-	-	-	-
Utah	179	133.2	21	17.3	26	21.5	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	23,070	133.6	2,462	13.9	5,955	34.9	1,548	9.9	494	3.1	884	5.2
Alaska	96	118.0	11	12.0	24	35.0	-	-	-	-	-	-
California	16,335	129.3	1,724	13.3	4,251	34.1	1,060	9.4	346	3.0	632	5.1
Hawaii	4,191	157.1	470	17.5	1,077	40.4	321	11.7	93	3.5	-	-
Nevada	619	121.0	86	16.3	176	35.4	44	9.8	17	4.0	-	-
Oregon	383	130.8	34	12.3	89	32.6	13	5.2	-	-	-	-
Washington	1,446	140.1	137	12.1	338	34.6	103	12.6	33	3.7	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	40,497	79.8	4,145	8.1	10,162	20.1	2,443	4.7	831	1.6	1,604	3.2
New England	1,124	75.7	87	5.7	299	20.5	51	3.7	19	1.3	42	2.8
Connecticut	222	65.4	17	4.3	51	15.4	-	-	-	-	-	-
Maine	18	53.1	-	-	-	-	-	-	-	-	-	-
Massachusetts	756	78.7	61	6.2	213	22.5	36	3.9	11	1.2	-	-
New Hampshire	42	74.4	-	-	10	15.3	-	-	-	-	-	-
Rhode Island	70	91.3	-	-	20	25.6	-	-	-	-	-	-
Vermont	16	104.7	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	5,716	71.5	556	6.9	1,458	18.4	267	3.5	108	1.4	216	2.7
New Jersey	1,245	57.0	115	5.1	283	13.0	68	3.4	20	1.0	-	-
New York	3,767	77.8	375	7.7	993	20.5	170	3.5	79	1.6	-	-
Pennsylvania	704	74.0	66	6.9	182	19.5	29	3.4	-	-	-	-
South Atlantic	3,668	65.0	374	6.6	873	15.5	199	3.8	89	1.7	160	2.9
Delaware	51	58.7	-	-	-	-	-	-	-	-	-	-
District of Columbia	38	88.0	-	-	10	25.2	-	-	-	-	-	-
Florida	941	57.2	116	7.0	227	13.8	54	3.4	18	1.1	-	-
Georgia	602	70.7	69	8.4	133	15.8	31	4.5	11	1.5	-	-
Maryland	724	67.5	70	6.5	153	14.2	36	3.4	30	2.9	-	-
North Carolina	335	66.8	19	3.4	79	16.3	-	-	-	-	-	-
South Carolina	107	62.6	-	-	32	18.8	-	-	-	-	-	-
Virginia	852	69.6	82	6.7	228	18.7	52	4.8	17	1.5	-	-
West Virginia	18	51.3	-	-	-	-	-	-	-	-	-	-
East North Central	2,369	70.0	243	7.2	556	16.7	143	4.6	45	1.4	100	3.0
Illinois	1,294	71.9	137	7.6	333	18.4	72	4.2	32	1.8	-	-
Indiana	140	63.1	13	5.5	22	10.4	-	-	-	-	-	-
Michigan	413	65.3	44	7.0	82	13.1	27	4.9	-	-	-	-
Ohio	329	63.7	27	5.1	87	17.5	22	4.7	-	-	-	-
Wisconsin	193	87.8	22	10.2	32	15.1	15	8.0	-	-	-	-
East South Central	341	62.7	31	6.1	92	17.0	19	4.3	-	-	15	2.8
Alabama	51	40.0	-	-	11	8.7	-	-	-	-	-	-
Kentucky	68	61.0	-	-	15	14.7	-	-	-	-	-	-
Mississippi	62	94.1	-	-	22	32.7	-	-	-	-	-	-
Tennessee	160	67.9	13	5.8	44	18.6	-	-	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	834	81.6	78	7.5	182	18.8	38	4.5	15	1.6	35	3.5
Iowa	101	97.9	10	9.6	21	22.7	-	-	-	-	-	-
Kansas	126	81.2	-	-	34	22.8	-	-	-	-	-	-
Minnesota	335	82.1	27	6.3	67	16.9	12	3.4	10	2.6	-	-
Missouri	181	73.1	24	9.9	43	18.3	-	-	-	-	-	-
Nebraska	69	92.0	-	-	13	17.5	-	-	-	-	-	-
North Dakota	11	88.0	-	-	-	-	-	-	-	-	-	-
South Dakota	11	64.9	-	-	-	-	-	-	-	-	-	-
West South Central	2,347	71.7	216	6.5	536	16.8	113	4.1	43	1.5	100	3.2
Arkansas	80	90.9	-	-	18	22.9	-	-	-	-	-	-
Louisiana	178	85.5	12	6.1	47	23.0	-	-	-	-	-	-
Oklahoma	116	69.3	14	7.9	26	15.4	-	-	-	-	-	-
Texas	1,973	70.3	183	6.4	445	16.3	97	4.1	38	1.5	-	-
Mountain	1,028	78.9	98	7.5	211	16.8	65	5.3	13	1.1	52	4.1
Arizona	389	72.9	40	7.6	97	18.7	29	5.7	-	-	-	-
Colorado	312	79.0	22	5.6	64	16.6	20	5.2	-	-	-	-
Idaho	51	93.3	-	-	-	-	-	-	-	-	-	-
Montana	17	99.0	-	-	-	-	-	-	-	-	-	-
New Mexico	72	74.4	-	-	12	12.3	-	-	-	-	-	-
Utah	179	92.4	21	11.2	26	14.1	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	23,070	88.6	2,462	9.5	5,955	22.7	1,548	5.3	494	1.8	884	3.4
Alaska	96	80.6	11	8.5	24	21.8	-	-	-	-	-	-
California	16,335	85.4	1,724	9.1	4,251	22.1	1,060	5.0	346	1.7	632	3.3
Hawaii	4,191	106.4	470	12.4	1,077	27.0	321	6.6	93	2.0	-	-
Nevada	619	80.3	86	11.2	176	22.6	44	5.7	17	2.3	-	-
Oregon	383	85.4	34	7.6	89	20.1	13	2.9	-	-	-	-
Washington	1,446	92.3	137	8.5	338	21.8	103	6.7	33	2.2	-	-

¹ Rates are per 100,000 and are age-adjusted using the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	39,352	88.3	3,821	8.6	7,720	17.8	5,450	11.4	867	1.8	2,054	4.4
New England	953	78.9	97	8.6	195	16.9	109	7.5	13	0.9	47	3.7
Connecticut	199	74.6	20	8.5	26	10.6	31	9.1	-	-	-	-
Maine	30	95.2	-	-	-	-	-	-	-	-	-	-
Massachusetts	625	80.2	67	9.2	138	18.5	66	7.3	-	-	26	3.1
New Hampshire	25	47.0	-	-	-	-	-	-	-	-	-	-
Rhode Island	58	94.9	-	-	13	21.0	-	-	-	-	-	-
Vermont	16	92.4	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	5,009	77.5	473	7.6	912	14.8	746	10.3	105	1.5	292	4.1
New Jersey	1,192	68.7	100	5.9	203	12.9	222	11.3	17	0.8	73	3.7
New York	3,115	78.7	307	7.9	587	15.2	421	9.7	71	1.7	185	4.3
Pennsylvania	702	93.0	66	9.8	122	17.2	103	11.2	17	1.9	34	4.4
South Atlantic	3,837	77.8	319	6.7	774	16.4	539	9.6	92	1.6	245	4.6
Delaware	52	83.5	-	-	15	25.8	-	-	-	-	-	-
District of Columbia	39	88.9	-	-	-	-	-	-	-	-	-	-
Florida	1,120	74.6	104	7.1	236	16.4	162	9.9	29	1.8	69	4.5
Georgia	510	73.3	43	6.5	95	14.0	76	8.8	17	2.3	30	3.9
Maryland	689	77.5	58	6.4	134	15.5	98	9.3	15	1.5	48	5.0
North Carolina	387	92.3	28	6.5	84	20.6	59	12.2	-	-	20	3.7
South Carolina	132	83.4	10	8.4	29	19.7	14	7.5	-	-	-	-
Virginia	893	80.4	71	7.1	169	15.7	118	9.8	24	1.7	63	5.3
West Virginia	15	37.9	-	-	-	-	-	-	-	-	-	-
East North Central	2,400	82.7	223	7.7	467	17.0	347	10.8	58	1.8	143	4.7
Illinois	1,226	80.4	109	7.2	223	15.1	199	11.9	25	1.4	72	4.5
Indiana	171	81.8	21	11.0	28	16.4	23	9.6	-	-	-	-
Michigan	428	84.1	37	6.8	86	18.1	56	9.3	13	2.3	35	6.9
Ohio	358	80.0	34	7.7	82	19.0	50	11.0	-	-	20	3.7
Wisconsin	217	103.2	22	10.9	48	24.0	19	8.0	-	-	-	-
East South Central	437	92.8	38	7.9	107	24.6	56	10.4	14	2.1	18	3.2
Alabama	83	70.0	-	-	23	22.3	12	9.3	-	-	-	-
Kentucky	103	106.2	-	-	22	24.2	14	12.8	-	-	-	-
Mississippi	78	139.1	-	-	19	37.3	-	-	-	-	-	-
Tennessee	173	85.7	17	8.2	43	22.1	25	11.6	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	884	97.1	87	10.1	177	21.3	103	9.7	37	3.3	36	3.6
Iowa	89	99.7	-	-	19	22.2	10	8.6	-	-	-	-
Kansas	143	108.6	12	8.7	45	35.9	18	11.1	-	-	-	-
Minnesota	357	95.2	44	11.9	54	16.7	32	7.4	21	4.9	10	2.5
Missouri	208	94.2	22	11.1	39	19.4	37	14.5	-	-	-	-
Nebraska	62	98.1	-	-	12	17.7	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	20	124.4	-	-	-	-	-	-	-	-	-	-
West South Central	2,297	84.6	223	8.4	462	18.1	325	10.1	61	1.8	116	3.7
Arkansas	87	97.5	-	-	16	20.2	10	7.6	-	-	-	-
Louisiana	143	86.5	11	6.7	34	23.7	20	10.9	-	-	-	-
Oklahoma	184	114.8	18	11.8	48	33.4	24	12.4	-	-	-	-
Texas	1,883	81.9	187	8.3	364	16.6	271	10.0	41	1.6	97	3.6
Mountain	1,076	85.3	105	8.8	221	18.1	155	11.1	20	1.4	57	4.1
Arizona	451	88.1	41	8.4	95	19.9	72	12.1	-	-	32	5.7
Colorado	293	76.4	41	11.2	64	16.8	32	7.7	-	-	14	3.5
Idaho	50	82.8	-	-	-	-	-	-	-	-	-	-
Montana	19	92.5	-	-	-	-	-	-	-	-	-	-
New Mexico	84	85.5	-	-	21	21.0	-	-	-	-	-	-
Utah	169	97.3	13	8.4	25	14.9	37	19.2	-	-	-	-
Wyoming	10	81.9	-	-	-	-	-	-	-	-	-	-
Pacific	22,459	95.5	2,256	9.5	4,405	18.9	3,070	12.8	467	2.0	1,100	4.6
Alaska	129	110.8	12	9.6	35	30.9	15	12.2	-	-	-	-
California	15,824	92.8	1,657	9.7	2,989	17.7	2,230	12.7	347	2.0	803	4.6
Hawaii	3,818	108.0	353	9.8	829	23.3	477	14.3	60	2.1	133	4.0
Nevada	710	93.8	72	10.5	142	18.6	118	14.5	10	1.2	42	5.0
Oregon	412	95.3	35	7.8	86	21.8	46	9.9	10	1.9	27	6.2
Washington	1,566	102.9	127	7.9	324	21.8	184	11.2	37	2.4	89	5.4

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	39,352	60.0	3,821	5.7	7,720	11.6	5,450	8.6	867	1.4	2,054	3.2
New England	953	52.5	97	5.3	195	10.8	109	5.7	13	0.7	47	2.5
Connecticut	199	49.5	20	5.2	26	6.7	31	7.0	-	-	-	-
Maine	30	65.3	-	-	-	-	-	-	-	-	-	-
Massachusetts	625	53.5	67	5.6	138	11.9	66	5.5	-	-	26	2.1
New Hampshire	25	30.6	-	-	-	-	-	-	-	-	-	-
Rhode Island	58	61.2	-	-	13	13.5	-	-	-	-	-	-
Vermont	16	66.1	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	5,009	52.0	473	4.8	912	9.3	746	7.7	105	1.1	292	3.0
New Jersey	1,192	45.5	100	3.7	203	7.8	222	8.3	17	0.7	73	2.7
New York	3,115	53.4	307	5.1	587	9.8	421	7.3	71	1.2	185	3.2
Pennsylvania	702	60.8	66	5.8	122	10.8	103	8.5	17	1.4	34	2.9
South Atlantic	3,837	52.6	319	4.3	774	10.7	539	7.2	92	1.2	245	3.3
Delaware	52	50.4	-	-	15	14.7	-	-	-	-	-	-
District of Columbia	39	54.7	-	-	-	-	-	-	-	-	-	-
Florida	1,120	51.4	104	4.7	236	10.7	162	7.4	29	1.3	69	3.2
Georgia	510	49.4	43	4.2	95	9.4	76	6.7	17	1.6	30	2.9
Maryland	689	52.4	58	4.4	134	10.2	98	7.5	15	1.1	48	3.7
North Carolina	387	60.0	28	4.3	84	13.3	59	8.7	-	-	20	2.8
South Carolina	132	55.7	10	4.7	29	12.7	14	5.7	-	-	-	-
Virginia	893	54.3	71	4.4	169	10.4	118	6.9	24	1.4	63	3.8
West Virginia	15	28.0	-	-	-	-	-	-	-	-	-	-
East North Central	2,400	55.9	223	5.2	467	10.9	347	8.0	58	1.3	143	3.3
Illinois	1,226	54.1	109	4.8	223	9.7	199	8.9	25	1.1	72	3.2
Indiana	171	56.8	21	7.0	28	10.0	23	7.3	-	-	-	-
Michigan	428	55.8	37	4.6	86	11.5	56	6.9	13	1.7	35	4.6
Ohio	358	54.8	34	5.2	82	12.7	50	7.5	-	-	20	3.0
Wisconsin	217	70.9	22	7.3	48	16.1	19	6.2	-	-	-	-
East South Central	437	59.4	38	5.1	107	15.0	56	7.3	14	1.7	18	2.3
Alabama	83	43.8	-	-	23	12.8	12	6.0	-	-	-	-
Kentucky	103	68.8	-	-	22	15.1	14	9.1	-	-	-	-
Mississippi	78	84.9	-	-	19	21.2	-	-	-	-	-	-
Tennessee	173	56.6	17	5.5	43	14.2	25	8.1	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2011-2015, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	884	65.5	87	6.4	177	13.7	103	7.3	37	2.6	36	2.6
Iowa	89	64.9	-	-	19	14.0	10	6.7	-	-	-	-
Kansas	143	69.5	12	5.7	45	22.5	18	8.2	-	-	-	-
Minnesota	357	67.1	44	8.0	54	10.8	32	5.6	21	3.8	10	1.8
Missouri	208	62.7	22	6.7	39	12.1	37	10.8	-	-	-	-
Nebraska	62	65.1	-	-	12	12.3	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	20	83.3	-	-	-	-	-	-	-	-	-	-
West South Central	2,297	57.1	223	5.5	462	11.7	325	7.7	61	1.4	116	2.8
Arkansas	87	68.7	-	-	16	13.0	10	6.7	-	-	-	-
Louisiana	143	58.8	11	4.6	34	14.5	20	8.1	-	-	-	-
Oklahoma	184	77.9	18	7.7	48	21.4	24	9.6	-	-	-	-
Texas	1,883	55.1	187	5.4	364	10.8	271	7.5	41	1.1	97	2.7
Mountain	1,076	57.4	105	5.6	221	11.8	155	8.3	20	1.1	57	3.0
Arizona	451	59.0	41	5.4	95	12.5	72	9.3	-	-	32	4.2
Colorado	293	50.5	41	7.1	64	11.1	32	5.5	-	-	14	2.4
Idaho	50	56.9	-	-	-	-	-	-	-	-	-	-
Montana	19	62.0	-	-	-	-	-	-	-	-	-	-
New Mexico	84	57.2	-	-	21	13.8	-	-	-	-	-	-
Utah	169	68.8	13	5.5	25	10.3	37	14.8	-	-	-	-
Wyoming	10	47.5	-	-	-	-	-	-	-	-	-	-
Pacific	22,459	65.8	2,256	6.3	4,405	12.5	3,070	9.7	467	1.6	1,100	3.5
Alaska	129	77.0	12	7.1	35	20.7	15	9.3	-	-	-	-
California	15,824	63.7	1,657	6.4	2,989	11.7	2,230	9.7	347	1.6	803	3.5
Hawaii	3,818	76.1	353	6.7	829	15.8	477	10.8	60	1.7	133	2.9
Nevada	710	65.0	72	6.7	142	12.8	118	10.9	10	1.0	42	3.8
Oregon	412	66.2	35	5.6	86	13.8	46	7.6	10	1.6	27	4.4
Washington	1,566	68.5	127	5.4	324	14.0	184	8.3	37	1.7	89	4.0

¹ Rates are per 100,000 and are age-adjusted using the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2011-2015, American Indian/Alaskan Native (AI/AN)**

<i>SITES</i>	MALES (AI/AN)					FEMALES (AI/AN)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,202	131.9	1.62	88.4	1.00	7,246	94.1	1.16	64.7	0.77
Oral Cavity & Pharynx	180	2.5	0.21	1.8	0.14	63	0.8	0.11	0.6	0.07
Digestive System	2,785	41.7	0.88	29.1	0.56	2,026	26.5	0.62	18.0	0.40
Esophagus	288	4.4	0.29	3.0	0.18	81	1.1	0.13	0.7	0.08
Stomach	291	4.6	0.30	3.1	0.19	180	2.4	0.19	1.6	0.12
Colon & Rectum	885	14.1	0.53	9.4	0.32	748	9.7	0.37	6.6	0.24
Liver	654	8.5	0.37	6.5	0.26	292	3.8	0.23	2.6	0.15
Pancreas	463	7.0	0.36	4.9	0.23	460	6.1	0.30	4.1	0.19
Respiratory System	2,231	36.8	0.86	24.5	0.53	1,810	23.9	0.59	16.4	0.39
Larynx	79	1.2	0.15	0.8	0.09	20	0.2	0.05	0.2	0.04
Lung & bronchus	2,133	35.3	0.84	23.5	0.52	1,786	23.7	0.59	16.2	0.39
Skin	103	1.6	0.18	1.1	0.11	51	0.7	0.10	0.5	0.06
Melanomas of the skin	50	0.7	0.12	0.5	0.07	32	0.4	0.08	0.3	0.05
Breast	-	-	-	-	-	903	11.2	0.39	8.0	0.27
Female Genital System	-	-	-	-	-	788	9.5	0.35	7.0	0.25
Cervix uteri	-	-	-	-	-	167	1.8	0.14	1.5	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	211	2.6	0.19	1.9	0.13
Ovary	-	-	-	-	-	370	4.6	0.25	3.3	0.17
Male Genital System	725	15.1	0.61	8.7	0.33	-	-	-	-	-
Prostate	688	14.7	0.60	8.3	0.32	-	-	-	-	-
Testis	28	0.3	0.05	0.2	0.05	-	-	-	-	-
Urinary System	519	8.3	0.41	5.6	0.25	293	4.1	0.25	2.7	0.16
Bladder	155	2.9	0.26	1.8	0.15	79	1.1	0.13	0.7	0.08
Kidney & renal pelvis	357	5.3	0.31	3.7	0.20	206	2.9	0.21	1.9	0.13
Brain & Other Nervous System	190	2.3	0.19	1.8	0.14	137	1.6	0.15	1.2	0.11
Endocrine System	36	0.6	0.10	0.4	0.06	38	0.5	0.08	0.3	0.05
Thyroid gland	23	0.4	0.10	0.3	0.06	27	0.3	0.07	0.2	0.04
Lymphomas	251	4.2	0.29	2.8	0.18	170	2.5	0.20	1.6	0.12
Hodgkin Lymphoma	11	0.2	0.06	0.1	0.04	-	-	-	-	-
Non-Hodgkin Lymphoma	240	4.0	0.29	2.6	0.17	-	-	-	-	-
Multiple Myeloma	138	2.4	0.22	1.5	0.13	141	1.9	0.17	1.3	0.11
Leukemias	274	4.3	0.29	3.0	0.18	196	2.5	0.19	1.8	0.13
Other, Ill-defined & Unknown	-	-	-	-	-	630	8.5	0.35	5.6	0.22

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2011-2015, Hispanic Ethnicity**

<i>SITES</i>	MALES (HISPANIC)					FEMALES (HISPANIC)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	92,290	140.6	0.50	93.2	0.31	83,634	97.1	0.35	66.7	0.23
Oral Cavity & Pharynx	1,731	2.4	0.06	1.7	0.04	671	0.8	0.03	0.5	0.02
Digestive System	34,553	49.9	0.29	34.4	0.19	24,989	29.9	0.19	19.9	0.13
Esophagus	2,641	3.9	0.08	2.7	0.05	624	0.8	0.03	0.5	0.02
Stomach	4,656	6.7	0.11	4.5	0.07	3,538	4.0	0.07	2.8	0.05
Colon & Rectum	9,856	14.7	0.16	9.8	0.10	7,616	9.0	0.11	6.0	0.07
Liver	8,520	11.3	0.13	8.4	0.09	3,448	4.3	0.07	2.8	0.05
Pancreas	6,340	9.5	0.13	6.4	0.08	6,267	7.7	0.10	5.0	0.06
Respiratory System	17,335	28.4	0.23	18.3	0.14	10,995	13.6	0.13	8.9	0.09
Larynx	982	1.5	0.05	1.0	0.03	122	0.1	0.01	0.1	0.01
Lung & bronchus	16,112	26.5	0.22	17.1	0.14	10,758	13.3	0.13	8.7	0.08
Skin	1,200	1.8	0.06	1.2	0.03	694	0.8	0.03	0.5	0.02
Melanomas of the skin	696	1.0	0.04	0.7	0.03	493	0.6	0.03	0.4	0.02
Breast	108	0.2	0.02	0.1	0.01	13,214	14.3	0.13	10.5	0.09
Female Genital System	-	-	-	-	-	11,331	12.5	0.12	9.1	0.09
Cervix uteri	-	-	-	-	-	2,623	2.6	0.05	2.1	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	3,358	3.8	0.07	2.8	0.05
Ovary	-	-	-	-	-	4,730	5.4	0.08	3.8	0.06
Male Genital System	8,991	16.8	0.19	9.6	0.10	-	-	-	-	-
Prostate	8,376	16.2	0.18	9.1	0.10	-	-	-	-	-
Testis	378	0.3	0.02	0.3	0.01	-	-	-	-	-
Urinary System	5,697	9.1	0.13	5.8	0.08	2,966	3.7	0.07	2.3	0.04
Bladder	2,114	3.9	0.09	2.2	0.05	965	1.3	0.04	0.7	0.02
Kidney & renal pelvis	3,488	5.0	0.09	3.5	0.06	1,936	2.3	0.05	1.6	0.04
Brain & Other Nervous System	2,901	3.4	0.07	2.6	0.05	2,416	2.5	0.05	1.9	0.04
Endocrine System	583	0.8	0.03	0.5	0.02	761	0.9	0.03	0.6	0.02
Thyroid gland	360	0.5	0.03	0.4	0.02	541	0.7	0.03	0.4	0.02
Lymphomas	4,393	6.6	0.11	4.4	0.07	3,443	4.2	0.07	2.7	0.05
Hodgkin Lymphoma	393	0.5	0.03	0.4	0.02	270	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	4,000	6.1	0.10	4.0	0.06	3,173	3.9	0.07	2.5	0.05
Multiple Myeloma	2,118	3.4	0.08	2.2	0.05	1,863	2.3	0.05	1.5	0.04
Leukemias	4,518	6.0	0.10	4.2	0.06	3,560	3.9	0.07	2.8	0.05
Other, Ill-defined & Unknown	8,162	11.9	0.14	8.0	0.09	6,731	7.8	0.10	5.3	0.07

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2011-2015, Non-Hispanic Ethnicity**

<i>SITES</i>	MALES (NON-HISPANIC)					FEMALES (NON-HISPANIC)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,444,178	201.4	0.17	134.6	0.11	1,304,618	143.4	0.13	99.2	0.09
Oral Cavity & Pharynx	30,416	4.0	0.02	3.0	0.02	12,619	1.4	0.01	1.0	0.01
Digestive System	390,978	53.2	0.09	37.0	0.06	294,454	31.8	0.06	21.3	0.04
Esophagus	56,287	7.5	0.03	5.4	0.02	14,189	1.5	0.01	1.0	0.01
Stomach	28,736	4.0	0.02	2.7	0.02	19,044	2.1	0.02	1.4	0.01
Colon & Rectum	125,316	17.5	0.05	11.8	0.03	115,725	12.5	0.04	8.3	0.03
Liver	57,591	7.3	0.03	5.5	0.02	21,236	2.3	0.02	1.6	0.01
Pancreas	93,992	12.8	0.04	8.8	0.03	90,147	9.7	0.03	6.5	0.02
Respiratory System	426,983	58.4	0.09	39.7	0.06	345,890	38.0	0.07	26.3	0.05
Larynx	13,851	1.8	0.02	1.3	0.01	3,612	0.4	0.01	0.3	0.01
Lung & bronchus	410,328	56.2	0.09	38.1	0.06	340,709	37.4	0.07	25.9	0.05
Skin	41,733	5.9	0.03	3.9	0.02	19,806	2.2	0.02	1.5	0.01
Melanomas of the skin	29,477	4.2	0.02	2.9	0.02	15,233	1.7	0.01	1.2	0.01
Breast	2,123	0.3	0.01	0.2	0.00	191,968	21.5	0.05	15.6	0.04
Female Genital System	-	-	-	-	-	137,324	15.3	0.04	11.2	0.03
Cervix uteri	-	-	-	-	-	17,984	2.3	0.02	1.8	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	43,235	4.7	0.02	3.4	0.02
Ovary	-	-	-	-	-	66,273	7.3	0.03	5.2	0.02
Male Genital System	134,351	20.1	0.06	11.4	0.03	-	-	-	-	-
Prostate	131,367	19.7	0.06	11.0	0.03	-	-	-	-	-
Testis	1,552	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	97,234	13.9	0.05	8.7	0.03	45,333	4.8	0.02	3.1	0.02
Bladder	53,405	7.9	0.03	4.6	0.02	21,378	2.2	0.02	1.3	0.01
Kidney & renal pelvis	41,486	5.7	0.03	3.9	0.02	22,290	2.4	0.02	1.6	0.01
Brain & Other Nervous System	40,439	5.6	0.03	4.3	0.02	31,487	3.7	0.02	2.9	0.02
Endocrine System	6,029	0.9	0.01	0.6	0.01	6,511	0.7	0.01	0.5	0.01
Thyroid gland	3,717	0.5	0.01	0.4	0.01	4,382	0.5	0.01	0.3	0.01
Lymphomas	55,108	7.9	0.03	5.1	0.02	43,754	4.7	0.02	3.0	0.02
Hodgkin Lymphoma	2,845	0.4	0.01	0.3	0.01	2,062	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	52,263	7.5	0.03	4.8	0.02	41,692	4.5	0.02	2.8	0.02
Multiple Myeloma	30,030	4.3	0.03	2.7	0.02	25,244	2.7	0.02	1.8	0.01
Leukemias	62,541	9.1	0.04	5.9	0.02	45,600	5.0	0.02	3.4	0.02
Other, Ill-defined & Unknown	126,213	17.8	0.05	11.9	0.03	104,628	11.4	0.04	7.8	0.03

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Canada, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	197,737	210.5	0.48	135.5	0.31	178,585	151.0	0.36	102.6	0.26
Oral Cavity & Pharynx	4,431	4.4	0.07	3.2	0.05	1,930	1.6	0.04	1.1	0.03
Digestive System	59,405	62.1	0.26	41.0	0.17	46,029	38.2	0.18	24.7	0.12
Esophagus	7,208	7.2	0.09	5.1	0.06	2,183	1.8	0.04	1.2	0.03
Stomach	5,798	6.1	0.08	4.0	0.05	3,748	3.2	0.05	2.1	0.04
Colon & Rectum	23,872	25.6	0.17	16.3	0.11	20,683	17.0	0.12	10.8	0.08
Liver	5,816	5.8	0.08	4.1	0.05	2,097	1.8	0.04	1.2	0.03
Pancreas	11,292	11.7	0.11	7.8	0.07	11,027	9.2	0.09	6.0	0.06
Respiratory System	55,517	57.7	0.25	38.0	0.16	46,465	39.5	0.19	27.4	0.13
Larynx	1,611	1.7	0.04	1.1	0.03	361	0.3	0.02	0.2	0.01
Lung & bronchus	53,264	55.4	0.24	36.4	0.16	45,769	38.9	0.18	27.0	0.13
Skin	4,779	5.1	0.08	3.3	0.05	2,667	2.3	0.04	1.5	0.03
Melanomas of the skin	3,352	3.5	0.06	2.4	0.04	1,931	1.7	0.04	1.2	0.03
Breast	238	0.3	0.02	0.2	0.01	25,215	21.6	0.14	15.3	0.10
Female Genital System	-	-	-	-	-	17,264	14.9	0.12	10.6	0.09
Cervix uteri	-	-	-	-	-	2,060	2.0	0.04	1.6	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	5,060	4.3	0.06	3.0	0.04
Ovary	-	-	-	-	-	8,690	7.4	0.08	5.3	0.06
Male Genital System	19,993	23.3	0.17	12.6	0.09	-	-	-	-	-
Prostate	19,522	22.8	0.17	12.2	0.09	-	-	-	-	-
Testis	193	0.2	0.02	0.2	0.01	-	-	-	-	-
Urinary System	13,726	15.0	0.13	9.1	0.08	6,424	5.3	0.07	3.3	0.04
Bladder	7,461	8.4	0.10	4.8	0.06	2,944	2.4	0.04	1.4	0.03
Kidney & renal pelvis	5,438	5.6	0.08	3.8	0.05	2,995	2.5	0.05	1.6	0.03
Brain & Other Nervous System	5,905	6.0	0.08	4.7	0.06	4,536	4.1	0.06	3.2	0.05
Endocrine System	802	0.9	0.03	0.6	0.02	901	0.8	0.03	0.6	0.02
Thyroid gland	460	0.5	0.02	0.3	0.02	574	0.5	0.02	0.3	0.01
Lymphomas	7,798	8.4	0.10	5.4	0.06	6,237	5.3	0.07	3.4	0.05
Hodgkin Lymphoma	351	0.4	0.02	0.3	0.02	251	0.2	0.02	0.2	0.01
Non-Hodgkin Lymphoma	7,447	8.0	0.09	5.1	0.06	5,986	5.0	0.07	3.2	0.04
Multiple Myeloma	3,858	4.1	0.07	2.6	0.04	3,050	2.6	0.05	1.6	0.03
Leukemias	7,686	8.4	0.10	5.4	0.06	5,616	4.8	0.07	3.2	0.05
Other, Ill-defined & Unknown	13,599	14.8	0.13	9.4	0.08	12,251	10.2	0.09	6.6	0.07

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Canada, 2011-2015, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2011 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	197,737	246.8	0.56	135.5	0.31	178,585	177.7	0.42	102.6	0.26
Oral Cavity & Pharynx	4,431	5.3	0.08	3.2	0.05	1,930	1.9	0.04	1.1	0.03
Digestive System	59,405	73.3	0.30	41.0	0.17	46,029	44.9	0.21	24.7	0.12
Esophagus	7,208	8.7	0.10	5.1	0.06	2,183	2.2	0.05	1.2	0.03
Stomach	5,798	7.2	0.10	4.0	0.05	3,748	3.7	0.06	2.1	0.04
Colon & Rectum	23,872	30.0	0.20	16.3	0.11	20,683	20.0	0.14	10.8	0.08
Liver	5,816	7.0	0.09	4.1	0.05	2,097	2.1	0.05	1.2	0.03
Pancreas	11,292	13.8	0.13	7.8	0.07	11,027	10.8	0.10	6.0	0.06
Respiratory System	55,517	67.9	0.29	38.0	0.16	46,465	46.9	0.22	27.4	0.13
Larynx	1,611	2.0	0.05	1.1	0.03	361	0.4	0.02	0.2	0.01
Lung & bronchus	53,264	65.1	0.28	36.4	0.16	45,769	46.2	0.22	27.0	0.13
Skin	4,779	6.0	0.09	3.3	0.05	2,667	2.6	0.05	1.5	0.03
Melanomas of the skin	3,352	4.1	0.07	2.4	0.04	1,931	2.0	0.05	1.2	0.03
Breast	238	0.3	0.02	0.2	0.01	25,215	25.5	0.16	15.3	0.10
Female Genital System	-	-	-	-	-	17,264	17.6	0.13	10.6	0.09
Cervix uteri	-	-	-	-	-	2,060	2.2	0.05	1.6	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	5,060	5.1	0.07	3.0	0.04
Ovary	-	-	-	-	-	8,690	8.8	0.10	5.3	0.06
Male Genital System	19,993	27.1	0.19	12.6	0.09	-	-	-	-	-
Prostate	19,522	26.5	0.19	12.2	0.09	-	-	-	-	-
Testis	193	0.2	0.02	0.2	0.01	-	-	-	-	-
Urinary System	13,726	17.6	0.15	9.1	0.08	6,424	6.2	0.08	3.3	0.04
Bladder	7,461	9.8	0.12	4.8	0.06	2,944	2.8	0.05	1.4	0.03
Kidney & renal pelvis	5,438	6.7	0.09	3.8	0.05	2,995	2.9	0.05	1.6	0.03
Brain & Other Nervous System	5,905	6.9	0.09	4.7	0.06	4,536	4.7	0.07	3.2	0.05
Endocrine System	802	1.0	0.03	0.6	0.02	901	0.9	0.03	0.6	0.02
Thyroid gland	460	0.6	0.03	0.3	0.02	574	0.6	0.02	0.3	0.01
Lymphomas	7,798	9.8	0.11	5.4	0.06	6,237	6.1	0.08	3.4	0.05
Hodgkin Lymphoma	351	0.4	0.02	0.3	0.02	251	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	7,447	9.3	0.11	5.1	0.06	5,986	5.8	0.08	3.2	0.04
Multiple Myeloma	3,858	4.8	0.08	2.6	0.04	3,050	3.0	0.05	1.6	0.03
Leukemias	7,686	9.7	0.11	5.4	0.06	5,616	5.5	0.07	3.2	0.05
Other, Ill-defined & Unknown	13,599	17.2	0.15	9.4	0.08	12,251	11.9	0.11	6.6	0.07

* Rates are per 100,000 and are age-adjusted using the 2011 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2011-2015, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada	197,737	210.5	23,872	25.6	53,264	55.4	19,522	22.8	7,461	8.4	7,447	8
Alberta	16,099	192.6	1,893	22.6	3,829	45.2	1,900	26	582	7.5	597	7.3
British Columbia	25,573	188.6	3,133	23.2	6,035	43.7	2,782	21.9	1,104	8.5	993	7.5
Manitoba	7,089	220.7	897	27.9	1,667	51	837	28.1	238	7.7	262	8.2
New Brunswick	5,080	224.9	589	26.1	1,531	66	471	23.4	178	8.5	-	-
Newfoundland and Labrador	3,781	245.8	579	37.4	1,089	68	372	28.5	107	8	-	-
Northwest Territories	150	231	21	33.7	48	78.9	12	26.7	-	-	-	-
Nova Scotia	6,850	245.4	945	34.2	1,963	67.6	641	25.5	244	9.4	264	9.7
Nunavut	113	367.9	18	45	48	167.8	-	-	-	-	-	-
Ontario	72,346	201.9	8,336	23.5	18,039	49.3	7,275	22	2,815	8.3	2,919	8.2
Prince Edward Island	990	236.2	125	30.7	303	69.6	92	25.8	31	7.9	-	-
Quebec	53,454	234.4	6,561	29.1	17,180	72.9	4,252	21	1,933	9.1	1,840	8.2
Saskatchewan	6,028	207.3	752	25.7	1,481	50.5	863	30.6	220	7.8	228	8.1
Yukon	184	263.1	23	34.8	51	70.5	23	39	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (2011 Canadian Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2011-2015, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada	197,737	246.8	23,872	30	53,264	65.1	19,522	26.5	7,461	9.8	7,447	9.3
Alberta	16,099	225.4	1,893	26.5	3,829	53	1,900	30	582	8.8	597	8.4
British Columbia	25,573	221.6	3,133	27.3	6,035	51.4	2,782	25.4	1,104	9.9	993	8.7
Manitoba	7,089	258.3	897	32.6	1,667	60	837	32.5	238	9	262	9.5
New Brunswick	5,080	263.1	589	30.6	1,531	77.3	471	27.3	178	9.9	-	-
Newfoundland and Labrador	3,781	288	579	43.7	1,089	79.8	372	33.2	107	9.3	-	-
Northwest Territories	150	268.6	21	39.8	48	92.2	12	30.2	-	-	-	-
Nova Scotia	6,850	287.2	945	39.9	1,963	79.2	641	29.8	244	10.9	264	11.3
Nunavut	113	430.8	18	51.7	48	193.8	-	-	-	-	-	-
Ontario	72,346	236.8	8,336	27.5	18,039	58.1	7,275	25.6	2,815	9.6	2,919	9.5
Prince Edward Island	990	275.1	125	35.8	303	81.1	92	29.6	31	9.1	-	-
Quebec	53,454	274.5	6,561	33.9	17,180	85.9	4,252	24.3	1,933	10.6	1,840	9.5
Saskatchewan	6,028	242.1	752	30.2	1,481	59.2	863	35.5	220	9	228	9.2
Yukon	184	309.2	23	40.8	51	83	23	46.1	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted using the 2011 Canadian population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2011-2015, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada	178,585	151	20,683	17	45,769	38.9	25,215	21.6	2,060	2	8,690	7.4
Alberta	14,299	140	1,502	14.5	3,574	35.6	2,121	20.4	209	2	723	7
British Columbia	22,642	141.9	2,747	16.8	5,763	36.1	3,171	20.3	243	1.7	1,220	7.7
Manitoba	6,627	160.2	782	18	1,647	40.4	934	22.9	75	2.1	296	7.5
New Brunswick	4,350	151.7	500	16.9	1,111	38.8	578	20.2	48	1.9	219	7.6
Newfoundland and Labrador	3,259	174.9	508	27.7	699	36.4	462	24.6	55	3.3	149	8
Northwest Territories	126	202.5	15	26.8	35	58.3	20	30.5	-	-	-	-
Nova Scotia	6,290	175	799	21.5	1,695	47	831	23.6	71	2.3	322	9
Nunavut	87	355.4	-	-	41	171.8	-	-	-	-	-	-
Ontario	65,913	144.6	7,276	15.5	15,625	34.4	9,599	21.3	806	2	3,315	7.4
Prince Edward Island	822	152.5	121	22.9	223	41.9	96	17.6	12	2.3	44	8.2
Quebec	48,566	164	5,758	18.8	13,924	47.2	6,573	22.7	440	1.8	2,117	7.3
Saskatchewan	5,465	152.1	650	17.2	1,398	40.6	804	22.4	96	3.1	275	7.9
Yukon	139	180.3	16	21.8	34	46.5	19	23.2	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (2011 Canadian Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2011-2015, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada	178,585	177.7	20,683	20	45,769	46.2	25,215	25.5	2,060	2.2	8,690	8.8
Alberta	14,299	164.5	1,502	17.1	3,574	41.9	2,121	24.2	209	2.3	723	8.3
British Columbia	22,642	166.7	2,747	19.7	5,763	42.6	3,171	23.9	243	1.9	1,220	9.1
Manitoba	6,627	188.9	782	21.3	1,647	47.8	934	27.1	75	2.4	296	8.8
New Brunswick	4,350	178.3	500	19.8	1,111	45.9	578	24.1	48	2.2	219	9.1
Newfoundland and Labrador	3,259	205.1	508	32	699	43.3	462	29.4	55	3.7	149	9.5
Northwest Territories	126	232.8	15	29.9	35	66.5	20	35.1	-	-	-	-
Nova Scotia	6,290	205.5	799	25.3	1,695	55.8	831	27.7	71	2.6	322	10.7
Nunavut	87	403.4	-	-	41	197.4	-	-	-	-	-	-
Ontario	65,913	169.7	7,276	18.2	15,625	40.7	9,599	25.1	806	2.2	3,315	8.8
Prince Edward Island	822	179.9	121	25.7	223	49.2	96	21.4	12	2.8	44	9.8
Quebec	48,566	193.9	5,758	22.1	13,924	56.9	6,573	26.9	440	2	2,117	8.7
Saskatchewan	5,465	178.4	650	20.2	1,398	47.5	804	26.4	96	3.5	275	9.4
Yukon	139	211.3	16	25.6	34	52.7	19	27.8	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted using the 2011 Canadian population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.